

# MIO-FESTLEGUNG: DIGA TOOLKIT

FESTLEGUNG GEMÄSS § 355 ABSATZ 2A SGB V

Nach § 355 Absatz 2a SGB V trifft die KBV die notwendigen Festlegungen für die semantische und syntaktische Interoperabilität von Daten aus digitalen Gesundheitsanwendungen (DiGA) der Versicherten nach § 33a SGB V, die von den Versicherten nach § 341 Absatz 2 Nummer 9 SGB V in die elektronische Patientenakte (ePA) übermittelt werden. Die Festlegung erfolgt in einem strukturierten Prozess gemäß der Verfahrensordnung im Benehmen mit Organisationen des Gesundheitswesens.

Der Vorstand der KBV trifft folgende Festlegung:

## ARTIKEL 1 - ÜBERGREIFENDE FESTLEGUNGEN ZU FHIR®

Übergreifend für alle FHIR®-Ressourcen gelten die nachfolgenden Festlegungen:

### 1. FESTLEGUNG DER IN DER EPA ZU SPEICHERNDE FHIR®-RESSOURCEN

Das Bundle (KBV\_PR\_MIO\_DIGA\_Bundle) ist die einzige Ressource, die in der elektronischen Patientenakte (ePA) als medizinisches Informationsobjekt DiGA Toolkit gespeichert werden darf. Für diese an die ePA zu übertragende FHIR®-Ressource muss für die Umsetzung des Anwendungsszenarios "Daten eintragen" eine Composition gemäß Profil KBV\_PR\_MIO\_DIGA\_Composition enthalten sein.

Die Composition *KBV\_PR\_MIO\_DIGA\_Composition* gibt die Struktur und Relationen der Daten in dem MIO-Eintrag vor. Die Inhalte bestehen aus Verweisen auf andere Ressourcen. Da ein MIO-Eintrag vollständig und unveränderlich sein muss, wird die Composition mit allen referenzierten Ressourcen zu einem Bundle zusammengefasst (*KBV\_PR\_MIO\_DIGA\_Bundle*).

Das hochgeladene Bundle stellt dabei einen vollständigen Export, d.h. mit allen erhobenen Daten und gegebenenfalls zuvor exportierten Daten, dar. Die Dateigröße des Bundles darf die durch den Konnektor vorgegebene maximale Dateigröße von 25 MB nicht überschreiten. Abhängig vom DiGA-Betrachtungszeitraum und der erhobenen Datenmenge, können jedoch mehr als 25 MB benötigt werden.

Für solche Fälle, beachten Sie bitte den nachfolgenden Hinweis:

Die Dateigröße einzelner Bundles in der ePA ist durch technische Vorgaben des Konnektors auf maximal 25 MB begrenzt.

Bundles welche, beispielsweise aufgrund von Exporten von Langzeiterhebungen, diese Größe überschreiten, müssen in separate Bundles aufgeteilt werden.

Dafür ist im KBV\_PR\_MIO\_DIGA\_Bundle der Betrachtungszeitraum vorgesehen.

Nähere Informationen finden Sie unter Betrachtungszeitraum für ePA Einträge.

### 2. FESTLEGUNG DES FORMATS DER FHIR®-RESSOURCEN

Die in der elektronischen Patientenakte (ePA) zu speichernden FHIR®-Ressourcen weisen ein XML-Format gemäß FHIR®-Spezifikation R4 auf.

### 3. FESTLEGUNG ZUR NUTZUNG VON MUST-SUPPORT

Als Must-Support deklarierte Elemente müssen durch jedes anzeigende System, welches diese Spezifikation implementiert, unterstützt werden. Das bedeutet, dass das jeweilige System diese interpretieren und verarbeiten können muss. Befüllende Systeme, in diesem Fall die hier betrachteten DiGA, sind nicht gezwungen, sämtliche als Must-Support gekennzeichnete Elemente zu unterstützen. Ein Beispiel hierfür ist das Element "note". Wenn eine DiGA keine Notiz erfasst, dann muss dieses Element nicht unterstützt werden. Der Export der versorgungsrelevanten Daten und somit auch die Auswahl der mit Must-Support gekennzeichneten Elemente einer DiGA sind verknüpft mit dem im Fast-Track-Verfahren des BfArM

vereinbarten Leistungsumfang einer DiGA. Anzeigende Systeme, wie z.B. Praxisverwaltungssysteme, müssen immer in der Lage sein, das "note"-Element anzuzeigen. Die Deklaration als Must-Support wird, wie in der Beispielabbildung dargestellt, durch eine rotes "S" gekennzeichnet.

#### Beispielabbildung

 date **S** 1..1 dateTime

## 4. FESTLEGUNG ZUR NUTZUNG VON BETRACHTUNGSZEITRAUM FÜR EPA-EINTRÄGE

### Hintergrund zum Betrachtungszeitraum

Die Dateigröße einzelner Einträge in der ePA ist durch technische Vorgaben des Konnektors auf maximal 25 MB begrenzt.

Da das Bundle (KBV\_PR\_MIO\_DIGA\_Bundle) die einzige Ressource ist, die in der elektronischen Patientenakte (ePA) als medizinisches Informationsobjekt DiGA Toolkit gespeichert werden darf, sieht das MIO DiGA Toolkit eine Aufteilung von Bundles, welche die maximale Dateigröße überschreiten, in mehrere Bundles nach Betrachtungszeitraum vor.

Der Betrachtungszeitraum legt fest, von welchem Startzeitpunkt bis zu welchem Endzeitpunkt Daten in dem jeweiligen Bundle abgebildet sind. Dabei ist der Betrachtungszeitraum als rein technisches Attribut zu verstehen, der EndanwenderInnen (z.B. den weiterbehandelnden Personen) nicht angezeigt werden soll.

### Technische Umsetzung des Betrachtungszeitraums

Der Betrachtungszeitraum ist in der KBV\_PR\_MIO\_DIGA\_Composition laut Spezifikation vorgesehenen Extension "Betrachtungszeitraum" anzugeben. Diese Extension bietet die optionale Möglichkeit, den Startzeitpunkt sowie den Endzeitpunkt des Betrachtungszeitraumes des jeweiligen Bundles anzugeben.

Es ist dementsprechend von der DiGA sicherzustellen, dass in dem jeweiligen Bundle nur Daten enthalten sind, welche zeitlich dem jeweiligen Betrachtungszeitraum entsprechen. Die Granularität der Betrachtungszeiträume kann von der DiGA frei festgelegt werden, sofern die resultierende Dateigröße der einzelnen Bundles die Begrenzung von 25 MB nicht überschreitet. Es wird jedoch dringend empfohlen, medizinisch sinnvolle und für die weitere Verwendung seitens der Primärsysteme möglichst nachvollziehbare Betrachtungszeiträume zu definieren und diese öffentlich zu dokumentieren.

Das hochgeladene Bundle stellt bei Verwendung des Betrachtungszeitraumes einen vollständigen Export mit allen erhobenen Daten aus dem angegebenen Zeitraum dar.

Damit weiterverarbeitende Systeme (z.B. das Praxisverwaltungssystem (PVS) der weiterverhandelnden Person) auf die gewünschten MIO-Bundle zugreifen können, können diese über die Metadaten der ePA-Einträge nach Betrachtungszeiträumen gefiltert werden und selektiv heruntergeladen werden. Der Betrachtungszeitraum innerhalb des Bundles ist somit rein informativ für die Verarbeitung der Daten vorgesehen.

### Anwendungsbeispiel

Eine DiGA mit der Indikation Diabetes Mellitus, Typ 1 soll die über die letzten drei Monate erhobenen Daten einer Überwachung von Blutzuckerwerten als versorgungsrelevante Daten auf Wunsch der versicherten Person in die ePA exportieren. Der Blutzuckersensor misst den aktuellen Blutzuckerwert der PatientIn alle fünf Minuten. Dies entspricht 288 Messungen am Tag.

Eine einzelne Blutzuckerwertmessung benötigt als FHIR-Instanz 4 KB. Somit ergibt sich für einen Tag eine Gesamtdatengröße von 1152 KB für die Blutzuckerwerte. Die maximale Dateigröße von 25 MB wäre somit bereits nach einer Erhebung über 22 Tage überschritten.

Wir haben zur Veranschaulichung einen simulierten Export einer Blutzuckermessung über drei Monate in einem Bundle erzeugt. Wenn die erhobenen Daten von drei Monaten in die ePA übertragen werden sollen, so

müssen zusätzlich für alle erhobenen Werte FHIR\_Provenance Instanzen erzeugt werden, um die Erzeugung und den Autor nachvollziehen zu können. Durch das genutzte Bundle-Format "document" müssen ebenfalls Referenzen für die erhobenen Werte in der Composition Ressource angelegt werden. Die Dateigröße für einen Export über drei Monate erreicht somit 207 MB.

Per Betrachtungszeitraum kann dieses Bundle nun beispielsweise in Betrachtungszeiträume von jeweils maximal 11 Tagen eingeteilt werden. Die Granularität kann hierbei frei von der DiGA gewählt werden, sofern die resultierende Dateigröße der einzelnen Bundles die Begrenzung von 25 MB nicht überschreitet.

Die Beispieldatei für das beschriebene Anwendungsbeispiel sind folgend für Sie verfügbar:

<https://github.com/mio42-GmbH/MIO-DiGA-Beispieldateien-Betrachtungszeitraum>

## ARTIKEL 2 - FESTLEGUNG DER FHIR®-RESSOURCEN

### 1. KBV\_CM\_MIO\_DIGA\_CARE\_PLAN\_INTENT\_GERMAN

KBV_CM_MIO_DIGA_Care_Plan_Intent_German	
1	<ConceptMap xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/ConceptMap/
3	KBV_CM_MIO_DIGA_Care_Plan_Intent_German" />
4	<version value="1.0.0" />
5	<name value="KBV_CM_MIO_DIGA_Care_Plan_Intent_German" />
6	<title value="Intention" />
7	<status value="draft" />
8	<experimental value="false" />
9	<publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
10	<contact>
11	<telecom>
12	<system value="url" />
13	<value value="https://mio.kbv.de" />
14	</telecom>
15	</contact>
16	<description value="Diese Conceptmap verknüpft die Codes für die Intention des Behandlungsplanes mit deutschen Bezeichnungen" />
	<copyright value="Im folgenden Profil können Codes aus den Codesystemen Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®) which is used by permission of SNOMED International. All rights reserved. SNOMED CT®, was originally created by The College of American Pathologists. SNOMED and SNOMED CT are registered trademarks of SNOMED International. Implementers of these artefacts must have the appropriate SNOMED CT Affiliate license. This material contains content from LOINC (http://loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and the Logical Observation Identifiers Names and Codes (LOINC) Committee and is available at no cost under the license at http://loinc.org/license. LOINC® is a registered United States trademark of Regenstrief Institute, Inc. This product includes all or a portion of the UCUM table, UCUM codes, and UCUM definitions or is derived from it, subject to a license from Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM codes, UCUM definitions also is subject to this license, a copy of which is available at ?http://unitsofmeasure.org. The current complete UCUM table, UCUM Specification are available for download at http://unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©

1995-2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED "AS IS." ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE." />

```

17 <group>
18 <source value="http://hl7.org/fhir/request-intent" />
19 <sourceVersion value="4.0.1" />
20 <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_DIGA_Care_Plan_Intent_German" />
21 <targetVersion value="1.0.0" />
22 <element>
23 <code value="proposal" />
24 <display value="Proposal" />
25 <target>
26 <code value="Vorschlag" />
27 <display value="Vorschlag" />
28 <equivalence value="equivalent" />
29 </target>
30 </element>
31 <element>
32 <code value="plan" />
33 <display value="Plan" />
34 <target>
35 <code value="Plan" />
36 <display value="Plan" />
37 <equivalence value="equivalent" />
38 </target>
39 </element>
40 <element>
41 <code value="order" />
42 <display value="Order" />
43 <target>
44 <code value="Anordnung" />
45 <display value="Anordnung" />
46 <equivalence value="equivalent" />
47 </target>
48 </element>
49 <element>
50 <code value="option" />
51 <display value="Option" />
52 <target>
53 <code value="Option" />
54 <display value="Option" />
55 <equivalence value="equivalent" />
56 </target>
57 </element>
58 </group>
59 </ConceptMap>

```

## 2. KBV\_CM\_MIO\_DIGA\_CARE\_PLAN\_STATUS\_GERMAN

### KBV\_CM\_MIO\_DIGA\_Care\_Plan\_Status\_German

```
1 <ConceptMap xmlns="http://hl7.org/fhir">
```

```

2     <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_DIGA_Care_Plan_Status_German" />
3     <version value="1.0.0" />
4     <name value="KBV_CM_MIO_DIGA_Care_Plan_Status_German" />
5     <title value="Behandlungsplan Status" />
6     <status value="draft" />
7     <experimental value="false" />
8     <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9     <contact>
10        <telecom>
11            <system value="url" />
12            <value value="https://mio.kbv.de" />
13        </telecom>
14    </contact>
15    <description value="Diese Conceptmap verknüpft die Codes für den Status
des Behandlungsplans mit deutschen Bezeichnungen" />
16    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at ?http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995-2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
17    <group>
18        <source value="http://hl7.org/fhir/request-status" />
19        <sourceVersion value="4.0.1" />
20        <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_DIGA_Care_Plan_Status_German" />
21        <targetVersion value="1.0.0" />
22        <element>
23            <code value="draft" />
24            <display value="Draft" />
25            <target>
26                <code value="Entwurf" />
27                <display value="Entwurf" />
28                <equivalence value="equivalent" />
29            </target>
30        </element>
31        <element>
32            <code value="active" />
33            <display value="Active" />
34            <target>

```

```

35     <code value="Aktiv" />
36     <display value="Aktiv" />
37     <equivalence value="equivalent" />
38   </target>
39 </element>
40 <element>
41   <code value="on-hold" />
42   <display value="On Hold" />
43   <target>
44     <code value="Suspendiert" />
45     <display value="Suspendiert" />
46     <equivalence value="equivalent" />
47   </target>
48 </element>
49 <element>
50   <code value="revoked" />
51   <display value="Revoked" />
52   <target>
53     <code value="Widerrufen" />
54     <display value="Widerrufen" />
55     <equivalence value="equivalent" />
56   </target>
57 </element>
58 <element>
59   <code value="completed" />
60   <display value="Completed" />
61   <target>
62     <code value="Erledigt" />
63     <display value="Erledigt" />
64     <equivalence value="equivalent" />
65   </target>
66 </element>
67 <element>
68   <code value="entered-in-error" />
69   <display value="Entered in Error" />
70   <target>
71     <code value="IrrtuemlicheEingabe" />
72     <display value="Irrtümliche Eingabe" />
73     <equivalence value="equivalent" />
74   </target>
75 </element>
76 <element>
77   <code value="unknown" />
78   <display value="Unknown" />
79   <target>
80     <code value="Unbekannt" />
81     <display value="Unbekannt" />
82     <equivalence value="equivalent" />
83   </target>
84 </element>
85 </group>
86 </ConceptMap>

```

### 3. KBV\_CM\_MIO\_DIGA\_CONDITION\_CLINICAL\_STATUS\_GERMAN

#### KBV\_CM\_MIO\_DIGA\_Condition\_Clinical\_Status\_German

```
1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_DIGA_Condition_Clinical_Status_German" />
3   <version value="1.0.0" />
4   <name value="KBV_CM_MIO_DIGA_Condition_Clinical_Status_German" />
5   <title value="Klinischer Status" />
6   <status value="draft" />
7   <experimental value="false" />
8   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9   <contact>
10    <telecom>
11      <system value="url" />
12      <value value="https://mio.kbv.de" />
13    </telecom>
14  </contact>
15  <description value="Diese Conceptmap verknüpft die Codes für den
Klinischen Status mit deutschen Bezeichnungen" />
16  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at ?http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
17    <group>
18      <source value="http://terminology.hl7.org/CodeSystem/condition-
clinical" />
19      <sourceVersion value="4.0.1" />
20      <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_DIGA_Condition_Clinical_Status_German" />
21      <targetVersion value="1.0.0" />
22    <element>
23      <code value="active" />
24      <display value="Active" />
25    <target>
26      <code value="Aktiv" />
```



```

27     <display value="Aktiv" />
28     <equivalence value="equivalent" />
29   </target>
30 </element>
31 <element>
32   <code value="recurrence" />
33   <display value="Recurrence" />
34   <target>
35     <code value="Wiederauftreten" />
36     <display value="Wiederauftreten" />
37     <equivalence value="equivalent" />
38   </target>
39 </element>
40 <element>
41   <code value="inactive" />
42   <display value="Inactive" />
43   <target>
44     <code value="Inaktiv" />
45     <display value="Inaktiv" />
46     <equivalence value="equivalent" />
47   </target>
48 </element>
49 <element>
50   <code value="remission" />
51   <display value="Remission" />
52   <target>
53     <code value="Remission" />
54     <display value="Remission" />
55     <equivalence value="equivalent" />
56   </target>
57 </element>
58 <element>
59   <code value="resolved" />
60   <display value="Resolved" />
61   <target>
62     <code value="Behoben" />
63     <display value="Behoben" />
64     <equivalence value="equivalent" />
65   </target>
66 </element>
67 </group>
68 </ConceptMap>

```

#### 4. KBV\_CM\_MIO\_DIGA\_CONDITION\_SEVERITY\_GERMAN

##### KBV\_CM\_MIO\_DIGA\_Condition\_Severity\_German

```

1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_DIGA_Condition_Severity_German" />
3   <version value="1.0.0" />
4   <name value="KBV_CM_MIO_DIGA_Condition_Severity_German" />
5   <title value="Schweregrad" />
6   <status value="draft" />
7   <experimental value="false" />
8   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9   <contact>

```

```

10     <telecom>
11         <system value="url" />
12         <value value="https://mio.kbv.de" />
13     </telecom>
14 </contact>
15 <description value="Diese Conceptmap verknüpft die Codes für Schweregrad
mit deutschen Bezeichnungen" />
16 <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at ?http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
17 <group>
18     <source value="http://snomed.info/sct" />
19     <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20220131" />
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_DIGA_Condition_Severity_German" />
21     <targetVersion value="1.0.0" />
22     <element>
23         <code value="255604002" />
24         <display value="Mild" />
25         <target>
26             <code value="leicht" />
27             <display value="leicht" />
28             <equivalence value="equivalent" />
29         </target>
30     </element>
31     <element>
32         <code value="255604002" />
33         <display value="Moderate" />
34         <target>
35             <code value="mittel" />
36             <display value="mittel" />
37             <equivalence value="equivalent" />
38         </target>
39     </element>
40     <element>
41         <code value="24484000" />
42         <display value="Severe" />

```

```

43     <target>
44         <code value="schwer" />
45         <display value="schwer" />
46         <equivalence value="equivalent" />
47     </target>
48 </element>
49 </group>
50 </ConceptMap>

```

## 5. KBV\_CM\_MIO\_DIGA\_CONDITION\_VERIFICATION\_STATUS\_GERMAN

### KBV\_CM\_MIO\_DIGA\_Condition\_Verification\_Status\_German

```

1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_DIGA_Condition_Verification_Status_German" />
3   <version value="1.0.0" />
4   <name value="KBV_CM_MIO_DIGA_Condition_Verification_Status_German" />
5   <title value="Verifizierungsstatus" />
6   <status value="draft" />
7   <experimental value="false" />
8   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9   <contact>
10     <telecom>
11       <system value="url" />
12       <value value="https://mio.kbv.de" />
13     </telecom>
14   </contact>
15   <description value="Diese Conceptmap verknüpft die Codes für den
Verifizierungsstatus mit deutschen Bezeichnungen" />
16   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at ?http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995-2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
17 </group>

```

```

18     <source value="http://terminology.hl7.org/CodeSystem/condition-ver-
19 status" />
20     <sourceVersion value="4.0.1" />
21     <target value="https://fhir.kbv.de/CodeSystem/
22 KBV_CS_MIO_DIGA_Condition_Verification_Status_German" />
23     <targetVersion value="1.0.0" />
24     <element>
25         <code value="unconfirmed" />
26         <display value="Unconfirmed" />
27         <target>
28             <code value="Unbestaetigt" />
29             <display value="Unbestätigt" />
30             <equivalence value="equivalent" />
31         </target>
32     </element>
33     <element>
34         <code value="provisional" />
35         <display value="Provisional" />
36         <target>
37             <code value="Vorlaeufig" />
38             <display value="Vorläufig" />
39             <equivalence value="equivalent" />
40         </target>
41     </element>
42     <element>
43         <code value="differential" />
44         <display value="Differential" />
45         <target>
46             <code value="Differenzial" />
47             <display value="Differenzial" />
48             <equivalence value="equivalent" />
49         </target>
50     </element>
51     <element>
52         <code value="confirmed" />
53         <display value="Confirmed" />
54         <target>
55             <code value="Bestaetigt" />
56             <display value="Bestätigt" />
57             <equivalence value="equivalent" />
58         </target>
59     </element>
60     <element>
61         <code value="refuted" />
62         <display value="Refuted" />
63         <target>
64             <code value="Widerlegt" />
65             <display value="Widerlegt" />
66             <equivalence value="equivalent" />
67         </target>
68     </element>
69     <element>
70         <code value="entered-in-error" />
71         <display value="Entered in Error" />
72         <target>
73             <code value="irrtuemlicheEingabe" />
74             <display value="irrtümliche Eingabe" />
75             <equivalence value="equivalent" />
76         </target>
77     </element>

```

```
76 </group>
77 </ConceptMap>
```

## 6. KBV\_CM\_MIO\_DIGA\_DEVICE\_NAME\_TYPE\_GERMAN

### KBV\_CM\_MIO\_DIGA\_Device\_Name\_Type\_German

```
1 <ConceptMap xmlns="http://hl7.org/fhir">
2 <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_DIGA_Device_Name_Type_German" />
3 <version value="1.0.0" />
4 <name value="KBV_CM_MIO_DIGA_Device_Name_Type_German" />
5 <title value="Gerätename Typ" />
6 <status value="draft" />
7 <experimental value="false" />
8 <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9 <contact>
10 <telecom>
11 <system value="url" />
12 <value value="https://mio.kbv.de" />
13 </telecom>
14 </contact>
15 <description value="Diese Conceptmap verknüpft die Codes für den Typ des
Gerätenamens mit deutschen Bezeichnungen" />
16 <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at ?http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995-2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
17 <group>
18 <source value="http://hl7.org/fhir/device-nametype" />
19 <sourceVersion value="4.0.1" />
20 <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_DIGA_Device_Name_Type_German" />
21 <targetVersion value="1.0.0" />
22 <element>
23 <code value="udi-label-name" />
```

```

24     <display value="UDI Label name" />
25     <target>
26       <code value="UDIKennzeichnungsname" />
27       <display value="UDI Kennzeichnungsname" />
28       <equivalence value="equivalent" />
29     </target>
30 </element>
31 <element>
32   <code value="user-friendly-name" />
33   <display value="User Friendly name" />
34   <target>
35     <code value="BenutzerfreundlicherName" />
36     <display value="Benutzerfreundlicher Name" />
37     <equivalence value="equivalent" />
38   </target>
39 </element>
40 <element>
41   <code value="patient-reported-name" />
42   <display value="Patient Reported name" />
43   <target>
44     <code value="PatientenberichteterName" />
45     <display value="Patientenberichteter Name" />
46     <equivalence value="equivalent" />
47   </target>
48 </element>
49 <element>
50   <code value="manufacturer-name" />
51   <display value="Manufacturer name" />
52   <target>
53     <code value="Herstellername" />
54     <display value="Herstellername" />
55     <equivalence value="equivalent" />
56   </target>
57 </element>
58 <element>
59   <code value="model-name" />
60   <display value="Model name" />
61   <target>
62     <code value="Modellname" />
63     <display value="Modellname" />
64     <equivalence value="equivalent" />
65   </target>
66 </element>
67 <element>
68   <code value="other" />
69   <display value="other" />
70   <target>
71     <code value="Sonstige" />
72     <display value="Sonstige" />
73     <equivalence value="equivalent" />
74   </target>
75 </element>
76 </group>
77 </ConceptMap>

```

## 7. KBV\_CM\_MIO\_DIGA\_GOAL\_ACHIEVEMENT\_STATUS\_GERMAN

### KBV\_CM\_MIO\_DIGA\_Goal\_Achievement\_Status\_German

```
1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_DIGA_Goal_Achievement_Status_German" />
3   <version value="1.0.0" />
4   <name value="KBV_CM_MIO_DIGA_Goal_Achievement_Status_German" />
5   <title value="Goal Achievement Status" />
6   <status value="draft" />
7   <experimental value="false" />
8   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9   <contact>
10    <telecom>
11      <system value="url" />
12      <value value="https://mio.kbv.de" />
13    </telecom>
14  </contact>
15  <description value="Diese Conceptmap verknüpft die Codes für den Status
der Medikation mit deutschen Bezeichnungen" />
16  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at ?http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
17  <group>
18    <source value="http://terminology.hl7.org/CodeSystem/goal-
achievement" />
19    <sourceVersion value="4.0.1" />
20    <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_DIGA_Goal_Achievement_Status_German" />
21    <targetVersion value="1.0.0" />
22    <element>
23      <code value="in-progress" />
24      <display value="In Progress" />
25      <target>
26        <code value="ImGang" />
```

```

27     <display value="Im Gang" />
28     <equivalence value="equivalent" />
29   </target>
30 </element>
31 <element>
32   <code value="improving" />
33   <display value="Improving" />
34   <target>
35     <code value="SichBessernd" />
36     <display value="Sich bessernd" />
37     <equivalence value="equivalent" />
38   </target>
39 </element>
40 <element>
41   <code value="worsening" />
42   <display value="Worsening" />
43   <target>
44     <code value="SichVerschlechternd" />
45     <display value="Sich verschlechternd" />
46     <equivalence value="equivalent" />
47   </target>
48 </element>
49 <element>
50   <code value="no-change" />
51   <display value="No Change" />
52   <target>
53     <code value="KeineAenderung" />
54     <display value="Keine Änderung" />
55     <equivalence value="equivalent" />
56   </target>
57 </element>
58 <element>
59   <code value="achieved" />
60   <display value="Achieved" />
61   <target>
62     <code value="Erreicht" />
63     <display value="Erreicht" />
64     <equivalence value="equivalent" />
65   </target>
66 </element>
67 <element>
68   <code value="sustaining" />
69   <display value="sustaining" />
70   <target>
71     <code value="Unterstuetzend" />
72     <display value="Unterstützend" />
73     <equivalence value="equivalent" />
74   </target>
75 </element>
76 <element>
77   <code value="not-achieved" />
78   <display value="Not Achieved" />
79   <target>
80     <code value="NichtErreicht" />
81     <display value="NichtErreicht" />
82     <equivalence value="equivalent" />
83   </target>
84 </element>
85 <element>
86   <code value="no-progress" />

```



```

87     <display value="No Progress" />
88     <target>
89         <code value="Kein Fortschritt" />
90         <display value="KeinFortschritt" />
91         <equivalence value="equivalent" />
92     </target>
93 </element>
94 <element>
95     <code value="not-attainable" />
96     <display value="not-attainable" />
97     <target>
98         <code value="NichtErreichbar" />
99         <display value="Nicht erreichbar" />
100        <equivalence value="equivalent" />
101    </target>
102 </element>
103 </group>
104 </ConceptMap>

```

## 8. KBV\_CM\_MIO\_DIGA\_GOAL\_PRIORITY\_GERMAN

### KBV\_CM\_MIO\_DIGA\_Goal\_Priority\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_DIGA_Goal_Priority_German" />
3    <version value="1.0.0" />
4    <name value="KBV_CM_MIO_DIGA_Goal_Priority_German" />
5    <title value="Goal Priority" />
6    <status value="draft" />
7    <experimental value="false" />
8    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9    <contact>
10     <telecom>
11       <system value="url" />
12       <value value="https://mio.kbv.de" />
13     </telecom>
14   </contact>
15   <description value="Diese Conceptmap verknüpft die Codes für die
Priorität des Ziels mit deutschen Bezeichnungen" />
16   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at ?http://unitsofmeasure.org. The current complete

```

UCUM table, UCUM Specification are available for download at <http://unitsofmeasure.org>. The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED "AS IS." ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE." />

```

17 <group>
18 <source value="http://terminology.hl7.org/CodeSystem/goal-priority" />
19 <sourceVersion value="4.0.1" />
20 <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_DIGA_Goal_Priority_German" />
21 <targetVersion value="1.0.0" />
22 <element>
23 <code value="high-priority" />
24 <display value="High Priority" />
25 <target>
26 <code value="HohePrioritaet" />
27 <display value="Hohe Priorität" />
28 <equivalence value="equivalent" />
29 </target>
30 </element>
31 <element>
32 <code value="medium-priority" />
33 <display value="Medium Priority" />
34 <target>
35 <code value="MittlerePrioritaet" />
36 <display value="Mittlere Priorität" />
37 <equivalence value="equivalent" />
38 </target>
39 </element>
40 <element>
41 <code value="low-priority" />
42 <display value="Low Priority" />
43 <target>
44 <code value="NiedrigePrioritaet" />
45 <display value="Niedrige Priorität" />
46 <equivalence value="equivalent" />
47 </target>
48 </element>
49 </group>
50 </ConceptMap>

```

## 9. KBV\_CM\_MIO\_DIGA\_GOAL\_STATUS\_GERMAN

### KBV\_CM\_MIO\_DIGA\_Goal\_Status\_German

```

1 <ConceptMap xmlns="http://hl7.org/fhir">
2 <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_DIGA_Goal_Status_German" />
3 <version value="1.0.0" />
4 <name value="KBV_CM_MIO_DIGA_Goal_Status_German" />
5 <title value="Medikation Status" />
6 <status value="draft" />
7 <experimental value="false" />
8 <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />

```

```

9      <contact>
10        <telecom>
11          <system value="url" />
12          <value value="https://mio.kbv.de" />
13        </telecom>
14      </contact>
15      <description value="Diese Conceptmap verknüpft die Codes für den Status
des Ziels mit deutschen Bezeichnungen" />
16      <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at ?http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995-2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
17      <group>
18        <source value="http://hl7.org/fhir/goal-status" />
19        <sourceVersion value="4.0.1" />
20        <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_DIGA_Goal_Status_German" />
21        <targetVersion value="1.0.0" />
22        <element>
23          <code value="proposed" />
24          <display value="Proposed" />
25          <target>
26            <code value="Vorgeschlagen" />
27            <display value="Vorgeschlagen" />
28            <equivalence value="equivalent" />
29          </target>
30        </element>
31        <element>
32          <code value="planned" />
33          <display value="Planned" />
34          <target>
35            <code value="Geplant" />
36            <display value="Geplant" />
37            <equivalence value="equivalent" />
38          </target>
39        </element>
40        <element>
41          <code value="accepted" />
42          <display value="Accepted" />

```

```

43     <target>
44         <code value="Angenommen" />
45         <display value="Angenommen" />
46         <equivalence value="equivalent" />
47     </target>
48 </element>
49 <element>
50     <code value="active" />
51     <display value="Active" />
52     <target>
53         <code value="Aktiv" />
54         <display value="Aktiv" />
55         <equivalence value="equivalent" />
56     </target>
57 </element>
58 <element>
59     <code value="on-hold" />
60     <display value="On Hold" />
61     <target>
62         <code value="Suspendiert" />
63         <display value="Suspendiert" />
64         <equivalence value="equivalent" />
65     </target>
66 </element>
67 <element>
68     <code value="completed" />
69     <display value="Completed" />
70     <target>
71         <code value="Abgeschlossen" />
72         <display value="Abgeschlossen" />
73         <equivalence value="equivalent" />
74     </target>
75 </element>
76 <element>
77     <code value="cancelled" />
78     <display value="Cancelled" />
79     <target>
80         <code value="Storniert" />
81         <display value="Storniert" />
82         <equivalence value="equivalent" />
83     </target>
84 </element>
85 <element>
86     <code value="entered-in-error" />
87     <display value="Entered in Error" />
88     <target>
89         <code value="IrrtuemlicheEingabe" />
90         <display value="Irrtümliche Eingabe" />
91         <equivalence value="equivalent" />
92     </target>
93 </element>
94 <element>
95     <code value="rejected" />
96     <display value="Rejected" />
97     <target>
98         <code value="Abgelehnt" />
99         <display value="Abgelehnt" />
100     <equivalence value="equivalent" />
101 </target>
102 </element>

```

```
103 </group>
104 </ConceptMap>
```

## 10. KBV\_CM\_MIO\_DIGA\_INFORMATION\_SOURCE\_AGENT\_GERMAN

### KBV\_CM\_MIO\_DIGA\_Information\_Source\_Agent\_German

```
1 <ConceptMap xmlns="http://hl7.org/fhir">
2 <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_DIGA_Information_Source_Agent_German" />
3 <version value="1.0.0" />
4 <name value="KBV_CM_MIO_DIGA_Information_Source_Agent_German" />
5 <title value="Quelle der Information" />
6 <status value="draft" />
7 <experimental value="false" />
8 <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9 <contact>
10 <telecom>
11 <system value="url" />
12 <value value="https://mio.kbv.de" />
13 </telecom>
14 </contact>
15 <description value="Diese Conceptmap verknüpft die Codes für die Quelle
der Information mit deutschen Bezeichnungen" />
16 <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at ?http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995-2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
17 <group>
18 <source value="http://snomed.info/sct" />
19 <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20220131" />
20 <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_DIGA_Source_Of_Information_German" />
21 <targetVersion value="1.0.0" />
22 <element>
```

```

23     <code value="261665006" />
24     <display value="Unknown (qualifier value)" />
25     <target>
26         <code value="unbekannt" />
27         <display value="unbekannt" />
28         <equivalence value="equivalent" />
29     </target>
30 </element>
31 <element>
32     <code value="394863008" />
33     <display value="Non-family member (person)" />
34     <target>
35         <code value="NichtFamilienmitglied" />
36         <display value="Nicht-Familienmitglied" />
37         <equivalence value="equivalent" />
38     </target>
39 </element>
40 <element>
41     <code value="125677006" />
42     <display value="Relative (person)" />
43     <target>
44         <code value="Verwandter" />
45         <display value="Verwandter" />
46         <equivalence value="equivalent" />
47     </target>
48 </element>
49 <element>
50     <code value="158965000" />
51     <display value="Medical practitioner (occupation)" />
52     <target>
53         <code value="medizinischeFachkraft" />
54         <display value="medizinische Fachkraft" />
55         <equivalence value="equivalent" />
56     </target>
57 </element>
58 <element>
59     <code value="116154003" />
60     <display value="Patient (person)" />
61     <target>
62         <code value="Patient" />
63         <display value="Patient" />
64         <equivalence value="equivalent" />
65     </target>
66 </element>
67 <element>
68     <code value="49062001" />
69     <display value="Device (physical object)" />
70     <target>
71         <code value="Geraet" />
72         <display value="Gerät" />
73         <equivalence value="equivalent" />
74     </target>
75 </element>
76 </group>
77 </ConceptMap>

```

## 11. KBV\_CM\_MIO\_DIGA\_MEDICATION\_STATEMENT\_STATUS\_GERMAN

### KBV\_CM\_MIO\_DIGA\_Medication\_Statement\_Status\_German

```
1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_DIGA_Medication_Statement_Status_German" />
3   <version value="1.0.0" />
4   <name value="KBV_CM_MIO_DIGA_Medication_Statement_Status_German" />
5   <title value="Medikation Status" />
6   <status value="draft" />
7   <experimental value="false" />
8   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9   <contact>
10     <telecom>
11       <system value="url" />
12       <value value="https://mio.kbv.de" />
13     </telecom>
14   </contact>
15   <description value="Diese Conceptmap verknüpft die Codes für den Status
der Medikation mit deutschen Bezeichnungen" />
16   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at ?http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
17   <group>
18     <source value="http://hl7.org/fhir/CodeSystem/medication-statement-
status" />
19     <sourceVersion value="4.0.1" />
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_DIGA_Medication_Statement_Status_German" />
21     <targetVersion value="1.0.0" />
22     <element>
23       <code value="active" />
24       <display value="Active" />
25       <target>
26         <code value="Aktiv" />
```

```

27     <display value="Aktiv" />
28     <equivalence value="equivalent" />
29   </target>
30 </element>
31 <element>
32   <code value="completed" />
33   <display value="Completed" />
34   <target>
35     <code value="Abgeschlossen" />
36     <display value="Abgeschlossen" />
37     <equivalence value="equivalent" />
38   </target>
39 </element>
40 <element>
41   <code value="entered-in-error" />
42   <display value="Entered in Error" />
43   <target>
44     <code value="IrrtuemlicheEingabe" />
45     <display value="Irrtümliche Eingabe" />
46     <equivalence value="equivalent" />
47   </target>
48 </element>
49 <element>
50   <code value="intended" />
51   <display value="Intended" />
52   <target>
53     <code value="Beabsichtigt" />
54     <display value="Beabsichtigt" />
55     <equivalence value="equivalent" />
56   </target>
57 </element>
58 <element>
59   <code value="stopped" />
60   <display value="Stopped" />
61   <target>
62     <code value="Gestoppt" />
63     <display value="Gestoppt" />
64     <equivalence value="equivalent" />
65   </target>
66 </element>
67 <element>
68   <code value="on-hold" />
69   <display value="On Hold" />
70   <target>
71     <code value="Suspendiert" />
72     <display value="Suspendiert" />
73     <equivalence value="equivalent" />
74   </target>
75 </element>
76 <element>
77   <code value="unknown" />
78   <display value="Unknown" />
79   <target>
80     <code value="Unbekannt" />
81     <display value="Unbekannt" />
82     <equivalence value="equivalent" />
83   </target>
84 </element>
85 <element>
86   <code value="not-taken" />

```



```

87     <display value="Not Taken" />
88     <target>
89         <code value="Nichteingenommen" />
90         <display value="Nicht eingenommen" />
91         <equivalence value="equivalent" />
92     </target>
93 </element>
94 </group>
95 </ConceptMap>

```

## 12. KBV\_CM\_MIO\_DIGA\_OBSERVATION\_INTERPRETATION\_GERMAN

### KBV\_CM\_MIO\_DIGA\_Observation\_Interpretation\_German

```

1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_DIGA_Observation_Interpretation_German" />
3   <version value="1.0.0" />
4   <name value="KBV_CM_MIO_DIGA_Observation_Interpretation_German" />
5   <title value="Interpretation" />
6   <status value="draft" />
7   <experimental value="false" />
8   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9   <contact>
10     <telecom>
11       <system value="url" />
12       <value value="https://mio.kbv.de" />
13     </telecom>
14   </contact>
15   <description value="Diese Conceptmap verknüpft die Codes für die
Interpretation mit deutschen Bezeichnungen" />
16   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at ?http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995-2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
17 </group>

```

```

18     <source value="http://terminology.hl7.org/CodeSystem/v3-
ObservationInterpretation" />
19     <sourceVersion value="4.0.1" />
20     <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_DIGA_Observation_Interpretation_German" />
21     <targetVersion value="1.0.0" />
22     <element>
23         <code value="_GeneticObservationInterpretation" />
24         <display value="GeneticObservationInterpretation" />
25         <target>
26             <code value="InterpretationdergenetischenAnalyse" />
27             <display value="Interpretation der genetischen Analyse" />
28             <equivalence value="equivalent" />
29         </target>
30     </element>
31     <element>
32         <code value="CAR" />
33         <display value="Carrier" />
34         <target>
35             <code value="Anlagetraeger" />
36             <display value="Anlageträger" />
37             <equivalence value="equivalent" />
38         </target>
39     </element>
40     <element>
41         <code value="_ObservationInterpretationChange" />
42         <display value="ObservationInterpretationChange" />
43         <target>
44             <code value="Aenderungsverlauf" />
45             <display value="Änderungsverlauf" />
46             <equivalence value="equivalent" />
47         </target>
48     </element>
49     <element>
50         <code value="B" />
51         <display value="Better" />
52         <target>
53             <code value="Besser" />
54             <display value="Besser" />
55             <equivalence value="equivalent" />
56         </target>
57     </element>
58     <element>
59         <code value="D" />
60         <display value="Significant change down" />
61         <target>
62             <code value="SignifikanterAnstieg" />
63             <display value="Signifikanter Anstieg" />
64             <equivalence value="equivalent" />
65         </target>
66     </element>
67     <element>
68         <code value="U" />
69         <display value="Significant change up" />
70         <target>
71             <code value="SignifikanterRueckgang" />
72             <display value="Signifikanter Rückgang" />
73             <equivalence value="equivalent" />
74         </target>
75     </element>

```

```

76 <element>
77   <code value="W" />
78   <display value="Worse" />
79   <target>
80     <code value="Schlechter" />
81     <display value="Schlechter" />
82     <equivalence value="equivalent" />
83   </target>
84 </element>
85 <element>
86   <code value="_ObservationInterpretationExceptions" />
87   <display value="ObservationInterpretationExceptions" />
88   <target>
89     <code value="Ausnahmewertinterpretation" />
90     <display value="Ausnahmewertinterpretation" />
91     <equivalence value="equivalent" />
92   </target>
93 </element>
94 <element>
95   <code value="&lt;" />
96   <display value="Off scale low" />
97   <target>
98     <code value="UnterhalbderanalytischenGrenze" />
99     <display value="Unterhalb der analytischen Grenze" />
100    <equivalence value="equivalent" />
101  </target>
102 </element>
103 <element>
104   <code value="&gt;" />
105   <display value="Off scale high" />
106   <target>
107     <code value="OberhalbderanalytischenGrenze" />
108     <display value="Oberhalb der analytischen Grenze" />
109     <equivalence value="equivalent" />
110  </target>
111 </element>
112 <element>
113   <code value="IE" />
114   <display value="Insufficient evidence" />
115   <target>
116     <code value="Evidenzunzureichend" />
117     <display value="Evidenz unzureichend" />
118     <equivalence value="equivalent" />
119  </target>
120 </element>
121 <element>
122   <code value="_ObservationInterpretationNormality" />
123   <display value="ObservationInterpretationNormality" />
124   <target>
125     <code value="Normalitaetsinterpretation" />
126     <display value="Normalitätsinterpretation" />
127     <equivalence value="equivalent" />
128  </target>
129 </element>
130 <element>
131   <code value="A" />
132   <display value="Abnormal" />
133   <target>
134     <code value="Abnormal" />
135     <display value="Abnormal" />

```

```

136     <equivalence value="equivalent" />
137   </target>
138 </element>
139 <element>
140   <code value="AA" />
141   <display value="Critical abnormal" />
142   <target>
143     <code value="Kritischabnormal" />
144     <display value="Kritisch abnormal" />
145     <equivalence value="equivalent" />
146   </target>
147 </element>
148 <element>
149   <code value="HH" />
150   <display value="Critical high" />
151   <target>
152     <code value="Kritischerhoeht" />
153     <display value="Kritisch erhöht" />
154     <equivalence value="equivalent" />
155   </target>
156 </element>
157 <element>
158   <code value="LL" />
159   <display value="Critical low" />
160   <target>
161     <code value="Kritischerniedrigt" />
162     <display value="Kritisch erniedrigt" />
163     <equivalence value="equivalent" />
164   </target>
165 </element>
166 <element>
167   <code value="H" />
168   <display value="High" />
169   <target>
170     <code value="Erhoeht" />
171     <display value="Erhöht" />
172     <equivalence value="equivalent" />
173   </target>
174 </element>
175 <element>
176   <code value="HU" />
177   <display value="Significantly high" />
178   <target>
179     <code value="Signifikanterhoeht" />
180     <display value="Signifikant erhöht" />
181     <equivalence value="equivalent" />
182   </target>
183 </element>
184 <element>
185   <code value="L" />
186   <display value="Low" />
187   <target>
188     <code value="Erniedrigt" />
189     <display value="Erniedrigt" />
190     <equivalence value="equivalent" />
191   </target>
192 </element>
193 <element>
194   <code value="LU" />
195   <display value="Significantly low" />

```

```

196     <target>
197       <code value="Signifikanterniedrig" />
198       <display value="Signifikant erniedrigt" />
199       <equivalence value="equivalent" />
200     </target>
201 </element>
202 <element>
203   <code value="N" />
204   <display value="Normal" />
205   <target>
206     <code value="Normal" />
207     <display value="Normal" />
208     <equivalence value="equivalent" />
209   </target>
210 </element>
211 <element>
212   <code value="EX" />
213   <display value="outside threshold" />
214   <target>
215     <code value="InterpretationausserhalbdesGrenzwertes" />
216     <display value="Interpretation außerhalb des Grenzwertes" />
217     <equivalence value="equivalent" />
218   </target>
219 </element>
220 <element>
221   <code value="HX" />
222   <display value="above high threshold" />
223   <target>
224     <code value="OberhalbdesoberenGrenzwert" />
225     <display value="Oberhalb des oberen Grenzwert" />
226     <equivalence value="equivalent" />
227   </target>
228 </element>
229 <element>
230   <code value="LX" />
231   <display value="below low threshold" />
232   <target>
233     <code value="UnterhalbdesunterenGrenzwerts" />
234     <display value="Unterhalb des unteren Grenzwerts" />
235     <equivalence value="equivalent" />
236   </target>
237 </element>
238 <element>
239   <code value="ObservationInterpretationDetection" />
240   <display value=" ObservationInterpretationDetection" />
241   <target>
242     <code value="Feststellungsinterpretation" />
243     <display value="Feststellungsinterpretation" />
244     <equivalence value="equivalent" />
245   </target>
246 </element>
247 <element>
248   <code value="IND" />
249   <display value="Indeterminate" />
250   <target>
251     <code value="Unbestimmbar" />
252     <display value="Unbestimmbar" />
253     <equivalence value="equivalent" />
254   </target>
255 </element>

```

```

256 <element>
257   <code value="E" />
258   <display value="Equivocal" />
259   <target>
260     <code value="Uneindeutig" />
261     <display value="Uneindeutig" />
262     <equivalence value="equivalent" />
263   </target>
264 </element>
265 <element>
266   <code value="NEG" />
267   <display value="Negative" />
268   <target>
269     <code value="Negativ" />
270     <display value="Negativ" />
271     <equivalence value="equivalent" />
272   </target>
273 </element>
274 <element>
275   <code value="ND" />
276   <display value="Not detected" />
277   <target>
278     <code value="Nichtnachgewiesen" />
279     <display value="Nicht nachgewiesen" />
280     <equivalence value="equivalent" />
281   </target>
282 </element>
283 <element>
284   <code value="POS" />
285   <display value="Positive" />
286   <target>
287     <code value="Positiv" />
288     <display value="Positiv" />
289     <equivalence value="equivalent" />
290   </target>
291 </element>
292 <element>
293   <code value="DET" />
294   <display value="Detected" />
295   <target>
296     <code value="Nachgewiesen" />
297     <display value="Nachgewiesen" />
298     <equivalence value="equivalent" />
299   </target>
300 </element>
301 <element>
302   <code value="ObservationInterpretationExpectation" />
303   <display value="ObservationInterpretationExpectation" />
304   <target>
305     <code value="Erwartungsinterpretation" />
306     <display value="Erwartungsinterpretation" />
307     <equivalence value="equivalent" />
308   </target>
309 </element>
310 <element>
311   <code value="EXP" />
312   <display value="Expected" />
313   <target>
314     <code value="Erwartet" />
315     <display value="Erwartet" />

```

```

316     <equivalence value="equivalent" />
317   </target>
318 </element>
319 <element>
320   <code value="UNE" />
321   <display value="Unexpected" />
322   <target>
323     <code value="Unerwartet" />
324     <display value="Unerwartet" />
325     <equivalence value="equivalent" />
326   </target>
327 </element>
328 <element>
329   <code value="ReactivityObservationInterpretation" />
330   <display value="ReactivityObservationInterpretation" />
331   <target>
332     <code value="Reaktivitaetsinterpretation" />
333     <display value="Reaktivitätsinterpretation" />
334     <equivalence value="equivalent" />
335   </target>
336 </element>
337 <element>
338   <code value="NR" />
339   <display value="Non-reactive" />
340   <target>
341     <code value="Nichtreaktiv" />
342     <display value="Nicht reaktiv" />
343     <equivalence value="equivalent" />
344   </target>
345 </element>
346 <element>
347   <code value="RR" />
348   <display value="Reactive" />
349   <target>
350     <code value="Reaktiv" />
351     <display value="Reaktiv" />
352     <equivalence value="equivalent" />
353   </target>
354 </element>
355 <element>
356   <code value="WR" />
357   <display value="Weakly reactive" />
358   <target>
359     <code value="Schwachreaktiv" />
360     <display value="Schwach reaktiv" />
361     <equivalence value="equivalent" />
362   </target>
363 </element>
364 </group>
365 </ConceptMap>

```

### 13. KBV\_CM\_MIO\_DIGA\_PROBLEM\_TYPE\_GERMAN

#### KBV\_CM\_MIO\_DIGA\_Problem\_Type\_German

```
1 <ConceptMap xmlns="http://hl7.org/fhir">
```

```

2     <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_DIGA_Problem_Type_German" />
3     <version value="1.0.0" />
4     <name value="KBV_CM_MIO_DIGA_Problem_Type_German" />
5     <title value="Problemtyp" />
6     <status value="draft" />
7     <experimental value="false" />
8     <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9     <contact>
10        <telecom>
11            <system value="url" />
12            <value value="https://mio.kbv.de" />
13        </telecom>
14    </contact>
15    <description value="Diese Conceptmap verknüpft die Codes für den
Problemtyp mit deutschen Bezeichnungen" />
16    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at ?http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995-2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
17    <group>
18        <source value="http://snomed.info/sct" />
19        <sourceVersion value="http://snomed.info/sct/900000000000207008/
version/20220131" />
20        <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_DIGA_Problem_Type_German" />
21        <targetVersion value="1.0.0" />
22        <element>
23            <code value="282291009" />
24            <display value="Diagnosis interpretation (observable entity)" />
25            <target>
26                <code value="Diagnose" />
27                <display value="Diagnose" />
28                <equivalence value="equivalent" />
29            </target>
30        </element>
31        <element>
32            <code value="404684003" />
33            <display value="Clinical finding (finding)" />

```



```

34     <target>
35       <code value="Befund" />
36       <display value="Befund" />
37       <equivalence value="equivalent" />
38     </target>
39 </element>
40 <element>
41   <code value="409586006" />
42   <display value="Complaint (finding)" />
43   <target>
44     <code value="Beschwerde" />
45     <display value="Beschwerde" />
46     <equivalence value="equivalent" />
47   </target>
48 </element>
49 <element>
50   <code value="55607006" />
51   <display value="Problem (finding)" />
52   <target>
53     <code value="CaveSonstiges" />
54     <display value="Cave / Sonstiges" />
55     <equivalence value="equivalent" />
56   </target>
57 </element>
58 </group>
59 </ConceptMap>

```

#### 14. KBV\_CM\_MIO\_DIGA\_QUESTIONNAIRE\_ITEM\_TYPE\_GERMAN

##### KBV\_CM\_MIO\_DIGA\_Questionnaire\_Item\_Type\_German

```

1  <ConceptMap xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_DIGA_Questionnaire_Item_Type_German" />
3    <version value="1.0.0" />
4    <name value="KBV_CM_MIO_DIGA_Questionnaire_Item_Type_German" />
5    <title value="Typ der Frage" />
6    <status value="draft" />
7    <experimental value="false" />
8    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9    <contact>
10     <telecom>
11       <system value="url" />
12       <value value="https://mio.kbv.de" />
13     </telecom>
14   </contact>
15   <description value="Diese Conceptmap verknüpft die Codes für den Typ
einer Frage mit deutschen Bezeichnungen" />
16   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995-2020, Regenstrief Institute, Inc. and

```

the Logical Observation Identifiers Names and Codes (LOINC) Committee and is available at no cost under the license at <http://loinc.org/license>. LOINC® is a registered United States trademark of Regenstrief Institute, Inc. This product includes all or a portion of the UCUM table, UCUM codes, and UCUM definitions or is derived from it, subject to a license from Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM codes, UCUM definitions also is subject to this license, a copy of which is available at <http://unitsofmeasure.org>. The current complete UCUM table, UCUM Specification are available for download at <http://unitsofmeasure.org>. The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED "AS IS." ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE." />

```
17 <group>
18   <source value="http://hl7.org/fhir/item-type" />
19   <sourceVersion value="4.0.1" />
20   <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_DIGA_Questionnaire_Item_Type_German" />
21   <targetVersion value="1.0.0" />
22   <element>
23     <code value="group" />
24     <display value="Group" />
25     <target>
26       <code value="Gruppe" />
27       <display value="Gruppe" />
28       <equivalence value="equivalent" />
29     </target>
30   </element>
31   <element>
32     <code value="display" />
33     <display value="Display" />
34     <target>
35       <code value="Anzeige" />
36       <display value="Anzeige" />
37       <equivalence value="equivalent" />
38     </target>
39   </element>
40   <element>
41     <code value="question" />
42     <display value="Question" />
43     <target>
44       <code value="Frage" />
45       <display value="Frage" />
46       <equivalence value="equivalent" />
47     </target>
48   </element>
49   <element>
50     <code value="boolean" />
51     <display value="Boolean" />
52     <target>
53       <code value="BoolscherWert" />
54       <display value="Boolscher Wert" />
55       <equivalence value="equivalent" />
56     </target>
57   </element>
58   <element>
59     <code value="decimal" />
```

```

60     <display value="Decimal" />
61     <target>
62         <code value="Dezimalzahl" />
63         <display value="Dezimalzahl" />
64         <equivalence value="equivalent" />
65     </target>
66 </element>
67 <element>
68     <code value="integer" />
69     <display value="Integer" />
70     <target>
71         <code value="Ganzzahl" />
72         <display value="Ganzzahl" />
73         <equivalence value="equivalent" />
74     </target>
75 </element>
76 <element>
77     <code value="date" />
78     <display value="Date" />
79     <target>
80         <code value="Datum" />
81         <display value="Datum" />
82         <equivalence value="equivalent" />
83     </target>
84 </element>
85 <element>
86     <code value="dateTime" />
87     <display value="Date Time" />
88     <target>
89         <code value="DatumZeit" />
90         <display value="Datum/Zeit" />
91         <equivalence value="equivalent" />
92     </target>
93 </element>
94 <element>
95     <code value="time" />
96     <display value="Time" />
97     <target>
98         <code value="Uhrzeit" />
99         <display value="Uhrzeit" />
100     <equivalence value="equivalent" />
101 </target>
102 </element>
103 <element>
104     <code value="string" />
105     <display value="String" />
106     <target>
107         <code value="Freitext" />
108         <display value="Freitext" />
109         <equivalence value="equivalent" />
110     </target>
111 </element>
112 <element>
113     <code value="text" />
114     <display value="Text" />
115     <target>
116         <code value="Text" />
117         <display value="Text" />
118         <equivalence value="equivalent" />
119     </target>

```

```

120 </element>
121 <element>
122   <code value="url" />
123   <display value="Url" />
124   <target>
125     <code value="URL" />
126     <display value="URL" />
127     <equivalence value="equivalent" />
128   </target>
129 </element>
130 <element>
131   <code value="choice" />
132   <display value="Choice" />
133   <target>
134     <code value="Wahl" />
135     <display value="Wahl" />
136     <equivalence value="equivalent" />
137   </target>
138 </element>
139 <element>
140   <code value="open-choice" />
141   <display value="Open Choice" />
142   <target>
143     <code value="FreieWahl" />
144     <display value="Freie Wahl" />
145     <equivalence value="equivalent" />
146   </target>
147 </element>
148 <element>
149   <code value="quantity" />
150   <display value="Quantity" />
151   <target>
152     <code value="Wert" />
153     <display value="Wert" />
154     <equivalence value="equivalent" />
155   </target>
156 </element>
157 </group>
158 </ConceptMap>

```

## 15. KBV\_CM\_MIO\_DIGA\_SCALE\_METHOD\_GERMAN

### KBV\_CM\_MIO\_DIGA\_Scale\_Method\_German

```

1 <ConceptMap xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_DIGA_Scale_Method_German" />
3   <version value="1.0.0" />
4   <name value="KBV_CM_MIO_DIGA_Scale_Method_German" />
5   <title value="Bewertungsskala Methode" />
6   <status value="draft" />
7   <experimental value="false" />
8   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9   <contact>
10     <telecom>
11       <system value="url" />
12       <value value="https://mio.kbv.de" />

```

```

13     </telecom>
14     </contact>
15     <description value="Diese Conceptmap verknüpft die Codes für Methode der
Bewertungsskala mit deutschen Bezeichnungen" />
16     <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at ?http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
17     <group>
18         <source value="http://snomed.info/sct" />
19         <sourceVersion value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_DIGA_Scale_Method_German" />
20         <target value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_DIGA_Scale_Method_German" />
21         <targetVersion value="1.0.0" />
22         <element>
23             <code value="446661009" />
24             <display value="Visual analog scale score (observable entity)" />
25             <target>
26                 <code value="VisuelleAnalogskala" />
27                 <display value="Visuelle Analogskala" />
28                 <equivalence value="equivalent" />
29             </target>
30         </element>
31         <element>
32             <code value="716575007" />
33             <display value="Verbal Rating Scale score (observable entity)" />
34             <target>
35                 <code value="VerbaleRatingSkala" />
36                 <display value="Verbale Rating-Skala" />
37                 <equivalence value="equivalent" />
38             </target>
39         </element>
40         <element>
41             <code value="1172399009" />
42             <display value="Numeric rating scale score (observable entity)" />
43             <target>
44                 <code value="NumerischeRatingSkala" />
45                 <display value="Numerische Rating-Skala" />

```

```

46     <equivalence value="equivalent" />
47     </target>
48   </element>
49 </group>
50 </ConceptMap>

```

## 16. KBV\_CS\_MIO\_DIGA\_CARE\_PLAN\_INTENT\_GERMAN

### KBV\_CS\_MIO\_DIGA\_Care\_Plan\_Intent\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_DIGA_Care_Plan_Intent_German" />
3    <version value="1.0.0" />
4    <name value="KBV_CS_MIO_DIGA_Care_Plan_Intent_German" />
5    <title value="Plan Intention" />
6    <status value="draft" />
7    <experimental value="false" />
8    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9    <contact>
10     <telecom>
11       <system value="url" />
12       <value value="https://mio.kbv.de" />
13     </telecom>
14   </contact>
15   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für Plan Intention." />
16   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at ?http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995-2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
17   <caseSensitive value="true" />
18   <content value="complete" />
19   <concept>
20     <code value="Vorschlag" />
21     <display value="Vorschlag" />

```

```

22     </concept>
23     <concept>
24         <code value="Plan" />
25         <display value="Plan" />
26     </concept>
27     <concept>
28         <code value="Anordnung" />
29         <display value="Anordnung" />
30     </concept>
31     <concept>
32         <code value="Option" />
33         <display value="Option" />
34     </concept>
35 </CodeSystem>

```

## 17. KBV\_CS\_MIO\_DIGA\_CARE\_PLAN\_STATUS\_GERMAN

### KBV\_CS\_MIO\_DIGA\_Care\_Plan\_Status\_German

```

1  <CodeSystem xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_DIGA_Care_Plan_Status_German" />
3    <version value="1.0.0" />
4    <name value="KBV_CS_MIO_DIGA_Care_Plan_Status_German" />
5    <title value="Behandlungsplan Status" />
6    <status value="draft" />
7    <experimental value="false" />
8    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9    <contact>
10     <telecom>
11       <system value="url" />
12       <value value="https://mio.kbv.de" />
13     </telecom>
14   </contact>
15   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für den Status des Behandlungsplans." />
16   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at ?http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995-2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL

```

FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE." />

```
17 <caseSensitive value="true" />
18 <content value="complete" />
19 <concept>
20 <code value="Entwurf" />
21 <display value="Entwurf" />
22 </concept>
23 <concept>
24 <code value="Aktiv" />
25 <display value="Aktiv" />
26 </concept>
27 <concept>
28 <code value="Suspendiert" />
29 <display value="Suspendiert" />
30 </concept>
31 <concept>
32 <code value="Widerrufen" />
33 <display value="Widerrufen" />
34 </concept>
35 <concept>
36 <code value="Erledigt" />
37 <display value="Erledigt" />
38 </concept>
39 <concept>
40 <code value="IrrtuemlicheEingabe" />
41 <display value="Irrtümlische Eingabe" />
42 </concept>
43 <concept>
44 <code value="Unbekannt" />
45 <display value="Unbekannt" />
46 </concept>
47 </CodeSystem>
```

## 18. KBV\_CS\_MIO\_DIGA\_CONDITION\_CLINICAL\_STATUS\_GERMAN

### KBV\_CS\_MIO\_DIGA\_Condition\_Clinical\_Status\_German

```
1 <CodeSystem xmlns="http://hl7.org/fhir">
2 <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_DIGA_Condition_Clinical_Status_German" />
3 <version value="1.0.0" />
4 <name value="KBV_CS_MIO_DIGA_Condition_Clinical_Status_German" />
5 <title value="Klinischer Status" />
6 <status value="draft" />
7 <experimental value="false" />
8 <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9 <contact>
10 <telecom>
11 <system value="url" />
12 <value value="https://mio.kbv.de" />
13 </telecom>
14 </contact>
15 <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für den Klinischen Status." />
```



```

16   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at ?http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
17   <caseSensitive value="true" />
18   <content value="complete" />
19   <concept>
20     <code value="Aktiv" />
21     <display value="Aktiv" />
22   </concept>
23   <concept>
24     <code value="Wiederauftreten" />
25     <display value="Wiederauftreten" />
26   </concept>
27   <concept>
28     <code value="Inaktiv" />
29     <display value="Inaktiv" />
30   </concept>
31   <concept>
32     <code value="Remission" />
33     <display value="Remission" />
34   </concept>
35   <concept>
36     <code value="Behoben" />
37     <display value="Behoben" />
38   </concept>
39 </CodeSystem>

```

## 19. KBV\_CS\_MIO\_DIGA\_CONDITION\_SEVERITY\_GERMAN

KBV_CS_MIO_DIGA_Condition_Severity_German	
1	<CodeSystem xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/CodeSystem/ KBV_CS_MIO_DIGA_Condition_Severity_German" />
3	<version value="1.0.0" />

```

4     <name value="KBV_CS_MIO_DIGA_Condition_Severity_German" />
5     <title value="Schweregrad" />
6     <status value="draft" />
7     <experimental value="false" />
8     <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9     <contact>
10        <telecom>
11            <system value="url" />
12            <value value="https://mio.kbv.de" />
13        </telecom>
14    </contact>
15    <description value="Dieses Codesystem enthält die Codes für deutsche
16    Bezeichner für den Schweregrad." />
17    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
18    Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
19    unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
20    which is used by permission of SNOMED International. All rights reserved.
21    SNOMED CT®, was originally created by The College of American Pathologists.
22    SNOMED and SNOMED CT are registered trademarks of SNOMED International.
23    Implementers of these artefacts must have the appropriate SNOMED CT
24    Affiliate license. This material contains content from LOINC (http://loinc.org).
25    LOINC is copyright © 1995-2020, Regenstrief Institute, Inc. and
26    the Logical Observation Identifiers Names and Codes (LOINC) Committee and
27    is available at no cost under the license at http://loinc.org/license.
28    LOINC® is a registered United States trademark of Regenstrief Institute,
29    Inc. This product includes all or a portion of the UCUM table, UCUM codes,
30    and UCUM definitions or is derived from it, subject to a license from
31    Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
    table, UCUM codes, UCUM definitions also is subject to this license, a copy
    of which is available at http://unitsofmeasure.org. The current complete
    UCUM table, UCUM Specification are available for download at http://unitsofmeasure.org.
    The UCUM table and UCUM codes are copyright © 1995-2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
    Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
    IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
    PARTICULAR PURPOSE." />
17    <caseSensitive value="true" />
18    <content value="complete" />
19    <concept>
20        <code value="leicht" />
21        <display value="leicht" />
22    </concept>
23    <concept>
24        <code value="mittelschwer" />
25        <display value="mittelschwer" />
26    </concept>
27    <concept>
28        <code value="schwer" />
29        <display value="schwer" />
30    </concept>
31 </CodeSystem>

```

## 20. KBV\_CS\_MIO\_DIGA\_CONDITION\_VERIFICATION\_STATUS\_GERMAN

### KBV\_CS\_MIO\_DIGA\_Condition\_Verification\_Status\_German

```
1 <CodeSystem xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_DIGA_Condition_Verification_Status_German" />
3   <version value="1.0.0" />
4   <name value="KBV_CS_MIO_DIGA_Condition_Verification_Status_German" />
5   <title value="Verifizierungsstatus" />
6   <status value="draft" />
7   <experimental value="false" />
8   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9   <contact>
10    <telecom>
11      <system value="url" />
12      <value value="https://mio.kbv.de" />
13    </telecom>
14  </contact>
15  <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für den Verifizierungsstatus." />
16  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at ?http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
17    <caseSensitive value="true" />
18    <content value="complete" />
19    <concept>
20      <code value="Unbestaetigt" />
21      <display value="Unbestätigt" />
22    </concept>
23    <concept>
24      <code value="Vorlaeufig" />
25      <display value="Vorläufig" />
26    </concept>
27    <concept>
28      <code value="Differenzial" />
```

```

29     <display value="Differenzial" />
30 </concept>
31 <concept>
32     <code value="Bestaetigt" />
33     <display value="Bestätigt" />
34 </concept>
35 <concept>
36     <code value="Widerlegt" />
37     <display value="Widerlegt" />
38 </concept>
39 <concept>
40     <code value="irrtuemlicheEingabe" />
41     <display value="irrtümlische Eingabe" />
42 </concept>
43 </CodeSystem>

```

## 21. KBV\_CS\_MIO\_DIGA\_DEVICE\_STATUS\_REASON\_GERMAN

### KBV\_CS\_MIO\_DIGA\_Device\_Status\_Reason\_German

```

1 <CodeSystem xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_DIGA_Device_Status_Reason_German" />
3   <version value="1.0.0" />
4   <name value="KBV_CS_MIO_DIGA_Device_Status_Reason_German" />
5   <title value="Geräte Status Grund" />
6   <status value="draft" />
7   <experimental value="false" />
8   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9   <contact>
10    <telecom>
11      <system value="url" />
12      <value value="https://mio.kbv.de" />
13    </telecom>
14  </contact>
15  <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für Geräte Status Grund." />
16  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of

```

Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE." />

```

17 <caseSensitive value="true" />
18 <content value="complete" />
19 <concept>
20 <code value="Online" />
21 <display value="Online" />
22 </concept>
23 <concept>
24 <code value="Pausiert" />
25 <display value="Pausiert" />
26 </concept>
27 <concept>
28 <code value="StandBy" />
29 <display value="Stand-By" />
30 </concept>
31 <concept>
32 <code value="Offline" />
33 <display value="Offline" />
34 </concept>
35 <concept>
36 <code value="Nichtbereit" />
37 <display value="Nicht bereit" />
38 </concept>
39 <concept>
40 <code value="Signalgebernichtverbunden" />
41 <display value="Signalgeber nicht verbunden" />
42 </concept>
43 <concept>
44 <code value="Hardwarenichtverbunden" />
45 <display value="Hardware nicht verbunden" />
46 </concept>
47 <concept>
48 <code value="Aus" />
49 <display value="Aus" />
50 </concept>
51 </CodeSystem>

```

## 22. KBV\_CS\_MIO\_DIGA\_GOAL\_ACHIEVEMENT\_STATUS\_GERMAN

### KBV\_CS\_MIO\_DIGA\_Goal\_Achievement\_Status\_German

```

1 <CodeSystem xmlns="http://hl7.org/fhir">
2 <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_DIGA_Goal_Achievement_Status_German" />
3 <version value="1.0.0" />
4 <name value="KBV_CS_MIO_DIGA_Goal_Achievement_Status_German" />
5 <title value="Goal Achievement Status" />
6 <status value="draft" />
7 <experimental value="false" />
8 <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9 <contact>
10 <telecom>
11 <system value="url" />

```

```

12     <value value="https://mio.kbv.de" />
13     </telecom>
14 </contact>
15 <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für Goal Achievement Status." />
16 <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at ?http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
17 <caseSensitive value="true" />
18 <content value="complete" />
19 <concept>
20 <code value="ImGang" />
21 <display value="Im Gang" />
22 </concept>
23 <concept>
24 <code value="SichBessernd" />
25 <display value="Sich bessernd" />
26 </concept>
27 <concept>
28 <code value="SichVerslechternd" />
29 <display value="Sich verschlechternd" />
30 </concept>
31 <concept>
32 <code value="KeineAenderung" />
33 <display value="Keine Änderung" />
34 </concept>
35 <concept>
36 <code value="Erreicht" />
37 <display value="Erreicht" />
38 </concept>
39 <concept>
40 <code value="Unterstuetzend" />
41 <display value="Unterstützend" />
42 </concept>
43 <concept>
44 <code value="NichtErreicht" />
45 <display value="Nicht erreicht" />
46 </concept>

```

```

47     <concept>
48       <code value="KeinFortschritt" />
49       <display value="Kein Fortschritt" />
50     </concept>
51     <concept>
52       <code value="NichtErreichbar" />
53       <display value="Nicht erreichbar" />
54     </concept>
55   </CodeSystem>

```

### 23. KBV\_CS\_MIO\_DIGA\_GOAL\_PRIORITY\_GERMAN

#### KBV\_CS\_MIO\_DIGA\_Goal\_Priority\_German

```

1   <CodeSystem xmlns="http://hl7.org/fhir">
2     <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_DIGA_Goal_Priority_German" />
3     <version value="1.0.0" />
4     <name value="KBV_CS_MIO_DIGA_Goal_Priority_German" />
5     <title value="Goal Priority" />
6     <status value="draft" />
7     <experimental value="false" />
8     <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9     <contact>
10      <telecom>
11        <system value="url" />
12        <value value="https://mio.kbv.de" />
13      </telecom>
14    </contact>
15    <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für die Ziel Priorität." />
16    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at ?http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995-2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
17    <caseSensitive value="true" />

```

```

18 <content value="complete" />
19 <concept>
20   <code value="HohePrioritaet" />
21   <display value="Hohe Priorität" />
22 </concept>
23 <concept>
24   <code value="MittlerePrioritaet" />
25   <display value="Mittlere Priorität" />
26 </concept>
27 <concept>
28   <code value="NiedrigePrioritaet" />
29   <display value="Niedrige Priorität" />
30 </concept>
31 </CodeSystem>

```

## 24. KBV\_CS\_MIO\_DIGA\_GOAL\_STATUS\_GERMAN

### KBV\_CS\_MIO\_DIGA\_Goal\_Status\_German

```

1 <CodeSystem xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_DIGA_Goal_Status_German" />
3   <version value="1.0.0" />
4   <name value="KBV_CS_MIO_DIGA_Goal_Status_German" />
5   <title value="Goal Status" />
6   <status value="draft" />
7   <experimental value="false" />
8   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9   <contact>
10    <telecom>
11      <system value="url" />
12      <value value="https://mio.kbv.de" />
13    </telecom>
14  </contact>
15  <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für Goal Status." />
16  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at ?http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL

```



FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE." />

```

17 <caseSensitive value="true" />
18 <content value="complete" />
19 <concept>
20 <code value="Vorgeschlagen" />
21 <display value="Vorgeschlagen" />
22 </concept>
23 <concept>
24 <code value="Geplant" />
25 <display value="Geplant" />
26 </concept>
27 <concept>
28 <code value="Angenommen" />
29 <display value="Angenommen" />
30 </concept>
31 <concept>
32 <code value="Aktiv" />
33 <display value="Aktiv" />
34 </concept>
35 <concept>
36 <code value="Suspendiert" />
37 <display value="Suspendiert" />
38 </concept>
39 <concept>
40 <code value="Abgeschlossen" />
41 <display value="Abgeschlossen" />
42 </concept>
43 <concept>
44 <code value="Storniert" />
45 <display value="Storniert" />
46 </concept>
47 <concept>
48 <code value="IrrtuemlicheEingabe" />
49 <display value="Irrtümlische Eingabe" />
50 </concept>
51 <concept>
52 <code value="Abgelehnt" />
53 <display value="Abgelehnt" />
54 </concept>
55 </CodeSystem>

```

## 25. KBV\_CS\_MIO\_DIGA\_MEDICATION\_STATEMENT\_STATUS\_GERMAN

### KBV\_CS\_MIO\_DIGA\_Medication\_Statement\_Status\_German

```

1 <CodeSystem xmlns="http://hl7.org/fhir">
2 <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_DIGA_Medication_Statement_Status_German" />
3 <version value="1.0.0" />
4 <name value="KBV_CS_MIO_DIGA_Medication_Statement_Status_German" />
5 <title value="Status der Medikamentenanamnese" />
6 <status value="draft" />
7 <experimental value="false" />
8 <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />

```

```

9      <contact>
10     <telecom>
11       <system value="url" />
12       <value value="https://mio.kbv.de" />
13     </telecom>
14   </contact>
15   <description value="Dieses Codesystem enthält die Codes für deutsche
16   Bezeichner für den Status der Medikamentenanamnese." />
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
18   Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
19   unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
20   which is used by permission of SNOMED International. All rights reserved.
21   SNOMED CT®, was originally created by The College of American Pathologists.
22   SNOMED and SNOMED CT are registered trademarks of SNOMED International.
23   Implementers of these artefacts must have the appropriate SNOMED CT
24   Affiliate license. This material contains content from LOINC (http://
25   loinc.org). LOINC is copyright © 1995-2020, Regenstrief Institute, Inc. and
26   the Logical Observation Identifiers Names and Codes (LOINC) Committee and
27   is available at no cost under the license at http://loinc.org/license.
28   LOINC® is a registered United States trademark of Regenstrief Institute,
29   Inc. This product includes all or a portion of the UCUM table, UCUM codes,
30   and UCUM definitions or is derived from it, subject to a license from
31   Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
32   table, UCUM codes, UCUM definitions also is subject to this license, a copy
33   of which is available at ?http://unitsofmeasure.org. The current complete
34   UCUM table, UCUM Specification are available for download at http://
35   unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
36   1995-2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
37   Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
38   FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
39   IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
40   NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
41   PARTICULAR PURPOSE." />
42   <caseSensitive value="true" />
43   <content value="complete" />
44   <concept>
45     <code value="Aktiv" />
46     <display value="Aktiv" />
47   </concept>
48   <concept>
49     <code value="Abgeschlossen" />
50     <display value="Abgeschlossen" />
51   </concept>
52   <concept>
53     <code value="IrrtuemlicheEingabe" />
54     <display value="Irrtümlische Eingabe" />
55   </concept>
56   <concept>
57     <code value="Beabsichtigt" />
58     <display value="Beabsichtigt" />
59   </concept>
60   <concept>
61     <code value="Gestoppt" />
62     <display value="Gestoppt" />
63   </concept>
64   <concept>
65     <code value="Suspendiert" />
66     <display value="Suspendiert" />
67   </concept>
68   <concept>

```

```

44     <code value="Unbekannt" />
45     <display value="Unbekannt" />
46 </concept>
47 <concept>
48     <code value="Nichteingenommen" />
49     <display value="Nicht eingenommen" />
50 </concept>
51 </CodeSystem>

```

## 26. KBV\_CS\_MIO\_DIGA\_OBSERVATION\_INTERPRETATION\_GERMAN

### KBV\_CS\_MIO\_DIGA\_Observation\_Interpretation\_German

```

1 <CodeSystem xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_DIGA_Observation_Interpretation_German" />
3   <version value="1.0.0" />
4   <name value="KBV_CS_MIO_DIGA_Observation_Interpretation_German" />
5   <title value="Interpretation" />
6   <status value="draft" />
7   <experimental value="false" />
8   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9   <contact>
10     <telecom>
11       <system value="url" />
12       <value value="https://mio.kbv.de" />
13     </telecom>
14   </contact>
15   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für die Interpretation." />
16   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at ?http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995-2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
17   <caseSensitive value="true" />
18   <content value="complete" />

```

```

19 <concept>
20   <code value="InterpretationdergenetischenAnalyse" />
21   <display value="Interpretation der genetischen Analyse" />
22 </concept>
23 <concept>
24   <code value="Anlagetraeger" />
25   <display value="Anlageträger" />
26 </concept>
27 <concept>
28   <code value="Aenderungsverlauf" />
29   <display value="Änderungsverlauf" />
30 </concept>
31 <concept>
32   <code value="Besser" />
33   <display value="Besser" />
34 </concept>
35 <concept>
36   <code value="SignifikanterAnstieg" />
37   <display value="Signifikanter Anstieg" />
38 </concept>
39 <concept>
40   <code value="SignifikanterRueckgang" />
41   <display value="Signifikanter Rückgang" />
42 </concept>
43 <concept>
44   <code value="Schlechter" />
45   <display value="Schlechter" />
46 </concept>
47 <concept>
48   <code value="Ausnahmewertinterpretation" />
49   <display value="Ausnahmewertinterpretation" />
50 </concept>
51 <concept>
52   <code value="UnterhalbderanalytischenGrenze" />
53   <display value="Unterhalb der analytischen Grenze" />
54 </concept>
55 <concept>
56   <code value="OberhalbderanalytischenGrenze" />
57   <display value="Oberhalb der analytischen Grenze" />
58 </concept>
59 <concept>
60   <code value="Evidenzunzureichend" />
61   <display value="Evidenz unzureichend" />
62 </concept>
63 <concept>
64   <code value="Normalitaetsinterpretation" />
65   <display value="Normalitätsinterpretation" />
66 </concept>
67 <concept>
68   <code value="Abnormal" />
69   <display value="Abnormal" />
70 </concept>
71 <concept>
72   <code value="Kritischabnormal" />
73   <display value="Kritisch abnormal" />
74 </concept>
75 <concept>
76   <code value="Kritischerhoeht" />
77   <display value="Kritisch erhöht" />
78 </concept>

```

```

79 <concept>
80   <code value="Kritischerniedrig" />
81   <display value="Kritisch erniedrigt" />
82 </concept>
83 <concept>
84   <code value="Erhoeht" />
85   <display value="Erhöht" />
86 </concept>
87 <concept>
88   <code value="Signifikanterhoeht" />
89   <display value="Signifikant erhöht" />
90 </concept>
91 <concept>
92   <code value="Erniedrigt" />
93   <display value="Erniedrigt" />
94 </concept>
95 <concept>
96   <code value="Signifikanterniedrigt" />
97   <display value="Signifikant erniedrigt" />
98 </concept>
99 <concept>
100   <code value="Normal" />
101   <display value="Normal" />
102 </concept>
103 <concept>
104   <code value="InterpretationausserhalbdesGrenzwertes" />
105   <display value="Interpretation außerhalb des Grenzwertes" />
106 </concept>
107 <concept>
108   <code value="OberhalbdesoberenGrenzwert" />
109   <display value="Oberhalb des oberen Grenzwert" />
110 </concept>
111 <concept>
112   <code value="UnterhalbdesunterenGrenzwerts" />
113   <display value="Unterhalb des unteren Grenzwerts" />
114 </concept>
115 <concept>
116   <code value="Feststellungsinterpretation" />
117   <display value="Feststellungsinterpretation" />
118 </concept>
119 <concept>
120   <code value="Unbestimmbar" />
121   <display value="Unbestimmbar" />
122 </concept>
123 <concept>
124   <code value="Uneindeutig" />
125   <display value="Uneindeutig" />
126 </concept>
127 <concept>
128   <code value="Negativ" />
129   <display value="Negativ" />
130 </concept>
131 <concept>
132   <code value="Nichtnachgewiesen" />
133   <display value="Nicht nachgewiesen" />
134 </concept>
135 <concept>
136   <code value="Positiv" />
137   <display value="Positiv" />
138 </concept>

```

```

139 <concept>
140   <code value="Nachgewiesen" />
141   <display value="Nachgewiesen" />
142 </concept>
143 <concept>
144   <code value="Erwartungsinterpretation" />
145   <display value="Erwartungsinterpretation" />
146 </concept>
147 <concept>
148   <code value="Erwartet" />
149   <display value="Erwartet" />
150 </concept>
151 <concept>
152   <code value="Unerwartet" />
153   <display value="Unerwartet" />
154 </concept>
155 <concept>
156   <code value="Reaktivitaetsinterpretation" />
157   <display value="Reaktivitätsinterpretation" />
158 </concept>
159 <concept>
160   <code value="Nichtreaktiv" />
161   <display value="Nicht reaktiv" />
162 </concept>
163 <concept>
164   <code value="Reaktiv" />
165   <display value="Reaktiv" />
166 </concept>
167 <concept>
168   <code value="Schwachreaktiv" />
169   <display value="Schwach reaktiv" />
170 </concept>
171 </CodeSystem>

```

## 27. KBV\_CS\_MIO\_DIGA\_PROBLEM\_TYPE\_GERMAN

### KBV\_CS\_MIO\_DIGA\_Problem\_Type\_German

```

1 <CodeSystem xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_DIGA_Problem_Type_German" />
3   <version value="1.0.0" />
4   <name value="KBV_CS_MIO_DIGA_Problem_Type_German" />
5   <title value="Problemtyp" />
6   <status value="draft" />
7   <experimental value="false" />
8   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9   <contact>
10    <telecom>
11      <system value="url" />
12      <value value="https://mio.kbv.de" />
13    </telecom>
14  </contact>
15  <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für den Problemtyp." />
16  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht

```

unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®) which is used by permission of SNOMED International. All rights reserved. SNOMED CT®, was originally created by The College of American Pathologists. SNOMED and SNOMED CT are registered trademarks of SNOMED International. Implementers of these artefacts must have the appropriate SNOMED CT Affiliate license. This material contains content from LOINC (<http://loinc.org>). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and the Logical Observation Identifiers Names and Codes (LOINC) Committee and is available at no cost under the license at <http://loinc.org/license>. LOINC® is a registered United States trademark of Regenstrief Institute, Inc. This product includes all or a portion of the UCUM table, UCUM codes, and UCUM definitions or is derived from it, subject to a license from Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM codes, UCUM definitions also is subject to this license, a copy of which is available at <http://unitsofmeasure.org>. The current complete UCUM table, UCUM Specification are available for download at <http://unitsofmeasure.org>. The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED "AS IS." ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE." />

```

17 <caseSensitive value="true" />
18 <content value="complete" />
19 <concept>
20 <code value="Diagnose" />
21 <display value="Diagnose" />
22 </concept>
23 <concept>
24 <code value="Befund" />
25 <display value="Befund" />
26 </concept>
27 <concept>
28 <code value="Beschwerde" />
29 <display value="Beschwerde" />
30 </concept>
31 <concept>
32 <code value="CaveSonstiges" />
33 <display value="Cave / Sonstiges" />
34 </concept>
35 </CodeSystem>

```

## 28. KBV\_CS\_MIO\_DIGA\_QUESTIONNAIRE\_ITEM\_TYPE\_GERMAN

### KBV\_CS\_MIO\_DIGA\_Questionnaire\_Item\_Type\_German

```

1 <CodeSystem xmlns="http://hl7.org/fhir">
2 <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_DIGA_Questionnaire_Item_Type_German" />
3 <version value="1.0.0" />
4 <name value="KBV_CS_MIO_DIGA_Questionnaire_Item_Type_German" />
5 <title value="Typ der Frage" />
6 <status value="draft" />
7 <experimental value="false" />
8 <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9 <contact>

```

```

10     <telecom>
11         <system value="url" />
12         <value value="https://mio.kbv.de" />
13     </telecom>
14 </contact>
15 <description value="Dieses Codesystem enthält die Codes für deutsche
16 Bezeichner für Typ der Frage." />
    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
    Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
    unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
    which is used by permission of SNOMED International. All rights reserved.
    SNOMED CT®, was originally created by The College of American Pathologists.
    SNOMED and SNOMED CT are registered trademarks of SNOMED International.
    Implementers of these artefacts must have the appropriate SNOMED CT
    Affiliate license. This material contains content from LOINC (http://loinc.org).
    LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
    the Logical Observation Identifiers Names and Codes (LOINC) Committee and
    is available at no cost under the license at http://loinc.org/license.
    LOINC® is a registered United States trademark of Regenstrief Institute,
    Inc. This product includes all or a portion of the UCUM table, UCUM codes,
    and UCUM definitions or is derived from it, subject to a license from
    Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
    table, UCUM codes, UCUM definitions also is subject to this license, a copy
    of which is available at ?http://unitsofmeasure.org. The current complete
    UCUM table, UCUM Specification are available for download at http://unitsofmeasure.org.
    The UCUM table and UCUM codes are copyright ©
    1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
    Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
    FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
    IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
    NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
    PARTICULAR PURPOSE." />
17     <caseSensitive value="true" />
18     <content value="complete" />
19     <concept>
20         <code value="Gruppe" />
21         <display value="Gruppe" />
22     </concept>
23     <concept>
24         <code value="Anzeige" />
25         <display value="Anzeige" />
26     </concept>
27     <concept>
28         <code value="Frage" />
29         <display value="Frage" />
30     </concept>
31     <concept>
32         <code value="BoolscherWert" />
33         <display value="Boolscher Wert" />
34     </concept>
35     <concept>
36         <code value="Dezimalzahl" />
37         <display value="Dezimalzahl" />
38     </concept>
39     <concept>
40         <code value="Ganzzahl" />
41         <display value="Ganzzahl" />
42     </concept>
43     <concept>
44         <code value="Datum" />

```



```

45     <display value="Datum" />
46 </concept>
47 <concept>
48     <code value="DatumZeit" />
49     <display value="Datum/Zeit" />
50 </concept>
51 <concept>
52     <code value="Uhrzeit" />
53     <display value="Uhrzeit" />
54 </concept>
55 <concept>
56     <code value="Freitext" />
57     <display value="Freitext" />
58 </concept>
59 <concept>
60     <code value="Text" />
61     <display value="Text" />
62 </concept>
63 <concept>
64     <code value="URL" />
65     <display value="URL" />
66 </concept>
67 <concept>
68     <code value="Wahl" />
69     <display value="Wahl" />
70 </concept>
71 <concept>
72     <code value="FreieWahl" />
73     <display value="Freie Wahl" />
74 </concept>
75 <concept>
76     <code value="Wert" />
77     <display value="Wert" />
78 </concept>
79 </CodeSystem>

```

## 29. KBV\_CS\_MIO\_DIGA\_SCALE\_METHOD\_GERMAN

### KBV\_CS\_MIO\_DIGA\_Scale\_Method\_German

```

1 <CodeSystem xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_DIGA_Scale_Method_German" />
3   <version value="1.0.0" />
4   <name value="KBV_CS_MIO_DIGA_Scale_Method_German" />
5   <title value="Skala Methode" />
6   <status value="draft" />
7   <experimental value="false" />
8   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9   <contact>
10     <telecom>
11       <system value="url" />
12       <value value="https://mio.kbv.de" />
13     </telecom>
14   </contact>
15   <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für Skala Methode." />

```

```

16   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at ?http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
17   <caseSensitive value="true" />
18   <content value="complete" />
19   <concept>
20     <code value="VisuelleAnalogskala" />
21     <display value="Visuelle Analogskala" />
22   </concept>
23   <concept>
24     <code value="VerbaleRatingSkala" />
25     <display value="Verbale Rating-Skala" />
26   </concept>
27   <concept>
28     <code value="NumerischeRatingSkala" />
29     <display value="Numerische Rating-Skala" />
30   </concept>
31 </CodeSystem>

```

### 30. KBV\_CS\_MIO\_DIGA\_SOURCE\_OF\_INFORMATION\_GERMAN

#### KBV\_CS\_MIO\_DIGA\_Source\_Of\_Information\_German

```

1   <CodeSystem xmlns="http://hl7.org/fhir">
2     <url value="https://fhir.kbv.de/CodeSystem/
KBV_CS_MIO_DIGA_Source_Of_Information_German" />
3     <version value="1.0.0" />
4     <name value="KBV_CS_MIO_DIGA_Source_Of_Information_German" />
5     <title value="Quelle der Information" />
6     <status value="draft" />
7     <experimental value="false" />
8     <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9     <contact>
10      <telecom>
11        <system value="url" />

```

```

12     <value value="https://mio.kbv.de" />
13     </telecom>
14 </contact>
15 <description value="Dieses Codesystem enthält die Codes für deutsche
Bezeichner für die Quelle der Information." />
16 <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at ?http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995-2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
17 <caseSensitive value="true" />
18 <content value="complete" />
19 <concept>
20 <code value="unbekannt" />
21 <display value="unbekannt" />
22 </concept>
23 <concept>
24 <code value="NichtFamilienmitglied" />
25 <display value="Nicht-Familienmitglied" />
26 </concept>
27 <concept>
28 <code value="Verwandter" />
29 <display value="Verwandter" />
30 </concept>
31 <concept>
32 <code value="medizinischeFachkraft" />
33 <display value="medizinische Fachkraft" />
34 </concept>
35 <concept>
36 <code value="Patient" />
37 <display value="Patient" />
38 </concept>
39 <concept>
40 <code value="Geraet" />
41 <display value="Gerät" />
42 </concept>
43 </CodeSystem>

```

### 31. KBV\_EX\_MIO\_DIGA\_BETRACHTUNGSZEITRAUM

#### KBV\_EX\_MIO\_DIGA\_Betrachtungszeitraum

```
1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_DIGA_Betrachtungszeitraum" />
3   <version value="1.0.0" />
4   <name value="KBV_EX_MIO_DIGA_Betrachtungszeitraum" />
5   <title value="KBV_EX_MIO_DIGA_Betrachtungszeitraum" />
6   <status value="draft" />
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <description value="Diese Extension enthält den Betrachtungszeitraum
einer Composition." />
9   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM
definitions or is derived from it, subject to a license from Regenstrief
Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM
codes, UCUM definitions also is subject to this license, a copy of which is
available at http://unitsofmeasure.org. The current complete UCUM table,
UCUM Specification are available for download at http://unitsofmeasure.org.
The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief
Institute, Inc. and the Unified Codes for Units of Measures UCUM
Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM
DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS
OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE." />
10   <.fhirVersion value="4.0.1" />
11   <kind value="complex-type" />
12   <abstract value="false" />
13   <context>
14     <type value="element" />
15     <expression value="Composition" />
16   </context>
17   <type value="Extension" />
18   <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Extension" />
19   <derivation value="constraint" />
20   <differential>
21     <element id="Extension">
22       <path value="Extension" />
23       <definition value="Diese Extension enthält den Betrachtungszeitraum
einer Composition." />
24     </element>
25     <element id="Extension.url">
26       <path value="Extension.url" />
```

```

27     <fixedUri value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_DIGA_Betrachtungszeitraum" />
28   </element>
29   <element id="Extension.value[x]">
30     <path value="Extension.value[x]" />
31     <slicing>
32       <discriminator>
33         <type value="type" />
34         <path value="$this" />
35       </discriminator>
36       <rules value="closed" />
37     </slicing>
38     <min value="1" />
39     <type>
40       <code value="Period" />
41     </type>
42     <mustSupport value="true" />
43   </element>
44   <element id="Extension.value[x]:valuePeriod">
45     <path value="Extension.valuePeriod" />
46     <sliceName value="valuePeriod" />
47     <min value="1" />
48     <max value="1" />
49     <type>
50       <code value="Period" />
51     </type>
52     <mustSupport value="true" />
53   </element>
54   <element id="Extension.value[x]:valuePeriod.start">
55     <path value="Extension.valuePeriod.start" />
56     <min value="1" />
57     <mustSupport value="true" />
58   </element>
59   <element id="Extension.value[x]:valuePeriod.end">
60     <path value="Extension.valuePeriod.end" />
61     <min value="1" />
62     <mustSupport value="true" />
63   </element>
64 </differential>
65 </StructureDefinition>

```

## 32. KBV\_EX\_MIO\_DIGA\_DEVICE\_TYPE

### KBV\_EX\_MIO\_DIGA\_Device\_Type

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_DIGA_Device_Type" />
3   <version value="1.0.0" />
4   <name value="KBV_EX_MIO_DIGA_Device_Type" />
5   <title value="KBV_EX_MIO_DIGA_Device_Type" />
6   <status value="draft" />
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <description value="Diese Extension enthält den Gerätetypen." />
9   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which

```

is used by permission of SNOMED International. All rights reserved. SNOMED CT®, was originally created by The College of American Pathologists. SNOMED and SNOMED CT are registered trademarks of SNOMED International. Implementers of these artefacts must have the appropriate SNOMED CT Affiliate license. This material contains content from Loinc <http://loinc.org>. Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and the Logical Observation Identifiers Names and Codes Loinc Committee and is available at no cost under the license at <http://loinc.org/license>. Loinc® is a registered United States trademark of Regenstrief Institute, Inc. This product includes all or a portion of the UCUM table, UCUM codes, and UCUM definitions or is derived from it, subject to a license from Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM codes, UCUM definitions also is subject to this license, a copy of which is available at <http://unitsofmeasure.org>. The current complete UCUM table, UCUM Specification are available for download at <http://unitsofmeasure.org>. The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures UCUM Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED "AS IS." ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE." />

```

10 <fhirVersion value="4.0.1" />
11 <kind value="complex-type" />
12 <abstract value="false" />
13 <context>
14 <type value="element" />
15 <expression value="Device" />
16 </context>
17 <type value="Extension" />
18 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Extension" />
19 <derivation value="constraint" />
20 <differential>
21 <element id="Extension">
22 <path value="Extension" />
23 <definition value="Diese Extension enthält den Gerätetypen." />
24 </element>
25 <element id="Extension.url">
26 <path value="Extension.url" />
27 <fixedUri value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_DIGA_Device_Type" />
28 </element>
29 <element id="Extension.value[x]">
30 <path value="Extension.value[x]" />
31 <slicing>
32 <discriminator>
33 <type value="type" />
34 <path value="$this" />
35 </discriminator>
36 <rules value="closed" />
37 </slicing>
38 <min value="1" />
39 <type>
40 <code value="CodeableConcept" />
41 </type>
42 <mustSupport value="true" />
43 </element>
44 <element id="Extension.value[x]:valueCodeableConcept">
45 <path value="Extension.value[x]" />

```

```

46     <sliceName value="valueCodeableConcept" />
47     <min value="1" />
48     <type>
49         <code value="CodeableConcept" />
50     </type>
51     <mustSupport value="true" />
52 </element>
53 <element id="Extension.value[x]:valueCodeableConcept.coding">
54     <path value="Extension.value[x].coding" />
55     <min value="1" />
56     <max value="1" />
57     <mustSupport value="true" />
58 </element>
59 <element id="Extension.value[x]:valueCodeableConcept.coding.system">
60     <path value="Extension.value[x].coding.system" />
61     <min value="1" />
62 </element>
63 <element id="Extension.value[x]:valueCodeableConcept.coding.version">
64     <path value="Extension.value[x].coding.version" />
65     <min value="1" />
66 </element>
67 <element id="Extension.value[x]:valueCodeableConcept.coding.code">
68     <path value="Extension.value[x].coding.code" />
69     <min value="1" />
70 </element>
71 <element id="Extension.value[x]:valueCodeableConcept.coding.display">
72     <path value="Extension.value[x].coding.display" />
73     <min value="1" />
74 </element>
75 <element id="Extension.value[x]:valueCodeableConcept.coding.display.ext
76 ension">
77     <path value="Extension.value[x].coding.display.extension" />
78     <licing>
79         <discriminator>
80             <type value="value" />
81             <path value="url" />
82         </discriminator>
83         <rules value="open" />
84     </licing>
85     <min value="0" />
86 </element>
87 <element id="Extension.value[x]:valueCodeableConcept.coding.display.ext
88 ension:anzeigennameType">
89     <path value="Extension.value[x].coding.display.extension" />
90     <sliceName value="anzeigennameType" />
91     <min value="0" />
92     <type>
93         <code value="Extension" />
94         <profile value="https://fhir.kbv.de/StructureDefinition/
95 KBV_EX_Base_Terminology_German" />
96     </type>
97     <mustSupport value="true" />
98 </element>
99 <element id="Extension.value[x]:valueCodeableConcept.coding.display.ext
100 ension:anzeigennameType.extension">
    <path value="Extension.value[x].coding.display.extension.extension" /
    >
    <licing>
        <discriminator>
            <type value="value" />

```

```

101     <path value="url" />
102   </discriminator>
103   <rules value="open" />
104 </slicing>
105   <min value="1" />
106 </element>
107   <element id="Extension.value[x]:valueCodeableConcept.coding.display.extension:anzeigenameType.extension:content">
108     <path value="Extension.value[x].coding.display.extension.extension" /
109   >
110     <sliceName value="content" />
111     <min value="1" />
112 </element>
113   <element id="Extension.value[x]:valueCodeableConcept.coding.display.extension:anzeigenameType.extension:content.value[x]">
114     <path value="Extension.value[x].coding.display.extension.extension.value[x]" />
115     <slicing>
116       <discriminator>
117         <type value="type" />
118         <path value="$this" />
119       </discriminator>
120       <rules value="closed" />
121     </slicing>
122     <mustSupport value="true" />
123 </element>
124   <element id="Extension.value[x]:valueCodeableConcept.coding.display.extension:anzeigenameType.extension:content.value[x]:valueString">
125     <path value="Extension.value[x].coding.display.extension.extension.valueString" />
126     <sliceName value="valueString" />
127     <min value="1" />
128     <mustSupport value="true" />
129 </element>
130   <element id="Extension.value[x]:valueCodeableConcept.coding.userSelected">
131     <path value="Extension.value[x].coding.userSelected" />
132     <max value="0" />
133 </element>
134   <element id="Extension.value[x]:valueCodeableConcept.text">
135     <path value="Extension.value[x].text" />
136     <max value="0" />
137 </element>
138 </differential>
</StructureDefinition>

```

### 33. KBV\_EX\_MIO\_DIGA\_NUTRITION\_INTAKE\_TAKEN

#### KBV\_EX\_MIO\_DIGA\_Nutrition\_Intake\_Taken

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_DIGA_Nutrition_Intake_Taken" />
3   <version value="1.0.0" />
4   <name value="KBV_EX_MIO_DIGA_Nutrition_Intake_Taken" />
5   <title value="KBV_EX_MIO_DIGA_Nutrition_Intake_Taken" />
6   <status value="draft" />

```



```

7     <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8     <description value="Diese Extension enthält die Information über die
Nahrungsmittelleinnahme." />
9     <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM
definitions or is derived from it, subject to a license from Regenstrief
Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM
codes, UCUM definitions also is subject to this license, a copy of which is
available at http://unitsofmeasure.org. The current complete UCUM table,
UCUM Specification are available for download at http://unitsofmeasure.org.
The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief
Institute, Inc. and the Unified Codes for Units of Measures UCUM
Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM
DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS
OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE." />
10    <fhirVersion value="4.0.1" />
11    <kind value="complex-type" />
12    <abstract value="false" />
13    <context>
14      <type value="element" />
15      <expression value="Observation.component" />
16    </context>
17    <type value="Extension" />
18    <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Extension" />
19    <derivation value="constraint" />
20    <differential>
21      <element id="Extension">
22        <path value="Extension" />
23        <definition value="Diese Extension enthält die Information über die
Nahrungsmittelleinnahme." />
24      </element>
25      <element id="Extension.extension">
26        <path value="Extension.extension" />
27        <slicing>
28          <discriminator>
29            <type value="value" />
30            <path value="url" />
31          </discriminator>
32          <rules value="open" />
33        </slicing>
34        <min value="1" />
35      </element>
36      <element id="Extension.extension:einnahmeErfolgt">
37        <path value="Extension.extension" />
38        <sliceName value="einnahmeErfolgt" />
39        <min value="1" />

```

```

40     <max value="1" />
41     <mustSupport value="true" />
42 </element>
43 <element id="Extension.extension:einnahmeErfolgt.extension">
44     <path value="Extension.extension.extension" />
45     <slicing>
46         <discriminator>
47             <type value="value" />
48             <path value="url" />
49         </discriminator>
50         <rules value="open" />
51     </slicing>
52     <min value="2" />
53 </element>
54 <element id="Extension.extension:einnahmeErfolgt.extension:einnahmeErfolgtCode">
55     <path value="Extension.extension.extension" />
56     <sliceName value="einnahmeErfolgtCode" />
57     <min value="1" />
58     <max value="1" />
59     <mustSupport value="true" />
60 </element>
61 <element id="Extension.extension:einnahmeErfolgt.extension:einnahmeErfolgtCode.url">
62     <path value="Extension.extension.extension.url" />
63     <fixedUri value="einnahmeErfolgtCode" />
64 </element>
65 <element id="Extension.extension:einnahmeErfolgt.extension:einnahmeErfolgtCode.value[x]">
66     <path value="Extension.extension.extension.value[x]" />
67     <slicing>
68         <discriminator>
69             <type value="type" />
70             <path value="$this" />
71         </discriminator>
72         <rules value="closed" />
73     </slicing>
74     <min value="1" />
75     <type>
76         <code value="CodeableConcept" />
77     </type>
78     <mustSupport value="true" />
79 </element>
80 <element id="Extension.extension:einnahmeErfolgt.extension:einnahmeErfolgtCode.value[x]:valueCodeableConcept">
81     <path value="Extension.extension.extension.valueCodeableConcept" />
82     <sliceName value="valueCodeableConcept" />
83     <type>
84         <code value="CodeableConcept" />
85     </type>
86     <mustSupport value="true" />
87 </element>
88 <element id="Extension.extension:einnahmeErfolgt.extension:einnahmeErfolgtCode.value[x]:valueCodeableConcept.coding">
89     <path value="Extension.extension.extension.valueCodeableConcept.coding" />
90     <min value="1" />
91     <max value="1" />
92     <patternCoding>
93         <system value="http://snomed.info/sct" />

```

```

94     <version value="http://snomed.info/sct/900000000000207008/version/
20220131" />
95     <code value="229918000" />
96     <display value="Food and drink intake (observable entity)" />
97     </patternCoding>
98     <mustSupport value="true" />
99   </element>
100   <element id="Extension.extension:einnahmeErfolgt.extension:einnahmeErfolgtCode.value[x]:valueCodeableConcept.coding.system">
101     <path value="Extension.extension.extension.valueCodeableConcept.coding.system" />
102     <min value="1" />
103   </element>
104   <element id="Extension.extension:einnahmeErfolgt.extension:einnahmeErfolgtCode.value[x]:valueCodeableConcept.coding.version">
105     <path value="Extension.extension.extension.valueCodeableConcept.coding.version" />
106     <min value="1" />
107   </element>
108   <element id="Extension.extension:einnahmeErfolgt.extension:einnahmeErfolgtCode.value[x]:valueCodeableConcept.coding.code">
109     <path value="Extension.extension.extension.valueCodeableConcept.coding.code" />
110     <min value="1" />
111   </element>
112   <element id="Extension.extension:einnahmeErfolgt.extension:einnahmeErfolgtCode.value[x]:valueCodeableConcept.coding.display">
113     <path value="Extension.extension.extension.valueCodeableConcept.coding.display" />
114     <min value="1" />
115   </element>
116   <element id="Extension.extension:einnahmeErfolgt.extension:einnahmeErfolgtCode.value[x]:valueCodeableConcept.coding.userSelected">
117     <path value="Extension.extension.extension.valueCodeableConcept.coding.userSelected" />
118     <max value="0" />
119   </element>
120   <element id="Extension.extension:einnahmeErfolgt.extension:einnahmeErfolgtCode.value[x]:valueCodeableConcept.text">
121     <path value="Extension.extension.extension.valueCodeableConcept.text" />
122     <max value="0" />
123   </element>
124   <element id="Extension.extension:einnahmeErfolgt.extension:einnahmeErfolgtValue">
125     <path value="Extension.extension.extension" />
126     <sliceName value="einnahmeErfolgtValue" />
127     <min value="1" />
128     <max value="1" />
129     <mustSupport value="true" />
130   </element>
131   <element id="Extension.extension:einnahmeErfolgt.extension:einnahmeErfolgtValue.url">
132     <path value="Extension.extension.extension.url" />
133     <fixedUri value="einnahmeErfolgtValue" />
134   </element>
135   <element id="Extension.extension:einnahmeErfolgt.extension:einnahmeErfolgtValue.value[x]">
136     <path value="Extension.extension.extension.value[x]" />
137     <slicing>

```

```

138     <discriminator>
139         <type value="type" />
140         <path value="$this" />
141     </discriminator>
142     <rules value="closed" />
143 </slicing>
144 <min value="1" />
145 <type>
146     <code value="boolean" />
147 </type>
148 <mustSupport value="true" />
149 </element>
150 <element id="Extension.extension:einnahmeErfolgt.extension:einnahmeErfolg
151     <path value="Extension.extension:einnahmeErfolgt.value[x]" />
152     <sliceName value="valueBoolean" />
153     <min value="1" />
154     <type>
155         <code value="boolean" />
156     </type>
157     <mustSupport value="true" />
158 </element>
159 <element id="Extension.extension:einnahmeErfolgt.url">
160     <path value="Extension.extension.url" />
161     <fixedUri value="einnahmeErfolgt" />
162 </element>
163 <element id="Extension.extension:einnahmeErfolgt.value[x]">
164     <path value="Extension.extension.value[x]" />
165     <max value="0" />
166 </element>
167 <element id="Extension.extension:begrueundungNichtEinnahme">
168     <path value="Extension.extension" />
169     <sliceName value="begrueundungNichtEinnahme" />
170     <min value="0" />
171     <max value="1" />
172     <mustSupport value="true" />
173 </element>
174 <element id="Extension.extension:begrueundungNichtEinnahme.url">
175     <path value="Extension.extension.url" />
176     <fixedUri value="begrueundungNichtEinnahme" />
177 </element>
178 <element id="Extension.extension:begrueundungNichtEinnahme.value[x]">
179     <path value="Extension.extension.value[x]" />
180     <slicing>
181         <discriminator>
182             <type value="type" />
183             <path value="$this" />
184         </discriminator>
185         <rules value="closed" />
186     </slicing>
187     <min value="1" />
188     <type>
189         <code value="CodeableConcept" />
190     </type>
191     <mustSupport value="true" />
192 </element>
193 <element id="Extension.extension:begrueundungNichtEinnahme.value[x]:valu
194     <path value="Extension.extension.valueCodeableConcept" />
195     <sliceName value="valueCodeableConcept" />

```

```

196     <min value="1" />
197     <type>
198       <code value="CodeableConcept" />
199     </type>
200     <mustSupport value="true" />
201   </element>
202   <element id="Extension.extension:begrueundungNichtEinnahme.value[x]:valu
eCodeableConcept.coding">
203     <path value="Extension.extension.valueCodeableConcept.coding" />
204     <max value="1" />
205     <mustSupport value="true" />
206   </element>
207   <element id="Extension.extension:begrueundungNichtEinnahme.value[x]:valu
eCodeableConcept.text">
208     <path value="Extension.extension.valueCodeableConcept.text" />
209     <mustSupport value="true" />
210   </element>
211   <element id="Extension.url">
212     <path value="Extension.url" />
213     <fixedUri value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_DIGA_Nutrition_Intake_Taken" />
214   </element>
215   <element id="Extension.value[x]">
216     <path value="Extension.value[x]" />
217     <max value="0" />
218   </element>
219 </differential>
220 </StructureDefinition>

```

#### 34. KBV\_EX\_MIO\_DIGA\_REFERENCE

##### KBV\_EX\_MIO\_DIGA\_Reference

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_DIGA_Reference" />
3   <version value="1.0.0" />
4   <name value="KBV_EX_MIO_DIGA_Reference" />
5   <title value="KBV_EX_MIO_DIGA_Reference" />
6   <status value="draft" />
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <description value="Diese Extension enthält Referenzen auf Profile." />
9   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM
definitions or is derived from it, subject to a license from Regenstrief
Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM

```

codes, UCUM definitions also is subject to this license, a copy of which is available at <http://unitsofmeasure.org>. The current complete UCUM table, UCUM Specification are available for download at <http://unitsofmeasure.org>. The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures UCUM Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED "AS IS." ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE." />

```

10 <fhirVersion value="4.0.1" />
11 <kind value="complex-type" />
12 <abstract value="false" />
13 <context>
14 <type value="element" />
15 <expression value="Encounter" />
16 </context>
17 <context>
18 <type value="element" />
19 <expression value="CarePlan.activity.detail" />
20 </context>
21 <context>
22 <type value="element" />
23 <expression value="MedicationAdministration" />
24 </context>
25 <context>
26 <type value="element" />
27 <expression value="Appointment" />
28 </context>
29 <context>
30 <type value="element" />
31 <expression value="Observation" />
32 </context>
33 <type value="Extension" />
34 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Extension" />
35 <derivation value="constraint" />
36 <differential>
37 <element id="Extension">
38 <path value="Extension" />
39 <definition value="Diese Extension enthält Referenzen auf Profile." /
>
40 </element>
41 <element id="Extension.url">
42 <path value="Extension.url" />
43 <fixedUri value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_DIGA_Reference" />
44 </element>
45 <element id="Extension.value[x]">
46 <path value="Extension.value[x]" />
47 <slicing>
48 <discriminator>
49 <type value="type" />
50 <path value="$this" />
51 </discriminator>
52 <rules value="closed" />
53 </slicing>
54 <type>
55 <code value="Reference" />
56 </type>

```

```

57     <mustSupport value="true" />
58 </element>
59 <element id="Extension.value[x]:valueReference">
60   <path value="Extension.value[x]" />
61   <sliceName value="valueReference" />
62   <type>
63     <code value="Reference" />
64   </type>
65   <mustSupport value="true" />
66 </element>
67 <element id="Extension.value[x]:valueReference.reference">
68   <path value="Extension.value[x].reference" />
69   <min value="1" />
70   <mustSupport value="true" />
71 </element>
72 <element id="Extension.value[x]:valueReference.type">
73   <path value="Extension.value[x].type" />
74   <max value="0" />
75 </element>
76 <element id="Extension.value[x]:valueReference.identifier">
77   <path value="Extension.value[x].identifier" />
78   <max value="0" />
79 </element>
80 <element id="Extension.value[x]:valueReference.display">
81   <path value="Extension.value[x].display" />
82   <max value="0" />
83 </element>
84 </differential>
85 </StructureDefinition>

```

### 35. KBV\_PR\_MIO\_DIGA\_ALLERGYINTOLERANCE\_FREE

#### KBV\_PR\_MIO\_DIGA\_AllergyIntolerance\_Free

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_AllergyIntolerance_Free" />
3   <version value="1.0.0" />
4   <name value="KBV_PR_MIO_DIGA_AllergyIntolerance_Free" />
5   <title value="KBV_PR_MIO_DIGA_AllergyIntolerance_Free" />
6   <status value="draft" />
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <description value="Dieses Profil bildet eine Allergie oder Intoleranz
ab." />
9   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM

```

definitions or is derived from it, subject to a license from Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM codes, UCUM definitions also is subject to this license, a copy of which is available at <http://unitsofmeasure.org>. The current complete UCUM table, UCUM Specification are available for download at <http://unitsofmeasure.org>. The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures UCUM Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED "AS IS." ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE." />

```

10 <fhirVersion value="4.0.1" />
11 <kind value="resource" />
12 <abstract value="false" />
13 <type value="AllergyIntolerance" />
14 <baseDefinition value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_Base_Allergy_Intolerance|1.2.1" />
15 <derivation value="constraint" />
16 <differential>
17 <element id="AllergyIntolerance">
18 <path value="AllergyIntolerance" />
19 <definition value="Dieses Profil bildet eine Allergie oder Intoleranz
ab." />
20 </element>
21 <element id="AllergyIntolerance.meta">
22 <path value="AllergyIntolerance.meta" />
23 <min value="1" />
24 </element>
25 <element id="AllergyIntolerance.meta.versionId">
26 <path value="AllergyIntolerance.meta.versionId" />
27 <min value="1" />
28 </element>
29 <element id="AllergyIntolerance.meta.lastUpdated">
30 <path value="AllergyIntolerance.meta.lastUpdated" />
31 <min value="1" />
32 </element>
33 <element id="AllergyIntolerance.meta.source">
34 <path value="AllergyIntolerance.meta.source" />
35 <max value="0" />
36 </element>
37 <element id="AllergyIntolerance.meta.profile">
38 <path value="AllergyIntolerance.meta.profile" />
39 <min value="1" />
40 <max value="1" />
41 <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_AllergyIntolerance_Free|1.0.0" />
42 </element>
43 <element id="AllergyIntolerance.meta.security">
44 <path value="AllergyIntolerance.meta.security" />
45 <max value="0" />
46 </element>
47 <element id="AllergyIntolerance.meta.tag">
48 <path value="AllergyIntolerance.meta.tag" />
49 <max value="0" />
50 </element>
51 <element id="AllergyIntolerance.implicitRules">
52 <path value="AllergyIntolerance.implicitRules" />
53 <max value="0" />
54 </element>

```



```

55 <element id="AllergyIntolerance.language">
56   <path value="AllergyIntolerance.language" />
57   <max value="0" />
58 </element>
59 <element id="AllergyIntolerance.text">
60   <path value="AllergyIntolerance.text" />
61   <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
62 </element>
63 <element id="AllergyIntolerance.text.status">
64   <path value="AllergyIntolerance.text.status" />
65   <fixedCode value="extensions" />
66 </element>
67 <element id="AllergyIntolerance.contained">
68   <path value="AllergyIntolerance.contained" />
69   <max value="0" />
70 </element>
71 <element id="AllergyIntolerance.extension">
72   <path value="AllergyIntolerance.extension" />
73   <licing>
74     <discriminator>
75       <type value="value" />
76       <path value="url" />
77     </discriminator>
78     <rules value="closed" />
79   </licing>
80   <mustSupport value="true" />
81 </element>
82 <element id="AllergyIntolerance.extension:abatement">
83   <path value="AllergyIntolerance.extension" />
84   <sliceName value="abatement" />
85   <type>
86     <code value="Extension" />
87     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_AllergyIntolerance_Abatement" />
88   </type>
89   <mustSupport value="true" />
90 </element>
91 <element id="AllergyIntolerance.extension:abatement-lebensphase-bis">
92   <path value="AllergyIntolerance.extension" />
93   <sliceName value="abatement-lebensphase-bis" />
94   <type>
95     <code value="Extension" />
96     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Stage_Life" />
97   </type>
98   <mustSupport value="true" />
99 </element>
100 <element id="AllergyIntolerance.identififier">
101   <path value="AllergyIntolerance.identififier" />
102   <min value="1" />
103   <max value="1" />
104   <mustSupport value="true" />
105 </element>
106 <element id="AllergyIntolerance.identififier.use">
107   <path value="AllergyIntolerance.identififier.use" />
108   <max value="0" />

```

```

109 </element>
110 <element id="AllergyIntolerance.identifier.type">
111   <path value="AllergyIntolerance.identifier.type" />
112   <min value="1" />
113   <patternCodeableConcept>
114     <coding>
115       <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
116       <version value="2.9" />
117       <code value="RI" />
118       <display value="Resource identifier" />
119     </coding>
120   </patternCodeableConcept>
121 </element>
122 <element id="AllergyIntolerance.identifier.type.coding">
123   <path value="AllergyIntolerance.identifier.type.coding" />
124   <min value="1" />
125   <max value="1" />
126 </element>
127 <element id="AllergyIntolerance.identifier.type.coding.system">
128   <path value="AllergyIntolerance.identifier.type.coding.system" />
129   <min value="1" />
130 </element>
131 <element id="AllergyIntolerance.identifier.type.coding.version">
132   <path value="AllergyIntolerance.identifier.type.coding.version" />
133   <min value="1" />
134 </element>
135 <element id="AllergyIntolerance.identifier.type.coding.code">
136   <path value="AllergyIntolerance.identifier.type.coding.code" />
137   <min value="1" />
138 </element>
139 <element id="AllergyIntolerance.identifier.type.coding.display">
140   <path value="AllergyIntolerance.identifier.type.coding.display" />
141   <min value="1" />
142 </element>
143 <element id="AllergyIntolerance.identifier.type.coding.userSelected">
144   <path value="AllergyIntolerance.identifier.type.coding.userSelected"
145 />
146   <max value="0" />
147 </element>
148 <element id="AllergyIntolerance.identifier.type.text">
149   <path value="AllergyIntolerance.identifier.type.text" />
150   <max value="0" />
151 </element>
152 <element id="AllergyIntolerance.identifier.system">
153   <path value="AllergyIntolerance.identifier.system" />
154   <min value="1" />
155   <fixedUri value="urn:iETF:rFC:3986" />
156   <mustSupport value="true" />
157 </element>
158 <element id="AllergyIntolerance.identifier.value">
159   <path value="AllergyIntolerance.identifier.value" />
160   <min value="1" />
161   <mustSupport value="true" />
162 </element>
163 <element id="AllergyIntolerance.identifier.period">
164   <path value="AllergyIntolerance.identifier.period" />
165   <max value="0" />
166 </element>
167 <element id="AllergyIntolerance.identifier.assigner">
168   <path value="AllergyIntolerance.identifier.assigner" />

```

```

168     <max value="0" />
169 </element>
170 <element id="AllergyIntolerance.clinicalStatus">
171   <path value="AllergyIntolerance.clinicalStatus" />
172   <mustSupport value="true" />
173 </element>
174 <element id="AllergyIntolerance.clinicalStatus.coding">
175   <path value="AllergyIntolerance.clinicalStatus.coding" />
176   <mustSupport value="true" />
177 </element>
178 <element id="AllergyIntolerance.clinicalStatus.coding.display.extension
">
179   <path value="AllergyIntolerance.clinicalStatus.coding.display.extension" />
180     <slicing>
181       <discriminator>
182         <type value="value" />
183         <path value="url" />
184       </discriminator>
185       <rules value="open" />
186     </slicing>
187     <mustSupport value="true" />
188 </element>
189 <element id="AllergyIntolerance.clinicalStatus.coding.display.extension
:anzeigennameClinicalStatus">
190   <path value="AllergyIntolerance.clinicalStatus.coding.display.extension" />
191   <sliceName value="anzeigennameClinicalStatus" />
192   <type>
193     <code value="Extension" />
194     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
195   </type>
196   <mustSupport value="true" />
197 </element>
198 <element id="AllergyIntolerance.clinicalStatus.coding.display.extension
:anzeigennameClinicalStatus.extension">
199   <path value="AllergyIntolerance.clinicalStatus.coding.display.extension
on.extension" />
200     <slicing>
201       <discriminator>
202         <type value="value" />
203         <path value="url" />
204       </discriminator>
205       <rules value="open" />
206     </slicing>
207     <min value="1" />
208 </element>
209 <element id="AllergyIntolerance.clinicalStatus.coding.display.extension
:anzeigennameClinicalStatus.extension:content">
210   <path value="AllergyIntolerance.clinicalStatus.coding.display.extension
on.extension" />
211   <sliceName value="content" />
212   <min value="1" />
213 </element>
214 <element id="AllergyIntolerance.clinicalStatus.coding.display.extension
:anzeigennameClinicalStatus.extension:content.value[x]">
215   <path value="AllergyIntolerance.clinicalStatus.coding.display.extension
on.extension.value[x]" />
216     <slicing>

```

```

217     <discriminator>
218       <type value="type" />
219       <path value="$this" />
220     </discriminator>
221     <rules value="closed" />
222   </slicing>
223   <mustSupport value="true" />
224 </element>
225   <element id="AllergyIntolerance.clinicalStatus.coding.display.extension
:anzeigennameClinicalStatus.extension:content.value[x]:valueString">
226     <path value="AllergyIntolerance.clinicalStatus.coding.display.extensi
on.extension.valueString" />
227     <sliceName value="valueString" />
228     <min value="1" />
229     <mustSupport value="true" />
230   </element>
231   <element id="AllergyIntolerance.clinicalStatus.coding.userSelected">
232     <path value="AllergyIntolerance.clinicalStatus.coding.userSelected" /
>
233     <max value="0" />
234   </element>
235   <element id="AllergyIntolerance.clinicalStatus.text">
236     <path value="AllergyIntolerance.clinicalStatus.text" />
237     <max value="0" />
238   </element>
239   <element id="AllergyIntolerance.verificationStatus">
240     <path value="AllergyIntolerance.verificationStatus" />
241     <mustSupport value="true" />
242   </element>
243   <element id="AllergyIntolerance.verificationStatus.coding">
244     <path value="AllergyIntolerance.verificationStatus.coding" />
245     <mustSupport value="true" />
246   </element>
247   <element id="AllergyIntolerance.verificationStatus.coding.display.exten
sion">
248     <path value="AllergyIntolerance.verificationStatus.coding.display.ext
ension" />
249     <slicing>
250       <discriminator>
251         <type value="value" />
252         <path value="url" />
253       </discriminator>
254       <rules value="closed" />
255     </slicing>
256     <mustSupport value="true" />
257   </element>
258   <element id="AllergyIntolerance.verificationStatus.coding.display.exten
sion:anzeigennameVerificationStatus">
259     <path value="AllergyIntolerance.verificationStatus.coding.display.ext
ension" />
260     <sliceName value="anzeigennameVerificationStatus" />
261     <type>
262       <code value="Extension" />
263       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
264     </type>
265     <mustSupport value="true" />
266   </element>
267   <element id="AllergyIntolerance.verificationStatus.coding.display.exten
sion:anzeigennameVerificationStatus.extension">

```

```

268     <path value="AllergyIntolerance.verificationStatus.coding.display.extension.extension" />
269     <licing>
270         <discriminator>
271             <type value="value" />
272             <path value="url" />
273         </discriminator>
274         <rules value="closed" />
275     </licing>
276     <mustSupport value="true" />
277 </element>
278 <element id="AllergyIntolerance.verificationStatus.coding.display.extension:anzeigennameVerificationStatus.extension:content">
279     <path value="AllergyIntolerance.verificationStatus.coding.display.extension.extension" />
280     <sliceName value="content" />
281     <mustSupport value="true" />
282 </element>
283 <element id="AllergyIntolerance.verificationStatus.coding.display.extension:anzeigennameVerificationStatus.extension:content.value[x]">
284     <path value="AllergyIntolerance.verificationStatus.coding.display.extension.extension.value[x]" />
285     <licing>
286         <discriminator>
287             <type value="type" />
288             <path value="$this" />
289         </discriminator>
290         <rules value="closed" />
291     </licing>
292     <mustSupport value="true" />
293 </element>
294 <element id="AllergyIntolerance.verificationStatus.coding.display.extension:anzeigennameVerificationStatus.extension:content.value[x]:valueString">
295     <path value="AllergyIntolerance.verificationStatus.coding.display.extension.extension.valueString" />
296     <sliceName value="valueString" />
297     <min value="1" />
298     <mustSupport value="true" />
299 </element>
300 <element id="AllergyIntolerance.verificationStatus.coding.userSelected">
301     <path value="AllergyIntolerance.verificationStatus.coding.userSelected" />
302     <max value="0" />
303 </element>
304 <element id="AllergyIntolerance.verificationStatus.text">
305     <path value="AllergyIntolerance.verificationStatus.text" />
306     <max value="0" />
307 </element>
308 <element id="AllergyIntolerance.type">
309     <path value="AllergyIntolerance.type" />
310     <mustSupport value="true" />
311 </element>
312 <element id="AllergyIntolerance.type.extension">
313     <path value="AllergyIntolerance.type.extension" />
314     <licing>
315         <discriminator>
316             <type value="value" />
317             <path value="url" />
318         </discriminator>
319         <rules value="closed" />

```

```

320     </slicing>
321     <mustSupport value="true" />
322 </element>
323 <element id="AllergyIntolerance.type.extension:anzeigenamType">
324   <path value="AllergyIntolerance.type.extension" />
325   <sliceName value="anzeigenamType" />
326   <type>
327     <code value="Extension" />
328     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
329   </type>
330   <mustSupport value="true" />
331 </element>
332 <element id="AllergyIntolerance.type.extension:anzeigenamType.extensio
n">
333   <path value="AllergyIntolerance.type.extension.extension" />
334   <slicing>
335     <discriminator>
336       <type value="value" />
337       <path value="url" />
338     </discriminator>
339     <rules value="closed" />
340   </slicing>
341   <mustSupport value="true" />
342 </element>
343 <element id="AllergyIntolerance.type.extension:anzeigenamType.extensio
n:content">
344   <path value="AllergyIntolerance.type.extension.extension" />
345   <sliceName value="content" />
346   <mustSupport value="true" />
347 </element>
348 <element id="AllergyIntolerance.type.extension:anzeigenamType.extensio
n:content.value[x]">
349   <path value="AllergyIntolerance.type.extension.extension.value[x]" />
350   <slicing>
351     <discriminator>
352       <type value="type" />
353       <path value="$this" />
354     </discriminator>
355     <rules value="closed" />
356   </slicing>
357   <mustSupport value="true" />
358 </element>
359 <element id="AllergyIntolerance.type.extension:anzeigenamType.extensio
n:content.value[x]:valueString">
360   <path value="AllergyIntolerance.type.extension.extension.valueString"
/>
361   <sliceName value="valueString" />
362   <min value="1" />
363   <mustSupport value="true" />
364 </element>
365 <element id="AllergyIntolerance.category">
366   <path value="AllergyIntolerance.category" />
367   <max value="1" />
368   <mustSupport value="true" />
369 </element>
370 <element id="AllergyIntolerance.category.extension">
371   <path value="AllergyIntolerance.category.extension" />
372   <slicing>
373     <discriminator>

```

```

374         <type value="value" />
375         <path value="url" />
376     </discriminator>
377     <rules value="open" />
378 </slicing>
379     <min value="1" />
380 </element>
381 <element id="AllergyIntolerance.category.extension:anzeigenameCategory">
382     <path value="AllergyIntolerance.category.extension" />
383     <sliceName value="anzeigenameCategory" />
384     <min value="1" />
385     <max value="1" />
386     <type>
387         <code value="Extension" />
388         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
389     </type>
390     <mustSupport value="true" />
391 </element>
392 <element id="AllergyIntolerance.category.extension:anzeigenameCategory.
extension">
393     <path value="AllergyIntolerance.category.extension.extension" />
394     <slicing>
395         <discriminator>
396             <type value="value" />
397             <path value="url" />
398         </discriminator>
399         <rules value="open" />
400     </slicing>
401     <min value="1" />
402 </element>
403 <element id="AllergyIntolerance.category.extension:anzeigenameCategory.
extension:content">
404     <path value="AllergyIntolerance.category.extension.extension" />
405     <sliceName value="content" />
406     <min value="1" />
407 </element>
408 <element id="AllergyIntolerance.category.extension:anzeigenameCategory.
extension:content.value[x]">
409     <path value="AllergyIntolerance.category.extension.extension.value[x]
" />
410     <slicing>
411         <discriminator>
412             <type value="type" />
413             <path value="$this" />
414         </discriminator>
415         <rules value="closed" />
416     </slicing>
417     <mustSupport value="true" />
418 </element>
419 <element id="AllergyIntolerance.category.extension:anzeigenameCategory.
extension:content.value[x]:valueString">
420     <path value="AllergyIntolerance.category.extension.extension.valueStr
ing" />
421     <sliceName value="valueString" />
422     <min value="1" />
423     <mustSupport value="true" />
424 </element>
425 <element id="AllergyIntolerance.criticality">
426     <path value="AllergyIntolerance.criticality" />

```

```

427     <mustSupport value="true" />
428 </element>
429 <element id="AllergyIntolerance.criticality.extension">
430   <path value="AllergyIntolerance.criticality.extension" />
431   <slicing>
432     <discriminator>
433       <type value="value" />
434       <path value="url" />
435     </discriminator>
436     <rules value="open" />
437   </slicing>
438   <min value="1" />
439 </element>
440 <element id="AllergyIntolerance.criticality.extension:anzeigenameCriticality">
441   <path value="AllergyIntolerance.criticality.extension" />
442   <sliceName value="anzeigenameCriticality" />
443   <min value="1" />
444   <max value="1" />
445   <type>
446     <code value="Extension" />
447     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
448   </type>
449   <mustSupport value="true" />
450 </element>
451 <element id="AllergyIntolerance.criticality.extension:anzeigenameCriticality.extension">
452   <path value="AllergyIntolerance.criticality.extension.extension" />
453   <slicing>
454     <discriminator>
455       <type value="value" />
456       <path value="url" />
457     </discriminator>
458     <rules value="open" />
459   </slicing>
460   <min value="1" />
461 </element>
462 <element id="AllergyIntolerance.criticality.extension:anzeigenameCriticality.extension:content">
463   <path value="AllergyIntolerance.criticality.extension.extension" />
464   <sliceName value="content" />
465   <min value="1" />
466 </element>
467 <element id="AllergyIntolerance.criticality.extension:anzeigenameCriticality.extension:content.value[x]">
468   <path value="AllergyIntolerance.criticality.extension.extension.value[x]" />
469   <slicing>
470     <discriminator>
471       <type value="type" />
472       <path value="$this" />
473     </discriminator>
474     <rules value="closed" />
475   </slicing>
476   <mustSupport value="true" />
477 </element>
478 <element id="AllergyIntolerance.criticality.extension:anzeigenameCriticality.extension:content.value[x]:valueString">

```



```

479     <path value="AllergyIntolerance.criticality.extension.extension.value
String" />
480     <sliceName value="valueString" />
481     <min value="1" />
482     <mustSupport value="true" />
483 </element>
484 <element id="AllergyIntolerance.code">
485     <path value="AllergyIntolerance.code" />
486     <mustSupport value="true" />
487 </element>
488 <element id="AllergyIntolerance.code.coding">
489     <path value="AllergyIntolerance.code.coding" />
490     <mustSupport value="true" />
491 </element>
492 <element id="AllergyIntolerance.code.coding:codeSnomed">
493     <path value="AllergyIntolerance.code.coding" />
494     <sliceName value="codeSnomed" />
495     <mustSupport value="true" />
496 </element>
497 <element id="AllergyIntolerance.code.coding:codeASK">
498     <path value="AllergyIntolerance.code.coding" />
499     <sliceName value="codeASK" />
500     <mustSupport value="true" />
501 </element>
502 <element id="AllergyIntolerance.code.text">
503     <path value="AllergyIntolerance.code.text" />
504     <mustSupport value="true" />
505 </element>
506 <element id="AllergyIntolerance.patient">
507     <path value="AllergyIntolerance.patient" />
508     <type>
509         <code value="Reference" />
510         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
511     </type>
512     <mustSupport value="true" />
513 </element>
514 <element id="AllergyIntolerance.patient.reference">
515     <path value="AllergyIntolerance.patient.reference" />
516     <min value="1" />
517     <mustSupport value="true" />
518 </element>
519 <element id="AllergyIntolerance.patient.type">
520     <path value="AllergyIntolerance.patient.type" />
521     <max value="0" />
522 </element>
523 <element id="AllergyIntolerance.patient.identifier">
524     <path value="AllergyIntolerance.patient.identifier" />
525     <max value="0" />
526 </element>
527 <element id="AllergyIntolerance.patient.display">
528     <path value="AllergyIntolerance.patient.display" />
529     <max value="0" />
530 </element>
531 <element id="AllergyIntolerance.encounter">
532     <path value="AllergyIntolerance.encounter" />
533     <max value="0" />
534 </element>
535 <element id="AllergyIntolerance.onset[x]">
536     <path value="AllergyIntolerance.onset[x]" />

```

```

537     <type>
538       <code value="dateTime" />
539     </type>
540   <type>
541     <code value="Age" />
542   </type>
543   <mustSupport value="true" />
544 </element>
545 <element id="AllergyIntolerance.onset[x]:onsetDateTime">
546   <path value="AllergyIntolerance.onsetDateTime" />
547   <sliceName value="onsetDateTime" />
548   <mustSupport value="true" />
549 </element>
550 <element id="AllergyIntolerance.onset[x]:onsetAge">
551   <path value="AllergyIntolerance.onsetAge" />
552   <sliceName value="onsetAge" />
553   <mustSupport value="true" />
554 </element>
555 <element id="AllergyIntolerance.onset[x]:onsetAge.extension">
556   <path value="AllergyIntolerance.onsetAge.extension" />
557   <mustSupport value="true" />
558 </element>
559 <element id="AllergyIntolerance.onset[x]:onsetAge.extension:lebensphase
560 -von">
561   <path value="AllergyIntolerance.onsetAge.extension" />
562   <sliceName value="lebensphase-von" />
563   <mustSupport value="true" />
564 </element>
565 <element id="AllergyIntolerance.onset[x]:onsetAge.value">
566   <path value="AllergyIntolerance.onsetAge.value" />
567   <max value="0" />
568 </element>
569 <element id="AllergyIntolerance.onset[x]:onsetAge.comparator">
570   <path value="AllergyIntolerance.onsetAge.comparator" />
571   <max value="0" />
572 </element>
573 <element id="AllergyIntolerance.onset[x]:onsetAge.unit">
574   <path value="AllergyIntolerance.onsetAge.unit" />
575   <max value="0" />
576 </element>
577 <element id="AllergyIntolerance.onset[x]:onsetAge.system">
578   <path value="AllergyIntolerance.onsetAge.system" />
579   <max value="0" />
580 </element>
581 <element id="AllergyIntolerance.onset[x]:onsetAge.code">
582   <path value="AllergyIntolerance.onsetAge.code" />
583   <max value="0" />
584 </element>
585 <element id="AllergyIntolerance.recordedDate">
586   <path value="AllergyIntolerance.recordedDate" />
587   <max value="0" />
588 </element>
589 <element id="AllergyIntolerance.recorder">
590   <path value="AllergyIntolerance.recorder" />
591   <min value="1" />
592   <type>
593     <code value="Reference" />
     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
     KBV_PR_MIO_DIGA_Patient|1.0.0" />

```

```

594     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
595     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_RelatedPerson|1.0.0" />
596     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole|1.0.0" />
597   </type>
598   <mustSupport value="true" />
599 </element>
600 <element id="AllergyIntolerance.recorder.reference">
601   <path value="AllergyIntolerance.recorder.reference" />
602   <min value="1" />
603   <mustSupport value="true" />
604 </element>
605 <element id="AllergyIntolerance.recorder.type">
606   <path value="AllergyIntolerance.recorder.type" />
607   <max value="0" />
608 </element>
609 <element id="AllergyIntolerance.recorder.identifier">
610   <path value="AllergyIntolerance.recorder.identifier" />
611   <max value="0" />
612 </element>
613 <element id="AllergyIntolerance.recorder.display">
614   <path value="AllergyIntolerance.recorder.display" />
615   <max value="0" />
616 </element>
617 <element id="AllergyIntolerance.asserter">
618   <path value="AllergyIntolerance.asserter" />
619   <max value="0" />
620 </element>
621 <element id="AllergyIntolerance.lastOccurrence">
622   <path value="AllergyIntolerance.lastOccurrence" />
623   <max value="0" />
624 </element>
625 <element id="AllergyIntolerance.note">
626   <path value="AllergyIntolerance.note" />
627   <max value="0" />
628 </element>
629 <element id="AllergyIntolerance.reaction">
630   <path value="AllergyIntolerance.reaction" />
631   <mustSupport value="true" />
632 </element>
633 <element id="AllergyIntolerance.reaction.substance.coding">
634   <path value="AllergyIntolerance.reaction.substance.coding" />
635   <max value="1" />
636 </element>
637 <element id="AllergyIntolerance.reaction.substance.coding.system">
638   <path value="AllergyIntolerance.reaction.substance.coding.system" />
639   <min value="1" />
640 </element>
641 <element id="AllergyIntolerance.reaction.substance.coding.version">
642   <path value="AllergyIntolerance.reaction.substance.coding.version" />
643   <min value="1" />
644 </element>
645 <element id="AllergyIntolerance.reaction.substance.coding.code">
646   <path value="AllergyIntolerance.reaction.substance.coding.code" />
647   <min value="1" />
648 </element>
649 <element id="AllergyIntolerance.reaction.substance.coding.display">
650   <path value="AllergyIntolerance.reaction.substance.coding.display" />

```

```

651     <min value="1" />
652   </element>
653   <element id="AllergyIntolerance.reaction.substance.coding.userSelected">
654     <path value="AllergyIntolerance.reaction.substance.coding.userSelected" />
655     <max value="0" />
656   </element>
657   <element id="AllergyIntolerance.reaction.manifestation">
658     <path value="AllergyIntolerance.reaction.manifestation" />
659     <max value="1" />
660     <mustSupport value="true" />
661   </element>
662   <element id="AllergyIntolerance.reaction.manifestation.coding">
663     <path value="AllergyIntolerance.reaction.manifestation.coding" />
664     <mustSupport value="true" />
665   </element>
666   <element id="AllergyIntolerance.reaction.manifestation.coding:codeSnomed">
667     <path value="AllergyIntolerance.reaction.manifestation.coding" />
668     <sliceName value="codeSnomed" />
669     <mustSupport value="true" />
670   </element>
671   <element id="AllergyIntolerance.reaction.manifestation.text">
672     <path value="AllergyIntolerance.reaction.manifestation.text" />
673     <mustSupport value="true" />
674   </element>
675   <element id="AllergyIntolerance.reaction.description">
676     <path value="AllergyIntolerance.reaction.description" />
677     <max value="0" />
678   </element>
679   <element id="AllergyIntolerance.reaction.onset">
680     <path value="AllergyIntolerance.reaction.onset" />
681     <mustSupport value="true" />
682   </element>
683   <element id="AllergyIntolerance.reaction.severity">
684     <path value="AllergyIntolerance.reaction.severity" />
685     <mustSupport value="true" />
686   </element>
687   <element id="AllergyIntolerance.reaction.severity.extension">
688     <path value="AllergyIntolerance.reaction.severity.extension" />
689     <licing>
690       <discriminator>
691         <type value="value" />
692         <path value="url" />
693       </discriminator>
694       <rules value="open" />
695     </licing>
696     <min value="1" />
697   </element>
698   <element id="AllergyIntolerance.reaction.severity.extension:anzeigenameSeverity">
699     <path value="AllergyIntolerance.reaction.severity.extension" />
700     <sliceName value="anzeigenameSeverity" />
701     <min value="1" />
702     <max value="1" />
703     <type>
704       <code value="Extension" />
705       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
706     </type>

```

```

707     <mustSupport value="true" />
708   </element>
709   <element id="AllergyIntolerance.reaction.severity.extension:anzeigename
Severity.extension">
710     <path value="AllergyIntolerance.reaction.severity.extension.extension
" />
711     < slicing>
712       < discriminator>
713         < type value="value" />
714         < path value="url" />
715       </ discriminator>
716       < rules value="open" />
717     </ slicing>
718     < min value="1" />
719   </ element>
720   <element id="AllergyIntolerance.reaction.severity.extension:anzeigename
Severity.extension:content">
721     <path value="AllergyIntolerance.reaction.severity.extension.extension
" />
722     < sliceName value="content" />
723     < min value="1" />
724   </ element>
725   <element id="AllergyIntolerance.reaction.severity.extension:anzeigename
Severity.extension:content.value[x]">
726     <path value="AllergyIntolerance.reaction.severity.extension.extension
.value[x]" />
727     < slicing>
728       < discriminator>
729         < type value="type" />
730         < path value="$this" />
731       </ discriminator>
732       < rules value="closed" />
733     </ slicing>
734     < mustSupport value="true" />
735   </ element>
736   <element id="AllergyIntolerance.reaction.severity.extension:anzeigename
Severity.extension:content.value[x]:valueString">
737     <path value="AllergyIntolerance.reaction.severity.extension.extension
.valueString" />
738     < sliceName value="valueString" />
739     < min value="1" />
740     < mustSupport value="true" />
741   </ element>
742   <element id="AllergyIntolerance.reaction.exposureRoute">
743     <path value="AllergyIntolerance.reaction.exposureRoute" />
744     < mustSupport value="true" />
745   </ element>
746   <element id="AllergyIntolerance.reaction.exposureRoute.coding">
747     <path value="AllergyIntolerance.reaction.exposureRoute.coding" />
748     < slicing>
749       < discriminator>
750         < type value="pattern" />
751         < path value="$this" />
752       </ discriminator>
753       < rules value="open" />
754     </ slicing>
755     < mustSupport value="true" />
756   </ element>
757   <element id="AllergyIntolerance.reaction.exposureRoute.coding:codeSnome
d">

```

```

758     <path value="AllergyIntolerance.reaction.exposureRoute.coding" />
759     <sliceName value="codeSnomed" />
760     <patternCoding>
761       <system value="http://snomed.info/sct" />
762     </patternCoding>
763     <mustSupport value="true" />
764     <binding>
765       <strength value="required" />
766       <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_Base_AllergyIntolerance_Route_of_Administration|1.2.1" />
767     </binding>
768   </element>
769   <element id="AllergyIntolerance.reaction.exposureRoute.text">
770     <path value="AllergyIntolerance.reaction.exposureRoute.text" />
771     <mustSupport value="true" />
772   </element>
773   <element id="AllergyIntolerance.reaction.note">
774     <path value="AllergyIntolerance.reaction.note" />
775     <max value="0" />
776   </element>
777 </differential>
778 </StructureDefinition>

```

### 36. KBV\_PR\_MIO\_DIGA\_APPOINTMENT\_FREE

#### KBV\_PR\_MIO\_DIGA\_Appointment\_Free

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Appointment_Free" />
3   <version value="1.0.0" />
4   <name value="KBV_PR_MIO_DIGA_Appointment_Free" />
5   <title value="KBV_PR_MIO_DIGA_Appointment_Free" />
6   <status value="draft" />
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <description value="Dieses Profil bildet einen geplanten Termin ab." />
9   <copyright value="Im folgenden Profil können Codes aus den Codesystemen

```

Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which is used by permission of SNOMED International. All rights reserved. SNOMED CT®, was originally created by The College of American Pathologists. SNOMED and SNOMED CT are registered trademarks of SNOMED International. Implementers of these artefacts must have the appropriate SNOMED CT Affiliate license. This material contains content from Loinc <http://loinc.org>. Loinc is copyright © 1995-2020, Regenstrief Institute, Inc. and the Logical Observation Identifiers Names and Codes Loinc Committee and is available at no cost under the license at <http://loinc.org/license>. Loinc® is a registered United States trademark of Regenstrief Institute, Inc. This product includes all or a portion of the UCUM table, UCUM codes, and UCUM definitions or is derived from it, subject to a license from Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM codes, UCUM definitions also is subject to this license, a copy of which is available at <http://unitsofmeasure.org>. The current complete UCUM table, UCUM Specification are available for download at <http://unitsofmeasure.org>. The UCUM table and UCUM codes are copyright © 1995-2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures UCUM Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM

DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE." />

```
10 <fhirVersion value="4.0.1" />
11 <kind value="resource" />
12 <abstract value="false" />
13 <type value="Appointment" />
14 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Appointment" />
15 <derivation value="constraint" />
16 <differential>
17 <element id="Appointment">
18 <path value="Appointment" />
19 <definition value="Dieses Profil bildet einen geplanten Termin ab." /
>
20 </element>
21 <element id="Appointment.meta">
22 <path value="Appointment.meta" />
23 <min value="1" />
24 </element>
25 <element id="Appointment.meta.versionId">
26 <path value="Appointment.meta.versionId" />
27 <min value="1" />
28 </element>
29 <element id="Appointment.meta.lastUpdated">
30 <path value="Appointment.meta.lastUpdated" />
31 <min value="1" />
32 </element>
33 <element id="Appointment.meta.source">
34 <path value="Appointment.meta.source" />
35 <max value="0" />
36 </element>
37 <element id="Appointment.meta.profile">
38 <path value="Appointment.meta.profile" />
39 <min value="1" />
40 <max value="1" />
41 <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Appointment_Free|1.0.0" />
42 </element>
43 <element id="Appointment.meta.security">
44 <path value="Appointment.meta.security" />
45 <max value="0" />
46 </element>
47 <element id="Appointment.meta.tag">
48 <path value="Appointment.meta.tag" />
49 <max value="0" />
50 </element>
51 <element id="Appointment.implicitRules">
52 <path value="Appointment.implicitRules" />
53 <max value="0" />
54 </element>
55 <element id="Appointment.language">
56 <path value="Appointment.language" />
57 <max value="0" />
58 </element>
59 <element id="Appointment.text">
60 <path value="Appointment.text" />
61 <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
```

werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz enthalten sind." />

```
62 </element>
63 <element id="Appointment.text.status">
64 <path value="Appointment.text.status" />
65 <fixedCode value="extensions" />
66 </element>
67 <element id="Appointment.contained">
68 <path value="Appointment.contained" />
69 <max value="0" />
70 </element>
71 <element id="Appointment.extension">
72 <path value="Appointment.extension" />
73 <slicing>
74 <discriminator>
75 <type value="value" />
76 <path value="url" />
77 </discriminator>
78 <rules value="closed" />
79 </slicing>
80 <min value="0" />
81 </element>
82 <element id="Appointment.extension:abschnitte">
83 <path value="Appointment.extension" />
84 <sliceName value="abschnitte" />
85 <min value="0" />
86 <max value="*" />
87 <type>
88 <code value="Extension" />
89 <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_DIGA_Reference" />
90 </type>
91 <mustSupport value="true" />
92 </element>
93 <element id="Appointment.extension:abschnitte.value[x]">
94 <path value="Appointment.extension.value[x]" />
95 <min value="1" />
96 </element>
97 <element id="Appointment.extension:abschnitte.value[x]:valueReference">
98 <path value="Appointment.extension.valueReference" />
99 <sliceName value="valueReference" />
100 <min value="1" />
101 <type>
102 <code value="Reference" />
103 <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_CarePlan_Free|1.0.0" />
104 <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Device_Free|1.0.0" />
105 <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Encounter_Past_Appointment|1.0.0" />
106 <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Goal_Free|1.0.0" />
107 <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_MedicationAdministration_Medication_Intake_Free|1.0.0" />
108 <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_MedicationStatement_Medication_Request_Free|1.0.0" />
109 <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Questionnaire_Free|1.0.0" />
```



```

110     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_QuestionnaireResponse_Free|1.0.0" />
111   </type>
112 </element>
113 <element id="Appointment.identifier">
114   <path value="Appointment.identifier" />
115   <min value="1" />
116   <max value="1" />
117   <mustSupport value="true" />
118 </element>
119 <element id="Appointment.identifier.use">
120   <path value="Appointment.identifier.use" />
121   <max value="0" />
122 </element>
123 <element id="Appointment.identifier.type">
124   <path value="Appointment.identifier.type" />
125   <min value="1" />
126   <patternCodeableConcept>
127     <coding>
128       <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
129       <version value="2.9" />
130       <code value="RI" />
131       <display value="Resource identifier" />
132     </coding>
133   </patternCodeableConcept>
134 </element>
135 <element id="Appointment.identifier.type.coding">
136   <path value="Appointment.identifier.type.coding" />
137   <min value="1" />
138   <max value="1" />
139 </element>
140 <element id="Appointment.identifier.type.coding.system">
141   <path value="Appointment.identifier.type.coding.system" />
142   <min value="1" />
143 </element>
144 <element id="Appointment.identifier.type.coding.version">
145   <path value="Appointment.identifier.type.coding.version" />
146   <min value="1" />
147 </element>
148 <element id="Appointment.identifier.type.coding.code">
149   <path value="Appointment.identifier.type.coding.code" />
150   <min value="1" />
151 </element>
152 <element id="Appointment.identifier.type.coding.display">
153   <path value="Appointment.identifier.type.coding.display" />
154   <min value="1" />
155 </element>
156 <element id="Appointment.identifier.type.coding.userSelected">
157   <path value="Appointment.identifier.type.coding.userSelected" />
158   <max value="0" />
159 </element>
160 <element id="Appointment.identifier.type.text">
161   <path value="Appointment.identifier.type.text" />
162   <max value="0" />
163 </element>
164 <element id="Appointment.identifier.system">
165   <path value="Appointment.identifier.system" />
166   <min value="1" />
167   <fixedUri value="urn:iETF:rFC:3986" />
168   <mustSupport value="true" />

```

```

169 </element>
170 <element id="Appointment.identifier.value">
171   <path value="Appointment.identifier.value" />
172   <min value="1" />
173   <mustSupport value="true" />
174 </element>
175 <element id="Appointment.identifier.period">
176   <path value="Appointment.identifier.period" />
177   <max value="0" />
178 </element>
179 <element id="Appointment.identifier.assigner">
180   <path value="Appointment.identifier.assigner" />
181   <max value="0" />
182 </element>
183 <element id="Appointment.status">
184   <path value="Appointment.status" />
185   <patternCode value="booked" />
186 </element>
187 <element id="Appointment.cancelationReason">
188   <path value="Appointment.cancelationReason" />
189   <max value="0" />
190 </element>
191 <element id="Appointment.serviceCategory">
192   <path value="Appointment.serviceCategory" />
193   <max value="0" />
194 </element>
195 <element id="Appointment.serviceType">
196   <path value="Appointment.serviceType" />
197   <max value="0" />
198 </element>
199 <element id="Appointment.specialty">
200   <path value="Appointment.specialty" />
201   <max value="0" />
202 </element>
203 <element id="Appointment.appointmentType">
204   <path value="Appointment.appointmentType" />
205   <max value="0" />
206 </element>
207 <element id="Appointment.reasonCode">
208   <path value="Appointment.reasonCode" />
209   <max value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Appointment.reasonCode.coding">
213   <path value="Appointment.reasonCode.coding" />
214   <mustSupport value="true" />
215 </element>
216 <element id="Appointment.reasonCode.coding.system">
217   <path value="Appointment.reasonCode.coding.system" />
218   <min value="1" />
219 </element>
220 <element id="Appointment.reasonCode.coding.version">
221   <path value="Appointment.reasonCode.coding.version" />
222   <min value="1" />
223 </element>
224 <element id="Appointment.reasonCode.coding.code">
225   <path value="Appointment.reasonCode.coding.code" />
226   <min value="1" />
227 </element>
228 <element id="Appointment.reasonCode.coding.display">

```

```

229     <path value="Appointment.reasonCode.coding.display" />
230     <min value="1" />
231 </element>
232 <element id="Appointment.reasonCode.coding.userSelected">
233     <path value="Appointment.reasonCode.coding.userSelected" />
234     <max value="0" />
235 </element>
236 <element id="Appointment.reasonCode.text">
237     <path value="Appointment.reasonCode.text" />
238     <mustSupport value="true" />
239 </element>
240 <element id="Appointment.reasonReference">
241     <path value="Appointment.reasonReference" />
242     <type>
243         <code value="Reference" />
244         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Body_Temperature|1.0.0" />
245         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Assessment_Score_Free|1.0.0" />
246         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Blood_Pressure|1.0.0" />
247         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Body_Height|1.0.0" />
248         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Body_Weight|1.0.0" />
249         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Diary_Entry|1.0.0" />
250         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Environmental_Factor_Free|1.0.0" />
251         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Heart_Rate|1.0.0" />
252         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Life_Style_Factor_Free|1.0.0" />
253         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Nutrition_Intake|1.0.0" />
254         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Peripheral_Oxygen_Saturation|1.0.0" />
255         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Free|1.0.0" />
256         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Procedure_Activity_Free|1.0.0" />
257         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Condition_Problem_Free|1.0.0" />
258     </type>
259     <mustSupport value="true" />
260 </element>
261 <element id="Appointment.reasonReference.reference">
262     <path value="Appointment.reasonReference.reference" />
263     <min value="1" />
264     <mustSupport value="true" />
265 </element>
266 <element id="Appointment.reasonReference.type">
267     <path value="Appointment.reasonReference.type" />
268     <max value="0" />
269 </element>
270 <element id="Appointment.reasonReference.identifier">
271     <path value="Appointment.reasonReference.identifier" />
272     <max value="0" />
273 </element>
274 <element id="Appointment.reasonReference.display">

```

```

275     <path value="Appointment.reasonReference.display" />
276     <max value="0" />
277 </element>
278 <element id="Appointment.priority">
279     <path value="Appointment.priority" />
280     <max value="0" />
281 </element>
282 <element id="Appointment.description">
283     <path value="Appointment.description" />
284     <max value="0" />
285 </element>
286 <element id="Appointment.supportingInformation">
287     <path value="Appointment.supportingInformation" />
288     <max value="0" />
289 </element>
290 <element id="Appointment.start">
291     <path value="Appointment.start" />
292     <mustSupport value="true" />
293 </element>
294 <element id="Appointment.end">
295     <path value="Appointment.end" />
296     <mustSupport value="true" />
297 </element>
298 <element id="Appointment.minutesDuration">
299     <path value="Appointment.minutesDuration" />
300     <max value="0" />
301 </element>
302 <element id="Appointment.slot">
303     <path value="Appointment.slot" />
304     <max value="0" />
305 </element>
306 <element id="Appointment.created">
307     <path value="Appointment.created" />
308     <max value="0" />
309 </element>
310 <element id="Appointment.comment">
311     <path value="Appointment.comment" />
312     <mustSupport value="true" />
313 </element>
314 <element id="Appointment.patientInstruction">
315     <path value="Appointment.patientInstruction" />
316     <max value="0" />
317 </element>
318 <element id="Appointment.basedOn">
319     <path value="Appointment.basedOn" />
320     <max value="0" />
321 </element>
322 <element id="Appointment.participant">
323     <path value="Appointment.participant" />
324     <mustSupport value="true" />
325 </element>
326 <element id="Appointment.participant.type">
327     <path value="Appointment.participant.type" />
328     <max value="0" />
329 </element>
330 <element id="Appointment.participant.actor">
331     <path value="Appointment.participant.actor" />
332     <type>
333         <code value="Reference" />

```

```

334     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
335     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
336     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_RelatedPerson|1.0.0" />
337     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole|1.0.0" />
338   </type>
339 </element>
340 <element id="Appointment.participant.actor.reference">
341   <path value="Appointment.participant.actor.reference" />
342   <min value="1" />
343   <mustSupport value="true" />
344 </element>
345 <element id="Appointment.participant.actor.type">
346   <path value="Appointment.participant.actor.type" />
347   <max value="0" />
348 </element>
349 <element id="Appointment.participant.actor.identifier">
350   <path value="Appointment.participant.actor.identifier" />
351   <max value="0" />
352 </element>
353 <element id="Appointment.participant.actor.display">
354   <path value="Appointment.participant.actor.display" />
355   <max value="0" />
356 </element>
357 <element id="Appointment.participant.required">
358   <path value="Appointment.participant.required" />
359   <max value="0" />
360 </element>
361 <element id="Appointment.participant.status">
362   <path value="Appointment.participant.status" />
363   <patternCode value="accepted" />
364 </element>
365 <element id="Appointment.participant.period">
366   <path value="Appointment.participant.period" />
367   <max value="0" />
368 </element>
369 <element id="Appointment.requestedPeriod">
370   <path value="Appointment.requestedPeriod" />
371   <max value="0" />
372 </element>
373 </differential>
374 </StructureDefinition>

```

### 37. KBV\_PR\_MIO\_DIGA\_BUNDLE

KBV_PR_MIO_DIGA_Bundle	
1	<StructureDefinition xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/StructureDefinition/ KBV_PR_MIO_DIGA_Bundle" />
3	<version value="1.0.0" />
4	<name value="KBV_PR_MIO_DIGA_Bundle" />
5	<title value="KBV_PR_MIO_DIGA_Bundle" />
6	<status value="draft" />

```

7     <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8     <description value="Dieses Profil dient als bündelndes Element. Das
Bundle kann als Klammer-Ressource verstanden werden, die die notwendigen
Ressourcen zusammenfügt." />
9     <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM
definitions or is derived from it, subject to a license from Regenstrief
Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM
codes, UCUM definitions also is subject to this license, a copy of which is
available at http://unitsofmeasure.org. The current complete UCUM table,
UCUM Specification are available for download at http://unitsofmeasure.org.
The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief
Institute, Inc. and the Unified Codes for Units of Measures UCUM
Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM
DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS
OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE." />
10    <fhirVersion value="4.0.1" />
11    <kind value="resource" />
12    <abstract value="false" />
13    <type value="Bundle" />
14    <baseDefinition value="http://hl7.org/fhir/StructureDefinition/Bundle" />
15    <derivation value="constraint" />
16    <differential>
17      <element id="Bundle">
18        <path value="Bundle" />
19        <definition value="Dieses Profil dient als bündelndes Element. Das
Bundle kann als Klammer-Ressource verstanden werden, die die notwendigen
Ressourcen zusammenfügt." />
20        <constraint>
21          <key value="bundle-1" />
22          <severity value="error" />
23          <human value="Ressourcen, die nicht mit https://fhir.kbv.de/
StructureDefinition/KBV_PR_MIO_DIGA beginnen dürfen nicht vorhanden sein" /
>
24          <expression value="entry.where(resource.meta.profile.startsWith('ht
tps://fhir.kbv.de/StructureDefinition/KBV_PR_MIO_DIGA')).not().count()=0" /
>
25          <source value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Bundle" />
26        </constraint>
27        <constraint>
28          <key value="bundle-2" />
29          <severity value="error" />
30          <human value="Es muss genau eine Composition
KBV_PR_MIO_DIGA_Composition enthalten sein." />

```

```

31     <expression value="entry.where(resource.meta.profile='https://
fhir.kbv.de/StructureDefinition/KBV_PR_MIO_DIGA_Composition|
1.0.0').count()=1" />
32     <source value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Bundle" />
33     </constraint>
34   </element>
35   <element id="Bundle.meta">
36     <path value="Bundle.meta" />
37     <min value="1" />
38   </element>
39   <element id="Bundle.meta.versionId">
40     <path value="Bundle.meta.versionId" />
41     <min value="1" />
42   </element>
43   <element id="Bundle.meta.lastUpdated">
44     <path value="Bundle.meta.lastUpdated" />
45     <min value="1" />
46   </element>
47   <element id="Bundle.meta.source">
48     <path value="Bundle.meta.source" />
49     <max value="0" />
50   </element>
51   <element id="Bundle.meta.profile">
52     <path value="Bundle.meta.profile" />
53     <min value="1" />
54     <max value="1" />
55     <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Bundle|1.0.0" />
56   </element>
57   <element id="Bundle.meta.security">
58     <path value="Bundle.meta.security" />
59     <max value="0" />
60   </element>
61   <element id="Bundle.meta.tag">
62     <path value="Bundle.meta.tag" />
63     <max value="0" />
64   </element>
65   <element id="Bundle.implicitRules">
66     <path value="Bundle.implicitRules" />
67     <max value="0" />
68   </element>
69   <element id="Bundle.language">
70     <path value="Bundle.language" />
71     <max value="0" />
72   </element>
73   <element id="Bundle.identifier">
74     <path value="Bundle.identifier" />
75     <min value="1" />
76     <max value="1" />
77     <mustSupport value="true" />
78   </element>
79   <element id="Bundle.identifier.use">
80     <path value="Bundle.identifier.use" />
81     <max value="0" />
82   </element>
83   <element id="Bundle.identifier.type">
84     <path value="Bundle.identifier.type" />
85     <min value="1" />
86   </patternCodeableConcept>

```

```

87     <coding>
88         <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
89         <version value="2.9" />
90         <code value="RI" />
91         <display value="Resource identifier" />
92     </coding>
93 </patternCodeableConcept>
94 </element>
95 <element id="Bundle.identifier.type.coding">
96     <path value="Bundle.identifier.type.coding" />
97     <min value="1" />
98     <max value="1" />
99 </element>
100 <element id="Bundle.identifier.type.coding.system">
101     <path value="Bundle.identifier.type.coding.system" />
102     <min value="1" />
103 </element>
104 <element id="Bundle.identifier.type.coding.version">
105     <path value="Bundle.identifier.type.coding.version" />
106     <min value="1" />
107 </element>
108 <element id="Bundle.identifier.type.coding.code">
109     <path value="Bundle.identifier.type.coding.code" />
110     <min value="1" />
111 </element>
112 <element id="Bundle.identifier.type.coding.display">
113     <path value="Bundle.identifier.type.coding.display" />
114     <min value="1" />
115 </element>
116 <element id="Bundle.identifier.type.coding.userSelected">
117     <path value="Bundle.identifier.type.coding.userSelected" />
118     <max value="0" />
119 </element>
120 <element id="Bundle.identifier.type.text">
121     <path value="Bundle.identifier.type.text" />
122     <max value="0" />
123 </element>
124 <element id="Bundle.identifier.system">
125     <path value="Bundle.identifier.system" />
126     <min value="1" />
127     <fixedUri value="urn:ietf:rfc:3986" />
128     <mustSupport value="true" />
129 </element>
130 <element id="Bundle.identifier.value">
131     <path value="Bundle.identifier.value" />
132     <min value="1" />
133     <mustSupport value="true" />
134 </element>
135 <element id="Bundle.type">
136     <path value="Bundle.type" />
137     <fixedCode value="document" />
138     <mustSupport value="true" />
139 </element>
140 <element id="Bundle.timestamp">
141     <path value="Bundle.timestamp" />
142     <min value="1" />
143     <mustSupport value="true" />
144 </element>
145 <element id="Bundle.total">
146     <path value="Bundle.total" />

```



```

147     <max value="0" />
148 </element>
149 <element id="Bundle.link">
150   <path value="Bundle.link" />
151   <max value="0" />
152 </element>
153 <element id="Bundle.entry">
154   <path value="Bundle.entry" />
155   <min value="1" />
156   <mustSupport value="true" />
157 </element>
158 <element id="Bundle.entry.link">
159   <path value="Bundle.entry.link" />
160   <max value="0" />
161 </element>
162 <element id="Bundle.entry.fullUrl">
163   <path value="Bundle.entry.fullUrl" />
164   <min value="1" />
165   <mustSupport value="true" />
166 </element>
167 <element id="Bundle.entry.resource">
168   <path value="Bundle.entry.resource" />
169   <min value="1" />
170   <mustSupport value="true" />
171 </element>
172 <element id="Bundle.entry.search">
173   <path value="Bundle.entry.search" />
174   <max value="0" />
175 </element>
176 <element id="Bundle.entry.request">
177   <path value="Bundle.entry.request" />
178   <max value="0" />
179 </element>
180 <element id="Bundle.entry.response">
181   <path value="Bundle.entry.response" />
182   <max value="0" />
183 </element>
184 <element id="Bundle.signature">
185   <path value="Bundle.signature" />
186   <max value="0" />
187 </element>
188 </differential>
189 </StructureDefinition>

```

### 38. KBV\_PR\_MIO\_DIGA\_CAREPLAN\_FREE

#### KBV\_PR\_MIO\_DIGA\_CarePlan\_Free

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_CarePlan_Free" />
3   <version value="1.0.0" />
4   <name value="KBV_PR_MIO_DIGA_CarePlan_Free" />
5   <title value="KBV_PR_MIO_DIGA_CarePlan_Free" />
6   <status value="draft" />
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />

```

```

8     <description value="Dieses Profil bildet einen Plan ab. Pläne können z.B.
9     <copyright value="Im folgenden Profil können Codes aus den Codesystemen
    Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
    unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
    is used by permission of SNOMED International. All rights reserved. SNOMED
    CT®, was originally created by The College of American Pathologists. SNOMED
    and SNOMED CT are registered trademarks of SNOMED International.
    Implementers of these artefacts must have the appropriate SNOMED CT
    Affiliate license. This material contains content from Loinc http://
    loinc.org. Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
    the Logical Observation Identifiers Names and Codes Loinc Committee and is
    available at no cost under the license at http://loinc.org/license. Loinc®
    is a registered United States trademark of Regenstrief Institute, Inc. This
    product includes all or a portion of the UCUM table, UCUM codes, and UCUM
    definitions or is derived from it, subject to a license from Regenstrief
    Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM
    codes, UCUM definitions also is subject to this license, a copy of which is
    available at http://unitsofmeasure.org. The current complete UCUM table,
    UCUM Specification are available for download at http://unitsofmeasure.org.
    The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief
    Institute, Inc. and the Unified Codes for Units of Measures UCUM
    Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM
    DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS
    OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE
    IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
    PURPOSE." />
10    <fhirVersion value="4.0.1" />
11    <kind value="resource" />
12    <abstract value="false" />
13    <type value="CarePlan" />
14    <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
    CarePlan" />
15    <derivation value="constraint" />
16    <differential>
17      <element id="CarePlan">
18        <path value="CarePlan" />
19        <definition value="Dieses Profil bildet einen Plan ab. Pläne können
    z.B. Behandlungspläne oder Fitnesspläne sein." />
20      </element>
21      <element id="CarePlan.meta">
22        <path value="CarePlan.meta" />
23        <min value="1" />
24      </element>
25      <element id="CarePlan.meta.versionId">
26        <path value="CarePlan.meta.versionId" />
27        <min value="1" />
28      </element>
29      <element id="CarePlan.meta.lastUpdated">
30        <path value="CarePlan.meta.lastUpdated" />
31        <min value="1" />
32      </element>
33      <element id="CarePlan.meta.source">
34        <path value="CarePlan.meta.source" />
35        <max value="0" />
36      </element>
37      <element id="CarePlan.meta.profile">
38        <path value="CarePlan.meta.profile" />
39        <min value="1" />
40        <max value="1" />

```

```

41     <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_CarePlan_Free|1.0.0" />
42   </element>
43   <element id="CarePlan.meta.security">
44     <path value="CarePlan.meta.security" />
45     <max value="0" />
46   </element>
47   <element id="CarePlan.meta.tag">
48     <path value="CarePlan.meta.tag" />
49     <max value="0" />
50   </element>
51   <element id="CarePlan.implicitRules">
52     <path value="CarePlan.implicitRules" />
53     <max value="0" />
54   </element>
55   <element id="CarePlan.language">
56     <path value="CarePlan.language" />
57     <max value="0" />
58   </element>
59   <element id="CarePlan.text">
60     <path value="CarePlan.text" />
61     <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
62   </element>
63   <element id="CarePlan.text.status">
64     <path value="CarePlan.text.status" />
65     <fixedCode value="extensions" />
66   </element>
67   <element id="CarePlan.contained">
68     <path value="CarePlan.contained" />
69     <max value="0" />
70   </element>
71   <element id="CarePlan.identififier">
72     <path value="CarePlan.identififier" />
73     <min value="1" />
74     <max value="1" />
75     <mustSupport value="true" />
76   </element>
77   <element id="CarePlan.identififier.use">
78     <path value="CarePlan.identififier.use" />
79     <max value="0" />
80   </element>
81   <element id="CarePlan.identififier.type">
82     <path value="CarePlan.identififier.type" />
83     <min value="1" />
84     <patternCodeableConcept>
85       <coding>
86         <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
87         <version value="2.9" />
88         <code value="RI" />
89         <display value="Resource identififier" />
90       </coding>
91     </patternCodeableConcept>
92   </element>
93   <element id="CarePlan.identififier.type.coding">
94     <path value="CarePlan.identififier.type.coding" />
95     <min value="1" />

```

```

96     <max value="1" />
97 </element>
98 <element id="CarePlan.identifier.type.coding.system">
99     <path value="CarePlan.identifier.type.coding.system" />
100     <min value="1" />
101 </element>
102 <element id="CarePlan.identifier.type.coding.version">
103     <path value="CarePlan.identifier.type.coding.version" />
104     <min value="1" />
105 </element>
106 <element id="CarePlan.identifier.type.coding.code">
107     <path value="CarePlan.identifier.type.coding.code" />
108     <min value="1" />
109 </element>
110 <element id="CarePlan.identifier.type.coding.display">
111     <path value="CarePlan.identifier.type.coding.display" />
112     <min value="1" />
113 </element>
114 <element id="CarePlan.identifier.type.coding.userSelected">
115     <path value="CarePlan.identifier.type.coding.userSelected" />
116     <max value="0" />
117 </element>
118 <element id="CarePlan.identifier.type.text">
119     <path value="CarePlan.identifier.type.text" />
120     <max value="0" />
121 </element>
122 <element id="CarePlan.identifier.system">
123     <path value="CarePlan.identifier.system" />
124     <min value="1" />
125     <fixedUri value="urn:iETF:rFC:3986" />
126     <mustSupport value="true" />
127 </element>
128 <element id="CarePlan.identifier.value">
129     <path value="CarePlan.identifier.value" />
130     <min value="1" />
131     <mustSupport value="true" />
132 </element>
133 <element id="CarePlan.identifier.period">
134     <path value="CarePlan.identifier.period" />
135     <max value="0" />
136 </element>
137 <element id="CarePlan.identifier.assigner">
138     <path value="CarePlan.identifier.assigner" />
139     <max value="0" />
140 </element>
141 <element id="CarePlan.instantiatesCanonical">
142     <path value="CarePlan.instantiatesCanonical" />
143     <max value="0" />
144 </element>
145 <element id="CarePlan.instantiatesUri">
146     <path value="CarePlan.instantiatesUri" />
147     <max value="0" />
148 </element>
149 <element id="CarePlan.basedOn">
150     <path value="CarePlan.basedOn" />
151     <max value="0" />
152 </element>
153 <element id="CarePlan.replaces">
154     <path value="CarePlan.replaces" />
155     <type>

```

```

156     <code value="Reference" />
157     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_CarePlan_Free|1.0.0" />
158   </type>
159   <mustSupport value="true" />
160 </element>
161 <element id="CarePlan.replaces.reference">
162   <path value="CarePlan.replaces.reference" />
163   <min value="1" />
164   <mustSupport value="true" />
165 </element>
166 <element id="CarePlan.replaces.type">
167   <path value="CarePlan.replaces.type" />
168   <max value="0" />
169 </element>
170 <element id="CarePlan.replaces.identifier">
171   <path value="CarePlan.replaces.identifier" />
172   <max value="0" />
173 </element>
174 <element id="CarePlan.replaces.display">
175   <path value="CarePlan.replaces.display" />
176   <max value="0" />
177 </element>
178 <element id="CarePlan.partOf">
179   <path value="CarePlan.partOf" />
180   <max value="0" />
181 </element>
182 <element id="CarePlan.status">
183   <path value="CarePlan.status" />
184   <mustSupport value="true" />
185 </element>
186 <element id="CarePlan.status.extension">
187   <path value="CarePlan.status.extension" />
188   <licing>
189     <discriminator>
190       <type value="value" />
191       <path value="url" />
192     </discriminator>
193     <rules value="open" />
194   </licing>
195   <min value="1" />
196 </element>
197 <element id="CarePlan.status.extension:anzeigennameStatus">
198   <path value="CarePlan.status.extension" />
199   <sliceName value="anzeigennameStatus" />
200   <min value="1" />
201   <max value="1" />
202   <type>
203     <code value="Extension" />
204     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
205   </type>
206   <mustSupport value="true" />
207 </element>
208 <element id="CarePlan.status.extension:anzeigennameStatus.extension">
209   <path value="CarePlan.status.extension.extension" />
210   <licing>
211     <discriminator>
212       <type value="value" />
213       <path value="url" />

```

```

214     </discriminator>
215     <rules value="closed" />
216   </slicing>
217   <min value="1" />
218 </element>
219 <element id="CarePlan.status.extension:anzeigenameStatus.extension:cont
ent">
220   <path value="CarePlan.status.extension.extension" />
221   <sliceName value="content" />
222   <min value="1" />
223 </element>
224 <element id="CarePlan.status.extension:anzeigenameStatus.extension:cont
ent.value[x]">
225   <path value="CarePlan.status.extension.extension.value[x]" />
226   <slicing>
227     <discriminator>
228       <type value="type" />
229       <path value="$this" />
230     </discriminator>
231     <rules value="closed" />
232   </slicing>
233   <mustSupport value="true" />
234 </element>
235 <element id="CarePlan.status.extension:anzeigenameStatus.extension:cont
ent.value[x]:valueString">
236   <path value="CarePlan.status.extension.extension.valueString" />
237   <sliceName value="valueString" />
238   <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/
KBV\_CM\_MIO\_DIGA\_Care\_Plan\_Status\_German|1.0.0" />
239   <min value="1" />
240   <mustSupport value="true" />
241 </element>
242 <element id="CarePlan.intent">
243   <path value="CarePlan.intent" />
244   <patternCode value="plan" />
245   <mustSupport value="true" />
246 </element>
247 <element id="CarePlan.intent.extension">
248   <path value="CarePlan.intent.extension" />
249   <slicing>
250     <discriminator>
251       <type value="value" />
252       <path value="url" />
253     </discriminator>
254     <rules value="open" />
255   </slicing>
256   <min value="1" />
257 </element>
258 <element id="CarePlan.intent.extension:anzeigenameIntent">
259   <path value="CarePlan.intent.extension" />
260   <sliceName value="anzeigenameIntent" />
261   <min value="1" />
262   <max value="1" />
263   <type>
264     <code value="Extension" />
265     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />

```

```

266     </type>
267     <mustSupport value="true" />
268 </element>
269 <element id="CarePlan.intent.extension:anzeigenameIntent.extension">
270   <path value="CarePlan.intent.extension.extension" />
271   <slicing>
272     <discriminator>
273       <type value="value" />
274       <path value="url" />
275     </discriminator>
276     <rules value="open" />
277   </slicing>
278   <min value="1" />
279 </element>
280 <element id="CarePlan.intent.extension:anzeigenameIntent.extension:cont
ent">
281   <path value="CarePlan.intent.extension.extension" />
282   <sliceName value="content" />
283   <min value="1" />
284 </element>
285 <element id="CarePlan.intent.extension:anzeigenameIntent.extension:cont
ent.value[x]">
286   <path value="CarePlan.intent.extension.extension.value[x]" />
287   <slicing>
288     <discriminator>
289       <type value="type" />
290       <path value="$this" />
291     </discriminator>
292     <rules value="closed" />
293   </slicing>
294   <mustSupport value="true" />
295 </element>
296 <element id="CarePlan.intent.extension:anzeigenameIntent.extension:cont
ent.value[x]:valueString">
297   <path value="CarePlan.intent.extension.extension.valueString" />
298   <sliceName value="valueString" />
299   <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/
KBV\_CM\_MIO\_DIGA\_Care\_Plan\_Intent\_German|1.0.0" />
300   <min value="1" />
301   <mustSupport value="true" />
302 </element>
303 <element id="CarePlan.category">
304   <path value="CarePlan.category" />
305   <max value="0" />
306 </element>
307 <element id="CarePlan.title">
308   <path value="CarePlan.title" />
309   <mustSupport value="true" />
310 </element>
311 <element id="CarePlan.description">
312   <path value="CarePlan.description" />
313   <max value="0" />
314 </element>
315 <element id="CarePlan.subject">
316   <path value="CarePlan.subject" />
317   <type>
318     <code value="Reference" />

```

```

319     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
320   </type>
321   <mustSupport value="true" />
322 </element>
323 <element id="CarePlan.subject.reference">
324   <path value="CarePlan.subject.reference" />
325   <min value="1" />
326   <mustSupport value="true" />
327 </element>
328 <element id="CarePlan.subject.type">
329   <path value="CarePlan.subject.type" />
330   <max value="0" />
331 </element>
332 <element id="CarePlan.subject.identifrier">
333   <path value="CarePlan.subject.identifrier" />
334   <max value="0" />
335 </element>
336 <element id="CarePlan.subject.display">
337   <path value="CarePlan.subject.display" />
338   <max value="0" />
339 </element>
340 <element id="CarePlan.encounter">
341   <path value="CarePlan.encounter" />
342   <max value="0" />
343 </element>
344 <element id="CarePlan.period">
345   <path value="CarePlan.period" />
346   <max value="0" />
347 </element>
348 <element id="CarePlan.author">
349   <path value="CarePlan.author" />
350   <type>
351     <code value="Reference" />
352     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
353     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
354     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_RelatedPerson|1.0.0" />
355     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole|1.0.0" />
356   </type>
357   <mustSupport value="true" />
358 </element>
359 <element id="CarePlan.author.reference">
360   <path value="CarePlan.author.reference" />
361   <min value="1" />
362   <mustSupport value="true" />
363 </element>
364 <element id="CarePlan.author.type">
365   <path value="CarePlan.author.type" />
366   <max value="0" />
367 </element>
368 <element id="CarePlan.author.identifrier">
369   <path value="CarePlan.author.identifrier" />
370   <max value="0" />
371 </element>
372 <element id="CarePlan.author.display">
373   <path value="CarePlan.author.display" />

```



```

374     <max value="0" />
375 </element>
376 <element id="CarePlan.contributor">
377   <path value="CarePlan.contributor" />
378   <max value="0" />
379 </element>
380 <element id="CarePlan.careTeam">
381   <path value="CarePlan.careTeam" />
382   <max value="0" />
383 </element>
384 <element id="CarePlan.addresses">
385   <path value="CarePlan.addresses" />
386   <max value="0" />
387 </element>
388 <element id="CarePlan.supportingInfo">
389   <path value="CarePlan.supportingInfo" />
390   <max value="0" />
391 </element>
392 <element id="CarePlan.goal">
393   <path value="CarePlan.goal" />
394   <type>
395     <code value="Reference" />
396     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Goal_Free|1.0.0" />
397   </type>
398   <mustSupport value="true" />
399 </element>
400 <element id="CarePlan.goal.reference">
401   <path value="CarePlan.goal.reference" />
402   <min value="1" />
403   <mustSupport value="true" />
404 </element>
405 <element id="CarePlan.goal.type">
406   <path value="CarePlan.goal.type" />
407   <max value="0" />
408 </element>
409 <element id="CarePlan.goal.identifier">
410   <path value="CarePlan.goal.identifier" />
411   <max value="0" />
412 </element>
413 <element id="CarePlan.goal.display">
414   <path value="CarePlan.goal.display" />
415   <max value="0" />
416 </element>
417 <element id="CarePlan.activity">
418   <path value="CarePlan.activity" />
419   <mustSupport value="true" />
420 </element>
421 <element id="CarePlan.activity.outcomeCodeableConcept">
422   <path value="CarePlan.activity.outcomeCodeableConcept" />
423   <max value="1" />
424   <mustSupport value="true" />
425 </element>
426 <element id="CarePlan.activity.outcomeCodeableConcept.coding">
427   <path value="CarePlan.activity.outcomeCodeableConcept.coding" />
428   <mustSupport value="true" />
429 </element>
430 <element id="CarePlan.activity.outcomeCodeableConcept.coding.system">
431   <path value="CarePlan.activity.outcomeCodeableConcept.coding.system"
/>

```

```

432     <min value="1" />
433 </element>
434 <element id="CarePlan.activity.outcomeCodeableConcept.coding.version">
435   <path value="CarePlan.activity.outcomeCodeableConcept.coding.version"
/>
436     <min value="1" />
437 </element>
438 <element id="CarePlan.activity.outcomeCodeableConcept.coding.code">
439   <path value="CarePlan.activity.outcomeCodeableConcept.coding.code" />
440   <min value="1" />
441 </element>
442 <element id="CarePlan.activity.outcomeCodeableConcept.coding.display">
443   <path value="CarePlan.activity.outcomeCodeableConcept.coding.display"
/>
444     <min value="1" />
445 </element>
446 <element id="CarePlan.activity.outcomeCodeableConcept.coding.userSelect
ed">
447   <path value="CarePlan.activity.outcomeCodeableConcept.coding.userSele
cted" />
448   <max value="0" />
449 </element>
450 <element id="CarePlan.activity.outcomeCodeableConcept.text">
451   <path value="CarePlan.activity.outcomeCodeableConcept.text" />
452   <mustSupport value="true" />
453 </element>
454 <element id="CarePlan.activity.outcomeReference">
455   <path value="CarePlan.activity.outcomeReference" />
456   <max value="0" />
457 </element>
458 <element id="CarePlan.activity.progress">
459   <path value="CarePlan.activity.progress" />
460   <max value="0" />
461 </element>
462 <element id="CarePlan.activity.reference">
463   <path value="CarePlan.activity.reference" />
464   <max value="0" />
465 </element>
466 <element id="CarePlan.activity.detail.extension">
467   <path value="CarePlan.activity.detail.extension" />
468   <slicing>
469     <discriminator>
470       <type value="value" />
471       <path value="url" />
472     </discriminator>
473     <rules value="open" />
474   </slicing>
475   <min value="0" />
476 </element>
477 <element id="CarePlan.activity.detail.extension:abschnitte">
478   <path value="CarePlan.activity.detail.extension" />
479   <sliceName value="abschnitte" />
480   <min value="0" />
481   <type>
482     <code value="Extension" />
483     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_DIGA_Reference" />
484   </type>
485   <mustSupport value="true" />
486 </element>

```

```

487     <element id="CarePlan.activity.detail.extension:abschnitte.value[x]">
488       <path value="CarePlan.activity.detail.extension.value[x]" />
489       <min value="1" />
490     </element>
491     <element id="CarePlan.activity.detail.extension:abschnitte.value[x]:valueReference">
492       <path value="CarePlan.activity.detail.extension.value[x]" />
493       <sliceName value="valueReference" />
494       <min value="1" />
495       <type>
496         <code value="Reference" />
497         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_CarePlan_Free|1.0.0" />
498         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Device_Free|1.0.0" />
499         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Encounter_Past_Appointment|1.0.0" />
500         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Goal_Free|1.0.0" />
501         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_MedicationAdministration_Medication_Intake_Free|1.0.0" />
502         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_MedicationStatement_Medication_Request_Free|1.0.0" />
503         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Questionnaire_Free|1.0.0" />
504         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_QuestionnaireResponse_Free|1.0.0" />
505         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Procedure_Activity_Free|1.0.0" />
506       </type>
507     </element>
508     <element id="CarePlan.activity.detail.kind">
509       <path value="CarePlan.activity.detail.kind" />
510       <max value="0" />
511     </element>
512     <element id="CarePlan.activity.detail.instantiatesCanonical">
513       <path value="CarePlan.activity.detail.instantiatesCanonical" />
514       <max value="0" />
515     </element>
516     <element id="CarePlan.activity.detail.instantiatesUri">
517       <path value="CarePlan.activity.detail.instantiatesUri" />
518       <max value="0" />
519     </element>
520     <element id="CarePlan.activity.detail.code">
521       <path value="CarePlan.activity.detail.code" />
522       <mustSupport value="true" />
523     </element>
524     <element id="CarePlan.activity.detail.code.coding">
525       <path value="CarePlan.activity.detail.code.coding" />
526       <mustSupport value="true" />
527     </element>
528     <element id="CarePlan.activity.detail.code.text">
529       <path value="CarePlan.activity.detail.code.text" />
530       <mustSupport value="true" />
531     </element>
532     <element id="CarePlan.activity.detail.reasonCode">
533       <path value="CarePlan.activity.detail.reasonCode" />
534       <mustSupport value="true" />
535     </element>
536     <element id="CarePlan.activity.detail.reasonCode.coding">

```

```

537     <path value="CarePlan.activity.detail.reasonCode.coding" />
538     <mustSupport value="true" />
539 </element>
540 <element id="CarePlan.activity.detail.reasonCode.coding.system">
541     <path value="CarePlan.activity.detail.reasonCode.coding.system" />
542     <min value="1" />
543 </element>
544 <element id="CarePlan.activity.detail.reasonCode.coding.version">
545     <path value="CarePlan.activity.detail.reasonCode.coding.version" />
546     <min value="1" />
547 </element>
548 <element id="CarePlan.activity.detail.reasonCode.coding.code">
549     <path value="CarePlan.activity.detail.reasonCode.coding.code" />
550     <min value="1" />
551 </element>
552 <element id="CarePlan.activity.detail.reasonCode.coding.display">
553     <path value="CarePlan.activity.detail.reasonCode.coding.display" />
554     <min value="1" />
555 </element>
556 <element id="CarePlan.activity.detail.reasonCode.coding.userSelected">
557     <path value="CarePlan.activity.detail.reasonCode.coding.userSelected"
/>
558     <max value="0" />
559 </element>
560 <element id="CarePlan.activity.detail.reasonCode.text">
561     <path value="CarePlan.activity.detail.reasonCode.text" />
562     <mustSupport value="true" />
563 </element>
564 <element id="CarePlan.activity.detail.reasonReference">
565     <path value="CarePlan.activity.detail.reasonReference" />
566     <type>
567         <code value="Reference" />
568         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Body_Temperature|1.0.0" />
569         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Assessment_Score_Free|1.0.0" />
570         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Blood_Pressure|1.0.0" />
571         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Body_Height|1.0.0" />
572         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Body_Weight|1.0.0" />
573         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Diary_Entry|1.0.0" />
574         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Environmental_Factor_Free|1.0.0" />
575         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Heart_Rate|1.0.0" />
576         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Life_Style_Factor_Free|1.0.0" />
577         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Nutrition_Intake|1.0.0" />
578         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Peripheral_Oxygen_Saturation|1.0.0" />
579         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Free|1.0.0" />
580         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Condition_Problem_Free|1.0.0" />
581     </type>
582     <mustSupport value="true" />

```

```

583 </element>
584 <element id="CarePlan.activity.detail.reasonReference.reference">
585   <path value="CarePlan.activity.detail.reasonReference.reference" />
586   <min value="1" />
587   <mustSupport value="true" />
588 </element>
589 <element id="CarePlan.activity.detail.reasonReference.type">
590   <path value="CarePlan.activity.detail.reasonReference.type" />
591   <max value="0" />
592 </element>
593 <element id="CarePlan.activity.detail.reasonReference.identifier">
594   <path value="CarePlan.activity.detail.reasonReference.identifier" />
595   <max value="0" />
596 </element>
597 <element id="CarePlan.activity.detail.reasonReference.display">
598   <path value="CarePlan.activity.detail.reasonReference.display" />
599   <max value="0" />
600 </element>
601 <element id="CarePlan.activity.detail.goal">
602   <path value="CarePlan.activity.detail.goal" />
603   <type>
604     <code value="Reference" />
605     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Goal_Free|1.0.0" />
606   </type>
607   <mustSupport value="true" />
608 </element>
609 <element id="CarePlan.activity.detail.goal.reference">
610   <path value="CarePlan.activity.detail.goal.reference" />
611   <min value="1" />
612   <mustSupport value="true" />
613 </element>
614 <element id="CarePlan.activity.detail.goal.type">
615   <path value="CarePlan.activity.detail.goal.type" />
616   <max value="0" />
617 </element>
618 <element id="CarePlan.activity.detail.goal.identifier">
619   <path value="CarePlan.activity.detail.goal.identifier" />
620   <max value="0" />
621 </element>
622 <element id="CarePlan.activity.detail.goal.display">
623   <path value="CarePlan.activity.detail.goal.display" />
624   <max value="0" />
625 </element>
626 <element id="CarePlan.activity.detail.statusReason">
627   <path value="CarePlan.activity.detail.statusReason" />
628   <max value="0" />
629 </element>
630 <element id="CarePlan.activity.detail.doNotPerform">
631   <path value="CarePlan.activity.detail.doNotPerform" />
632   <mustSupport value="true" />
633 </element>
634 <element id="CarePlan.activity.detail.scheduled[x]">
635   <path value="CarePlan.activity.detail.scheduled[x]" />
636   <licing>
637     <discriminator>
638       <type value="type" />
639       <path value="$this" />
640     </discriminator>
641     <rules value="closed" />

```

```

642     </slicing>
643     <type>
644       <code value="Period" />
645     </type>
646     <mustSupport value="true" />
647   </element>
648   <element id="CarePlan.activity.detail.scheduled[x]:scheduledPeriod">
649     <path value="CarePlan.activity.detail.scheduled[x]" />
650     <sliceName value="scheduledPeriod" />
651     <type>
652       <code value="Period" />
653     </type>
654     <mustSupport value="true" />
655   </element>
656   <element id="CarePlan.activity.detail.scheduled[x]:scheduledPeriod.start">
657     <path value="CarePlan.activity.detail.scheduled[x].start" />
658     <mustSupport value="true" />
659   </element>
660   <element id="CarePlan.activity.detail.scheduled[x]:scheduledPeriod.end">
661     <path value="CarePlan.activity.detail.scheduled[x].end" />
662     <mustSupport value="true" />
663   </element>
664   <element id="CarePlan.activity.detail.location">
665     <path value="CarePlan.activity.detail.location" />
666     <max value="0" />
667   </element>
668   <element id="CarePlan.activity.detail.performer">
669     <path value="CarePlan.activity.detail.performer" />
670     <max value="1" />
671     <type>
672       <code value="Reference" />
673       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
674     </type>
675     <mustSupport value="true" />
676   </element>
677   <element id="CarePlan.activity.detail.performer.reference">
678     <path value="CarePlan.activity.detail.performer.reference" />
679     <min value="1" />
680     <mustSupport value="true" />
681   </element>
682   <element id="CarePlan.activity.detail.performer.type">
683     <path value="CarePlan.activity.detail.performer.type" />
684     <max value="0" />
685   </element>
686   <element id="CarePlan.activity.detail.performer.identifier">
687     <path value="CarePlan.activity.detail.performer.identifier" />
688     <max value="0" />
689   </element>
690   <element id="CarePlan.activity.detail.performer.display">
691     <path value="CarePlan.activity.detail.performer.display" />
692     <max value="0" />
693   </element>
694   <element id="CarePlan.activity.detail.product[x]">
695     <path value="CarePlan.activity.detail.product[x]" />
696     <max value="0" />
697   </element>
698   <element id="CarePlan.activity.detail.dailyAmount">
699     <path value="CarePlan.activity.detail.dailyAmount" />

```

```

700     <max value="0" />
701 </element>
702 <element id="CarePlan.activity.detail.quantity">
703   <path value="CarePlan.activity.detail.quantity" />
704   <mustSupport value="true" />
705 </element>
706 <element id="CarePlan.activity.detail.quantity.value">
707   <path value="CarePlan.activity.detail.quantity.value" />
708   <min value="1" />
709 </element>
710 <element id="CarePlan.activity.detail.quantity.unit">
711   <path value="CarePlan.activity.detail.quantity.unit" />
712   <min value="1" />
713 </element>
714 <element id="CarePlan.activity.detail.quantity.system">
715   <path value="CarePlan.activity.detail.quantity.system" />
716   <min value="1" />
717 </element>
718 <element id="CarePlan.activity.detail.quantity.code">
719   <path value="CarePlan.activity.detail.quantity.code" />
720   <min value="1" />
721 </element>
722 <element id="CarePlan.activity.detail.description">
723   <path value="CarePlan.activity.detail.description" />
724   <mustSupport value="true" />
725 </element>
726 <element id="CarePlan.note">
727   <path value="CarePlan.note" />
728   <max value="1" />
729   <mustSupport value="true" />
730 </element>
731 <element id="CarePlan.note.author[x]">
732   <path value="CarePlan.note.author[x]" />
733   <max value="0" />
734 </element>
735 <element id="CarePlan.note.time">
736   <path value="CarePlan.note.time" />
737   <max value="0" />
738 </element>
739 <element id="CarePlan.note.text">
740   <path value="CarePlan.note.text" />
741   <mustSupport value="true" />
742 </element>
743 </differential>
744 </StructureDefinition>

```

### 39. KBV\_PR\_MIO\_DIGA\_COMPOSITION

#### KBV\_PR\_MIO\_DIGA\_Composition

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Composition" />
3   <version value="1.0.0" />
4   <name value="KBV_PR_MIO_DIGA_Composition" />
5   <title value="KBV_PR_MIO_DIGA_Composition" />
6   <status value="draft" />

```

```

7     <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8     <description value="Dieses Profil bildet das aus dem DiGA-Export
resultierende Dokument ab." />
9     <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM
definitions or is derived from it, subject to a license from Regenstrief
Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM
codes, UCUM definitions also is subject to this license, a copy of which is
available at http://unitsofmeasure.org. The current complete UCUM table,
UCUM Specification are available for download at http://unitsofmeasure.org.
The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief
Institute, Inc. and the Unified Codes for Units of Measures UCUM
Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM
DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS
OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE." />
10    <fhirVersion value="4.0.1" />
11    <kind value="resource" />
12    <abstract value="false" />
13    <type value="Composition" />
14    <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Composition" />
15    <derivation value="constraint" />
16    <differential>
17      <element id="Composition">
18        <path value="Composition" />
19        <definition value="Dieses Profil bildet das aus dem DiGA-Export
resultierende Dokument ab." />
20        <constraint>
21          <key value="date-1" />
22          <severity value="error" />
23          <human value="Datetime must be at least day, month and year." />
24          <expression value="(date as dateTime).toString().length() >=
10" />
25          <source value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Composition" />
26        </constraint>
27      </element>
28      <element id="Composition.meta">
29        <path value="Composition.meta" />
30        <min value="1" />
31      </element>
32      <element id="Composition.meta.versionId">
33        <path value="Composition.meta.versionId" />
34        <min value="1" />
35      </element>
36      <element id="Composition.meta.lastUpdated">
37        <path value="Composition.meta.lastUpdated" />

```



```

38     <min value="1" />
39 </element>
40 <element id="Composition.meta.source">
41     <path value="Composition.meta.source" />
42     <max value="0" />
43 </element>
44 <element id="Composition.meta.profile">
45     <path value="Composition.meta.profile" />
46     <min value="1" />
47     <max value="1" />
48     <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Composition|1.0.0" />
49 </element>
50 <element id="Composition.meta.security">
51     <path value="Composition.meta.security" />
52     <max value="0" />
53 </element>
54 <element id="Composition.meta.tag">
55     <path value="Composition.meta.tag" />
56     <max value="0" />
57 </element>
58 <element id="Composition.implicitRules">
59     <path value="Composition.implicitRules" />
60     <max value="0" />
61 </element>
62 <element id="Composition.language">
63     <path value="Composition.language" />
64     <max value="0" />
65 </element>
66 <element id="Composition.text">
67     <path value="Composition.text" />
68     <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
69 </element>
70 <element id="Composition.text.status">
71     <path value="Composition.text.status" />
72     <fixedCode value="extensions" />
73 </element>
74 <element id="Composition.contained">
75     <path value="Composition.contained" />
76     <max value="0" />
77 </element>
78 <element id="Composition.extension">
79     <path value="Composition.extension" />
80     <licing>
81         <discriminator>
82             <type value="value" />
83             <path value="url" />
84         </discriminator>
85         <rules value="closed" />
86     </licing>
87     <min value="1" />
88     <max value="1" />
89     <mustSupport value="true" />
90 </element>
91 <element id="Composition.extension:betrachtungszeitraum">
92     <path value="Composition.extension" />

```

```

93     <sliceName value="betrachtungszeitraum" />
94     <min value="1" />
95     <max value="1" />
96     <type>
97         <code value="Extension" />
98         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_DIGA_Betrachtungszeitraum" />
99     </type>
100     <mustSupport value="true" />
101 </element>
102 <element id="Composition.identifier">
103     <path value="Composition.identifier" />
104     <max value="0" />
105 </element>
106 <element id="Composition.status">
107     <path value="Composition.status" />
108     <patternCode value="final" />
109 </element>
110 <element id="Composition.type">
111     <path value="Composition.type" />
112     <mustSupport value="true" />
113 </element>
114 <element id="Composition.type.coding">
115     <path value="Composition.type.coding" />
116     <min value="1" />
117     <max value="1" />
118     <patternCoding>
119         <system value="http://loinc.org" />
120         <version value="2.71" />
121         <code value="53576-5" />
122         <display value="Personal health monitoring report Document" />
123     </patternCoding>
124     <mustSupport value="true" />
125 </element>
126 <element id="Composition.type.coding.system">
127     <path value="Composition.type.coding.system" />
128     <min value="1" />
129 </element>
130 <element id="Composition.type.coding.version">
131     <path value="Composition.type.coding.version" />
132     <min value="1" />
133 </element>
134 <element id="Composition.type.coding.code">
135     <path value="Composition.type.coding.code" />
136     <min value="1" />
137 </element>
138 <element id="Composition.type.coding.display">
139     <path value="Composition.type.coding.display" />
140     <min value="1" />
141 </element>
142 <element id="Composition.type.coding.userSelected">
143     <path value="Composition.type.coding.userSelected" />
144     <max value="0" />
145 </element>
146 <element id="Composition.type.text">
147     <path value="Composition.type.text" />
148     <max value="0" />
149 </element>
150 <element id="Composition.category">
151     <path value="Composition.category" />

```

```

152     <max value="0" />
153 </element>
154 <element id="Composition.subject">
155   <path value="Composition.subject" />
156   <min value="1" />
157   <type>
158     <code value="Reference" />
159     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
160   </type>
161   <mustSupport value="true" />
162 </element>
163 <element id="Composition.subject.reference">
164   <path value="Composition.subject.reference" />
165   <min value="1" />
166   <mustSupport value="true" />
167 </element>
168 <element id="Composition.subject.type">
169   <path value="Composition.subject.type" />
170   <max value="0" />
171 </element>
172 <element id="Composition.subject.identifier">
173   <path value="Composition.subject.identifier" />
174   <max value="0" />
175 </element>
176 <element id="Composition.subject.display">
177   <path value="Composition.subject.display" />
178   <max value="0" />
179 </element>
180 <element id="Composition.encounter">
181   <path value="Composition.encounter" />
182   <max value="0" />
183 </element>
184 <element id="Composition.date">
185   <path value="Composition.date" />
186   <mustSupport value="true" />
187 </element>
188 <element id="Composition.author">
189   <path value="Composition.author" />
190   <max value="1" />
191   <type>
192     <code value="Reference" />
193     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Device_DIGA|1.0.0" />
194   </type>
195   <mustSupport value="true" />
196 </element>
197 <element id="Composition.author.reference">
198   <path value="Composition.author.reference" />
199   <min value="1" />
200   <mustSupport value="true" />
201 </element>
202 <element id="Composition.author.type">
203   <path value="Composition.author.type" />
204   <max value="0" />
205 </element>
206 <element id="Composition.author.identifier">
207   <path value="Composition.author.identifier" />
208   <max value="0" />
209 </element>

```

```

210 <element id="Composition.author.display">
211   <path value="Composition.author.display" />
212   <max value="0" />
213 </element>
214 <element id="Composition.title">
215   <path value="Composition.title" />
216   <fixedString value="DiGA-Export" />
217 </element>
218 <element id="Composition.confidentiality">
219   <path value="Composition.confidentiality" />
220   <max value="0" />
221 </element>
222 <element id="Composition.attester">
223   <path value="Composition.attester" />
224   <max value="0" />
225 </element>
226 <element id="Composition.custodian">
227   <path value="Composition.custodian" />
228   <max value="0" />
229 </element>
230 <element id="Composition.relatesTo">
231   <path value="Composition.relatesTo" />
232   <max value="0" />
233 </element>
234 <element id="Composition.event">
235   <path value="Composition.event" />
236   <max value="0" />
237 </element>
238 <element id="Composition.section">
239   <path value="Composition.section" />
240   <slicing>
241     <discriminator>
242       <type value="pattern" />
243       <path value="code" />
244     </discriminator>
245     <rules value="closed" />
246   </slicing>
247 </element>
248 <element id="Composition.section:fragebogen">
249   <path value="Composition.section" />
250   <sliceName value="fragebogen" />
251   <max value="1" />
252   <mustSupport value="true" />
253 </element>
254 <element id="Composition.section:fragebogen.title">
255   <path value="Composition.section.title" />
256   <min value="1" />
257   <fixedString value="Fragebögen" />
258   <mustSupport value="true" />
259 </element>
260 <element id="Composition.section:fragebogen.code">
261   <path value="Composition.section.code" />
262   <min value="1" />
263   <patternCodeableConcept>
264     <coding>
265       <system value="http://loinc.org" />
266       <version value="2.71" />
267       <code value="74468-0" />
268       <display value="Questionnaire form definition Document" />
269     </coding>

```

```

270     </patternCodeableConcept>
271     <mustSupport value="true" />
272 </element>
273 <element id="Composition.section:fragebogen.code.coding">
274     <path value="Composition.section.code.coding" />
275     <min value="1" />
276     <max value="1" />
277     <mustSupport value="true" />
278 </element>
279 <element id="Composition.section:fragebogen.code.coding.system">
280     <path value="Composition.section.code.coding.system" />
281     <min value="1" />
282 </element>
283 <element id="Composition.section:fragebogen.code.coding.version">
284     <path value="Composition.section.code.coding.version" />
285     <min value="1" />
286 </element>
287 <element id="Composition.section:fragebogen.code.coding.code">
288     <path value="Composition.section.code.coding.code" />
289     <min value="1" />
290 </element>
291 <element id="Composition.section:fragebogen.code.coding.display">
292     <path value="Composition.section.code.coding.display" />
293     <min value="1" />
294 </element>
295 <element id="Composition.section:fragebogen.code.coding.userSelected">
296     <path value="Composition.section.code.coding.userSelected" />
297     <max value="0" />
298 </element>
299 <element id="Composition.section:fragebogen.code.text">
300     <path value="Composition.section.code.text" />
301     <max value="0" />
302 </element>
303 <element id="Composition.section:fragebogen.author">
304     <path value="Composition.section.author" />
305     <max value="0" />
306 </element>
307 <element id="Composition.section:fragebogen.focus">
308     <path value="Composition.section.focus" />
309     <max value="0" />
310 </element>
311 <element id="Composition.section:fragebogen.text">
312     <path value="Composition.section.text" />
313     <max value="0" />
314 </element>
315 <element id="Composition.section:fragebogen.mode">
316     <path value="Composition.section.mode" />
317     <max value="0" />
318 </element>
319 <element id="Composition.section:fragebogen.orderedBy">
320     <path value="Composition.section.orderedBy" />
321     <max value="0" />
322 </element>
323 <element id="Composition.section:fragebogen.entry">
324     <path value="Composition.section.entry" />
325     <type>
326         <code value="Reference" />
327         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Questionnaire_Free|1.0.0" />

```

```

328     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_QuestionnaireResponse_Free|1.0.0" />
329   </type>
330   <mustSupport value="true" />
331 </element>
332 <element id="Composition.section:fragebogen.entry.reference">
333   <path value="Composition.section.entry.reference" />
334   <min value="1" />
335   <mustSupport value="true" />
336 </element>
337 <element id="Composition.section:fragebogen.entry.type">
338   <path value="Composition.section.entry.type" />
339   <max value="0" />
340 </element>
341 <element id="Composition.section:fragebogen.entry.identifizier">
342   <path value="Composition.section.entry.identifizier" />
343   <max value="0" />
344 </element>
345 <element id="Composition.section:fragebogen.entry.display">
346   <path value="Composition.section.entry.display" />
347   <max value="0" />
348 </element>
349 <element id="Composition.section:fragebogen.emptyReason">
350   <path value="Composition.section.emptyReason" />
351   <max value="0" />
352 </element>
353 <element id="Composition.section:fragebogen.section">
354   <path value="Composition.section.section" />
355   <max value="0" />
356 </element>
357 <element id="Composition.section:befundeUndErgebnisse">
358   <path value="Composition.section" />
359   <sliceName value="befundeUndErgebnisse" />
360   <max value="1" />
361   <mustSupport value="true" />
362 </element>
363 <element id="Composition.section:befundeUndErgebnisse.title">
364   <path value="Composition.section.title" />
365   <min value="1" />
366   <fixedString value="Befunde und Ergebnisse" />
367   <mustSupport value="true" />
368 </element>
369 <element id="Composition.section:befundeUndErgebnisse.code">
370   <path value="Composition.section.code" />
371   <min value="1" />
372   <patternCodeableConcept>
373     <coding>
374       <system value="http://snomed.info/sct" />
375       <version value="http://snomed.info/sct/900000000000207008/
version/20220131" />
376       <code value="423100009" />
377       <display value="Results section (record artifact)" />
378     </coding>
379   </patternCodeableConcept>
380   <mustSupport value="true" />
381 </element>
382 <element id="Composition.section:befundeUndErgebnisse.code.coding">
383   <path value="Composition.section.code.coding" />
384   <min value="1" />
385   <max value="1" />

```

```

386     <mustSupport value="true" />
387 </element>
388 <element id="Composition.section:befundeUndErgebnisse.code.coding.system"
389     <path value="Composition.section.code.coding.system" />
390     <min value="1" />
391 </element>
392 <element id="Composition.section:befundeUndErgebnisse.code.coding.version"
393     <path value="Composition.section.code.coding.version" />
394     <min value="1" />
395 </element>
396 <element id="Composition.section:befundeUndErgebnisse.code.coding.code">
397     <path value="Composition.section.code.coding.code" />
398     <min value="1" />
399 </element>
400 <element id="Composition.section:befundeUndErgebnisse.code.coding.display"
401     <path value="Composition.section.code.coding.display" />
402     <min value="1" />
403 </element>
404 <element id="Composition.section:befundeUndErgebnisse.code.coding.userSelected">
405     <path value="Composition.section.code.coding.userSelected" />
406     <max value="0" />
407 </element>
408 <element id="Composition.section:befundeUndErgebnisse.code.text">
409     <path value="Composition.section.code.text" />
410     <max value="0" />
411 </element>
412 <element id="Composition.section:befundeUndErgebnisse.author">
413     <path value="Composition.section.author" />
414     <max value="0" />
415 </element>
416 <element id="Composition.section:befundeUndErgebnisse.focus">
417     <path value="Composition.section.focus" />
418     <max value="0" />
419 </element>
420 <element id="Composition.section:befundeUndErgebnisse.text">
421     <path value="Composition.section.text" />
422     <max value="0" />
423 </element>
424 <element id="Composition.section:befundeUndErgebnisse.mode">
425     <path value="Composition.section.mode" />
426     <max value="0" />
427 </element>
428 <element id="Composition.section:befundeUndErgebnisse.orderedBy">
429     <path value="Composition.section.orderedBy" />
430     <max value="0" />
431 </element>
432 <element id="Composition.section:befundeUndErgebnisse.entry">
433     <path value="Composition.section.entry" />
434     <type>
435         <code value="Reference" />
436         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Free|1.0.0" />
437     </type>
438     <mustSupport value="true" />
439 </element>
440 <element id="Composition.section:befundeUndErgebnisse.emptyReason">

```

```

441     <path value="Composition.section.emptyReason" />
442     <max value="0" />
443 </element>
444 <element id="Composition.section:befundeUndErgebnisse.section">
445     <path value="Composition.section.section" />
446     <slicing>
447         <discriminator>
448             <type value="pattern" />
449             <path value="code" />
450         </discriminator>
451         <rules value="closed" />
452     </slicing>
453     <max value="1" />
454     <mustSupport value="true" />
455 </element>
456 <element id="Composition.section:befundeUndErgebnisse.section:vitalzeic
henUndKoerpermasse">
457     <path value="Composition.section.section" />
458     <sliceName value="vitalzeichenUndKoerpermasse" />
459     <max value="1" />
460     <mustSupport value="true" />
461 </element>
462 <element id="Composition.section:befundeUndErgebnisse.section:vitalzeic
henUndKoerpermasse.title">
463     <path value="Composition.section.section.title" />
464     <min value="1" />
465     <fixedString value="Vitalzeichen und Körpermaße" />
466     <mustSupport value="true" />
467 </element>
468 <element id="Composition.section:befundeUndErgebnisse.section:vitalzeic
henUndKoerpermasse.code">
469     <path value="Composition.section.section.code" />
470     <min value="1" />
471     <patternCodeableConcept>
472         <coding>
473             <system value="http://loinc.org" />
474             <version value="2.71" />
475             <code value="8716-3" />
476             <display value="Vital signs" />
477         </coding>
478     </patternCodeableConcept>
479     <mustSupport value="true" />
480 </element>
481 <element id="Composition.section:befundeUndErgebnisse.section:vitalzeic
henUndKoerpermasse.code.coding">
482     <path value="Composition.section.section.code.coding" />
483     <min value="1" />
484     <max value="1" />
485     <mustSupport value="true" />
486 </element>
487 <element id="Composition.section:befundeUndErgebnisse.section:vitalzeic
henUndKoerpermasse.code.coding.system">
488     <path value="Composition.section.section.code.coding.system" />
489     <min value="1" />
490 </element>
491 <element id="Composition.section:befundeUndErgebnisse.section:vitalzeic
henUndKoerpermasse.code.coding.version">
492     <path value="Composition.section.section.code.coding.version" />
493     <min value="1" />
494 </element>

```



```

495     <element id="Composition.section:befundeUndErgebnisse.section:vitalzeic
henUndKoepermasse.code.coding.code">
496       <path value="Composition.section.section.code.coding.code" />
497       <min value="1" />
498     </element>
499     <element id="Composition.section:befundeUndErgebnisse.section:vitalzeic
henUndKoepermasse.code.coding.display">
500       <path value="Composition.section.section.code.coding.display" />
501       <min value="1" />
502     </element>
503     <element id="Composition.section:befundeUndErgebnisse.section:vitalzeic
henUndKoepermasse.code.coding.userSelected">
504       <path value="Composition.section.section.code.coding.userSelected" />
505       <max value="0" />
506     </element>
507     <element id="Composition.section:befundeUndErgebnisse.section:vitalzeic
henUndKoepermasse.code.text">
508       <path value="Composition.section.section.code.text" />
509       <max value="0" />
510     </element>
511     <element id="Composition.section:befundeUndErgebnisse.section:vitalzeic
henUndKoepermasse.author">
512       <path value="Composition.section.section.author" />
513       <max value="0" />
514     </element>
515     <element id="Composition.section:befundeUndErgebnisse.section:vitalzeic
henUndKoepermasse.focus">
516       <path value="Composition.section.section.focus" />
517       <max value="0" />
518     </element>
519     <element id="Composition.section:befundeUndErgebnisse.section:vitalzeic
henUndKoepermasse.text">
520       <path value="Composition.section.section.text" />
521       <max value="0" />
522     </element>
523     <element id="Composition.section:befundeUndErgebnisse.section:vitalzeic
henUndKoepermasse.mode">
524       <path value="Composition.section.section.mode" />
525       <max value="0" />
526     </element>
527     <element id="Composition.section:befundeUndErgebnisse.section:vitalzeic
henUndKoepermasse.orderedBy">
528       <path value="Composition.section.section.orderedBy" />
529       <max value="0" />
530     </element>
531     <element id="Composition.section:befundeUndErgebnisse.section:vitalzeic
henUndKoepermasse.entry">
532       <path value="Composition.section.section.entry" />
533       <type>
534         <code value="Reference" />
535         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Blood_Pressure|1.0.0" />
536         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Body_Height|1.0.0" />
537         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Body_Temperature|1.0.0" />
538         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Body_Weight|1.0.0" />
539         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Glucose_Concentration|1.0.0" />

```

```

540     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Head_Circumference|1.0.0" />
541     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Heart_Rate|1.0.0" />
542     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Peripheral_Oxygen_Saturation|1.0.0" />
543     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Respiratory_Rate|1.0.0" />
544     </type>
545     <mustSupport value="true" />
546 </element>
547 <element id="Composition.section:befundeUndErgebnisse.section:vitalzeic
henUndKoepermasse.entry.reference">
548     <path value="Composition.section.section.entry.reference" />
549     <min value="1" />
550     <mustSupport value="true" />
551 </element>
552 <element id="Composition.section:befundeUndErgebnisse.section:vitalzeic
henUndKoepermasse.entry.type">
553     <path value="Composition.section.section.entry.type" />
554     <max value="0" />
555 </element>
556 <element id="Composition.section:befundeUndErgebnisse.section:vitalzeic
henUndKoepermasse.entry.identifizier">
557     <path value="Composition.section.section.entry.identifizier" />
558     <max value="0" />
559 </element>
560 <element id="Composition.section:befundeUndErgebnisse.section:vitalzeic
henUndKoepermasse.entry.display">
561     <path value="Composition.section.section.entry.display" />
562     <max value="0" />
563 </element>
564 <element id="Composition.section:befundeUndErgebnisse.section:vitalzeic
henUndKoepermasse.emptyReason">
565     <path value="Composition.section.section.emptyReason" />
566     <max value="0" />
567 </element>
568 <element id="Composition.section:befundeUndErgebnisse.section:vitalzeic
henUndKoepermasse.section">
569     <path value="Composition.section.section.section" />
570     <max value="0" />
571 </element>
572 <element id="Composition.section:aktivitaeten">
573     <path value="Composition.section" />
574     <sliceName value="aktivitaeten" />
575     <max value="1" />
576     <mustSupport value="true" />
577 </element>
578 <element id="Composition.section:aktivitaeten.title">
579     <path value="Composition.section.title" />
580     <min value="1" />
581     <fixedString value="Aktivitäten" />
582     <mustSupport value="true" />
583 </element>
584 <element id="Composition.section:aktivitaeten.code">
585     <path value="Composition.section.code" />
586     <min value="1" />
587     <patternCodeableConcept>
588     <coding>
589         <system value="http://snomed.info/sct" />

```

```

590         <version value="http://snomed.info/sct/900000000000207008/
version/20220131" />
591         <code value="257733005" />
592         <display value="Activity (observable entity)" />
593     </coding>
594 </patternCodeableConcept>
595 <mustSupport value="true" />
596 </element>
597 <element id="Composition.section:aktivitaeten.code.coding">
598     <path value="Composition.section.code.coding" />
599     <min value="1" />
600     <max value="1" />
601     <mustSupport value="true" />
602 </element>
603 <element id="Composition.section:aktivitaeten.code.coding.system">
604     <path value="Composition.section.code.coding.system" />
605     <min value="1" />
606 </element>
607 <element id="Composition.section:aktivitaeten.code.coding.version">
608     <path value="Composition.section.code.coding.version" />
609     <min value="1" />
610 </element>
611 <element id="Composition.section:aktivitaeten.code.coding.code">
612     <path value="Composition.section.code.coding.code" />
613     <min value="1" />
614 </element>
615 <element id="Composition.section:aktivitaeten.code.coding.display">
616     <path value="Composition.section.code.coding.display" />
617     <min value="1" />
618 </element>
619 <element id="Composition.section:aktivitaeten.code.coding.userSelected">
620     <path value="Composition.section.code.coding.userSelected" />
621     <max value="0" />
622 </element>
623 <element id="Composition.section:aktivitaeten.code.text">
624     <path value="Composition.section.code.text" />
625     <max value="0" />
626 </element>
627 <element id="Composition.section:aktivitaeten.author">
628     <path value="Composition.section.author" />
629     <max value="0" />
630 </element>
631 <element id="Composition.section:aktivitaeten.focus">
632     <path value="Composition.section.focus" />
633     <max value="0" />
634 </element>
635 <element id="Composition.section:aktivitaeten.text">
636     <path value="Composition.section.text" />
637     <max value="0" />
638 </element>
639 <element id="Composition.section:aktivitaeten.mode">
640     <path value="Composition.section.mode" />
641     <max value="0" />
642 </element>
643 <element id="Composition.section:aktivitaeten.orderedBy">
644     <path value="Composition.section.orderedBy" />
645     <max value="0" />
646 </element>
647 <element id="Composition.section:aktivitaeten.entry">
648     <path value="Composition.section.entry" />

```

```

649     <type>
650       <code value="Reference" />
651       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Procedure_Activity_Free|1.0.0" />
652     </type>
653     <mustSupport value="true" />
654   </element>
655   <element id="Composition.section:aktivitaeten.entry.reference">
656     <path value="Composition.section.entry.reference" />
657     <min value="1" />
658     <mustSupport value="true" />
659   </element>
660   <element id="Composition.section:aktivitaeten.entry.type">
661     <path value="Composition.section.entry.type" />
662     <max value="0" />
663   </element>
664   <element id="Composition.section:aktivitaeten.entry.identifizier">
665     <path value="Composition.section.entry.identifizier" />
666     <max value="0" />
667   </element>
668   <element id="Composition.section:aktivitaeten.entry.display">
669     <path value="Composition.section.entry.display" />
670     <max value="0" />
671   </element>
672   <element id="Composition.section:aktivitaeten.emptyReason">
673     <path value="Composition.section.emptyReason" />
674     <max value="0" />
675   </element>
676   <element id="Composition.section:aktivitaeten.section">
677     <path value="Composition.section.section" />
678     <max value="0" />
679   </element>
680   <element id="Composition.section:nahrung">
681     <path value="Composition.section" />
682     <sliceName value="nahrung" />
683     <max value="1" />
684     <mustSupport value="true" />
685   </element>
686   <element id="Composition.section:nahrung.title">
687     <path value="Composition.section.title" />
688     <min value="1" />
689     <fixedString value="Nahrung" />
690     <mustSupport value="true" />
691   </element>
692   <element id="Composition.section:nahrung.code">
693     <path value="Composition.section.code" />
694     <min value="1" />
695     <patternCodeableConcept>
696       <coding>
697         <system value="http://snomed.info/sct" />
698         <version value="http://snomed.info/sct/900000000000207008/
version/20220131" />
699         <code value="895547009" />
700         <display value="Enteral nutrition intake (observable entity)" />
701       </coding>
702     </patternCodeableConcept>
703     <mustSupport value="true" />
704   </element>
705   <element id="Composition.section:nahrung.code.coding">
706     <path value="Composition.section.code.coding" />

```

```

707     <min value="1" />
708     <max value="1" />
709     <mustSupport value="true" />
710 </element>
711 <element id="Composition.section:nahrung.code.coding.system">
712   <path value="Composition.section.code.coding.system" />
713   <min value="1" />
714 </element>
715 <element id="Composition.section:nahrung.code.coding.version">
716   <path value="Composition.section.code.coding.version" />
717   <min value="1" />
718 </element>
719 <element id="Composition.section:nahrung.code.coding.code">
720   <path value="Composition.section.code.coding.code" />
721   <min value="1" />
722 </element>
723 <element id="Composition.section:nahrung.code.coding.display">
724   <path value="Composition.section.code.coding.display" />
725   <min value="1" />
726 </element>
727 <element id="Composition.section:nahrung.code.coding.userSelected">
728   <path value="Composition.section.code.coding.userSelected" />
729   <max value="0" />
730 </element>
731 <element id="Composition.section:nahrung.code.text">
732   <path value="Composition.section.code.text" />
733   <max value="0" />
734 </element>
735 <element id="Composition.section:nahrung.author">
736   <path value="Composition.section.author" />
737   <max value="0" />
738 </element>
739 <element id="Composition.section:nahrung.focus">
740   <path value="Composition.section.focus" />
741   <max value="0" />
742 </element>
743 <element id="Composition.section:nahrung.text">
744   <path value="Composition.section.text" />
745   <max value="0" />
746 </element>
747 <element id="Composition.section:nahrung.mode">
748   <path value="Composition.section.mode" />
749   <max value="0" />
750 </element>
751 <element id="Composition.section:nahrung.orderedBy">
752   <path value="Composition.section.orderedBy" />
753   <max value="0" />
754 </element>
755 <element id="Composition.section:nahrung.entry">
756   <path value="Composition.section.entry" />
757   <type>
758     <code value="Reference" />
759     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Nutrition_Intake|1.0.0" />
760   </type>
761   <mustSupport value="true" />
762 </element>
763 <element id="Composition.section:nahrung.entry.reference">
764   <path value="Composition.section.entry.reference" />
765   <min value="1" />

```

```

766     <mustSupport value="true" />
767 </element>
768 <element id="Composition.section:nahrung.entry.type">
769   <path value="Composition.section.entry.type" />
770   <max value="0" />
771 </element>
772 <element id="Composition.section:nahrung.entry.identifizier">
773   <path value="Composition.section.entry.identifizier" />
774   <max value="0" />
775 </element>
776 <element id="Composition.section:nahrung.entry.display">
777   <path value="Composition.section.entry.display" />
778   <max value="0" />
779 </element>
780 <element id="Composition.section:nahrung.emptyReason">
781   <path value="Composition.section.emptyReason" />
782   <max value="0" />
783 </element>
784 <element id="Composition.section:nahrung.section">
785   <path value="Composition.section.section" />
786   <max value="0" />
787 </element>
788 <element id="Composition.section:lebensstilfaktoren">
789   <path value="Composition.section" />
790   <sliceName value="lebensstilfaktoren" />
791   <max value="1" />
792   <mustSupport value="true" />
793 </element>
794 <element id="Composition.section:lebensstilfaktoren.title">
795   <path value="Composition.section.title" />
796   <min value="1" />
797   <fixedString value="Lebensstilfaktoren" />
798   <mustSupport value="true" />
799 </element>
800 <element id="Composition.section:lebensstilfaktoren.code">
801   <path value="Composition.section.code" />
802   <min value="1" />
803   <patternCodeableConcept>
804     <coding>
805       <system value="http://snomed.info/sct" />
806       <version value="http://snomed.info/sct/9000000000000207008/
version/20220131" />
807       <code value="228272008" />
808       <display value="Health-related behavior (observable entity)" />
809     </coding>
810   </patternCodeableConcept>
811   <mustSupport value="true" />
812 </element>
813 <element id="Composition.section:lebensstilfaktoren.code.coding">
814   <path value="Composition.section.code.coding" />
815   <min value="1" />
816   <max value="1" />
817   <mustSupport value="true" />
818 </element>
819 <element id="Composition.section:lebensstilfaktoren.code.coding.system">
820   <path value="Composition.section.code.coding.system" />
821   <min value="1" />
822 </element>
823 <element id="Composition.section:lebensstilfaktoren.code.coding.version
">

```

```

824     <path value="Composition.section.code.coding.version" />
825     <min value="1" />
826 </element>
827 <element id="Composition.section:lebensstilfaktoren.code.coding.code">
828     <path value="Composition.section.code.coding.code" />
829     <min value="1" />
830 </element>
831 <element id="Composition.section:lebensstilfaktoren.code.coding.display
">
832     <path value="Composition.section.code.coding.display" />
833     <min value="1" />
834 </element>
835 <element id="Composition.section:lebensstilfaktoren.code.coding.userSel
ected">
836     <path value="Composition.section.code.coding.userSelected" />
837     <max value="0" />
838 </element>
839 <element id="Composition.section:lebensstilfaktoren.code.text">
840     <path value="Composition.section.code.text" />
841     <max value="0" />
842 </element>
843 <element id="Composition.section:lebensstilfaktoren.author">
844     <path value="Composition.section.author" />
845     <max value="0" />
846 </element>
847 <element id="Composition.section:lebensstilfaktoren.focus">
848     <path value="Composition.section.focus" />
849     <max value="0" />
850 </element>
851 <element id="Composition.section:lebensstilfaktoren.text">
852     <path value="Composition.section.text" />
853     <max value="0" />
854 </element>
855 <element id="Composition.section:lebensstilfaktoren.mode">
856     <path value="Composition.section.mode" />
857     <max value="0" />
858 </element>
859 <element id="Composition.section:lebensstilfaktoren.orderedBy">
860     <path value="Composition.section.orderedBy" />
861     <max value="0" />
862 </element>
863 <element id="Composition.section:lebensstilfaktoren.entry">
864     <path value="Composition.section.entry" />
865     <type>
866         <code value="Reference" />
867         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Life_Style_Factor_Free|1.0.0" />
868     </type>
869     <mustSupport value="true" />
870 </element>
871 <element id="Composition.section:lebensstilfaktoren.entry.reference">
872     <path value="Composition.section.entry.reference" />
873     <min value="1" />
874     <mustSupport value="true" />
875 </element>
876 <element id="Composition.section:lebensstilfaktoren.entry.type">
877     <path value="Composition.section.entry.type" />
878     <max value="0" />
879 </element>
880 <element id="Composition.section:lebensstilfaktoren.entry.identifizier">

```

```

881     <path value="Composition.section.entry.identifrier" />
882     <max value="0" />
883 </element>
884 <element id="Composition.section:lebensstilfaktoren.entry.display">
885     <path value="Composition.section.entry.display" />
886     <max value="0" />
887 </element>
888 <element id="Composition.section:lebensstilfaktoren.emptyReason">
889     <path value="Composition.section.emptyReason" />
890     <max value="0" />
891 </element>
892 <element id="Composition.section:lebensstilfaktoren.section">
893     <path value="Composition.section.section" />
894     <max value="0" />
895 </element>
896 <element id="Composition.section:probleme">
897     <path value="Composition.section" />
898     <sliceName value="probleme" />
899     <max value="1" />
900     <mustSupport value="true" />
901 </element>
902 <element id="Composition.section:probleme.title">
903     <path value="Composition.section.title" />
904     <min value="1" />
905     <fixedString value="Probleme" />
906     <mustSupport value="true" />
907 </element>
908 <element id="Composition.section:probleme.code">
909     <path value="Composition.section.code" />
910     <min value="1" />
911     <patternCodeableConcept>
912         <coding>
913             <system value="http://loinc.org" />
914             <version value="2.71" />
915             <code value="11450-4" />
916             <display value="Problem list - Reported" />
917         </coding>
918     </patternCodeableConcept>
919     <mustSupport value="true" />
920 </element>
921 <element id="Composition.section:probleme.code.coding">
922     <path value="Composition.section.code.coding" />
923     <min value="1" />
924     <max value="1" />
925     <mustSupport value="true" />
926 </element>
927 <element id="Composition.section:probleme.code.coding.system">
928     <path value="Composition.section.code.coding.system" />
929     <min value="1" />
930 </element>
931 <element id="Composition.section:probleme.code.coding.version">
932     <path value="Composition.section.code.coding.version" />
933     <min value="1" />
934 </element>
935 <element id="Composition.section:probleme.code.coding.code">
936     <path value="Composition.section.code.coding.code" />
937     <min value="1" />
938 </element>
939 <element id="Composition.section:probleme.code.coding.display">
940     <path value="Composition.section.code.coding.display" />

```



```

941     <min value="1" />
942 </element>
943 <element id="Composition.section:probleme.code.coding.userSelected">
944     <path value="Composition.section.code.coding.userSelected" />
945     <max value="0" />
946 </element>
947 <element id="Composition.section:probleme.code.text">
948     <path value="Composition.section.code.text" />
949     <max value="0" />
950 </element>
951 <element id="Composition.section:probleme.author">
952     <path value="Composition.section.author" />
953     <max value="0" />
954 </element>
955 <element id="Composition.section:probleme.focus">
956     <path value="Composition.section.focus" />
957     <max value="0" />
958 </element>
959 <element id="Composition.section:probleme.text">
960     <path value="Composition.section.text" />
961     <max value="0" />
962 </element>
963 <element id="Composition.section:probleme.mode">
964     <path value="Composition.section.mode" />
965     <max value="0" />
966 </element>
967 <element id="Composition.section:probleme.orderedBy">
968     <path value="Composition.section.orderedBy" />
969     <max value="0" />
970 </element>
971 <element id="Composition.section:probleme.entry">
972     <path value="Composition.section.entry" />
973     <type>
974         <code value="Reference" />
975         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Condition_Problem_Free|1.0.0" />
976         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_AllergyIntolerance_Free|1.0.0" />
977     </type>
978     <mustSupport value="true" />
979 </element>
980 <element id="Composition.section:probleme.entry.reference">
981     <path value="Composition.section.entry.reference" />
982     <min value="1" />
983     <mustSupport value="true" />
984 </element>
985 <element id="Composition.section:probleme.entry.type">
986     <path value="Composition.section.entry.type" />
987     <max value="0" />
988 </element>
989 <element id="Composition.section:probleme.entry.identifier">
990     <path value="Composition.section.entry.identifier" />
991     <max value="0" />
992 </element>
993 <element id="Composition.section:probleme.entry.display">
994     <path value="Composition.section.entry.display" />
995     <max value="0" />
996 </element>
997 <element id="Composition.section:probleme.emptyReason">
998     <path value="Composition.section.emptyReason" />

```

```

999     <max value="0" />
1000 </element>
1001 <element id="Composition.section:probleme.section">
1002     <path value="Composition.section.section" />
1003     <max value="0" />
1004 </element>
1005 <element id="Composition.section:umweltfaktoren">
1006     <path value="Composition.section" />
1007     <sliceName value="umweltfaktoren" />
1008     <max value="1" />
1009     <mustSupport value="true" />
1010 </element>
1011 <element id="Composition.section:umweltfaktoren.title">
1012     <path value="Composition.section.title" />
1013     <min value="1" />
1014     <fixedString value="Umweltfaktoren" />
1015     <mustSupport value="true" />
1016 </element>
1017 <element id="Composition.section:umweltfaktoren.code">
1018     <path value="Composition.section.code" />
1019     <min value="1" />
1020     <patternCodeableConcept>
1021         <coding>
1022             <system value="http://snomed.info/sct" />
1023             <version value="http://snomed.info/sct/9000000000000207008/
version/20220131" />
1024             <code value="102487004" />
1025             <display value="Environmental risk factor (observable entity)" />
1026         </coding>
1027     </patternCodeableConcept>
1028     <mustSupport value="true" />
1029 </element>
1030 <element id="Composition.section:umweltfaktoren.code.coding">
1031     <path value="Composition.section.code.coding" />
1032     <min value="1" />
1033     <max value="1" />
1034     <mustSupport value="true" />
1035 </element>
1036 <element id="Composition.section:umweltfaktoren.code.coding.system">
1037     <path value="Composition.section.code.coding.system" />
1038     <min value="1" />
1039 </element>
1040 <element id="Composition.section:umweltfaktoren.code.coding.version">
1041     <path value="Composition.section.code.coding.version" />
1042     <min value="1" />
1043 </element>
1044 <element id="Composition.section:umweltfaktoren.code.coding.code">
1045     <path value="Composition.section.code.coding.code" />
1046     <min value="1" />
1047 </element>
1048 <element id="Composition.section:umweltfaktoren.code.coding.display">
1049     <path value="Composition.section.code.coding.display" />
1050     <min value="1" />
1051 </element>
1052 <element id="Composition.section:umweltfaktoren.code.coding.userSelecte
d">
1053     <path value="Composition.section.code.coding.userSelected" />
1054     <max value="0" />
1055 </element>
1056 <element id="Composition.section:umweltfaktoren.code.text">

```

```

1057     <path value="Composition.section.code.text" />
1058     <max value="0" />
1059 </element>
1060 <element id="Composition.section:umweltfaktoren.author">
1061     <path value="Composition.section.author" />
1062     <max value="0" />
1063 </element>
1064 <element id="Composition.section:umweltfaktoren.focus">
1065     <path value="Composition.section.focus" />
1066     <max value="0" />
1067 </element>
1068 <element id="Composition.section:umweltfaktoren.text">
1069     <path value="Composition.section.text" />
1070     <max value="0" />
1071 </element>
1072 <element id="Composition.section:umweltfaktoren.mode">
1073     <path value="Composition.section.mode" />
1074     <max value="0" />
1075 </element>
1076 <element id="Composition.section:umweltfaktoren.orderedBy">
1077     <path value="Composition.section.orderedBy" />
1078     <max value="0" />
1079 </element>
1080 <element id="Composition.section:umweltfaktoren.entry">
1081     <path value="Composition.section.entry" />
1082     <type>
1083         <code value="Reference" />
1084         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Environmental_Factor_Free|1.0.0" />
1085     </type>
1086     <mustSupport value="true" />
1087 </element>
1088 <element id="Composition.section:umweltfaktoren.entry.reference">
1089     <path value="Composition.section.entry.reference" />
1090     <min value="1" />
1091     <mustSupport value="true" />
1092 </element>
1093 <element id="Composition.section:umweltfaktoren.entry.type">
1094     <path value="Composition.section.entry.type" />
1095     <max value="0" />
1096 </element>
1097 <element id="Composition.section:umweltfaktoren.entry.identifizier">
1098     <path value="Composition.section.entry.identifizier" />
1099     <max value="0" />
1100 </element>
1101 <element id="Composition.section:umweltfaktoren.entry.display">
1102     <path value="Composition.section.entry.display" />
1103     <max value="0" />
1104 </element>
1105 <element id="Composition.section:umweltfaktoren.emptyReason">
1106     <path value="Composition.section.emptyReason" />
1107     <max value="0" />
1108 </element>
1109 <element id="Composition.section:umweltfaktoren.section">
1110     <path value="Composition.section.section" />
1111     <max value="0" />
1112 </element>
1113 <element id="Composition.section:medikation">
1114     <path value="Composition.section" />
1115     <sliceName value="medikation" />

```

```

1116     <max value="1" />
1117     <mustSupport value="true" />
1118 </element>
1119 <element id="Composition.section:medikation.title">
1120   <path value="Composition.section.title" />
1121   <min value="1" />
1122   <fixedString value="Medikation" />
1123   <mustSupport value="true" />
1124 </element>
1125 <element id="Composition.section:medikation.code">
1126   <path value="Composition.section.code" />
1127   <min value="1" />
1128   <patternCodeableConcept>
1129     <coding>
1130       <system value="http://snomed.info/sct" />
1131       <version value="http://snomed.info/sct/900000000000207008/
version/20220131" />
1132       <code value="1003606003" />
1133       <display value="Medication history section (record artifact)" />
1134     </coding>
1135   </patternCodeableConcept>
1136   <mustSupport value="true" />
1137 </element>
1138 <element id="Composition.section:medikation.code.coding">
1139   <path value="Composition.section.code.coding" />
1140   <min value="1" />
1141   <max value="1" />
1142   <mustSupport value="true" />
1143 </element>
1144 <element id="Composition.section:medikation.code.coding.system">
1145   <path value="Composition.section.code.coding.system" />
1146   <min value="1" />
1147 </element>
1148 <element id="Composition.section:medikation.code.coding.version">
1149   <path value="Composition.section.code.coding.version" />
1150   <min value="1" />
1151 </element>
1152 <element id="Composition.section:medikation.code.coding.code">
1153   <path value="Composition.section.code.coding.code" />
1154   <min value="1" />
1155 </element>
1156 <element id="Composition.section:medikation.code.coding.display">
1157   <path value="Composition.section.code.coding.display" />
1158   <min value="1" />
1159 </element>
1160 <element id="Composition.section:medikation.code.coding.userSelected">
1161   <path value="Composition.section.code.coding.userSelected" />
1162   <max value="0" />
1163 </element>
1164 <element id="Composition.section:medikation.code.text">
1165   <path value="Composition.section.code.text" />
1166   <max value="0" />
1167 </element>
1168 <element id="Composition.section:medikation.author">
1169   <path value="Composition.section.author" />
1170   <max value="0" />
1171 </element>
1172 <element id="Composition.section:medikation.focus">
1173   <path value="Composition.section.focus" />
1174   <max value="0" />

```

```

1175 </element>
1176 <element id="Composition.section:medikation.text">
1177   <path value="Composition.section.text" />
1178   <max value="0" />
1179 </element>
1180 <element id="Composition.section:medikation.mode">
1181   <path value="Composition.section.mode" />
1182   <max value="0" />
1183 </element>
1184 <element id="Composition.section:medikation.orderedBy">
1185   <path value="Composition.section.orderedBy" />
1186   <max value="0" />
1187 </element>
1188 <element id="Composition.section:medikation.entry">
1189   <path value="Composition.section.entry" />
1190   <type>
1191     <code value="Reference" />
1192     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
1193 KBV_PR_MIO_DIGA_MedicationStatement_Medication_Request_Free|1.0.0" />
1194     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
1195 KBV_PR_MIO_DIGA_MedicationAdministration_Medication_Intake_Free|1.0.0" />
1196   </type>
1197   <mustSupport value="true" />
1198 </element>
1199 <element id="Composition.section:medikation.entry.reference">
1200   <path value="Composition.section.entry.reference" />
1201   <min value="1" />
1202   <mustSupport value="true" />
1203 </element>
1204 <element id="Composition.section:medikation.entry.type">
1205   <path value="Composition.section.entry.type" />
1206   <max value="0" />
1207 </element>
1208 <element id="Composition.section:medikation.entry.identifrier">
1209   <path value="Composition.section.entry.identifrier" />
1210   <max value="0" />
1211 </element>
1212 <element id="Composition.section:medikation.entry.display">
1213   <path value="Composition.section.entry.display" />
1214   <max value="0" />
1215 </element>
1216 <element id="Composition.section:medikation.emptyReason">
1217   <path value="Composition.section.emptyReason" />
1218   <max value="0" />
1219 </element>
1220 <element id="Composition.section:medikation.section">
1221   <path value="Composition.section.section" />
1222   <max value="0" />
1223 </element>
1224 <element id="Composition.section:beurteilungen">
1225   <path value="Composition.section" />
1226   <sliceName value="beurteilungen" />
1227   <max value="1" />
1228   <mustSupport value="true" />
1229 </element>
1230 <element id="Composition.section:beurteilungen.title">
1231   <path value="Composition.section.title" />
1232   <min value="1" />
1233   <fixedString value="Beurteilungen" />
1234   <mustSupport value="true" />

```

```

1233 </element>
1234 <element id="Composition.section:beurteilungen.code">
1235   <path value="Composition.section.code" />
1236   <min value="1" />
1237   <patternCodeableConcept>
1238     <coding>
1239       <system value="http://snomed.info/sct" />
1240       <version value="http://snomed.info/sct/900000000000207008/
version/20220131" />
1241       <code value="424836000" />
1242       <display value="Assessment section (record artifact)" />
1243     </coding>
1244   </patternCodeableConcept>
1245   <mustSupport value="true" />
1246 </element>
1247 <element id="Composition.section:beurteilungen.code.coding">
1248   <path value="Composition.section.code.coding" />
1249   <min value="1" />
1250   <max value="1" />
1251   <mustSupport value="true" />
1252 </element>
1253 <element id="Composition.section:beurteilungen.code.coding.system">
1254   <path value="Composition.section.code.coding.system" />
1255   <min value="1" />
1256 </element>
1257 <element id="Composition.section:beurteilungen.code.coding.version">
1258   <path value="Composition.section.code.coding.version" />
1259   <min value="1" />
1260 </element>
1261 <element id="Composition.section:beurteilungen.code.coding.code">
1262   <path value="Composition.section.code.coding.code" />
1263   <min value="1" />
1264 </element>
1265 <element id="Composition.section:beurteilungen.code.coding.display">
1266   <path value="Composition.section.code.coding.display" />
1267   <min value="1" />
1268 </element>
1269 <element id="Composition.section:beurteilungen.code.coding.userSelected
">
1270   <path value="Composition.section.code.coding.userSelected" />
1271   <max value="0" />
1272 </element>
1273 <element id="Composition.section:beurteilungen.code.text">
1274   <path value="Composition.section.code.text" />
1275   <max value="0" />
1276 </element>
1277 <element id="Composition.section:beurteilungen.author">
1278   <path value="Composition.section.author" />
1279   <max value="0" />
1280 </element>
1281 <element id="Composition.section:beurteilungen.focus">
1282   <path value="Composition.section.focus" />
1283   <max value="0" />
1284 </element>
1285 <element id="Composition.section:beurteilungen.text">
1286   <path value="Composition.section.text" />
1287   <max value="0" />
1288 </element>
1289 <element id="Composition.section:beurteilungen.mode">
1290   <path value="Composition.section.mode" />

```

```

1291     <max value="0" />
1292 </element>
1293 <element id="Composition.section:beurteilungen.orderedBy">
1294   <path value="Composition.section.orderedBy" />
1295   <max value="0" />
1296 </element>
1297 <element id="Composition.section:beurteilungen.entry">
1298   <path value="Composition.section.entry" />
1299   <type>
1300     <code value="Reference" />
1301     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Functional_Assessment_Free|1.0.0" />
1302     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Assessment_Score_Free|1.0.0" />
1303   </type>
1304   <mustSupport value="true" />
1305 </element>
1306 <element id="Composition.section:beurteilungen.entry.reference">
1307   <path value="Composition.section.entry.reference" />
1308   <min value="1" />
1309   <mustSupport value="true" />
1310 </element>
1311 <element id="Composition.section:beurteilungen.entry.type">
1312   <path value="Composition.section.entry.type" />
1313   <max value="0" />
1314 </element>
1315 <element id="Composition.section:beurteilungen.entry.identifizier">
1316   <path value="Composition.section.entry.identifizier" />
1317   <max value="0" />
1318 </element>
1319 <element id="Composition.section:beurteilungen.entry.display">
1320   <path value="Composition.section.entry.display" />
1321   <max value="0" />
1322 </element>
1323 <element id="Composition.section:beurteilungen.emptyReason">
1324   <path value="Composition.section.emptyReason" />
1325   <max value="0" />
1326 </element>
1327 <element id="Composition.section:beurteilungen.section">
1328   <path value="Composition.section.section" />
1329   <max value="0" />
1330 </element>
1331 <element id="Composition.section:ziele">
1332   <path value="Composition.section" />
1333   <sliceName value="ziele" />
1334   <max value="1" />
1335   <mustSupport value="true" />
1336 </element>
1337 <element id="Composition.section:ziele.title">
1338   <path value="Composition.section.title" />
1339   <min value="1" />
1340   <fixedString value="Ziele" />
1341   <mustSupport value="true" />
1342 </element>
1343 <element id="Composition.section:ziele.code">
1344   <path value="Composition.section.code" />
1345   <min value="1" />
1346   <patternCodeableConcept>
1347     <coding>
1348       <system value="http://snomed.info/sct" />

```

```

1349         <version value="http://snomed.info/sct/900000000000207008/
version/20220131" />
1350         <code value="1055210001" />
1351         <display value="Target parameter (observable entity)" />
1352     </coding>
1353     </patternCodeableConcept>
1354     <mustSupport value="true" />
1355 </element>
1356 <element id="Composition.section:ziele.code.coding">
1357     <path value="Composition.section.code.coding" />
1358     <min value="1" />
1359     <max value="1" />
1360     <mustSupport value="true" />
1361 </element>
1362 <element id="Composition.section:ziele.code.coding.system">
1363     <path value="Composition.section.code.coding.system" />
1364     <min value="1" />
1365 </element>
1366 <element id="Composition.section:ziele.code.coding.version">
1367     <path value="Composition.section.code.coding.version" />
1368     <min value="1" />
1369 </element>
1370 <element id="Composition.section:ziele.code.coding.code">
1371     <path value="Composition.section.code.coding.code" />
1372     <min value="1" />
1373 </element>
1374 <element id="Composition.section:ziele.code.coding.display">
1375     <path value="Composition.section.code.coding.display" />
1376     <min value="1" />
1377 </element>
1378 <element id="Composition.section:ziele.code.coding.userSelected">
1379     <path value="Composition.section.code.coding.userSelected" />
1380     <max value="0" />
1381 </element>
1382 <element id="Composition.section:ziele.code.text">
1383     <path value="Composition.section.code.text" />
1384     <max value="0" />
1385 </element>
1386 <element id="Composition.section:ziele.author">
1387     <path value="Composition.section.author" />
1388     <max value="0" />
1389 </element>
1390 <element id="Composition.section:ziele.focus">
1391     <path value="Composition.section.focus" />
1392     <max value="0" />
1393 </element>
1394 <element id="Composition.section:ziele.text">
1395     <path value="Composition.section.text" />
1396     <max value="0" />
1397 </element>
1398 <element id="Composition.section:ziele.mode">
1399     <path value="Composition.section.mode" />
1400     <max value="0" />
1401 </element>
1402 <element id="Composition.section:ziele.orderedBy">
1403     <path value="Composition.section.orderedBy" />
1404     <max value="0" />
1405 </element>
1406 <element id="Composition.section:ziele.entry">
1407     <path value="Composition.section.entry" />

```



```

1408     <type>
1409         <code value="Reference" />
1410         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
1411 KBV_PR_MIO_DIGA_Goal_Free|1.0.0" />
1412         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
1413 KBV_PR_MIO_DIGA_CarePlan_Free|1.0.0" />
1414     </type>
1415     <mustSupport value="true" />
1416 </element>
1417 <element id="Composition.section:ziele.entry.reference">
1418     <path value="Composition.section.entry.reference" />
1419     <min value="1" />
1420     <mustSupport value="true" />
1421 </element>
1422 <element id="Composition.section:ziele.entry.type">
1423     <path value="Composition.section.entry.type" />
1424     <max value="0" />
1425 </element>
1426 <element id="Composition.section:ziele.entry.identifrier">
1427     <path value="Composition.section.entry.identifrier" />
1428     <max value="0" />
1429 </element>
1430 <element id="Composition.section:ziele.entry.display">
1431     <path value="Composition.section.entry.display" />
1432     <max value="0" />
1433 </element>
1434 <element id="Composition.section:ziele.emptyReason">
1435     <path value="Composition.section.emptyReason" />
1436     <max value="0" />
1437 </element>
1438 <element id="Composition.section:ziele.section">
1439     <path value="Composition.section.section" />
1440     <max value="0" />
1441 </element>
1442 <element id="Composition.section:termine">
1443     <path value="Composition.section" />
1444     <sliceName value="termine" />
1445     <max value="1" />
1446     <mustSupport value="true" />
1447 </element>
1448 <element id="Composition.section:termine.title">
1449     <path value="Composition.section.title" />
1450     <min value="1" />
1451     <fixedString value="Termin" />
1452     <mustSupport value="true" />
1453 </element>
1454 <element id="Composition.section:termine.code">
1455     <path value="Composition.section.code" />
1456     <min value="1" />
1457     <patternCodeableConcept>
1458         <coding>
1459             <system value="http://loinc.org" />
1460             <version value="2.71" />
1461             <code value="56446-8" />
1462             <display value="Appointment summary Document" />
1463         </coding>
1464     </patternCodeableConcept>
1465     <mustSupport value="true" />
1466 </element>
1467 <element id="Composition.section:termine.code.coding">

```

```

1466     <path value="Composition.section.code.coding" />
1467     <min value="1" />
1468     <max value="1" />
1469     <mustSupport value="true" />
1470 </element>
1471 <element id="Composition.section:termine.code.coding.system">
1472     <path value="Composition.section.code.coding.system" />
1473     <min value="1" />
1474 </element>
1475 <element id="Composition.section:termine.code.coding.version">
1476     <path value="Composition.section.code.coding.version" />
1477     <min value="1" />
1478 </element>
1479 <element id="Composition.section:termine.code.coding.code">
1480     <path value="Composition.section.code.coding.code" />
1481     <min value="1" />
1482 </element>
1483 <element id="Composition.section:termine.code.coding.display">
1484     <path value="Composition.section.code.coding.display" />
1485     <min value="1" />
1486 </element>
1487 <element id="Composition.section:termine.code.coding.userSelected">
1488     <path value="Composition.section.code.coding.userSelected" />
1489     <max value="0" />
1490 </element>
1491 <element id="Composition.section:termine.code.text">
1492     <path value="Composition.section.code.text" />
1493     <max value="0" />
1494 </element>
1495 <element id="Composition.section:termine.author">
1496     <path value="Composition.section.author" />
1497     <max value="0" />
1498 </element>
1499 <element id="Composition.section:termine.focus">
1500     <path value="Composition.section.focus" />
1501     <max value="0" />
1502 </element>
1503 <element id="Composition.section:termine.text">
1504     <path value="Composition.section.text" />
1505     <max value="0" />
1506 </element>
1507 <element id="Composition.section:termine.mode">
1508     <path value="Composition.section.mode" />
1509     <max value="0" />
1510 </element>
1511 <element id="Composition.section:termine.orderedBy">
1512     <path value="Composition.section.orderedBy" />
1513     <max value="0" />
1514 </element>
1515 <element id="Composition.section:termine.entry">
1516     <path value="Composition.section.entry" />
1517     <type>
1518         <code value="Reference" />
1519         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Appointment_Free|1.0.0" />
1520         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Encounter_Past_Appointment|1.0.0" />
1521     </type>
1522     <mustSupport value="true" />
1523 </element>

```

```

1524 <element id="Composition.section:termine.entry.reference">
1525   <path value="Composition.section.entry.reference" />
1526   <min value="1" />
1527   <mustSupport value="true" />
1528 </element>
1529 <element id="Composition.section:termine.entry.type">
1530   <path value="Composition.section.entry.type" />
1531   <max value="0" />
1532 </element>
1533 <element id="Composition.section:termine.entry.identifier">
1534   <path value="Composition.section.entry.identifier" />
1535   <max value="0" />
1536 </element>
1537 <element id="Composition.section:termine.entry.display">
1538   <path value="Composition.section.entry.display" />
1539   <max value="0" />
1540 </element>
1541 <element id="Composition.section:termine.emptyReason">
1542   <path value="Composition.section.emptyReason" />
1543   <max value="0" />
1544 </element>
1545 <element id="Composition.section:termine.section">
1546   <path value="Composition.section.section" />
1547   <max value="0" />
1548 </element>
1549 <element id="Composition.section:patientenberichte">
1550   <path value="Composition.section" />
1551   <sliceName value="patientenberichte" />
1552   <max value="1" />
1553   <mustSupport value="true" />
1554 </element>
1555 <element id="Composition.section:patientenberichte.title">
1556   <path value="Composition.section.title" />
1557   <min value="1" />
1558   <fixedString value="Patientenberichte" />
1559   <mustSupport value="true" />
1560 </element>
1561 <element id="Composition.section:patientenberichte.code">
1562   <path value="Composition.section.code" />
1563   <min value="1" />
1564   <patternCodeableConcept>
1565     <coding>
1566       <system value="http://snomed.info/sct" />
1567       <version value="http://snomed.info/sct/9000000000000207008/
version/20220131" />
1568       <code value="408403008" />
1569       <display value="Patient held record (record artifact)" />
1570     </coding>
1571   </patternCodeableConcept>
1572   <mustSupport value="true" />
1573 </element>
1574 <element id="Composition.section:patientenberichte.code.coding">
1575   <path value="Composition.section.code.coding" />
1576   <min value="1" />
1577   <max value="1" />
1578   <mustSupport value="true" />
1579 </element>
1580 <element id="Composition.section:patientenberichte.code.coding.system">
1581   <path value="Composition.section.code.coding.system" />
1582   <min value="1" />

```

```

1583 </element>
1584 <element id="Composition.section:patientenberichte.code.coding.version">
1585   <path value="Composition.section.code.coding.version" />
1586   <min value="1" />
1587 </element>
1588 <element id="Composition.section:patientenberichte.code.coding.code">
1589   <path value="Composition.section.code.coding.code" />
1590   <min value="1" />
1591 </element>
1592 <element id="Composition.section:patientenberichte.code.coding.display">
1593   <path value="Composition.section.code.coding.display" />
1594   <min value="1" />
1595 </element>
1596 <element id="Composition.section:patientenberichte.code.coding.userSelected">
1597   <path value="Composition.section.code.coding.userSelected" />
1598   <max value="0" />
1599 </element>
1600 <element id="Composition.section:patientenberichte.code.text">
1601   <path value="Composition.section.code.text" />
1602   <max value="0" />
1603 </element>
1604 <element id="Composition.section:patientenberichte.author">
1605   <path value="Composition.section.author" />
1606   <max value="0" />
1607 </element>
1608 <element id="Composition.section:patientenberichte.focus">
1609   <path value="Composition.section.focus" />
1610   <max value="0" />
1611 </element>
1612 <element id="Composition.section:patientenberichte.text">
1613   <path value="Composition.section.text" />
1614   <max value="0" />
1615 </element>
1616 <element id="Composition.section:patientenberichte.mode">
1617   <path value="Composition.section.mode" />
1618   <max value="0" />
1619 </element>
1620 <element id="Composition.section:patientenberichte.orderedBy">
1621   <path value="Composition.section.orderedBy" />
1622   <max value="0" />
1623 </element>
1624 <element id="Composition.section:patientenberichte.entry">
1625   <path value="Composition.section.entry" />
1626   <type>
1627     <code value="Reference" />
1628     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Diary_Entry|1.0.0" />
1629   </type>
1630   <mustSupport value="true" />
1631 </element>
1632 <element id="Composition.section:patientenberichte.entry.reference">
1633   <path value="Composition.section.entry.reference" />
1634   <min value="1" />
1635   <mustSupport value="true" />
1636 </element>
1637 <element id="Composition.section:patientenberichte.entry.type">
1638   <path value="Composition.section.entry.type" />
1639   <max value="0" />
1640 </element>

```

```

1641 <element id="Composition.section:patientenberichte.entry.identifizier">
1642   <path value="Composition.section.entry.identifizier" />
1643   <max value="0" />
1644 </element>
1645 <element id="Composition.section:patientenberichte.entry.display">
1646   <path value="Composition.section.entry.display" />
1647   <max value="0" />
1648 </element>
1649 <element id="Composition.section:patientenberichte.emptyReason">
1650   <path value="Composition.section.emptyReason" />
1651   <max value="0" />
1652 </element>
1653 <element id="Composition.section:patientenberichte.section">
1654   <path value="Composition.section.section" />
1655   <max value="0" />
1656 </element>
1657 <element id="Composition.section:kontakte">
1658   <path value="Composition.section" />
1659   <sliceName value="kontakte" />
1660   <max value="1" />
1661   <mustSupport value="true" />
1662 </element>
1663 <element id="Composition.section:kontakte.title">
1664   <path value="Composition.section.title" />
1665   <min value="1" />
1666   <fixedString value="Kontakte" />
1667   <mustSupport value="true" />
1668 </element>
1669 <element id="Composition.section:kontakte.code">
1670   <path value="Composition.section.code" />
1671   <min value="1" />
1672   <patternCodeableConcept>
1673     <coding>
1674       <system value="http://snomed.info/sct" />
1675       <version value="http://snomed.info/sct/900000000000207008/
version/20220131" />
1676       <code value="70862002" />
1677       <display value="Contact person (person)" />
1678     </coding>
1679   </patternCodeableConcept>
1680   <mustSupport value="true" />
1681 </element>
1682 <element id="Composition.section:kontakte.code.coding">
1683   <path value="Composition.section.code.coding" />
1684   <min value="1" />
1685   <max value="1" />
1686   <mustSupport value="true" />
1687 </element>
1688 <element id="Composition.section:kontakte.code.coding.system">
1689   <path value="Composition.section.code.coding.system" />
1690   <min value="1" />
1691 </element>
1692 <element id="Composition.section:kontakte.code.coding.version">
1693   <path value="Composition.section.code.coding.version" />
1694   <min value="1" />
1695 </element>
1696 <element id="Composition.section:kontakte.code.coding.code">
1697   <path value="Composition.section.code.coding.code" />
1698   <min value="1" />
1699 </element>

```

```

1700 <element id="Composition.section:kontakte.code.coding.display">
1701   <path value="Composition.section.code.coding.display" />
1702   <min value="1" />
1703 </element>
1704 <element id="Composition.section:kontakte.code.coding.userSelected">
1705   <path value="Composition.section.code.coding.userSelected" />
1706   <max value="0" />
1707 </element>
1708 <element id="Composition.section:kontakte.code.text">
1709   <path value="Composition.section.code.text" />
1710   <max value="0" />
1711 </element>
1712 <element id="Composition.section:kontakte.author">
1713   <path value="Composition.section.author" />
1714   <max value="0" />
1715 </element>
1716 <element id="Composition.section:kontakte.focus">
1717   <path value="Composition.section.focus" />
1718   <max value="0" />
1719 </element>
1720 <element id="Composition.section:kontakte.text">
1721   <path value="Composition.section.text" />
1722   <max value="0" />
1723 </element>
1724 <element id="Composition.section:kontakte.mode">
1725   <path value="Composition.section.mode" />
1726   <max value="0" />
1727 </element>
1728 <element id="Composition.section:kontakte.orderedBy">
1729   <path value="Composition.section.orderedBy" />
1730   <max value="0" />
1731 </element>
1732 <element id="Composition.section:kontakte.entry">
1733   <path value="Composition.section.entry" />
1734   <type>
1735     <code value="Reference" />
1736     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole|1.0.0" />
1737     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_RelatedPerson|1.0.0" />
1738     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Organization|1.0.0" />
1739     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
1740   </type>
1741   <mustSupport value="true" />
1742 </element>
1743 <element id="Composition.section:kontakte.entry.reference">
1744   <path value="Composition.section.entry.reference" />
1745   <min value="1" />
1746   <mustSupport value="true" />
1747 </element>
1748 <element id="Composition.section:kontakte.entry.type">
1749   <path value="Composition.section.entry.type" />
1750   <max value="0" />
1751 </element>
1752 <element id="Composition.section:kontakte.entry.identifrier">
1753   <path value="Composition.section.entry.identifrier" />
1754   <max value="0" />
1755 </element>

```

```

1756     <element id="Composition.section:kontakte.entry.display">
1757       <path value="Composition.section.entry.display" />
1758       <max value="0" />
1759     </element>
1760     <element id="Composition.section:kontakte.emptyReason">
1761       <path value="Composition.section.emptyReason" />
1762       <max value="0" />
1763     </element>
1764     <element id="Composition.section:kontakte.section">
1765       <path value="Composition.section.section" />
1766       <max value="0" />
1767     </element>
1768   </differential>
1769 </StructureDefinition>

```

#### 40. KBV\_PR\_MIO\_DIGA\_CONDITION\_PROBLEM\_FREE

##### KBV\_PR\_MIO\_DIGA\_Condition\_Problem\_Free

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Condition_Problem_Free" />
3    <version value="1.0.0" />
4    <name value="KBV_PR_MIO_DIGA_Condition_Problem_Free" />
5    <title value="KBV_PR_MIO_DIGA_Condition_Problem_Free" />
6    <status value="draft" />
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <description value="Dieses Profil bildet ein Problem ab." />
9    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM
definitions or is derived from it, subject to a license from Regenstrief
Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM
codes, UCUM definitions also is subject to this license, a copy of which is
available at http://unitsofmeasure.org. The current complete UCUM table,
UCUM Specification are available for download at http://unitsofmeasure.org.
The UCUM table and UCUM codes are copyright © 1995-2009, Regenstrief
Institute, Inc. and the Unified Codes for Units of Measures UCUM
Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM
DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS
OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE." />
10   <fhirVersion value="4.0.1" />
11   <kind value="resource" />
12   <abstract value="false" />
13   <type value="Condition" />

```

```

14 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Condition" />
15 <derivation value="constraint" />
16 <differential>
17 <element id="Condition">
18 <path value="Condition" />
19 <definition value="Dieses Profil bildet ein Problem ab." />
20 <constraint>
21 <key value="con-1" />
22 <severity value="error" />
23 <human value="At least onset or abatement need to be present" />
24 <expression value="Condition.onset.exists() |
Condition.abatement.exists()" />
25 <source value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Condition_Problem_Free" />
26 </constraint>
27 </element>
28 <element id="Condition.meta">
29 <path value="Condition.meta" />
30 <min value="1" />
31 </element>
32 <element id="Condition.meta.versionId">
33 <path value="Condition.meta.versionId" />
34 <min value="1" />
35 </element>
36 <element id="Condition.meta.lastUpdated">
37 <path value="Condition.meta.lastUpdated" />
38 <min value="1" />
39 </element>
40 <element id="Condition.meta.source">
41 <path value="Condition.meta.source" />
42 <max value="0" />
43 </element>
44 <element id="Condition.meta.profile">
45 <path value="Condition.meta.profile" />
46 <min value="1" />
47 <max value="1" />
48 <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Condition_Problem_Free|1.0.0" />
49 </element>
50 <element id="Condition.meta.security">
51 <path value="Condition.meta.security" />
52 <max value="0" />
53 </element>
54 <element id="Condition.meta.tag">
55 <path value="Condition.meta.tag" />
56 <max value="0" />
57 </element>
58 <element id="Condition.implicitRules">
59 <path value="Condition.implicitRules" />
60 <max value="0" />
61 </element>
62 <element id="Condition.language">
63 <path value="Condition.language" />
64 <max value="0" />
65 </element>
66 <element id="Condition.text">
67 <path value="Condition.text" />
68 <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst

```



werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz enthalten sind." />

```
69     </element>
70     <element id="Condition.text.status">
71       <path value="Condition.text.status" />
72       <fixedCode value="extensions" />
73     </element>
74     <element id="Condition.contained">
75       <path value="Condition.contained" />
76       <max value="0" />
77     </element>
78     <element id="Condition.identifier">
79       <path value="Condition.identifier" />
80       <min value="1" />
81       <max value="1" />
82       <mustSupport value="true" />
83     </element>
84     <element id="Condition.identifier.use">
85       <path value="Condition.identifier.use" />
86       <max value="0" />
87     </element>
88     <element id="Condition.identifier.type">
89       <path value="Condition.identifier.type" />
90       <min value="1" />
91       <patternCodeableConcept>
92         <coding>
93           <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
94           <version value="2.9" />
95           <code value="RI" />
96           <display value="Resource identifier" />
97         </coding>
98       </patternCodeableConcept>
99     </element>
100    <element id="Condition.identifier.type.coding">
101      <path value="Condition.identifier.type.coding" />
102      <min value="1" />
103      <max value="1" />
104    </element>
105    <element id="Condition.identifier.type.coding.system">
106      <path value="Condition.identifier.type.coding.system" />
107      <min value="1" />
108    </element>
109    <element id="Condition.identifier.type.coding.version">
110      <path value="Condition.identifier.type.coding.version" />
111      <min value="1" />
112    </element>
113    <element id="Condition.identifier.type.coding.code">
114      <path value="Condition.identifier.type.coding.code" />
115      <min value="1" />
116    </element>
117    <element id="Condition.identifier.type.coding.display">
118      <path value="Condition.identifier.type.coding.display" />
119      <min value="1" />
120    </element>
121    <element id="Condition.identifier.type.coding.userSelected">
122      <path value="Condition.identifier.type.coding.userSelected" />
123      <max value="0" />
124    </element>
125    <element id="Condition.identifier.type.text">
```

```

126     <path value="Condition.identifier.type.text" />
127     <max value="0" />
128 </element>
129 <element id="Condition.identifier.system">
130     <path value="Condition.identifier.system" />
131     <min value="1" />
132     <fixedUri value="urn:ietf:rhc:3986" />
133     <mustSupport value="true" />
134 </element>
135 <element id="Condition.identifier.value">
136     <path value="Condition.identifier.value" />
137     <min value="1" />
138     <mustSupport value="true" />
139 </element>
140 <element id="Condition.identifier.period">
141     <path value="Condition.identifier.period" />
142     <max value="0" />
143 </element>
144 <element id="Condition.identifier.assigner">
145     <path value="Condition.identifier.assigner" />
146     <max value="0" />
147 </element>
148 <element id="Condition.clinicalStatus">
149     <path value="Condition.clinicalStatus" />
150     <min value="1" />
151     <mustSupport value="true" />
152 </element>
153 <element id="Condition.clinicalStatus.coding">
154     <path value="Condition.clinicalStatus.coding" />
155     <min value="1" />
156     <max value="1" />
157     <mustSupport value="true" />
158 </element>
159 <element id="Condition.clinicalStatus.coding.system">
160     <path value="Condition.clinicalStatus.coding.system" />
161     <min value="1" />
162 </element>
163 <element id="Condition.clinicalStatus.coding.version">
164     <path value="Condition.clinicalStatus.coding.version" />
165     <min value="1" />
166 </element>
167 <element id="Condition.clinicalStatus.coding.code">
168     <path value="Condition.clinicalStatus.coding.code" />
169     <min value="1" />
170 </element>
171 <element id="Condition.clinicalStatus.coding.display">
172     <path value="Condition.clinicalStatus.coding.display" />
173     <min value="1" />
174 </element>
175 <element id="Condition.clinicalStatus.coding.display.extension">
176     <path value="Condition.clinicalStatus.coding.display.extension" />
177     <licing>
178         <discriminator>
179             <type value="value" />
180             <path value="url" />
181         </discriminator>
182         <rules value="open" />
183     </licing>
184     <min value="1" />
185 </element>

```

```

186     <element id="Condition.clinicalStatus.coding.display.extension:anzeigen
ameClinicalStatus">
187       <path value="Condition.clinicalStatus.coding.display.extension" />
188       <sliceName value="anzeigenameClinicalStatus" />
189       <min value="1" />
190       <max value="1" />
191       <type>
192         <code value="Extension" />
193         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
194       </type>
195       <mustSupport value="true" />
196     </element>
197     <element id="Condition.clinicalStatus.coding.display.extension:anzeigen
ameClinicalStatus.extension">
198       <path value="Condition.clinicalStatus.coding.display.extension.extens
ion" />
199       <slicing>
200         <discriminator>
201           <type value="value" />
202           <path value="url" />
203         </discriminator>
204         <rules value="open" />
205       </slicing>
206       <min value="1" />
207     </element>
208     <element id="Condition.clinicalStatus.coding.display.extension:anzeigen
ameClinicalStatus.extension:content">
209       <path value="Condition.clinicalStatus.coding.display.extension.extens
ion" />
210       <sliceName value="content" />
211       <min value="1" />
212     </element>
213     <element id="Condition.clinicalStatus.coding.display.extension:anzeigen
ameClinicalStatus.extension:content.value[x]">
214       <path value="Condition.clinicalStatus.coding.display.extension.extens
ion.value[x]" />
215       <slicing>
216         <discriminator>
217           <type value="type" />
218           <path value="$this" />
219         </discriminator>
220         <rules value="closed" />
221       </slicing>
222       <mustSupport value="true" />
223     </element>
224     <element id="Condition.clinicalStatus.coding.display.extension:anzeigen
ameClinicalStatus.extension:content.value[x]:valueString">
225       <path value="Condition.clinicalStatus.coding.display.extension.extens
ion.valueString" />
226       <sliceName value="valueString" />
227       <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_DIGA_Condition_Clinical_Status_German|1.0.0" />
228       <min value="1" />
229       <mustSupport value="true" />
230     </element>
231     <element id="Condition.clinicalStatus.coding.userSelected">

```

```

232     <path value="Condition.clinicalStatus.coding.userSelected" />
233     <max value="0" />
234 </element>
235 <element id="Condition.clinicalStatus.text">
236     <path value="Condition.clinicalStatus.text" />
237     <max value="0" />
238 </element>
239 <element id="Condition.verificationStatus">
240     <path value="Condition.verificationStatus" />
241     <mustSupport value="true" />
242 </element>
243 <element id="Condition.verificationStatus.coding">
244     <path value="Condition.verificationStatus.coding" />
245     <min value="1" />
246     <max value="1" />
247     <mustSupport value="true" />
248 </element>
249 <element id="Condition.verificationStatus.coding.system">
250     <path value="Condition.verificationStatus.coding.system" />
251     <min value="1" />
252 </element>
253 <element id="Condition.verificationStatus.coding.version">
254     <path value="Condition.verificationStatus.coding.version" />
255     <min value="1" />
256 </element>
257 <element id="Condition.verificationStatus.coding.code">
258     <path value="Condition.verificationStatus.coding.code" />
259     <min value="1" />
260 </element>
261 <element id="Condition.verificationStatus.coding.display">
262     <path value="Condition.verificationStatus.coding.display" />
263     <min value="1" />
264 </element>
265 <element id="Condition.verificationStatus.coding.display.extension">
266     <path value="Condition.verificationStatus.coding.display.extension" /
>
267     <slicing>
268         <discriminator>
269             <type value="value" />
270             <path value="url" />
271         </discriminator>
272         <rules value="open" />
273     </slicing>
274     <min value="1" />
275 </element>
276 <element id="Condition.verificationStatus.coding.display.extension:anze
igennameVerificationStatus">
277     <path value="Condition.verificationStatus.coding.display.extension" /
>
278     <sliceName value="anzeigennameVerificationStatus" />
279     <min value="1" />
280     <max value="1" />
281     <type>
282         <code value="Extension" />
283         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
284     </type>
285     <mustSupport value="true" />
286 </element>

```

```

287     <element id="Condition.verificationStatus.coding.display.extension:anze
igenameVerificationStatus.extension">
288       <path value="Condition.verificationStatus.coding.display.extension.ex
tension" />
289       <slicing>
290         <discriminator>
291           <type value="value" />
292           <path value="url" />
293         </discriminator>
294         <rules value="open" />
295       </slicing>
296       <min value="1" />
297     </element>
298     <element id="Condition.verificationStatus.coding.display.extension:anze
igenameVerificationStatus.extension:content">
299       <path value="Condition.verificationStatus.coding.display.extension.ex
tension" />
300       <sliceName value="content" />
301       <min value="1" />
302     </element>
303     <element id="Condition.verificationStatus.coding.display.extension:anze
igenameVerificationStatus.extension:content.value[x]">
304       <path value="Condition.verificationStatus.coding.display.extension.ex
tension.value[x]" />
305       <slicing>
306         <discriminator>
307           <type value="type" />
308           <path value="$this" />
309         </discriminator>
310         <rules value="closed" />
311       </slicing>
312       <mustSupport value="true" />
313     </element>
314     <element id="Condition.verificationStatus.coding.display.extension:anze
igenameVerificationStatus.extension:content.value[x]:valueString">
315       <path value="Condition.verificationStatus.coding.display.extension.ex
tension.valueString" />
316       <sliceName value="valueString" />
317       <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/
KBV\_CM\_MIO\_DIGA\_Condition\_Verification\_Status\_German|1.0.0" />
318       <mustSupport value="true" />
319     </element>
320     <element id="Condition.verificationStatus.coding.userSelected">
321       <path value="Condition.verificationStatus.coding.userSelected" />
322       <max value="0" />
323     </element>
324     <element id="Condition.verificationStatus.text">
325       <path value="Condition.verificationStatus.text" />
326       <max value="0" />
327     </element>
328     <element id="Condition.category">
329       <path value="Condition.category" />
330       <max value="1" />
331       <mustSupport value="true" />
332       <binding>
333         <strength value="required" />

```

```

334     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_DIGA_Problem_Type|1.0.0" />
335     </binding>
336   </element>
337   <element id="Condition.category.coding">
338     <path value="Condition.category.coding" />
339     <min value="1" />
340     <max value="1" />
341     <mustSupport value="true" />
342   </element>
343   <element id="Condition.category.coding.system">
344     <path value="Condition.category.coding.system" />
345     <min value="1" />
346   </element>
347   <element id="Condition.category.coding.version">
348     <path value="Condition.category.coding.version" />
349     <min value="1" />
350   </element>
351   <element id="Condition.category.coding.code">
352     <path value="Condition.category.coding.code" />
353     <min value="1" />
354   </element>
355   <element id="Condition.category.coding.display">
356     <path value="Condition.category.coding.display" />
357     <min value="1" />
358   </element>
359   <element id="Condition.category.coding.display.extension">
360     <path value="Condition.category.coding.display.extension" />
361     < slicing>
362       < discriminator>
363         < type value="value" />
364         < path value="url" />
365       </ discriminator>
366       < rules value="open" />
367     </ slicing>
368     < min value="1" />
369   </ element>
370   < element id="Condition.category.coding.display.extension:anzeigenameCat
egory">
371     < path value="Condition.category.coding.display.extension" />
372     < sliceName value="anzeigenameCategory" />
373     < min value="1" />
374     < max value="1" />
375     < type>
376       < code value="Extension" />
377       < profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
378     </ type>
379     < mustSupport value="true" />
380   </ element>
381   < element id="Condition.category.coding.display.extension:anzeigenameCat
egory.extension">
382     < path value="Condition.category.coding.display.extension.extension" /
>
383     < slicing>
384       < discriminator>
385         < type value="value" />
386         < path value="url" />
387       </ discriminator>
388       < rules value="open" />

```

```

389     </slicing>
390     <min value="1" />
391 </element>
392 <element id="Condition.category.coding.display.extension:anzeigenameCat
393     <path value="Condition.category.coding.display.extension.extension" /
394 >
395     <sliceName value="content" />
396     <min value="1" />
397 </element>
398 <element id="Condition.category.coding.display.extension:anzeigenameCat
399     <path value="Condition.category.coding.display.extension.extension.va
400     <min value="1" />
401     <discriminator>
402         <type value="type" />
403         <path value="$this" />
404     </discriminator>
405     <rules value="closed" />
406 </slicing>
407 <mustSupport value="true" />
408 </element>
409 <element id="Condition.category.coding.display.extension:anzeigenameCat
410     <path value="Condition.category.coding.display.extension.extension.va
411     <sliceName value="valueString" />
412     <definition value="In diesem Attribut sollen die entsprechende
413     deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
414     eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
415     aus https://fhir.kbv.de/ConceptMap/
416     KBV\_CM\_MIO\_DIGA\_Problem\_Type\_German1.0.0" />
417     <min value="1" />
418     <mustSupport value="true" />
419 </element>
420 <element id="Condition.category.coding.userSelected">
421     <path value="Condition.category.coding.userSelected" />
422     <max value="0" />
423 </element>
424 <element id="Condition.category.text">
425     <path value="Condition.category.text" />
426     <max value="0" />
427 </element>
428 <element id="Condition.severity">
429     <path value="Condition.severity" />
430     <mustSupport value="true" />
431 </element>
432 <element id="Condition.severity.coding">
433     <path value="Condition.severity.coding" />
434     <min value="1" />
435     <max value="1" />
436     <mustSupport value="true" />
437 </element>
438 <element id="Condition.severity.coding.system">
439     <path value="Condition.severity.coding.system" />
440     <min value="1" />
441 </element>
442 <element id="Condition.severity.coding.code">
443     <path value="Condition.severity.coding.code" />

```

```

439     <min value="1" />
440 </element>
441 <element id="Condition.severity.coding.display">
442   <path value="Condition.severity.coding.display" />
443   <min value="1" />
444 </element>
445 <element id="Condition.severity.coding.display.extension">
446   <path value="Condition.severity.coding.display.extension" />
447   <slicing>
448     <discriminator>
449       <type value="value" />
450       <path value="url" />
451     </discriminator>
452     <rules value="open" />
453   </slicing>
454   <min value="1" />
455 </element>
456 <element id="Condition.severity.coding.display.extension:anzeigenameSev
erity">
457   <path value="Condition.severity.coding.display.extension" />
458   <sliceName value="anzeigenameSeverity" />
459   <min value="1" />
460   <max value="1" />
461   <type>
462     <code value="Extension" />
463     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
464   </type>
465   <mustSupport value="true" />
466 </element>
467 <element id="Condition.severity.coding.display.extension:anzeigenameSev
erity.extension">
468   <path value="Condition.severity.coding.display.extension.extension" /
>
469   <slicing>
470     <discriminator>
471       <type value="value" />
472       <path value="url" />
473     </discriminator>
474     <rules value="open" />
475   </slicing>
476   <min value="1" />
477 </element>
478 <element id="Condition.severity.coding.display.extension:anzeigenameSev
erity.extension:content">
479   <path value="Condition.severity.coding.display.extension.extension" /
>
480   <sliceName value="content" />
481   <min value="1" />
482 </element>
483 <element id="Condition.severity.coding.display.extension:anzeigenameSev
erity.extension:content.value[x]">
484   <path value="Condition.severity.coding.display.extension.extension.va
lue[x]" />
485   <slicing>
486     <discriminator>
487       <type value="type" />
488       <path value="$this" />
489     </discriminator>
490     <rules value="closed" />

```



```

491     </slicing>
492     <mustSupport value="true" />
493 </element>
494 <element id="Condition.severity.coding.display.extension:anzeigenameSev
erity.extension:content.value[x]:valueString">
495     <path value="Condition.severity.coding.display.extension.extension.va
lueString" />
496     <sliceName value="valueString" />
497     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/
KBV\_CM\_MIO\_DIGA\_Condition\_Severity\_German|1.0.0" />
498     <min value="1" />
499     <mustSupport value="true" />
500 </element>
501 <element id="Condition.severity.coding.userSelected">
502     <path value="Condition.severity.coding.userSelected" />
503     <max value="0" />
504 </element>
505 <element id="Condition.severity.text">
506     <path value="Condition.severity.text" />
507     <max value="0" />
508 </element>
509 <element id="Condition.code">
510     <path value="Condition.code" />
511     <min value="1" />
512     <mustSupport value="true" />
513 </element>
514 <element id="Condition.code.coding">
515     <path value="Condition.code.coding" />
516     <mustSupport value="true" />
517 </element>
518 <element id="Condition.code.coding.system">
519     <path value="Condition.code.coding.system" />
520     <min value="1" />
521 </element>
522 <element id="Condition.code.coding.version">
523     <path value="Condition.code.coding.version" />
524     <min value="1" />
525 </element>
526 <element id="Condition.code.coding.code">
527     <path value="Condition.code.coding.code" />
528     <min value="1" />
529 </element>
530 <element id="Condition.code.coding.display">
531     <path value="Condition.code.coding.display" />
532     <min value="1" />
533 </element>
534 <element id="Condition.code.coding.userSelected">
535     <path value="Condition.code.coding.userSelected" />
536     <max value="0" />
537 </element>
538 <element id="Condition.code.text">
539     <path value="Condition.code.text" />
540     <mustSupport value="true" />
541 </element>
542 <element id="Condition.bodySite">
543     <path value="Condition.bodySite" />
544     <max value="1" />

```

```

545     <mustSupport value="true" />
546 </element>
547 <element id="Condition.bodySite.coding">
548   <path value="Condition.bodySite.coding" />
549   <min value="1" />
550   <max value="1" />
551   <mustSupport value="true" />
552 </element>
553 <element id="Condition.bodySite.coding.system">
554   <path value="Condition.bodySite.coding.system" />
555   <min value="1" />
556 </element>
557 <element id="Condition.bodySite.coding.version">
558   <path value="Condition.bodySite.coding.version" />
559   <min value="1" />
560 </element>
561 <element id="Condition.bodySite.coding.code">
562   <path value="Condition.bodySite.coding.code" />
563   <min value="1" />
564 </element>
565 <element id="Condition.bodySite.coding.display">
566   <path value="Condition.bodySite.coding.display" />
567   <min value="1" />
568 </element>
569 <element id="Condition.bodySite.coding.userSelected">
570   <path value="Condition.bodySite.coding.userSelected" />
571   <max value="0" />
572 </element>
573 <element id="Condition.bodySite.text">
574   <path value="Condition.bodySite.text" />
575   <max value="0" />
576 </element>
577 <element id="Condition.subject">
578   <path value="Condition.subject" />
579   <type>
580     <code value="Reference" />
581     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
582   </type>
583   <mustSupport value="true" />
584 </element>
585 <element id="Condition.subject.reference">
586   <path value="Condition.subject.reference" />
587   <min value="1" />
588   <mustSupport value="true" />
589 </element>
590 <element id="Condition.subject.type">
591   <path value="Condition.subject.type" />
592   <max value="0" />
593 </element>
594 <element id="Condition.subject.identifier">
595   <path value="Condition.subject.identifier" />
596   <max value="0" />
597 </element>
598 <element id="Condition.subject.display">
599   <path value="Condition.subject.display" />
600   <max value="0" />
601 </element>
602 <element id="Condition.encounter">
603   <path value="Condition.encounter" />

```

```

604     <max value="0" />
605 </element>
606 <element id="Condition.onset[x]">
607   <path value="Condition.onset[x]" />
608   <slicing>
609     <discriminator>
610       <type value="type" />
611       <path value="$this" />
612     </discriminator>
613     <rules value="open" />
614   </slicing>
615   <type>
616     <code value="dateTime" />
617   </type>
618   <type>
619     <code value="Period" />
620   </type>
621   <type>
622     <code value="Age" />
623   </type>
624   <mustSupport value="true" />
625 </element>
626 <element id="Condition.onset[x]:onsetDateTime">
627   <path value="Condition.onset[x]" />
628   <sliceName value="onsetDateTime" />
629   <type>
630     <code value="dateTime" />
631   </type>
632   <mustSupport value="true" />
633 </element>
634 <element id="Condition.onset[x]:onsetPeriod">
635   <path value="Condition.onset[x]" />
636   <sliceName value="onsetPeriod" />
637   <type>
638     <code value="Period" />
639   </type>
640   <mustSupport value="true" />
641 </element>
642 <element id="Condition.onset[x]:onsetPeriod.start">
643   <path value="Condition.onset[x].start" />
644   <mustSupport value="true" />
645 </element>
646 <element id="Condition.onset[x]:onsetPeriod.end">
647   <path value="Condition.onset[x].end" />
648   <mustSupport value="true" />
649 </element>
650 <element id="Condition.onset[x]:onsetAge">
651   <path value="Condition.onset[x]" />
652   <sliceName value="onsetAge" />
653   <type>
654     <code value="Age" />
655   </type>
656   <mustSupport value="true" />
657 </element>
658 <element id="Condition.onset[x]:onsetAge.extension">
659   <path value="Condition.onset[x].extension" />
660   <mustSupport value="true" />
661 </element>
662 <element id="Condition.onset[x]:onsetAge.extension:lebensphase-von">
663   <path value="Condition.onset[x].extension" />

```

```

664     <sliceName value="lebensphase-von" />
665     <mustSupport value="true" />
666   </element>
667   <element id="Condition.onset[x]:onsetAge.value">
668     <path value="Condition.onset[x].value" />
669     <max value="0" />
670   </element>
671   <element id="Condition.onset[x]:onsetAge.comparator">
672     <path value="Condition.onset[x].comparator" />
673     <max value="0" />
674   </element>
675   <element id="Condition.onset[x]:onsetAge.unit">
676     <path value="Condition.onset[x].unit" />
677     <max value="0" />
678   </element>
679   <element id="Condition.onset[x]:onsetAge.system">
680     <path value="Condition.onset[x].system" />
681     <max value="0" />
682   </element>
683   <element id="Condition.onset[x]:onsetAge.code">
684     <path value="Condition.onset[x].code" />
685     <max value="0" />
686   </element>
687   <element id="Condition.abatement[x]">
688     <path value="Condition.abatement[x]" />
689     <licing>
690       <discriminator>
691         <type value="type" />
692         <path value="$this" />
693       </discriminator>
694       <rules value="open" />
695     </licing>
696     <type>
697       <code value="dateTime" />
698     </type>
699     <type>
700       <code value="Period" />
701     </type>
702     <mustSupport value="true" />
703   </element>
704   <element id="Condition.abatement[x]:abatementPeriod">
705     <path value="Condition.abatement[x]" />
706     <sliceName value="abatementPeriod" />
707     <type>
708       <code value="Period" />
709     </type>
710     <mustSupport value="true" />
711   </element>
712   <element id="Condition.abatement[x]:abatementPeriod.start">
713     <path value="Condition.abatement[x].start" />
714     <mustSupport value="true" />
715   </element>
716   <element id="Condition.abatement[x]:abatementPeriod.end">
717     <path value="Condition.abatement[x].end" />
718     <mustSupport value="true" />
719   </element>
720   <element id="Condition.abatement[x]:abatementDateTime">
721     <path value="Condition.abatement[x]" />
722     <sliceName value="abatementDateTime" />
723     <type>

```

```

724     <code value="dateTime" />
725   </type>
726 </element>
727 <element id="Condition.abatement[x]:abatementAge">
728   <path value="Condition.abatement[x]" />
729   <sliceName value="abatementAge" />
730   <type>
731     <code value="Age" />
732   </type>
733   <mustSupport value="true" />
734 </element>
735 <element id="Condition.abatement[x]:abatementAge.extension">
736   <path value="Condition.abatement[x].extension" />
737   <mustSupport value="true" />
738 </element>
739 <element id="Condition.abatement[x]:abatementAge.extension:lebensphase-
bis">
740   <path value="Condition.abatement[x].extension" />
741   <sliceName value="lebensphase-bis" />
742   <mustSupport value="true" />
743 </element>
744 <element id="Condition.abatement[x]:abatementAge.value">
745   <path value="Condition.abatement[x].value" />
746   <max value="0" />
747 </element>
748 <element id="Condition.abatement[x]:abatementAge.comparator">
749   <path value="Condition.abatement[x].comparator" />
750   <max value="0" />
751 </element>
752 <element id="Condition.abatement[x]:abatementAge.unit">
753   <path value="Condition.abatement[x].unit" />
754   <max value="0" />
755 </element>
756 <element id="Condition.abatement[x]:abatementAge.system">
757   <path value="Condition.abatement[x].system" />
758   <max value="0" />
759 </element>
760 <element id="Condition.abatement[x]:abatementAge.code">
761   <path value="Condition.abatement[x].code" />
762   <max value="0" />
763 </element>
764 <element id="Condition.recordedDate">
765   <path value="Condition.recordedDate" />
766   <max value="0" />
767 </element>
768 <element id="Condition.recorder">
769   <path value="Condition.recorder" />
770   <min value="1" />
771   <type>
772     <code value="Reference" />
773     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
774     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole|1.0.0" />
775     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
776   </type>
777   <mustSupport value="true" />
778 </element>
779 <element id="Condition.recorder.reference">

```

```

780     <path value="Condition.recorder.reference" />
781     <min value="1" />
782     <mustSupport value="true" />
783 </element>
784 <element id="Condition.recorder.type">
785     <path value="Condition.recorder.type" />
786     <max value="0" />
787 </element>
788 <element id="Condition.recorder.identifrier">
789     <path value="Condition.recorder.identifrier" />
790     <max value="0" />
791 </element>
792 <element id="Condition.recorder.display">
793     <path value="Condition.recorder.display" />
794     <max value="0" />
795 </element>
796 <element id="Condition.asserter">
797     <path value="Condition.asserter" />
798     <max value="0" />
799 </element>
800 <element id="Condition.stage">
801     <path value="Condition.stage" />
802     <max value="0" />
803 </element>
804 <element id="Condition.evidence">
805     <path value="Condition.evidence" />
806     <mustSupport value="true" />
807 </element>
808 <element id="Condition.evidence.code">
809     <path value="Condition.evidence.code" />
810     <max value="0" />
811 </element>
812 <element id="Condition.evidence.detail">
813     <path value="Condition.evidence.detail" />
814     <min value="1" />
815     <max value="1" />
816     <type>
817         <code value="Reference" />
818         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Assessment_Scale|1.0.0" />
819         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Free|1.0.0" />
820     </type>
821     <mustSupport value="true" />
822 </element>
823 <element id="Condition.evidence.detail.reference">
824     <path value="Condition.evidence.detail.reference" />
825     <min value="1" />
826     <mustSupport value="true" />
827 </element>
828 <element id="Condition.evidence.detail.type">
829     <path value="Condition.evidence.detail.type" />
830     <max value="0" />
831 </element>
832 <element id="Condition.evidence.detail.identifrier">
833     <path value="Condition.evidence.detail.identifrier" />
834     <max value="0" />
835 </element>
836 <element id="Condition.evidence.detail.display">
837     <path value="Condition.evidence.detail.display" />

```

```

838     <max value="0" />
839 </element>
840 <element id="Condition.note">
841   <path value="Condition.note" />
842   <max value="1" />
843   <mustSupport value="true" />
844 </element>
845 <element id="Condition.note.author[x]">
846   <path value="Condition.note.author[x]" />
847   <max value="0" />
848 </element>
849 <element id="Condition.note.time">
850   <path value="Condition.note.time" />
851   <max value="0" />
852 </element>
853 <element id="Condition.note.text">
854   <path value="Condition.note.text" />
855   <mustSupport value="true" />
856 </element>
857 </differential>
858 </StructureDefinition>

```

#### 41. KBV\_PR\_MIO\_DIGA\_DEVICE\_DIGA

##### KBV\_PR\_MIO\_DIGA\_Device\_DIGA

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Device_DIGA" />
3   <version value="1.0.0" />
4   <name value="KBV_PR_MIO_DIGA_Device_DIGA" />
5   <title value="KBV_PR_MIO_DIGA_Device_DIGA" />
6   <status value="draft" />
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <description value="Dieses Profil bildet ein Gerät ab." />
9   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM
definitions or is derived from it, subject to a license from Regenstrief
Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM
codes, UCUM definitions is subject to this license, a copy of which is
available at http://unitsofmeasure.org. The current complete UCUM table,
UCUM Specification are available for download at http://unitsofmeasure.org.
The UCUM table and UCUM codes are copyright © 1995-2009, Regenstrief
Institute, Inc. and the Unified Codes for Units of Measures UCUM
Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM
DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot;; ANY EXPRESS

```

OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE." />

```
10 <fhirVersion value="4.0.1" />
11 <kind value="resource" />
12 <abstract value="false" />
13 <type value="Device" />
14 <baseDefinition value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_Base_Device|1.2.1" />
15 <derivation value="constraint" />
16 <differential>
17 <element id="Device">
18 <path value="Device" />
19 <definition value="Dieses Profil bildet ein Gerät ab." />
20 </element>
21 <element id="Device.meta">
22 <path value="Device.meta" />
23 <min value="1" />
24 </element>
25 <element id="Device.meta.versionId">
26 <path value="Device.meta.versionId" />
27 <min value="1" />
28 </element>
29 <element id="Device.meta.lastUpdated">
30 <path value="Device.meta.lastUpdated" />
31 <min value="1" />
32 </element>
33 <element id="Device.meta.source">
34 <path value="Device.meta.source" />
35 <max value="0" />
36 </element>
37 <element id="Device.meta.profile">
38 <path value="Device.meta.profile" />
39 <min value="1" />
40 <max value="1" />
41 <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Device_DIGA|1.0.0" />
42 </element>
43 <element id="Device.meta.security">
44 <path value="Device.meta.security" />
45 <max value="0" />
46 </element>
47 <element id="Device.meta.tag">
48 <path value="Device.meta.tag" />
49 <max value="0" />
50 </element>
51 <element id="Device.implicitRules">
52 <path value="Device.implicitRules" />
53 <max value="0" />
54 </element>
55 <element id="Device.language">
56 <path value="Device.language" />
57 <max value="0" />
58 </element>
59 <element id="Device.text">
60 <path value="Device.text" />
61 <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
```



dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz enthalten sind." />

```
62 </element>
63 <element id="Device.text.status">
64 <path value="Device.text.status" />
65 <fixedCode value="extensions" />
66 </element>
67 <element id="Device.contained">
68 <path value="Device.contained" />
69 <max value="0" />
70 </element>
71 <element id="Device.identifrier">
72 <path value="Device.identifrier" />
73 <min value="1" />
74 <max value="1" />
75 <mustSupport value="true" />
76 </element>
77 <element id="Device.identifrier.use">
78 <path value="Device.identifrier.use" />
79 <max value="0" />
80 </element>
81 <element id="Device.identifrier.type">
82 <path value="Device.identifrier.type" />
83 </element>
84 <element id="Device.identifrier.system">
85 <path value="Device.identifrier.system" />
86 <mustSupport value="true" />
87 </element>
88 <element id="Device.identifrier.value">
89 <path value="Device.identifrier.value" />
90 <min value="1" />
91 <mustSupport value="true" />
92 </element>
93 <element id="Device.identifrier.period">
94 <path value="Device.identifrier.period" />
95 <max value="0" />
96 </element>
97 <element id="Device.identifrier.assigner">
98 <path value="Device.identifrier.assigner" />
99 <max value="0" />
100 </element>
101 <element id="Device.definition">
102 <path value="Device.definition" />
103 <min value="1" />
104 <type>
105 <code value="Reference" />
106 <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_DeviceDefinition_DIGA" />
107 </type>
108 <mustSupport value="true" />
109 </element>
110 <element id="Device.definition.reference">
111 <path value="Device.definition.reference" />
112 <min value="1" />
113 <mustSupport value="true" />
114 </element>
115 <element id="Device.definition.type">
116 <path value="Device.definition.type" />
117 <max value="0" />
118 </element>
```

```

119 <element id="Device.definition.identifier">
120   <path value="Device.definition.identifier" />
121   <max value="0" />
122 </element>
123 <element id="Device.definition.display">
124   <path value="Device.definition.display" />
125   <max value="0" />
126 </element>
127 <element id="Device.udiCarrier">
128   <path value="Device.udiCarrier" />
129   <max value="0" />
130 </element>
131 <element id="Device.status">
132   <path value="Device.status" />
133   <max value="0" />
134 </element>
135 <element id="Device.statusReason">
136   <path value="Device.statusReason" />
137   <max value="0" />
138 </element>
139 <element id="Device.distinctIdentifier">
140   <path value="Device.distinctIdentifier" />
141   <max value="0" />
142 </element>
143 <element id="Device.manufacturer">
144   <path value="Device.manufacturer" />
145   <max value="0" />
146 </element>
147 <element id="Device.manufactureDate">
148   <path value="Device.manufactureDate" />
149   <max value="0" />
150 </element>
151 <element id="Device.expirationDate">
152   <path value="Device.expirationDate" />
153   <max value="0" />
154 </element>
155 <element id="Device.lotNumber">
156   <path value="Device.lotNumber" />
157   <max value="0" />
158 </element>
159 <element id="Device.serialNumber">
160   <path value="Device.serialNumber" />
161   <max value="0" />
162 </element>
163 <element id="Device.deviceName">
164   <path value="Device.deviceName" />
165   <min value="1" />
166   <max value="1" />
167   <mustSupport value="true" />
168 </element>
169 <element id="Device.deviceName.name">
170   <path value="Device.deviceName.name" />
171   <mustSupport value="true" />
172 </element>
173 <element id="Device.deviceName.type">
174   <path value="Device.deviceName.type" />
175 </element>
176 <element id="Device.deviceName.type.extension">
177   <path value="Device.deviceName.type.extension" />
178   <slicing>

```

```

179         <discriminator>
180             <type value="value" />
181             <path value="url" />
182         </discriminator>
183         <rules value="open" />
184     </slicing>
185     <min value="1" />
186 </element>
187 <element id="Device.deviceName.type.extension:anzeigenameDeviceNameType
">
188     <path value="Device.deviceName.type.extension" />
189     <sliceName value="anzeigenameDeviceNameType" />
190     <min value="1" />
191     <max value="1" />
192     <type>
193         <code value="Extension" />
194         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
195     </type>
196     <mustSupport value="true" />
197 </element>
198 <element id="Device.deviceName.type.extension:anzeigenameDeviceNameType
.extension">
199     <path value="Device.deviceName.type.extension.extension" />
200     <slicing>
201         <discriminator>
202             <type value="value" />
203             <path value="url" />
204         </discriminator>
205         <rules value="open" />
206     </slicing>
207     <min value="1" />
208 </element>
209 <element id="Device.deviceName.type.extension:anzeigenameDeviceNameType
.extension:content">
210     <path value="Device.deviceName.type.extension.extension" />
211     <sliceName value="content" />
212     <min value="1" />
213 </element>
214 <element id="Device.deviceName.type.extension:anzeigenameDeviceNameType
.extension:content.value[x]">
215     <path value="Device.deviceName.type.extension.extension.value[x]" />
216     <slicing>
217         <discriminator>
218             <type value="type" />
219             <path value="$this" />
220         </discriminator>
221         <rules value="closed" />
222     </slicing>
223     <mustSupport value="true" />
224 </element>
225 <element id="Device.deviceName.type.extension:anzeigenameDeviceNameType
.extension:content.value[x]:valueString">
226     <path value="Device.deviceName.type.extension.extension.valueString"
/>
227     <sliceName value="valueString" />
228     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems

```

```

aus https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_DIGA_Device_Name_Type_German|1.0.0" />
229     <min value="1" />
230     <mustSupport value="true" />
231 </element>
232 <element id="Device.modelNumber">
233     <path value="Device.modelNumber" />
234     <max value="0" />
235 </element>
236 <element id="Device.partNumber">
237     <path value="Device.partNumber" />
238     <max value="0" />
239 </element>
240 <element id="Device.type.coding">
241     <path value="Device.type.coding" />
242     <slicing>
243         <discriminator>
244             <type value="pattern" />
245             <path value="$this" />
246         </discriminator>
247         <rules value="closed" />
248     </slicing>
249 </element>
250 <element id="Device.type.coding:codeSnomed">
251     <path value="Device.type.coding" />
252     <sliceName value="codeSnomed" />
253     <max value="0" />
254 </element>
255 <element id="Device.type.coding:pznCode">
256     <path value="Device.type.coding" />
257     <sliceName value="pznCode" />
258     <min value="1" />
259     <max value="1" />
260     <patternCoding>
261         <system value="http://fhir.de/CodeSystem/ifa/pzn" />
262     </patternCoding>
263     <mustSupport value="true" />
264 </element>
265 <element id="Device.type.coding:pznCode.system">
266     <path value="Device.type.coding.system" />
267     <min value="1" />
268 </element>
269 <element id="Device.type.coding:pznCode.code">
270     <path value="Device.type.coding.code" />
271     <min value="1" />
272 </element>
273 <element id="Device.type.coding:pznCode.userSelected">
274     <path value="Device.type.coding.userSelected" />
275     <max value="0" />
276 </element>
277 <element id="Device.specialization">
278     <path value="Device.specialization" />
279     <max value="0" />
280 </element>
281 <element id="Device.version">
282     <path value="Device.version" />
283     <mustSupport value="true" />
284 </element>
285 <element id="Device.version.type">
286     <path value="Device.version.type" />

```

```

287     <min value="1" />
288     <mustSupport value="true" />
289 </element>
290 <element id="Device.version.type.coding">
291     <path value="Device.version.type.coding" />
292     <mustSupport value="true" />
293 </element>
294 <element id="Device.version.type.coding.system">
295     <path value="Device.version.type.coding.system" />
296     <min value="1" />
297 </element>
298 <element id="Device.version.type.coding.version">
299     <path value="Device.version.type.coding.version" />
300     <min value="1" />
301 </element>
302 <element id="Device.version.type.coding.code">
303     <path value="Device.version.type.coding.code" />
304     <min value="1" />
305 </element>
306 <element id="Device.version.type.coding.display">
307     <path value="Device.version.type.coding.display" />
308     <min value="1" />
309 </element>
310 <element id="Device.version.type.coding.userSelected">
311     <path value="Device.version.type.coding.userSelected" />
312     <max value="0" />
313 </element>
314 <element id="Device.version.type.text">
315     <path value="Device.version.type.text" />
316     <mustSupport value="true" />
317 </element>
318 <element id="Device.version.component">
319     <path value="Device.version.component" />
320     <max value="0" />
321 </element>
322 <element id="Device.version.value">
323     <path value="Device.version.value" />
324     <mustSupport value="true" />
325 </element>
326 <element id="Device.property">
327     <path value="Device.property" />
328     <max value="0" />
329 </element>
330 <element id="Device.patient">
331     <path value="Device.patient" />
332     <max value="0" />
333 </element>
334 <element id="Device.owner">
335     <path value="Device.owner" />
336     <max value="0" />
337 </element>
338 <element id="Device.contact">
339     <path value="Device.contact" />
340     <max value="0" />
341 </element>
342 <element id="Device.location">
343     <path value="Device.location" />
344     <max value="0" />
345 </element>
346 <element id="Device.url">

```

```

347     <path value="Device.url" />
348     <max value="0" />
349   </element>
350   <element id="Device.note">
351     <path value="Device.note" />
352     <max value="0" />
353   </element>
354   <element id="Device.safety">
355     <path value="Device.safety" />
356     <max value="0" />
357   </element>
358   <element id="Device.parent">
359     <path value="Device.parent" />
360     <max value="0" />
361   </element>
362 </differential>
363 </StructureDefinition>

```

## 42. KBV\_PR\_MIO\_DIGA\_DEVICE\_FREE

### KBV\_PR\_MIO\_DIGA\_Device\_Free

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Device_Free" />
3   <version value="1.0.0" />
4   <name value="KBV_PR_MIO_DIGA_Device_Free" />
5   <title value="KBV_PR_MIO_DIGA_Device_Free" />
6   <status value="draft" />
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <description value="Dieses Profil bildet ein freies Gerät ab." />
9   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM
definitions or is derived from it, subject to a license from Regenstrief
Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM
codes, UCUM definitions also is subject to this license, a copy of which is
available at http://unitsofmeasure.org. The current complete UCUM table,
UCUM Specification are available for download at http://unitsofmeasure.org.
The UCUM table and UCUM codes are copyright © 1995-2009, Regenstrief
Institute, Inc. and the Unified Codes for Units of Measures UCUM
Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM
DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS
OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE." />
10  <fhirVersion value="4.0.1" />

```

```

11 <kind value="resource" />
12 <abstract value="false" />
13 <type value="Device" />
14 <baseDefinition value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_Base_Device|1.2.1" />
15 <derivation value="constraint" />
16 <differential>
17 <element id="Device">
18 <path value="Device" />
19 <definition value="Dieses Profil bildet ein freies Gerät ab." />
20 </element>
21 <element id="Device.meta">
22 <path value="Device.meta" />
23 <min value="1" />
24 </element>
25 <element id="Device.meta.versionId">
26 <path value="Device.meta.versionId" />
27 <min value="1" />
28 </element>
29 <element id="Device.meta.lastUpdated">
30 <path value="Device.meta.lastUpdated" />
31 <min value="1" />
32 </element>
33 <element id="Device.meta.source">
34 <path value="Device.meta.source" />
35 <max value="0" />
36 </element>
37 <element id="Device.meta.profile">
38 <path value="Device.meta.profile" />
39 <min value="1" />
40 <max value="1" />
41 <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Device_Free|1.0.0" />
42 </element>
43 <element id="Device.meta.security">
44 <path value="Device.meta.security" />
45 <max value="0" />
46 </element>
47 <element id="Device.meta.tag">
48 <path value="Device.meta.tag" />
49 <max value="0" />
50 </element>
51 <element id="Device.implicitRules">
52 <path value="Device.implicitRules" />
53 <max value="0" />
54 </element>
55 <element id="Device.language">
56 <path value="Device.language" />
57 <max value="0" />
58 </element>
59 <element id="Device.text">
60 <path value="Device.text" />
61 <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
62 </element>
63 <element id="Device.text.status">
64 <path value="Device.text.status" />

```

```

65     <fixedCode value="extensions" />
66 </element>
67 <element id="Device.contained">
68     <path value="Device.contained" />
69     <max value="0" />
70 </element>
71 <element id="Device.identifier">
72     <path value="Device.identifier" />
73     <slicing>
74         <discriminator>
75             <type value="pattern" />
76             <path value="$this" />
77         </discriminator>
78         <rules value="open" />
79     </slicing>
80     <min value="1" />
81     <mustSupport value="true" />
82 </element>
83 <element id="Device.identifier:uuid">
84     <path value="Device.identifier" />
85     <sliceName value="uuid" />
86     <min value="1" />
87     <max value="1" />
88     <patternIdentifier>
89         <type>
90             <coding>
91                 <system value="http://terminology.hl7.org/CodeSystem/v2-0203" /
92 >
93                 <version value="2.9" />
94                 <code value="RI" />
95                 <display value="Resource identifier" />
96             </coding>
97         </type>
98         <system value="urn:iETF:rFC:3986" />
99     </patternIdentifier>
100     <mustSupport value="true" />
101 </element>
102 <element id="Device.identifier:uuid.use">
103     <path value="Device.identifier.use" />
104     <max value="0" />
105 </element>
106 <element id="Device.identifier:uuid.type">
107     <path value="Device.identifier.type" />
108     <min value="1" />
109 </element>
110 <element id="Device.identifier:uuid.type.coding">
111     <path value="Device.identifier.type.coding" />
112     <min value="1" />
113     <max value="1" />
114 </element>
115 <element id="Device.identifier:uuid.type.coding.system">
116     <path value="Device.identifier.type.coding.system" />
117     <min value="1" />
118 </element>
119 <element id="Device.identifier:uuid.type.coding.version">
120     <path value="Device.identifier.type.coding.version" />
121     <min value="1" />
122 </element>
123 <element id="Device.identifier:uuid.type.coding.code">
    <path value="Device.identifier.type.coding.code" />

```



```

124     <min value="1" />
125 </element>
126 <element id="Device.identifier:uuid.type.coding.display">
127   <path value="Device.identifier.type.coding.display" />
128   <min value="1" />
129 </element>
130 <element id="Device.identifier:uuid.type.coding.userSelected">
131   <path value="Device.identifier.type.coding.userSelected" />
132   <max value="0" />
133 </element>
134 <element id="Device.identifier:uuid.type.text">
135   <path value="Device.identifier.type.text" />
136   <max value="0" />
137 </element>
138 <element id="Device.identifier:uuid.system">
139   <path value="Device.identifier.system" />
140   <min value="1" />
141   <mustSupport value="true" />
142 </element>
143 <element id="Device.identifier:uuid.value">
144   <path value="Device.identifier.value" />
145   <min value="1" />
146   <mustSupport value="true" />
147 </element>
148 <element id="Device.identifier:uuid.period">
149   <path value="Device.identifier.period" />
150   <max value="0" />
151 </element>
152 <element id="Device.identifier:uuid.assigner">
153   <path value="Device.identifier.assigner" />
154   <max value="0" />
155 </element>
156 <element id="Device.definition">
157   <path value="Device.definition" />
158   <min value="1" />
159   <type>
160     <code value="Reference" />
161     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_DeviceDefinition_Free|1.0.0" />
162   </type>
163   <mustSupport value="true" />
164 </element>
165 <element id="Device.definition.reference">
166   <path value="Device.definition.reference" />
167   <min value="1" />
168   <mustSupport value="true" />
169 </element>
170 <element id="Device.definition.type">
171   <path value="Device.definition.type" />
172   <max value="0" />
173 </element>
174 <element id="Device.definition.identifier">
175   <path value="Device.definition.identifier" />
176   <max value="0" />
177 </element>
178 <element id="Device.definition.display">
179   <path value="Device.definition.display" />
180   <max value="0" />
181 </element>
182 <element id="Device.udiCarrier">

```

```

183     <path value="Device.udiCarrier" />
184     <max value="1" />
185     <mustSupport value="true" />
186 </element>
187 <element id="Device.status">
188     <path value="Device.status" />
189     <mustSupport value="true" />
190 </element>
191 <element id="Device.status.extension">
192     <path value="Device.status.extension" />
193     <slicing>
194         <discriminator>
195             <type value="value" />
196             <path value="url" />
197         </discriminator>
198         <rules value="open" />
199     </slicing>
200     <min value="1" />
201 </element>
202 <element id="Device.status.extension:anzeigennameCode">
203     <path value="Device.status.extension" />
204     <sliceName value="anzeigennameCode" />
205     <min value="1" />
206     <max value="1" />
207     <type>
208         <code value="Extension" />
209         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
210     </type>
211     <mustSupport value="true" />
212 </element>
213 <element id="Device.status.extension:anzeigennameCode.extension">
214     <path value="Device.status.extension.extension" />
215     <slicing>
216         <discriminator>
217             <type value="value" />
218             <path value="url" />
219         </discriminator>
220         <rules value="open" />
221     </slicing>
222     <min value="1" />
223 </element>
224 <element id="Device.status.extension:anzeigennameCode.extension:content">
225     <path value="Device.status.extension.extension" />
226     <sliceName value="content" />
227     <min value="1" />
228 </element>
229 <element id="Device.status.extension:anzeigennameCode.extension:content.
value[x]">
230     <path value="Device.status.extension.extension.value[x]" />
231     <slicing>
232         <discriminator>
233             <type value="type" />
234             <path value="$this" />
235         </discriminator>
236         <rules value="closed" />
237     </slicing>
238     <mustSupport value="true" />
239 </element>

```

```

240     <element id="Device.status.extension:anzeigenameCode.extension:content.
value[x]:valueString">
241       <path value="Device.status.extension.valueString" />
242       <sliceName value="valueString" />
243       <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/KBV\_CM\_MIO\_DIGA\_Device\_Status\_German|
1.0.0" />
244       <min value="1" />
245       <mustSupport value="true" />
246     </element>
247     <element id="Device.statusReason">
248       <path value="Device.statusReason" />
249       <max value="1" />
250       <mustSupport value="true" />
251     </element>
252     <element id="Device.statusReason.coding">
253       <path value="Device.statusReason.coding" />
254       <min value="1" />
255       <max value="1" />
256       <mustSupport value="true" />
257     </element>
258     <element id="Device.statusReason.coding.system">
259       <path value="Device.statusReason.coding.system" />
260       <min value="1" />
261     </element>
262     <element id="Device.statusReason.coding.version">
263       <path value="Device.statusReason.coding.version" />
264       <min value="1" />
265     </element>
266     <element id="Device.statusReason.coding.code">
267       <path value="Device.statusReason.coding.code" />
268       <min value="1" />
269     </element>
270     <element id="Device.statusReason.coding.display">
271       <path value="Device.statusReason.coding.display" />
272       <min value="1" />
273     </element>
274     <element id="Device.statusReason.coding.display.extension">
275       <path value="Device.statusReason.coding.display.extension" />
276       <licing>
277         <discriminator>
278           <type value="value" />
279           <path value="url" />
280         </discriminator>
281         <rules value="open" />
282       </licing>
283       <min value="1" />
284     </element>
285     <element id="Device.statusReason.coding.display.extension:anzeigenameCo
de">
286       <path value="Device.statusReason.coding.display.extension" />
287       <sliceName value="anzeigenameCode" />
288       <min value="1" />
289       <max value="1" />
290       <type>
291         <code value="Extension" />
292         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />

```

```

293     </type>
294     <mustSupport value="true" />
295 </element>
296 <element id="Device.statusReason.coding.display.extension:anzeigenameCo
de.extension">
297     <path value="Device.statusReason.coding.display.extension.extension"
/>
298     < slicing>
299         < discriminator>
300             < type value="value" />
301             < path value="url" />
302         </ discriminator>
303         < rules value="open" />
304     </ slicing>
305     < min value="1" />
306 </ element>
307 <element id="Device.statusReason.coding.display.extension:anzeigenameCo
de.extension:content">
308     < path value="Device.statusReason.coding.display.extension.extension"
/>
309     < sliceName value="content" />
310     < min value="1" />
311 </ element>
312 <element id="Device.statusReason.coding.display.extension:anzeigenameCo
de.extension:content.value[x]">
313     < path value="Device.statusReason.coding.display.extension.extension.v
alue[x]" />
314     < slicing>
315         < discriminator>
316             < type value="type" />
317             < path value="$this" />
318         </ discriminator>
319         < rules value="closed" />
320     </ slicing>
321     < mustSupport value="true" />
322 </ element>
323 <element id="Device.statusReason.coding.display.extension:anzeigenameCo
de.extension:content.value[x]:valueString">
324     < path value="Device.statusReason.coding.display.extension.extension.v
alueString" />
325     < sliceName value="valueString" />
326     < definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/
KBV\_CM\_MIO\_DIGA\_Device\_Status\_Reason\_German|1.0.0" />
327     < min value="1" />
328     < mustSupport value="true" />
329 </ element>
330 <element id="Device.statusReason.coding.userSelected">
331     < path value="Device.statusReason.coding.userSelected" />
332     < max value="0" />
333 </ element>
334 <element id="Device.statusReason.text">
335     < path value="Device.statusReason.text" />
336     < max value="0" />
337 </ element>
338 <element id="Device.distinctIdentifier">
339     < path value="Device.distinctIdentifier" />
340     < max value="0" />

```

```

341 </element>
342 <element id="Device.manufacturer">
343   <path value="Device.manufacturer" />
344   <max value="0" />
345 </element>
346 <element id="Device.manufactureDate">
347   <path value="Device.manufactureDate" />
348   <mustSupport value="true" />
349 </element>
350 <element id="Device.expirationDate">
351   <path value="Device.expirationDate" />
352   <mustSupport value="true" />
353 </element>
354 <element id="Device.lotNumber">
355   <path value="Device.lotNumber" />
356   <mustSupport value="true" />
357 </element>
358 <element id="Device.serialNumber">
359   <path value="Device.serialNumber" />
360   <mustSupport value="true" />
361 </element>
362 <element id="Device.deviceName">
363   <path value="Device.deviceName" />
364   <mustSupport value="true" />
365 </element>
366 <element id="Device.deviceName.name">
367   <path value="Device.deviceName.name" />
368   <mustSupport value="true" />
369 </element>
370 <element id="Device.deviceName.type">
371   <path value="Device.deviceName.type" />
372 </element>
373 <element id="Device.deviceName.type.extension">
374   <path value="Device.deviceName.type.extension" />
375   <licing>
376     <discriminator>
377       <type value="value" />
378       <path value="url" />
379     </discriminator>
380     <rules value="open" />
381   </licing>
382   <min value="1" />
383 </element>
384 <element id="Device.deviceName.type.extension:anzeigenameDeviceName">
385   <path value="Device.deviceName.type.extension" />
386   <sliceName value="anzeigenameDeviceName" />
387   <min value="1" />
388   <max value="1" />
389   <type>
390     <code value="Extension" />
391     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
392   </type>
393   <mustSupport value="true" />
394 </element>
395 <element id="Device.deviceName.type.extension:anzeigenameDeviceName.ext
ension">
396   <path value="Device.deviceName.type.extension.extension" />
397   <licing>
398     <discriminator>

```

```

399     <type value="value" />
400     <path value="url" />
401   </discriminator>
402   <rules value="open" />
403 </slicing>
404   <min value="1" />
405 </element>
406   <element id="Device.deviceName.type.extension:anzeigenameDeviceName.extension:content">
407     <path value="Device.deviceName.type.extension.extension" />
408     <sliceName value="content" />
409     <min value="1" />
410   </element>
411   <element id="Device.deviceName.type.extension:anzeigenameDeviceName.extension:content.value[x]:valueString">
412     <path value="Device.deviceName.type.extension.extension.valueString"
413 />
414     <sliceName value="valueString" />
415     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/
KBV\_CM\_MIO\_DIGA\_Device\_Name\_Type\_German|1.0.0" />
416     <min value="1" />
417     <mustSupport value="true" />
418   </element>
419   <element id="Device.modelNumber">
420     <path value="Device.modelNumber" />
421     <mustSupport value="true" />
422   </element>
423   <element id="Device.partNumber">
424     <path value="Device.partNumber" />
425     <max value="0" />
426   </element>
427   <element id="Device.type">
428     <path value="Device.type" />
429     <min value="1" />
430     <mustSupport value="true" />
431   </element>
432   <element id="Device.type.coding">
433     <path value="Device.type.coding" />
434     <slicing>
435       <discriminator>
436         <type value="pattern" />
437         <path value="$this" />
438       </discriminator>
439       <rules value="open" />
440     </slicing>
441     <mustSupport value="true" />
442   </element>
443   <element id="Device.type.coding:codeSnomed">
444     <path value="Device.type.coding" />
445     <sliceName value="codeSnomed" />
446     <mustSupport value="true" />
447   </element>
448   <element id="Device.type.coding:codeSnomed.system">
449     <path value="Device.type.coding.system" />
450     <min value="1" />
451   </element>
452   <element id="Device.type.coding:codeSnomed.version">

```

```

452     <path value="Device.type.coding.version" />
453     <min value="1" />
454 </element>
455 <element id="Device.type.coding:codeSnomed.code">
456     <path value="Device.type.coding.code" />
457     <min value="1" />
458 </element>
459 <element id="Device.type.coding:codeSnomed.display">
460     <path value="Device.type.coding.display" />
461     <min value="1" />
462 </element>
463 <element id="Device.type.coding:codeSnomed.userSelected">
464     <path value="Device.type.coding.userSelected" />
465     <max value="0" />
466 </element>
467 <element id="Device.type.text">
468     <path value="Device.type.text" />
469     <mustSupport value="true" />
470 </element>
471 <element id="Device.specialization">
472     <path value="Device.specialization" />
473     <max value="0" />
474 </element>
475 <element id="Device.version">
476     <path value="Device.version" />
477     <mustSupport value="true" />
478 </element>
479 <element id="Device.version.type">
480     <path value="Device.version.type" />
481     <min value="1" />
482     <mustSupport value="true" />
483 </element>
484 <element id="Device.version.type.coding">
485     <path value="Device.version.type.coding" />
486     <min value="1" />
487     <max value="1" />
488     <mustSupport value="true" />
489 </element>
490 <element id="Device.version.type.coding.system">
491     <path value="Device.version.type.coding.system" />
492     <min value="1" />
493 </element>
494 <element id="Device.version.type.coding.version">
495     <path value="Device.version.type.coding.version" />
496     <min value="1" />
497 </element>
498 <element id="Device.version.type.coding.code">
499     <path value="Device.version.type.coding.code" />
500     <min value="1" />
501 </element>
502 <element id="Device.version.type.coding.display">
503     <path value="Device.version.type.coding.display" />
504     <min value="1" />
505 </element>
506 <element id="Device.version.type.coding.userSelected">
507     <path value="Device.version.type.coding.userSelected" />
508     <max value="0" />
509 </element>
510 <element id="Device.version.type.text">
511     <path value="Device.version.type.text" />

```

```

512     <mustSupport value="true" />
513 </element>
514 <element id="Device.version.component">
515   <path value="Device.version.component" />
516   <max value="0" />
517 </element>
518 <element id="Device.version.value">
519   <path value="Device.version.value" />
520   <mustSupport value="true" />
521 </element>
522 <element id="Device.property">
523   <path value="Device.property" />
524   <max value="0" />
525 </element>
526 <element id="Device.patient">
527   <path value="Device.patient" />
528   <min value="1" />
529   <type>
530     <code value="Reference" />
531     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
532   </type>
533   <mustSupport value="true" />
534 </element>
535 <element id="Device.patient.reference">
536   <path value="Device.patient.reference" />
537   <min value="1" />
538   <mustSupport value="true" />
539 </element>
540 <element id="Device.patient.type">
541   <path value="Device.patient.type" />
542   <max value="0" />
543 </element>
544 <element id="Device.patient.identifier">
545   <path value="Device.patient.identifier" />
546   <max value="0" />
547 </element>
548 <element id="Device.patient.display">
549   <path value="Device.patient.display" />
550   <max value="0" />
551 </element>
552 <element id="Device.owner">
553   <path value="Device.owner" />
554   <max value="0" />
555 </element>
556 <element id="Device.contact">
557   <path value="Device.contact" />
558   <max value="0" />
559 </element>
560 <element id="Device.location">
561   <path value="Device.location" />
562   <max value="0" />
563 </element>
564 <element id="Device.url">
565   <path value="Device.url" />
566   <max value="0" />
567 </element>
568 <element id="Device.note">
569   <path value="Device.note" />
570   <max value="0" />

```



```

571     </element>
572     <element id="Device.safety">
573       <path value="Device.safety" />
574       <max value="0" />
575     </element>
576     <element id="Device.parent">
577       <path value="Device.parent" />
578       <max value="0" />
579     </element>
580   </differential>
581 </StructureDefinition>

```

### 43. KBV\_PR\_MIO\_DIGA\_DEVICEDEFINITION\_DIGA

#### KBV\_PR\_MIO\_DIGA\_DeviceDefinition\_DIGA

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_DeviceDefinition_DIGA" />
3    <version value="1.0.0" />
4    <name value="KBV_PR_MIO_DIGA_DeviceDefinition_DIGA" />
5    <title value="KBV_PR_MIO_DIGA_DeviceDefinition_DIGA" />
6    <status value="draft" />
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <description value="Dieses Profil bildet die Definition des Gerätes DiGA
ab." />
9    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM
definitions or is derived from it, subject to a license from Regenstrief
Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM
codes, UCUM definitions also is subject to this license, a copy of which is
available at http://unitsofmeasure.org. The current complete UCUM table,
UCUM Specification are available for download at http://unitsofmeasure.org.
The UCUM table and UCUM codes are copyright © 1995-2009, Regenstrief
Institute, Inc. and the Unified Codes for Units of Measures UCUM
Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM
DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS
OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE." />
10   <fhirVersion value="4.0.1" />
11   <kind value="resource" />
12   <abstract value="false" />
13   <type value="DeviceDefinition" />
14   <baseDefinition value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_Base_DeviceDefinition|1.2.1" />

```

```

15 <derivation value="constraint" />
16 <differential>
17   <element id="DeviceDefinition">
18     <path value="DeviceDefinition" />
19     <definition value="Dieses Profil bildet die Definition des Gerätes
DiGA ab." />
20   </element>
21   <element id="DeviceDefinition.meta">
22     <path value="DeviceDefinition.meta" />
23     <min value="1" />
24   </element>
25   <element id="DeviceDefinition.meta.versionId">
26     <path value="DeviceDefinition.meta.versionId" />
27     <min value="1" />
28   </element>
29   <element id="DeviceDefinition.meta.lastUpdated">
30     <path value="DeviceDefinition.meta.lastUpdated" />
31     <min value="1" />
32   </element>
33   <element id="DeviceDefinition.meta.source">
34     <path value="DeviceDefinition.meta.source" />
35     <max value="0" />
36   </element>
37   <element id="DeviceDefinition.meta.profile">
38     <path value="DeviceDefinition.meta.profile" />
39     <min value="1" />
40     <max value="1" />
41     <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_DeviceDefinition_DIGA|1.0.0" />
42   </element>
43   <element id="DeviceDefinition.meta.security">
44     <path value="DeviceDefinition.meta.security" />
45     <max value="0" />
46   </element>
47   <element id="DeviceDefinition.meta.tag">
48     <path value="DeviceDefinition.meta.tag" />
49     <max value="0" />
50   </element>
51   <element id="DeviceDefinition.implicitRules">
52     <path value="DeviceDefinition.implicitRules" />
53     <max value="0" />
54   </element>
55   <element id="DeviceDefinition.language">
56     <path value="DeviceDefinition.language" />
57     <max value="0" />
58   </element>
59   <element id="DeviceDefinition.text">
60     <path value="DeviceDefinition.text" />
61     <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
62   </element>
63   <element id="DeviceDefinition.text.status">
64     <path value="DeviceDefinition.text.status" />
65     <fixedCode value="extensions" />
66   </element>
67   <element id="DeviceDefinition.contained">
68     <path value="DeviceDefinition.contained" />

```

```

69     <max value="0" />
70 </element>
71 <element id="DeviceDefinition.identifier">
72     <path value="DeviceDefinition.identifier" />
73     <min value="1" />
74     <max value="1" />
75     <mustSupport value="true" />
76 </element>
77 <element id="DeviceDefinition.identifier.use">
78     <path value="DeviceDefinition.identifier.use" />
79     <max value="0" />
80 </element>
81 <element id="DeviceDefinition.identifier.type">
82     <path value="DeviceDefinition.identifier.type" />
83     <min value="1" />
84     <patternCodeableConcept>
85         <coding>
86             <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
87             <version value="2.9" />
88             <code value="RI" />
89             <display value="Resource identifier" />
90         </coding>
91     </patternCodeableConcept>
92 </element>
93 <element id="DeviceDefinition.identifier.type.coding">
94     <path value="DeviceDefinition.identifier.type.coding" />
95     <min value="1" />
96     <max value="1" />
97 </element>
98 <element id="DeviceDefinition.identifier.type.coding.system">
99     <path value="DeviceDefinition.identifier.type.coding.system" />
100    <min value="1" />
101 </element>
102 <element id="DeviceDefinition.identifier.type.coding.version">
103     <path value="DeviceDefinition.identifier.type.coding.version" />
104     <min value="1" />
105 </element>
106 <element id="DeviceDefinition.identifier.type.coding.code">
107     <path value="DeviceDefinition.identifier.type.coding.code" />
108     <min value="1" />
109 </element>
110 <element id="DeviceDefinition.identifier.type.coding.display">
111     <path value="DeviceDefinition.identifier.type.coding.display" />
112     <min value="1" />
113 </element>
114 <element id="DeviceDefinition.identifier.type.coding.userSelected">
115     <path value="DeviceDefinition.identifier.type.coding.userSelected" />
116     <max value="0" />
117 </element>
118 <element id="DeviceDefinition.identifier.type.text">
119     <path value="DeviceDefinition.identifier.type.text" />
120     <max value="0" />
121 </element>
122 <element id="DeviceDefinition.identifier.system">
123     <path value="DeviceDefinition.identifier.system" />
124     <min value="1" />
125     <fixedUri value="urn:ietf:rhc:3986" />
126     <mustSupport value="true" />
127 </element>
128 <element id="DeviceDefinition.identifier.value">

```

```

129     <path value="DeviceDefinition.identifier.value" />
130     <min value="1" />
131     <mustSupport value="true" />
132 </element>
133 <element id="DeviceDefinition.identifier.period">
134     <path value="DeviceDefinition.identifier.period" />
135     <max value="0" />
136 </element>
137 <element id="DeviceDefinition.identifier.assigner">
138     <path value="DeviceDefinition.identifier.assigner" />
139     <max value="0" />
140 </element>
141 <element id="DeviceDefinition.udiDeviceIdentifier">
142     <path value="DeviceDefinition.udiDeviceIdentifier" />
143     <max value="0" />
144 </element>
145 <element id="DeviceDefinition.manufacturer[x]">
146     <path value="DeviceDefinition.manufacturer[x]" />
147     <licing>
148         <discriminator>
149             <type value="type" />
150             <path value="$this" />
151         </discriminator>
152         <rules value="open" />
153     </licing>
154     <type>
155         <code value="Reference" />
156     </type>
157     <mustSupport value="true" />
158 </element>
159 <element id="DeviceDefinition.manufacturer[x]:manufacturerReference">
160     <path value="DeviceDefinition.manufacturer[x]" />
161     <sliceName value="manufacturerReference" />
162     <type>
163         <code value="Reference" />
164         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Organization_Manufacturer|1.0.0" />
165     </type>
166     <mustSupport value="true" />
167 </element>
168 <element id="DeviceDefinition.manufacturer[x]:manufacturerReference.ref
erence">
169     <path value="DeviceDefinition.manufacturer[x].reference" />
170     <min value="1" />
171     <mustSupport value="true" />
172 </element>
173 <element id="DeviceDefinition.manufacturer[x]:manufacturerReference.typ
e">
174     <path value="DeviceDefinition.manufacturer[x].type" />
175     <max value="0" />
176 </element>
177 <element id="DeviceDefinition.manufacturer[x]:manufacturerReference.ide
ntifier">
178     <path value="DeviceDefinition.manufacturer[x].identifier" />
179     <max value="0" />
180 </element>
181 <element id="DeviceDefinition.manufacturer[x]:manufacturerReference.dis
play">
182     <path value="DeviceDefinition.manufacturer[x].display" />
183     <max value="0" />

```

```

184 </element>
185 <element id="DeviceDefinition.deviceName">
186   <path value="DeviceDefinition.deviceName" />
187   <min value="1" />
188   <max value="1" />
189   <mustSupport value="true" />
190 </element>
191 <element id="DeviceDefinition.deviceName.name">
192   <path value="DeviceDefinition.deviceName.name" />
193   <mustSupport value="true" />
194 </element>
195 <element id="DeviceDefinition.deviceName.type.extension">
196   <path value="DeviceDefinition.deviceName.type.extension" />
197   <slicing>
198     <discriminator>
199       <type value="value" />
200       <path value="url" />
201     </discriminator>
202     <rules value="open" />
203   </slicing>
204   <min value="1" />
205 </element>
206 <element id="DeviceDefinition.deviceName.type.extension:anzeigenameType
">
207   <path value="DeviceDefinition.deviceName.type.extension" />
208   <sliceName value="anzeigenameType" />
209   <min value="1" />
210   <max value="1" />
211   <type>
212     <code value="Extension" />
213     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
214   </type>
215   <mustSupport value="true" />
216 </element>
217 <element id="DeviceDefinition.deviceName.type.extension:anzeigenameType
.extension">
218   <path value="DeviceDefinition.deviceName.type.extension.extension" />
219   <slicing>
220     <discriminator>
221       <type value="value" />
222       <path value="url" />
223     </discriminator>
224     <rules value="open" />
225   </slicing>
226   <min value="1" />
227 </element>
228 <element id="DeviceDefinition.deviceName.type.extension:anzeigenameType
.extension:content">
229   <path value="DeviceDefinition.deviceName.type.extension.extension" />
230   <sliceName value="content" />
231   <min value="1" />
232   <mustSupport value="true" />
233 </element>
234 <element id="DeviceDefinition.deviceName.type.extension:anzeigenameType
.extension:content.value[x]">
235   <path value="DeviceDefinition.deviceName.type.extension.extension.val
ue[x]" />
236   <slicing>
237     <discriminator>

```

```

238     <type value="type" />
239     <path value="$this" />
240   </discriminator>
241   <rules value="closed" />
242 </slicing>
243   <mustSupport value="true" />
244 </element>
245   <element id="DeviceDefinition.deviceName.type.extension:anzeigenameType
.extension:content.value[x]:valueString">
246     <path value="DeviceDefinition.deviceName.type.extension.extension.val
ueString" />
247     <sliceName value="valueString" />
248     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/
KBV\_CM\_MIO\_DIGA\_Device\_Name\_Type\_German|1.0.0" />
249     <min value="1" />
250     <mustSupport value="true" />
251 </element>
252   <element id="DeviceDefinition.modelNumber">
253     <path value="DeviceDefinition.modelNumber" />
254     <max value="0" />
255 </element>
256   <element id="DeviceDefinition.type">
257     <path value="DeviceDefinition.type" />
258     <mustSupport value="true" />
259 </element>
260   <element id="DeviceDefinition.type.coding">
261     <path value="DeviceDefinition.type.coding" />
262     <max value="1" />
263     <patternCoding>
264       <system value="http://snomed.info/sct" />
265       <version value="http://snomed.info/sct/900000000000207008/version/
20220131" />
266       <code value="706689003" />
267       <display value="Application program software (physical object)" />
268     </patternCoding>
269     <mustSupport value="true" />
270 </element>
271   <element id="DeviceDefinition.type.coding.system">
272     <path value="DeviceDefinition.type.coding.system" />
273     <min value="1" />
274 </element>
275   <element id="DeviceDefinition.type.coding.version">
276     <path value="DeviceDefinition.type.coding.version" />
277     <min value="1" />
278 </element>
279   <element id="DeviceDefinition.type.coding.code">
280     <path value="DeviceDefinition.type.coding.code" />
281     <min value="1" />
282 </element>
283   <element id="DeviceDefinition.type.coding.display">
284     <path value="DeviceDefinition.type.coding.display" />
285     <min value="1" />
286 </element>
287   <element id="DeviceDefinition.type.coding.userSelected">
288     <path value="DeviceDefinition.type.coding.userSelected" />
289     <max value="0" />
290 </element>

```

```

291 <element id="DeviceDefinition.type.text">
292   <path value="DeviceDefinition.type.text" />
293   <mustSupport value="true" />
294 </element>
295 <element id="DeviceDefinition.specialization">
296   <path value="DeviceDefinition.specialization" />
297   <max value="0" />
298 </element>
299 <element id="DeviceDefinition.version">
300   <path value="DeviceDefinition.version" />
301   <mustSupport value="true" />
302 </element>
303 <element id="DeviceDefinition.safety">
304   <path value="DeviceDefinition.safety" />
305   <max value="0" />
306 </element>
307 <element id="DeviceDefinition.shelfLifeStorage">
308   <path value="DeviceDefinition.shelfLifeStorage" />
309   <max value="0" />
310 </element>
311 <element id="DeviceDefinition.physicalCharacteristics">
312   <path value="DeviceDefinition.physicalCharacteristics" />
313   <max value="0" />
314 </element>
315 <element id="DeviceDefinition.languageCode">
316   <path value="DeviceDefinition.languageCode" />
317   <max value="0" />
318 </element>
319 <element id="DeviceDefinition.capability">
320   <path value="DeviceDefinition.capability" />
321   <max value="0" />
322 </element>
323 <element id="DeviceDefinition.property">
324   <path value="DeviceDefinition.property" />
325   <max value="0" />
326 </element>
327 <element id="DeviceDefinition.owner">
328   <path value="DeviceDefinition.owner" />
329   <max value="0" />
330 </element>
331 <element id="DeviceDefinition.contact">
332   <path value="DeviceDefinition.contact" />
333   <max value="0" />
334 </element>
335 <element id="DeviceDefinition.url">
336   <path value="DeviceDefinition.url" />
337   <max value="0" />
338 </element>
339 <element id="DeviceDefinition.onlineInformation">
340   <path value="DeviceDefinition.onlineInformation" />
341   <max value="0" />
342 </element>
343 <element id="DeviceDefinition.note">
344   <path value="DeviceDefinition.note" />
345   <max value="0" />
346 </element>
347 <element id="DeviceDefinition.quantity">
348   <path value="DeviceDefinition.quantity" />
349   <max value="0" />
350 </element>

```

```

351     <element id="DeviceDefinition.parentDevice">
352       <path value="DeviceDefinition.parentDevice" />
353       <max value="0" />
354     </element>
355     <element id="DeviceDefinition.material">
356       <path value="DeviceDefinition.material" />
357       <max value="0" />
358     </element>
359   </differential>
360 </StructureDefinition>

```

#### 44. KBV\_PR\_MIO\_DIGA\_DEVICEDEFINITION\_FREE

##### KBV\_PR\_MIO\_DIGA\_DeviceDefinition\_Free

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_DeviceDefinition_Free" />
3    <version value="1.0.0" />
4    <name value="KBV_PR_MIO_DIGA_DeviceDefinition_Free" />
5    <title value="KBV_PR_MIO_DIGA_DeviceDefinition_Free" />
6    <status value="draft" />
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <description value="Dieses Profil bildet die Definition eines beliebigen
Gerätes ab." />
9    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM
definitions or is derived from it, subject to a license from Regenstrief
Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM
codes, UCUM definitions also is subject to this license, a copy of which is
available at http://unitsofmeasure.org. The current complete UCUM table,
UCUM Specification are available for download at http://unitsofmeasure.org.
The UCUM table and UCUM codes are copyright © 1995-2009, Regenstrief
Institute, Inc. and the Unified Codes for Units of Measures UCUM
Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM
DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS
OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE." />
10   <fhirVersion value="4.0.1" />
11   <kind value="resource" />
12   <abstract value="false" />
13   <type value="DeviceDefinition" />
14   <baseDefinition value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_Base_DeviceDefinition|1.2.1" />
15   <derivation value="constraint" />

```



```

16 <differential>
17   <element id="DeviceDefinition">
18     <path value="DeviceDefinition" />
19     <definition value="Dieses Profil bildet die Definition eines
beliebigen Gerätes ab." />
20   </element>
21   <element id="DeviceDefinition.meta">
22     <path value="DeviceDefinition.meta" />
23     <min value="1" />
24   </element>
25   <element id="DeviceDefinition.meta.versionId">
26     <path value="DeviceDefinition.meta.versionId" />
27     <min value="1" />
28   </element>
29   <element id="DeviceDefinition.meta.lastUpdated">
30     <path value="DeviceDefinition.meta.lastUpdated" />
31     <min value="1" />
32   </element>
33   <element id="DeviceDefinition.meta.source">
34     <path value="DeviceDefinition.meta.source" />
35     <max value="0" />
36   </element>
37   <element id="DeviceDefinition.meta.profile">
38     <path value="DeviceDefinition.meta.profile" />
39     <min value="1" />
40     <max value="1" />
41     <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_DeviceDefinition_Free|1.0.0" />
42   </element>
43   <element id="DeviceDefinition.meta.security">
44     <path value="DeviceDefinition.meta.security" />
45     <max value="0" />
46   </element>
47   <element id="DeviceDefinition.meta.tag">
48     <path value="DeviceDefinition.meta.tag" />
49     <max value="0" />
50   </element>
51   <element id="DeviceDefinition.implicitRules">
52     <path value="DeviceDefinition.implicitRules" />
53     <max value="0" />
54   </element>
55   <element id="DeviceDefinition.language">
56     <path value="DeviceDefinition.language" />
57     <max value="0" />
58   </element>
59   <element id="DeviceDefinition.text">
60     <path value="DeviceDefinition.text" />
61     <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
62   </element>
63   <element id="DeviceDefinition.text.status">
64     <path value="DeviceDefinition.text.status" />
65     <fixedCode value="extensions" />
66   </element>
67   <element id="DeviceDefinition.contained">
68     <path value="DeviceDefinition.contained" />
69     <max value="0" />

```

```

70 </element>
71 <element id="DeviceDefinition.identifier">
72   <path value="DeviceDefinition.identifier" />
73   <min value="1" />
74   <max value="1" />
75   <mustSupport value="true" />
76 </element>
77 <element id="DeviceDefinition.identifier.use">
78   <path value="DeviceDefinition.identifier.use" />
79   <max value="0" />
80 </element>
81 <element id="DeviceDefinition.identifier.type">
82   <path value="DeviceDefinition.identifier.type" />
83   <min value="1" />
84   <patternCodeableConcept>
85     <coding>
86       <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
87       <version value="2.9" />
88       <code value="RI" />
89       <display value="Resource identifier" />
90     </coding>
91   </patternCodeableConcept>
92 </element>
93 <element id="DeviceDefinition.identifier.type.coding">
94   <path value="DeviceDefinition.identifier.type.coding" />
95   <min value="1" />
96   <max value="1" />
97 </element>
98 <element id="DeviceDefinition.identifier.type.coding.system">
99   <path value="DeviceDefinition.identifier.type.coding.system" />
100  <min value="1" />
101 </element>
102 <element id="DeviceDefinition.identifier.type.coding.version">
103   <path value="DeviceDefinition.identifier.type.coding.version" />
104   <min value="1" />
105 </element>
106 <element id="DeviceDefinition.identifier.type.coding.code">
107   <path value="DeviceDefinition.identifier.type.coding.code" />
108   <min value="1" />
109 </element>
110 <element id="DeviceDefinition.identifier.type.coding.display">
111   <path value="DeviceDefinition.identifier.type.coding.display" />
112   <min value="1" />
113 </element>
114 <element id="DeviceDefinition.identifier.type.coding.userSelected">
115   <path value="DeviceDefinition.identifier.type.coding.userSelected" />
116   <max value="0" />
117 </element>
118 <element id="DeviceDefinition.identifier.type.text">
119   <path value="DeviceDefinition.identifier.type.text" />
120   <max value="0" />
121 </element>
122 <element id="DeviceDefinition.identifier.system">
123   <path value="DeviceDefinition.identifier.system" />
124   <min value="1" />
125   <fixedUri value="urn:ietf:rhc:3986" />
126   <mustSupport value="true" />
127 </element>
128 <element id="DeviceDefinition.identifier.value">
129   <path value="DeviceDefinition.identifier.value" />

```

```

130     <min value="1" />
131     <mustSupport value="true" />
132 </element>
133 <element id="DeviceDefinition.identifier.period">
134     <path value="DeviceDefinition.identifier.period" />
135     <max value="0" />
136 </element>
137 <element id="DeviceDefinition.identifier.assigner">
138     <path value="DeviceDefinition.identifier.assigner" />
139     <max value="0" />
140 </element>
141 <element id="DeviceDefinition.udiDeviceIdentifier">
142     <path value="DeviceDefinition.udiDeviceIdentifier" />
143     <max value="1" />
144     <mustSupport value="true" />
145 </element>
146 <element id="DeviceDefinition.manufacturer[x]">
147     <path value="DeviceDefinition.manufacturer[x]" />
148     <licing>
149         <discriminator>
150             <type value="type" />
151             <path value="$this" />
152         </discriminator>
153         <rules value="closed" />
154     </licing>
155     <type>
156         <code value="Reference" />
157     </type>
158     <mustSupport value="true" />
159 </element>
160 <element id="DeviceDefinition.manufacturer[x]:manufacturerReference">
161     <path value="DeviceDefinition.manufacturer[x]" />
162     <sliceName value="manufacturerReference" />
163     <type>
164         <code value="Reference" />
165         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Organization_Manufacturer|1.0.0" />
166     </type>
167     <mustSupport value="true" />
168 </element>
169 <element id="DeviceDefinition.manufacturer[x]:manufacturerReference.ref
erence">
170     <path value="DeviceDefinition.manufacturer[x].reference" />
171     <min value="1" />
172     <mustSupport value="true" />
173 </element>
174 <element id="DeviceDefinition.manufacturer[x]:manufacturerReference.typ
e">
175     <path value="DeviceDefinition.manufacturer[x].type" />
176     <max value="0" />
177 </element>
178 <element id="DeviceDefinition.manufacturer[x]:manufacturerReference.ide
ntifier">
179     <path value="DeviceDefinition.manufacturer[x].identifier" />
180     <max value="0" />
181 </element>
182 <element id="DeviceDefinition.manufacturer[x]:manufacturerReference.dis
play">
183     <path value="DeviceDefinition.manufacturer[x].display" />
184     <max value="0" />

```

```

185 </element>
186 <element id="DeviceDefinition.deviceName">
187   <path value="DeviceDefinition.deviceName" />
188   <mustSupport value="true" />
189 </element>
190 <element id="DeviceDefinition.deviceName.name">
191   <path value="DeviceDefinition.deviceName.name" />
192   <mustSupport value="true" />
193 </element>
194 <element id="DeviceDefinition.deviceName.type">
195   <path value="DeviceDefinition.deviceName.type" />
196   <mustSupport value="true" />
197 </element>
198 <element id="DeviceDefinition.deviceName.type.extension">
199   <path value="DeviceDefinition.deviceName.type.extension" />
200   <licing>
201     <discriminator>
202       <type value="value" />
203       <path value="url" />
204     </discriminator>
205     <rules value="open" />
206   </licing>
207   <min value="1" />
208 </element>
209 <element id="DeviceDefinition.deviceName.type.extension:anzeigenameDevi
ceNameType">
210   <path value="DeviceDefinition.deviceName.type.extension" />
211   <sliceName value="anzeigenameDeviceNameType" />
212   <min value="1" />
213   <max value="1" />
214   <type>
215     <code value="Extension" />
216     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
217   </type>
218   <mustSupport value="true" />
219 </element>
220 <element id="DeviceDefinition.deviceName.type.extension:anzeigenameDevi
ceNameType.extension">
221   <path value="DeviceDefinition.deviceName.type.extension.extension" />
222   <licing>
223     <discriminator>
224       <type value="value" />
225       <path value="url" />
226     </discriminator>
227     <rules value="open" />
228   </licing>
229   <min value="1" />
230 </element>
231 <element id="DeviceDefinition.deviceName.type.extension:anzeigenameDevi
ceNameType.extension:content">
232   <path value="DeviceDefinition.deviceName.type.extension.extension" />
233   <sliceName value="content" />
234   <min value="1" />
235 </element>
236 <element id="DeviceDefinition.deviceName.type.extension:anzeigenameDevi
ceNameType.extension:content.value[x]">
237   <path value="DeviceDefinition.deviceName.type.extension.extension.val
ue[x]" />
238   <licing>

```

```

239     <discriminator>
240       <type value="type" />
241       <path value="$this" />
242     </discriminator>
243     <rules value="closed" />
244   </slicing>
245   <mustSupport value="true" />
246 </element>
247 <element id="DeviceDefinition.deviceName.type.extension:anzeigenameDevi
ceNameType.extension:content.value[x]:valueString">
248   <path value="DeviceDefinition.deviceName.type.extension.extension.val
ueString" />
249   <sliceName value="valueString" />
250   <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/
KBV\_CM\_MIO\_DIGA\_Device\_Name\_Type\_German|1.0.0" />
251   <min value="1" />
252   <mustSupport value="true" />
253 </element>
254 <element id="DeviceDefinition.modelNumber">
255   <path value="DeviceDefinition.modelNumber" />
256   <mustSupport value="true" />
257 </element>
258 <element id="DeviceDefinition.type">
259   <path value="DeviceDefinition.type" />
260   <mustSupport value="true" />
261 </element>
262 <element id="DeviceDefinition.type.coding">
263   <path value="DeviceDefinition.type.coding" />
264   <max value="1" />
265   <patternCoding>
266     <system value="http://snomed.info/sct" />
267     <version value="http://snomed.info/sct/900000000000207008/version/
20220131" />
268     <code value="49062001" />
269     <display value="Device (physical object)" />
270   </patternCoding>
271   <mustSupport value="true" />
272 </element>
273 <element id="DeviceDefinition.type.coding.system">
274   <path value="DeviceDefinition.type.coding.system" />
275   <min value="1" />
276 </element>
277 <element id="DeviceDefinition.type.coding.version">
278   <path value="DeviceDefinition.type.coding.version" />
279   <min value="1" />
280 </element>
281 <element id="DeviceDefinition.type.coding.code">
282   <path value="DeviceDefinition.type.coding.code" />
283   <min value="1" />
284 </element>
285 <element id="DeviceDefinition.type.coding.display">
286   <path value="DeviceDefinition.type.coding.display" />
287   <min value="1" />
288 </element>
289 <element id="DeviceDefinition.type.coding.userSelected">
290   <path value="DeviceDefinition.type.coding.userSelected" />
291   <max value="0" />

```

```

292 </element>
293 <element id="DeviceDefinition.type.text">
294   <path value="DeviceDefinition.type.text" />
295   <mustSupport value="true" />
296 </element>
297 <element id="DeviceDefinition.specialization">
298   <path value="DeviceDefinition.specialization" />
299   <max value="0" />
300 </element>
301 <element id="DeviceDefinition.version">
302   <path value="DeviceDefinition.version" />
303   <mustSupport value="true" />
304 </element>
305 <element id="DeviceDefinition.safety">
306   <path value="DeviceDefinition.safety" />
307   <max value="0" />
308 </element>
309 <element id="DeviceDefinition.shelfLifeStorage">
310   <path value="DeviceDefinition.shelfLifeStorage" />
311   <max value="0" />
312 </element>
313 <element id="DeviceDefinition.physicalCharacteristics">
314   <path value="DeviceDefinition.physicalCharacteristics" />
315   <max value="0" />
316 </element>
317 <element id="DeviceDefinition.languageCode">
318   <path value="DeviceDefinition.languageCode" />
319   <max value="0" />
320 </element>
321 <element id="DeviceDefinition.capability">
322   <path value="DeviceDefinition.capability" />
323   <max value="0" />
324 </element>
325 <element id="DeviceDefinition.property">
326   <path value="DeviceDefinition.property" />
327   <max value="0" />
328 </element>
329 <element id="DeviceDefinition.owner">
330   <path value="DeviceDefinition.owner" />
331   <max value="0" />
332 </element>
333 <element id="DeviceDefinition.contact">
334   <path value="DeviceDefinition.contact" />
335   <max value="0" />
336 </element>
337 <element id="DeviceDefinition.url">
338   <path value="DeviceDefinition.url" />
339   <max value="0" />
340 </element>
341 <element id="DeviceDefinition.onlineInformation">
342   <path value="DeviceDefinition.onlineInformation" />
343   <max value="0" />
344 </element>
345 <element id="DeviceDefinition.note">
346   <path value="DeviceDefinition.note" />
347   <max value="0" />
348 </element>
349 <element id="DeviceDefinition.quantity">
350   <path value="DeviceDefinition.quantity" />
351   <max value="0" />

```

```

352     </element>
353     <element id="DeviceDefinition.parentDevice">
354       <path value="DeviceDefinition.parentDevice" />
355       <max value="0" />
356     </element>
357     <element id="DeviceDefinition.material">
358       <path value="DeviceDefinition.material" />
359       <max value="0" />
360     </element>
361   </differential>
362 </StructureDefinition>

```

#### 45. KBV\_PR\_MIO\_DIGA\_ENCOUNTER\_PAST\_APPOINTMENT

##### KBV\_PR\_MIO\_DIGA\_Encounter\_Past\_Appointment

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Encounter_Past_Appointment" />
3    <version value="1.0.0" />
4    <name value="KBV_PR_MIO_DIGA_Encounter_Past_Appointment" />
5    <title value="KBV_PR_MIO_DIGA_Encounter_Past_Appointment" />
6    <status value="draft" />
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <description value="Dieses Profil bildet einen vergangenen Termin ab." />
9    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM
definitions or is derived from it, subject to a license from Regenstrief
Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM
codes, UCUM definitions also is subject to this license, a copy of which is
available at http://unitsofmeasure.org. The current complete UCUM table,
UCUM Specification are available for download at http://unitsofmeasure.org.
The UCUM table and UCUM codes are copyright © 1995-2009, Regenstrief
Institute, Inc. and the Unified Codes for Units of Measures UCUM
Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM
DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS
OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE." />
10   <fhirVersion value="4.0.1" />
11   <kind value="resource" />
12   <abstract value="false" />
13   <type value="Encounter" />
14   <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Encounter" />
15   <derivation value="constraint" />

```

```

16 <differential>
17   <element id="Encounter">
18     <path value="Encounter" />
19     <definition value="Dieses Profil bildet einen vergangenen Termin
ab." />
20   </element>
21   <element id="Encounter.meta">
22     <path value="Encounter.meta" />
23     <min value="1" />
24   </element>
25   <element id="Encounter.meta.versionId">
26     <path value="Encounter.meta.versionId" />
27     <min value="1" />
28   </element>
29   <element id="Encounter.meta.lastUpdated">
30     <path value="Encounter.meta.lastUpdated" />
31     <min value="1" />
32   </element>
33   <element id="Encounter.meta.source">
34     <path value="Encounter.meta.source" />
35     <max value="0" />
36   </element>
37   <element id="Encounter.meta.profile">
38     <path value="Encounter.meta.profile" />
39     <min value="1" />
40     <max value="1" />
41     <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Encounter_Past_Appointment|1.0.0" />
42   </element>
43   <element id="Encounter.meta.security">
44     <path value="Encounter.meta.security" />
45     <max value="0" />
46   </element>
47   <element id="Encounter.meta.tag">
48     <path value="Encounter.meta.tag" />
49     <max value="0" />
50   </element>
51   <element id="Encounter.implicitRules">
52     <path value="Encounter.implicitRules" />
53     <max value="0" />
54   </element>
55   <element id="Encounter.language">
56     <path value="Encounter.language" />
57     <max value="0" />
58   </element>
59   <element id="Encounter.text">
60     <path value="Encounter.text" />
61     <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
62   </element>
63   <element id="Encounter.text.status">
64     <path value="Encounter.text.status" />
65     <fixedCode value="extensions" />
66   </element>
67   <element id="Encounter.contained">
68     <path value="Encounter.contained" />
69     <max value="0" />

```



```

70 </element>
71 <element id="Encounter.extension:termin-notiz">
72   <path value="Encounter.extension" />
73   <sliceName value="termin-notiz" />
74   <min value="0" />
75   <max value="1" />
76   <type>
77     <code value="Extension" />
78     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Additional_Comment" />
79   </type>
80   <mustSupport value="true" />
81 </element>
82 <element id="Encounter.extension:termin-notiz.value[x]">
83   <path value="Encounter.extension.value[x]" />
84   <licing>
85     <discriminator>
86       <type value="type" />
87       <path value="$this" />
88     </discriminator>
89     <rules value="closed" />
90   </licing>
91   <type>
92     <code value="string" />
93   </type>
94   <mustSupport value="true" />
95 </element>
96 <element id="Encounter.extension:termin-notiz.value[x]:valueString">
97   <path value="Encounter.extension.valueString" />
98   <sliceName value="valueString" />
99   <min value="1" />
100  <max value="1" />
101  <type>
102    <code value="string" />
103  </type>
104  <mustSupport value="true" />
105 </element>
106 <element id="Encounter.identifier">
107   <path value="Encounter.identifier" />
108   <min value="1" />
109   <max value="1" />
110   <mustSupport value="true" />
111 </element>
112 <element id="Encounter.identifier.use">
113   <path value="Encounter.identifier.use" />
114   <max value="0" />
115 </element>
116 <element id="Encounter.identifier.type">
117   <path value="Encounter.identifier.type" />
118   <min value="1" />
119   <patternCodeableConcept>
120     <coding>
121       <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
122       <version value="2.9" />
123       <code value="RI" />
124       <display value="Resource identifier" />
125     </coding>
126   </patternCodeableConcept>
127 </element>
128 <element id="Encounter.identifier.type.coding">

```

```

129     <path value="Encounter.identifier.type.coding" />
130     <min value="1" />
131     <max value="1" />
132 </element>
133 <element id="Encounter.identifier.type.coding.system">
134     <path value="Encounter.identifier.type.coding.system" />
135     <min value="1" />
136 </element>
137 <element id="Encounter.identifier.type.coding.version">
138     <path value="Encounter.identifier.type.coding.version" />
139     <min value="1" />
140 </element>
141 <element id="Encounter.identifier.type.coding.code">
142     <path value="Encounter.identifier.type.coding.code" />
143     <min value="1" />
144 </element>
145 <element id="Encounter.identifier.type.coding.display">
146     <path value="Encounter.identifier.type.coding.display" />
147     <min value="1" />
148 </element>
149 <element id="Encounter.identifier.type.coding.userSelected">
150     <path value="Encounter.identifier.type.coding.userSelected" />
151     <max value="0" />
152 </element>
153 <element id="Encounter.identifier.type.text">
154     <path value="Encounter.identifier.type.text" />
155     <max value="0" />
156 </element>
157 <element id="Encounter.identifier.system">
158     <path value="Encounter.identifier.system" />
159     <min value="1" />
160     <fixedUri value="urn:iETF:rFC:3986" />
161     <mustSupport value="true" />
162 </element>
163 <element id="Encounter.identifier.value">
164     <path value="Encounter.identifier.value" />
165     <min value="1" />
166     <mustSupport value="true" />
167 </element>
168 <element id="Encounter.identifier.period">
169     <path value="Encounter.identifier.period" />
170     <max value="0" />
171 </element>
172 <element id="Encounter.identifier.assigner">
173     <path value="Encounter.identifier.assigner" />
174     <max value="0" />
175 </element>
176 <element id="Encounter.status">
177     <path value="Encounter.status" />
178     <patternCode value="finished" />
179 </element>
180 <element id="Encounter.statusHistory">
181     <path value="Encounter.statusHistory" />
182     <max value="0" />
183 </element>
184 <element id="Encounter.class.extension">
185     <path value="Encounter.class.extension" />
186     <licing>
187         <discriminator>
188             <type value="value" />

```

```

189     <path value="url" />
190   </discriminator>
191   <rules value="open" />
192 </slicing>
193 <min value="1" />
194 </element>
195 <element id="Encounter.class.extension:dataAbsentReason">
196   <path value="Encounter.class.extension" />
197   <sliceName value="dataAbsentReason" />
198   <min value="1" />
199   <type>
200     <code value="Extension" />
201     <profile value="http://hl7.org/fhir/StructureDefinition/data-
absent-reason" />
202   </type>
203 </element>
204 <element id="Encounter.class.extension:dataAbsentReason.value[x]">
205   <path value="Encounter.class.extension.value[x]" />
206   <slicing>
207     <discriminator>
208       <type value="type" />
209       <path value="$this" />
210     </discriminator>
211     <rules value="closed" />
212   </slicing>
213   <mustSupport value="true" />
214 </element>
215 <element id="Encounter.class.extension:dataAbsentReason.value[x]:valueC
ode">
216   <path value="Encounter.class.extension.value[x]" />
217   <sliceName value="valueCode" />
218   <min value="1" />
219   <patternCode value="unknown" />
220   <mustSupport value="true" />
221 </element>
222 <element id="Encounter.class.system">
223   <path value="Encounter.class.system" />
224   <max value="0" />
225 </element>
226 <element id="Encounter.class.version">
227   <path value="Encounter.class.version" />
228   <max value="0" />
229 </element>
230 <element id="Encounter.class.code">
231   <path value="Encounter.class.code" />
232   <max value="0" />
233 </element>
234 <element id="Encounter.class.display">
235   <path value="Encounter.class.display" />
236   <max value="0" />
237 </element>
238 <element id="Encounter.class.userSelected">
239   <path value="Encounter.class.userSelected" />
240   <max value="0" />
241 </element>
242 <element id="Encounter.classHistory">
243   <path value="Encounter.classHistory" />
244   <max value="0" />
245 </element>
246 <element id="Encounter.type">

```

```

247     <path value="Encounter.type" />
248     <max value="0" />
249 </element>
250 <element id="Encounter.serviceType">
251     <path value="Encounter.serviceType" />
252     <max value="0" />
253 </element>
254 <element id="Encounter.priority">
255     <path value="Encounter.priority" />
256     <max value="0" />
257 </element>
258 <element id="Encounter.subject">
259     <path value="Encounter.subject" />
260     <min value="1" />
261     <type>
262         <code value="Reference" />
263         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
264     </type>
265     <mustSupport value="true" />
266 </element>
267 <element id="Encounter.subject.reference">
268     <path value="Encounter.subject.reference" />
269     <min value="1" />
270     <mustSupport value="true" />
271 </element>
272 <element id="Encounter.subject.type">
273     <path value="Encounter.subject.type" />
274     <max value="0" />
275 </element>
276 <element id="Encounter.subject.identifier">
277     <path value="Encounter.subject.identifier" />
278     <max value="0" />
279 </element>
280 <element id="Encounter.subject.display">
281     <path value="Encounter.subject.display" />
282     <max value="0" />
283 </element>
284 <element id="Encounter.episodeOfCare">
285     <path value="Encounter.episodeOfCare" />
286     <max value="0" />
287 </element>
288 <element id="Encounter.basedOn">
289     <path value="Encounter.basedOn" />
290     <max value="0" />
291 </element>
292 <element id="Encounter.participant">
293     <path value="Encounter.participant" />
294     <mustSupport value="true" />
295 </element>
296 <element id="Encounter.participant.type">
297     <path value="Encounter.participant.type" />
298     <max value="0" />
299 </element>
300 <element id="Encounter.participant.period">
301     <path value="Encounter.participant.period" />
302     <max value="0" />
303 </element>
304 <element id="Encounter.participant.individual">
305     <path value="Encounter.participant.individual" />

```

```

306     <type>
307       <code value="Reference" />
308       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
309       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_RelatedPerson|1.0.0" />
310       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole|1.0.0" />
311     </type>
312     <mustSupport value="true" />
313   </element>
314   <element id="Encounter.participant.individual.reference">
315     <path value="Encounter.participant.individual.reference" />
316     <min value="1" />
317     <mustSupport value="true" />
318   </element>
319   <element id="Encounter.participant.individual.type">
320     <path value="Encounter.participant.individual.type" />
321     <max value="0" />
322   </element>
323   <element id="Encounter.participant.individual.identifier">
324     <path value="Encounter.participant.individual.identifier" />
325     <max value="0" />
326   </element>
327   <element id="Encounter.participant.individual.display">
328     <path value="Encounter.participant.individual.display" />
329     <max value="0" />
330   </element>
331   <element id="Encounter.appointment">
332     <path value="Encounter.appointment" />
333     <type>
334       <code value="Reference" />
335       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Appointment_Free|1.0.0" />
336     </type>
337     <mustSupport value="true" />
338   </element>
339   <element id="Encounter.appointment.reference">
340     <path value="Encounter.appointment.reference" />
341     <min value="1" />
342     <mustSupport value="true" />
343   </element>
344   <element id="Encounter.appointment.type">
345     <path value="Encounter.appointment.type" />
346     <max value="0" />
347   </element>
348   <element id="Encounter.appointment.identifier">
349     <path value="Encounter.appointment.identifier" />
350     <max value="0" />
351   </element>
352   <element id="Encounter.appointment.display">
353     <path value="Encounter.appointment.display" />
354     <max value="0" />
355   </element>
356   <element id="Encounter.period">
357     <path value="Encounter.period" />
358     <mustSupport value="true" />
359   </element>
360   <element id="Encounter.period.start">
361     <path value="Encounter.period.start" />

```

```

362     <mustSupport value="true" />
363 </element>
364 <element id="Encounter.period.end">
365     <path value="Encounter.period.end" />
366     <mustSupport value="true" />
367 </element>
368 <element id="Encounter.length">
369     <path value="Encounter.length" />
370     <max value="0" />
371 </element>
372 <element id="Encounter.reasonCode">
373     <path value="Encounter.reasonCode" />
374     <max value="1" />
375     <mustSupport value="true" />
376 </element>
377 <element id="Encounter.reasonCode.coding">
378     <path value="Encounter.reasonCode.coding" />
379     <mustSupport value="true" />
380 </element>
381 <element id="Encounter.reasonCode.coding.system">
382     <path value="Encounter.reasonCode.coding.system" />
383     <min value="1" />
384 </element>
385 <element id="Encounter.reasonCode.coding.version">
386     <path value="Encounter.reasonCode.coding.version" />
387     <min value="1" />
388 </element>
389 <element id="Encounter.reasonCode.coding.code">
390     <path value="Encounter.reasonCode.coding.code" />
391     <min value="1" />
392 </element>
393 <element id="Encounter.reasonCode.coding.display">
394     <path value="Encounter.reasonCode.coding.display" />
395     <min value="1" />
396 </element>
397 <element id="Encounter.reasonCode.coding.userSelected">
398     <path value="Encounter.reasonCode.coding.userSelected" />
399     <max value="0" />
400 </element>
401 <element id="Encounter.reasonCode.text">
402     <path value="Encounter.reasonCode.text" />
403     <mustSupport value="true" />
404 </element>
405 <element id="Encounter.diagnosis">
406     <path value="Encounter.diagnosis" />
407     <max value="0" />
408 </element>
409 <element id="Encounter.account">
410     <path value="Encounter.account" />
411     <max value="0" />
412 </element>
413 <element id="Encounter.hospitalization">
414     <path value="Encounter.hospitalization" />
415     <max value="0" />
416 </element>
417 <element id="Encounter.location">
418     <path value="Encounter.location" />
419     <max value="0" />
420 </element>
421 <element id="Encounter.serviceProvider">

```

```

422     <path value="Encounter.serviceProvider" />
423     <max value="0" />
424   </element>
425   <element id="Encounter.partOf">
426     <path value="Encounter.partOf" />
427     <max value="0" />
428   </element>
429 </differential>
430 </StructureDefinition>

```

#### 46. KBV\_PR\_MIO\_DIGA\_GOAL\_FREE

##### KBV\_PR\_MIO\_DIGA\_Goal\_Free

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Goal_Free" />
3   <version value="1.0.0" />
4   <name value="KBV_PR_MIO_DIGA_Goal_Free" />
5   <title value="KBV_PR_MIO_DIGA_Goal_Free" />
6   <status value="draft" />
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <description value="Dieses Profil bildet ein Ziel ab." />
9   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM
definitions or is derived from it, subject to a license from Regenstrief
Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM
codes, UCUM definitions also is subject to this license, a copy of which is
available at http://unitsofmeasure.org. The current complete UCUM table,
UCUM Specification are available for download at http://unitsofmeasure.org.
The UCUM table and UCUM codes are copyright © 1995-2009, Regenstrief
Institute, Inc. and the Unified Codes for Units of Measures UCUM
Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM
DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS
OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE." />
10  <fhirVersion value="4.0.1" />
11  <kind value="resource" />
12  <abstract value="false" />
13  <type value="Goal" />
14  <baseDefinition value="http://hl7.org/fhir/StructureDefinition/Goal" />
15  <derivation value="constraint" />
16  <differential>
17    <element id="Goal">
18      <path value="Goal" />

```

```

19     <definition value="Dieses Profil bildet ein Ziel ab." />
20 </element>
21 <element id="Goal.meta">
22     <path value="Goal.meta" />
23     <min value="1" />
24 </element>
25 <element id="Goal.meta.versionId">
26     <path value="Goal.meta.versionId" />
27     <min value="1" />
28 </element>
29 <element id="Goal.meta.lastUpdated">
30     <path value="Goal.meta.lastUpdated" />
31     <min value="1" />
32 </element>
33 <element id="Goal.meta.source">
34     <path value="Goal.meta.source" />
35     <max value="0" />
36 </element>
37 <element id="Goal.meta.profile">
38     <path value="Goal.meta.profile" />
39     <min value="1" />
40     <max value="1" />
41     <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Goal_Free|1.0.0" />
42 </element>
43 <element id="Goal.meta.security">
44     <path value="Goal.meta.security" />
45     <max value="0" />
46 </element>
47 <element id="Goal.meta.tag">
48     <path value="Goal.meta.tag" />
49     <max value="0" />
50 </element>
51 <element id="Goal.implicitRules">
52     <path value="Goal.implicitRules" />
53     <max value="0" />
54 </element>
55 <element id="Goal.language">
56     <path value="Goal.language" />
57     <max value="0" />
58 </element>
59 <element id="Goal.text">
60     <path value="Goal.text" />
61     <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
62 </element>
63 <element id="Goal.text.status">
64     <path value="Goal.text.status" />
65     <fixedCode value="extensions" />
66 </element>
67 <element id="Goal.contained">
68     <path value="Goal.contained" />
69     <max value="0" />
70 </element>
71 <element id="Goal.identifier">
72     <path value="Goal.identifier" />
73     <min value="1" />

```



```

74     <max value="1" />
75     <mustSupport value="true" />
76 </element>
77 <element id="Goal.identifier.use">
78     <path value="Goal.identifier.use" />
79     <max value="0" />
80 </element>
81 <element id="Goal.identifier.type">
82     <path value="Goal.identifier.type" />
83     <min value="1" />
84     <patternCodeableConcept>
85         <coding>
86             <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
87             <version value="2.9" />
88             <code value="RI" />
89             <display value="Resource identifier" />
90         </coding>
91     </patternCodeableConcept>
92 </element>
93 <element id="Goal.identifier.type.coding">
94     <path value="Goal.identifier.type.coding" />
95     <min value="1" />
96     <max value="1" />
97 </element>
98 <element id="Goal.identifier.type.coding.system">
99     <path value="Goal.identifier.type.coding.system" />
100    <min value="1" />
101 </element>
102 <element id="Goal.identifier.type.coding.version">
103     <path value="Goal.identifier.type.coding.version" />
104     <min value="1" />
105 </element>
106 <element id="Goal.identifier.type.coding.code">
107     <path value="Goal.identifier.type.coding.code" />
108     <min value="1" />
109 </element>
110 <element id="Goal.identifier.type.coding.display">
111     <path value="Goal.identifier.type.coding.display" />
112     <min value="1" />
113 </element>
114 <element id="Goal.identifier.type.coding.userSelected">
115     <path value="Goal.identifier.type.coding.userSelected" />
116     <max value="0" />
117 </element>
118 <element id="Goal.identifier.type.text">
119     <path value="Goal.identifier.type.text" />
120     <max value="0" />
121 </element>
122 <element id="Goal.identifier.system">
123     <path value="Goal.identifier.system" />
124     <min value="1" />
125     <fixedUri value="urn:iETF:rFC:3986" />
126     <mustSupport value="true" />
127 </element>
128 <element id="Goal.identifier.value">
129     <path value="Goal.identifier.value" />
130     <min value="1" />
131     <mustSupport value="true" />
132 </element>
133 <element id="Goal.identifier.period">

```

```

134     <path value="Goal.identifier.period" />
135     <max value="0" />
136 </element>
137 <element id="Goal.identifier.assigner">
138     <path value="Goal.identifier.assigner" />
139     <max value="0" />
140 </element>
141 <element id="Goal.lifecycleStatus">
142     <path value="Goal.lifecycleStatus" />
143     <mustSupport value="true" />
144 </element>
145 <element id="Goal.lifecycleStatus.extension">
146     <path value="Goal.lifecycleStatus.extension" />
147     <licing>
148         <discriminator>
149             <type value="value" />
150             <path value="url" />
151         </discriminator>
152         <rules value="open" />
153     </licing>
154     <min value="1" />
155 </element>
156 <element id="Goal.lifecycleStatus.extension:anzeigenameLifeCycleStatus">
157     <path value="Goal.lifecycleStatus.extension" />
158     <sliceName value="anzeigenameLifeCycleStatus" />
159     <min value="1" />
160     <max value="1" />
161     <type>
162         <code value="Extension" />
163         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
164     </type>
165     <mustSupport value="true" />
166 </element>
167 <element id="Goal.lifecycleStatus.extension:anzeigenameLifeCycleStatus.
extension">
168     <path value="Goal.lifecycleStatus.extension.extension" />
169     <licing>
170         <discriminator>
171             <type value="value" />
172             <path value="url" />
173         </discriminator>
174         <rules value="open" />
175     </licing>
176     <min value="1" />
177 </element>
178 <element id="Goal.lifecycleStatus.extension:anzeigenameLifeCycleStatus.
extension:content">
179     <path value="Goal.lifecycleStatus.extension.extension" />
180     <sliceName value="content" />
181     <min value="1" />
182 </element>
183 <element id="Goal.lifecycleStatus.extension:anzeigenameLifeCycleStatus.
extension:content.value[x]">
184     <path value="Goal.lifecycleStatus.extension.extension.value[x]" />
185     <licing>
186         <discriminator>
187             <type value="type" />
188             <path value="$this" />
189         </discriminator>

```

```

190     <rules value="closed" />
191   </slicing>
192   <mustSupport value="true" />
193 </element>
194 <element id="Goal.lifecycleStatus.extension:anzeigenameLifeCycleStatus.
extension:content.value[x]:valueString">
195   <path value="Goal.lifecycleStatus.extension.extension.valueString" />
196   <sliceName value="valueString" />
197   <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/KBV\_CM\_MIO\_DIGA\_Goal\_Status\_German|
1.0.0" />
198   <min value="1" />
199   <mustSupport value="true" />
200 </element>
201 <element id="Goal.achievementStatus">
202   <path value="Goal.achievementStatus" />
203   <mustSupport value="true" />
204 </element>
205 <element id="Goal.achievementStatus.coding">
206   <path value="Goal.achievementStatus.coding" />
207   <min value="1" />
208   <max value="1" />
209   <mustSupport value="true" />
210 </element>
211 <element id="Goal.achievementStatus.coding.system">
212   <path value="Goal.achievementStatus.coding.system" />
213   <min value="1" />
214 </element>
215 <element id="Goal.achievementStatus.coding.version">
216   <path value="Goal.achievementStatus.coding.version" />
217   <min value="1" />
218 </element>
219 <element id="Goal.achievementStatus.coding.code">
220   <path value="Goal.achievementStatus.coding.code" />
221   <min value="1" />
222 </element>
223 <element id="Goal.achievementStatus.coding.display">
224   <path value="Goal.achievementStatus.coding.display" />
225   <min value="1" />
226 </element>
227 <element id="Goal.achievementStatus.coding.display.extension">
228   <path value="Goal.achievementStatus.coding.display.extension" />
229   <slicing>
230     <discriminator>
231       <type value="value" />
232       <path value="url" />
233     </discriminator>
234     <rules value="open" />
235   </slicing>
236   <min value="1" />
237 </element>
238 <element id="Goal.achievementStatus.coding.display.extension:anzeigenam
eAchievementStatus">
239   <path value="Goal.achievementStatus.coding.display.extension" />
240   <sliceName value="anzeigenameAchievementStatus" />
241   <min value="1" />
242   <max value="1" />
243   <type>

```

```

244     <code value="Extension" />
245     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
246   </type>
247   <mustSupport value="true" />
248 </element>
249   <element id="Goal.achievementStatus.coding.display.extension:anzeigenam
eAchievementStatus.extension">
250     <path value="Goal.achievementStatus.coding.display.extension.extensio
n" />
251     < slicing>
252       < discriminator>
253         < type value="value" />
254         < path value="url" />
255       </ discriminator>
256       < rules value="open" />
257     </ slicing>
258     < min value="1" />
259 </ element>
260   <element id="Goal.achievementStatus.coding.display.extension:anzeigenam
eAchievementStatus.extension:content">
261     < path value="Goal.achievementStatus.coding.display.extension.extensio
n" />
262     < sliceName value="content" />
263     < min value="1" />
264 </ element>
265   <element id="Goal.achievementStatus.coding.display.extension:anzeigenam
eAchievementStatus.extension:content.value[x]">
266     < path value="Goal.achievementStatus.coding.display.extension.extensio
n.value[x]" />
267     < slicing>
268       < discriminator>
269         < type value="type" />
270         < path value="$this" />
271       </ discriminator>
272       < rules value="closed" />
273     </ slicing>
274     < mustSupport value="true" />
275 </ element>
276   <element id="Goal.achievementStatus.coding.display.extension:anzeigenam
eAchievementStatus.extension:content.value[x]:valueString">
277     < path value="Goal.achievementStatus.coding.display.extension.extensio
n.valueString" />
278     < sliceName value="valueString" />
279     < definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/
KBV\_CM\_MIO\_DIGA\_Goal\_Achievement\_Status\_German|1.0.0" />
280     < min value="1" />
281     < mustSupport value="true" />
282 </ element>
283   <element id="Goal.achievementStatus.coding.userSelected">
284     < path value="Goal.achievementStatus.coding.userSelected" />
285     < max value="0" />
286 </ element>
287   <element id="Goal.achievementStatus.text">
288     < path value="Goal.achievementStatus.text" />
289     < max value="0" />
290 </ element>

```

```

291 <element id="Goal.category">
292   <path value="Goal.category" />
293   <max value="0" />
294 </element>
295 <element id="Goal.priority">
296   <path value="Goal.priority" />
297   <mustSupport value="true" />
298 </element>
299 <element id="Goal.priority.coding">
300   <path value="Goal.priority.coding" />
301   <min value="1" />
302   <max value="1" />
303   <mustSupport value="true" />
304 </element>
305 <element id="Goal.priority.coding.system">
306   <path value="Goal.priority.coding.system" />
307   <min value="1" />
308 </element>
309 <element id="Goal.priority.coding.version">
310   <path value="Goal.priority.coding.version" />
311   <min value="1" />
312 </element>
313 <element id="Goal.priority.coding.code">
314   <path value="Goal.priority.coding.code" />
315   <min value="1" />
316 </element>
317 <element id="Goal.priority.coding.display">
318   <path value="Goal.priority.coding.display" />
319   <min value="1" />
320 </element>
321 <element id="Goal.priority.coding.display.extension">
322   <path value="Goal.priority.coding.display.extension" />
323   <licing>
324     <discriminator>
325       <type value="value" />
326       <path value="url" />
327     </discriminator>
328     <rules value="open" />
329   </licing>
330   <min value="1" />
331 </element>
332 <element id="Goal.priority.coding.display.extension:anzeigenamePriority
">
333   <path value="Goal.priority.coding.display.extension" />
334   <sliceName value="anzeigenamePriority" />
335   <min value="1" />
336   <max value="1" />
337   <type>
338     <code value="Extension" />
339     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
340   </type>
341   <mustSupport value="true" />
342 </element>
343 <element id="Goal.priority.coding.display.extension:anzeigenamePriority
.extension">
344   <path value="Goal.priority.coding.display.extension.extension" />
345   <licing>
346     <discriminator>
347       <type value="value" />

```

```

348     <path value="url" />
349   </discriminator>
350   <rules value="open" />
351 </slicing>
352 <min value="1" />
353 </element>
354 <element id="Goal.priority.coding.display.extension:anzeigenamePriority
.extension:content">
355   <path value="Goal.priority.coding.display.extension.extension" />
356   <sliceName value="content" />
357   <min value="1" />
358 </element>
359 <element id="Goal.priority.coding.display.extension:anzeigenamePriority
.extension:content.value[x]">
360   <path value="Goal.priority.coding.display.extension.extension.value[x
]"/>
361   <slicing>
362     <discriminator>
363       <type value="type" />
364       <path value="$this" />
365     </discriminator>
366     <rules value="closed" />
367   </slicing>
368   <mustSupport value="true" />
369 </element>
370 <element id="Goal.priority.coding.display.extension:anzeigenamePriority
.extension:content.value[x]:valueString">
371   <path value="Goal.priority.coding.display.extension.extension.valueSt
ring" />
372   <sliceName value="valueString" />
373   <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/KBV\_CM\_MIO\_DIGA\_Goal\_Priority\_German|
1.0.0" />
374   <min value="1" />
375   <mustSupport value="true" />
376 </element>
377 <element id="Goal.priority.coding.userSelected">
378   <path value="Goal.priority.coding.userSelected" />
379   <max value="0" />
380 </element>
381 <element id="Goal.priority.text">
382   <path value="Goal.priority.text" />
383   <max value="0" />
384 </element>
385 <element id="Goal.description">
386   <path value="Goal.description" />
387   <mustSupport value="true" />
388 </element>
389 <element id="Goal.description.coding">
390   <path value="Goal.description.coding" />
391   <mustSupport value="true" />
392 </element>
393 <element id="Goal.description.coding.system">
394   <path value="Goal.description.coding.system" />
395   <min value="1" />
396 </element>
397 <element id="Goal.description.coding.version">
398   <path value="Goal.description.coding.version" />

```

```

399     <min value="1" />
400 </element>
401 <element id="Goal.description.coding.code">
402   <path value="Goal.description.coding.code" />
403   <min value="1" />
404 </element>
405 <element id="Goal.description.coding.display">
406   <path value="Goal.description.coding.display" />
407   <min value="1" />
408 </element>
409 <element id="Goal.description.text">
410   <path value="Goal.description.text" />
411   <mustSupport value="true" />
412 </element>
413 <element id="Goal.subject">
414   <path value="Goal.subject" />
415   <type>
416     <code value="Reference" />
417     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
418   </type>
419   <mustSupport value="true" />
420 </element>
421 <element id="Goal.subject.reference">
422   <path value="Goal.subject.reference" />
423   <min value="1" />
424   <mustSupport value="true" />
425 </element>
426 <element id="Goal.subject.type">
427   <path value="Goal.subject.type" />
428   <max value="0" />
429 </element>
430 <element id="Goal.subject.identifier">
431   <path value="Goal.subject.identifier" />
432   <max value="0" />
433 </element>
434 <element id="Goal.subject.display">
435   <path value="Goal.subject.display" />
436   <max value="0" />
437 </element>
438 <element id="Goal.start[x]">
439   <path value="Goal.start[x]" />
440   <slicing>
441     <discriminator>
442       <type value="type" />
443       <path value="$this" />
444     </discriminator>
445     <rules value="closed" />
446   </slicing>
447   <type>
448     <code value="date" />
449   </type>
450   <mustSupport value="true" />
451 </element>
452 <element id="Goal.start[x]:startDate">
453   <path value="Goal.start[x]" />
454   <sliceName value="startDate" />
455   <type>
456     <code value="date" />
457   </type>

```

```

458     <mustSupport value="true" />
459 </element>
460 <element id="Goal.target">
461     <path value="Goal.target" />
462     <max value="1" />
463     <mustSupport value="true" />
464 </element>
465 <element id="Goal.target.measure">
466     <path value="Goal.target.measure" />
467     <mustSupport value="true" />
468 </element>
469 <element id="Goal.target.measure.coding">
470     <path value="Goal.target.measure.coding" />
471     <mustSupport value="true" />
472 </element>
473 <element id="Goal.target.measure.coding.system">
474     <path value="Goal.target.measure.coding.system" />
475     <min value="1" />
476 </element>
477 <element id="Goal.target.measure.coding.version">
478     <path value="Goal.target.measure.coding.version" />
479     <min value="1" />
480 </element>
481 <element id="Goal.target.measure.coding.code">
482     <path value="Goal.target.measure.coding.code" />
483     <min value="1" />
484 </element>
485 <element id="Goal.target.measure.coding.display">
486     <path value="Goal.target.measure.coding.display" />
487     <min value="1" />
488 </element>
489 <element id="Goal.target.measure.coding.userSelected">
490     <path value="Goal.target.measure.coding.userSelected" />
491     <max value="0" />
492 </element>
493 <element id="Goal.target.measure.text">
494     <path value="Goal.target.measure.text" />
495     <mustSupport value="true" />
496 </element>
497 <element id="Goal.target.detail[x]">
498     <path value="Goal.target.detail[x]" />
499     <slicing>
500         <discriminator>
501             <type value="type" />
502             <path value="$this" />
503         </discriminator>
504         <rules value="closed" />
505     </slicing>
506     <type>
507         <code value="Quantity" />
508     </type>
509     <type>
510         <code value="Range" />
511     </type>
512     <type>
513         <code value="string" />
514     </type>
515     <type>
516         <code value="Ratio" />
517     </type>

```



```

518     <mustSupport value="true" />
519 </element>
520 <element id="Goal.target.detail[x]:detailRange">
521   <path value="Goal.target.detail[x]" />
522   <sliceName value="detailRange" />
523   <type>
524     <code value="Range" />
525   </type>
526   <mustSupport value="true" />
527 </element>
528 <element id="Goal.target.detail[x]:detailRange.low">
529   <path value="Goal.target.detail[x].low" />
530   <min value="1" />
531   <mustSupport value="true" />
532 </element>
533 <element id="Goal.target.detail[x]:detailRange.low.value">
534   <path value="Goal.target.detail[x].low.value" />
535   <min value="1" />
536   <mustSupport value="true" />
537 </element>
538 <element id="Goal.target.detail[x]:detailRange.high">
539   <path value="Goal.target.detail[x].high" />
540   <min value="1" />
541   <mustSupport value="true" />
542 </element>
543 <element id="Goal.target.detail[x]:detailRange.high.value">
544   <path value="Goal.target.detail[x].high.value" />
545   <min value="1" />
546   <mustSupport value="true" />
547 </element>
548 <element id="Goal.target.detail[x]:detailRatio">
549   <path value="Goal.target.detail[x]" />
550   <sliceName value="detailRatio" />
551   <type>
552     <code value="Ratio" />
553   </type>
554   <mustSupport value="true" />
555 </element>
556 <element id="Goal.target.detail[x]:detailRatio.numerator">
557   <path value="Goal.target.detail[x].numerator" />
558   <mustSupport value="true" />
559 </element>
560 <element id="Goal.target.detail[x]:detailRatio.numerator.value">
561   <path value="Goal.target.detail[x].numerator.value" />
562   <min value="1" />
563 </element>
564 <element id="Goal.target.detail[x]:detailRatio.numerator.comparator">
565   <path value="Goal.target.detail[x].numerator.comparator" />
566   <max value="0" />
567 </element>
568 <element id="Goal.target.detail[x]:detailRatio.numerator.unit">
569   <path value="Goal.target.detail[x].numerator.unit" />
570   <min value="1" />
571 </element>
572 <element id="Goal.target.detail[x]:detailRatio.numerator.system">
573   <path value="Goal.target.detail[x].numerator.system" />
574   <min value="1" />
575 </element>
576 <element id="Goal.target.detail[x]:detailRatio.numerator.code">
577   <path value="Goal.target.detail[x].numerator.code" />

```

```

578     <min value="1" />
579 </element>
580 <element id="Goal.target.detail[x]:detailRatio.denominator">
581   <path value="Goal.target.detail[x].denominator" />
582   <mustSupport value="true" />
583 </element>
584 <element id="Goal.target.detail[x]:detailRatio.denominator.value">
585   <path value="Goal.target.detail[x].denominator.value" />
586   <min value="1" />
587 </element>
588 <element id="Goal.target.detail[x]:detailRatio.denominator.comparator">
589   <path value="Goal.target.detail[x].denominator.comparator" />
590   <max value="0" />
591 </element>
592 <element id="Goal.target.detail[x]:detailRatio.denominator.unit">
593   <path value="Goal.target.detail[x].denominator.unit" />
594   <min value="1" />
595 </element>
596 <element id="Goal.target.detail[x]:detailRatio.denominator.system">
597   <path value="Goal.target.detail[x].denominator.system" />
598   <min value="1" />
599 </element>
600 <element id="Goal.target.detail[x]:detailRatio.denominator.code">
601   <path value="Goal.target.detail[x].denominator.code" />
602   <min value="1" />
603 </element>
604 <element id="Goal.target.detail[x]:detailQuantity">
605   <path value="Goal.target.detail[x]" />
606   <sliceName value="detailQuantity" />
607   <type>
608     <code value="Quantity" />
609   </type>
610   <mustSupport value="true" />
611 </element>
612 <element id="Goal.target.detail[x]:detailQuantity.value">
613   <path value="Goal.target.detail[x].value" />
614   <min value="1" />
615 </element>
616 <element id="Goal.target.detail[x]:detailQuantity.comparator">
617   <path value="Goal.target.detail[x].comparator" />
618   <max value="0" />
619 </element>
620 <element id="Goal.target.detail[x]:detailQuantity.unit">
621   <path value="Goal.target.detail[x].unit" />
622   <min value="1" />
623 </element>
624 <element id="Goal.target.detail[x]:detailQuantity.system">
625   <path value="Goal.target.detail[x].system" />
626   <min value="1" />
627   <patternUri value="http://unitsofmeasure.org" />
628 </element>
629 <element id="Goal.target.detail[x]:detailQuantity.code">
630   <path value="Goal.target.detail[x].code" />
631   <min value="1" />
632 </element>
633 <element id="Goal.target.detail[x]:detailString">
634   <path value="Goal.target.detail[x]" />
635   <sliceName value="detailString" />
636   <type>
637     <code value="string" />

```

```

638     </type>
639     <mustSupport value="true" />
640 </element>
641 <element id="Goal.target.due[x]">
642   <path value="Goal.target.due[x]" />
643   <slicing>
644     <discriminator>
645       <type value="type" />
646       <path value="$this" />
647     </discriminator>
648     <rules value="closed" />
649   </slicing>
650   <type>
651     <code value="date" />
652   </type>
653   <mustSupport value="true" />
654 </element>
655 <element id="Goal.target.due[x]:dueDate">
656   <path value="Goal.target.due[x]" />
657   <sliceName value="dueDate" />
658   <type>
659     <code value="date" />
660   </type>
661   <mustSupport value="true" />
662 </element>
663 <element id="Goal.statusDate">
664   <path value="Goal.statusDate" />
665   <max value="0" />
666 </element>
667 <element id="Goal.statusReason">
668   <path value="Goal.statusReason" />
669   <max value="0" />
670 </element>
671 <element id="Goal.expressedBy">
672   <path value="Goal.expressedBy" />
673   <type>
674     <code value="Reference" />
675     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
676     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
677     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_RelatedPerson|1.0.0" />
678     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole|1.0.0" />
679   </type>
680   <mustSupport value="true" />
681 </element>
682 <element id="Goal.expressedBy.reference">
683   <path value="Goal.expressedBy.reference" />
684   <min value="1" />
685   <mustSupport value="true" />
686 </element>
687 <element id="Goal.expressedBy.type">
688   <path value="Goal.expressedBy.type" />
689   <max value="0" />
690 </element>
691 <element id="Goal.expressedBy.identifier">
692   <path value="Goal.expressedBy.identifier" />
693   <max value="0" />

```

```

694 </element>
695 <element id="Goal.expressedBy.display">
696   <path value="Goal.expressedBy.display" />
697   <max value="0" />
698 </element>
699 <element id="Goal.addresses">
700   <path value="Goal.addresses" />
701   <max value="0" />
702 </element>
703 <element id="Goal.note">
704   <path value="Goal.note" />
705   <max value="1" />
706   <mustSupport value="true" />
707 </element>
708 <element id="Goal.note.author[x]">
709   <path value="Goal.note.author[x]" />
710   <max value="0" />
711 </element>
712 <element id="Goal.note.time">
713   <path value="Goal.note.time" />
714   <max value="0" />
715 </element>
716 <element id="Goal.note.text">
717   <path value="Goal.note.text" />
718   <mustSupport value="true" />
719 </element>
720 <element id="Goal.outcomeCode">
721   <path value="Goal.outcomeCode" />
722   <max value="1" />
723   <mustSupport value="true" />
724 </element>
725 <element id="Goal.outcomeCode.coding">
726   <path value="Goal.outcomeCode.coding" />
727   <min value="1" />
728   <mustSupport value="true" />
729 </element>
730 <element id="Goal.outcomeCode.coding.system">
731   <path value="Goal.outcomeCode.coding.system" />
732   <min value="1" />
733 </element>
734 <element id="Goal.outcomeCode.coding.version">
735   <path value="Goal.outcomeCode.coding.version" />
736   <min value="1" />
737 </element>
738 <element id="Goal.outcomeCode.coding.code">
739   <path value="Goal.outcomeCode.coding.code" />
740   <min value="1" />
741 </element>
742 <element id="Goal.outcomeCode.coding.display">
743   <path value="Goal.outcomeCode.coding.display" />
744   <min value="1" />
745 </element>
746 <element id="Goal.outcomeCode.coding.userSelected">
747   <path value="Goal.outcomeCode.coding.userSelected" />
748   <max value="0" />
749 </element>
750 <element id="Goal.outcomeCode.text">
751   <path value="Goal.outcomeCode.text" />
752   <max value="0" />
753 </element>

```

```

754     <element id="Goal.outcomeReference">
755       <path value="Goal.outcomeReference" />
756       <type>
757         <code value="Reference" />
758         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Free|1.0.0" />
759       </type>
760       <mustSupport value="true" />
761     </element>
762     <element id="Goal.outcomeReference.reference">
763       <path value="Goal.outcomeReference.reference" />
764       <min value="1" />
765       <mustSupport value="true" />
766     </element>
767     <element id="Goal.outcomeReference.type">
768       <path value="Goal.outcomeReference.type" />
769       <max value="0" />
770     </element>
771     <element id="Goal.outcomeReference.identifier">
772       <path value="Goal.outcomeReference.identifier" />
773       <max value="0" />
774     </element>
775     <element id="Goal.outcomeReference.display">
776       <path value="Goal.outcomeReference.display" />
777       <max value="0" />
778     </element>
779   </differential>
780 </StructureDefinition>

```

#### 47. KBV\_PR\_MIO\_DIGA\_MEDICATION\_FREE

##### KBV\_PR\_MIO\_DIGA\_Medication\_Free

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Medication_Free" />
3    <version value="1.0.0" />
4    <name value="KBV_PR_MIO_DIGA_Medication_Free" />
5    <title value="KBV_PR_MIO_DIGA_Medication_Free" />
6    <status value="draft" />
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <description value="Dieses Profil bildet ein Arzneimittel ab." />
9    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM
definitions or is derived from it, subject to a license from Regenstrief
Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM

```

codes, UCUM definitions also is subject to this license, a copy of which is available at <http://unitsofmeasure.org>. The current complete UCUM table, UCUM Specification are available for download at <http://unitsofmeasure.org>. The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures UCUM Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED "AS IS." ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE." />

```

10 <fhirVersion value="4.0.1" />
11 <kind value="resource" />
12 <abstract value="false" />
13 <type value="Medication" />
14 <baseDefinition value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_Base_Medication|1.2.1" />
15 <derivation value="constraint" />
16 <differential>
17 <element id="Medication">
18 <path value="Medication" />
19 <definition value="Dieses Profil bildet ein Arzneimittel ab." />
20 </element>
21 <element id="Medication.meta">
22 <path value="Medication.meta" />
23 <min value="1" />
24 </element>
25 <element id="Medication.meta.versionId">
26 <path value="Medication.meta.versionId" />
27 <min value="1" />
28 </element>
29 <element id="Medication.meta.lastUpdated">
30 <path value="Medication.meta.lastUpdated" />
31 <min value="1" />
32 </element>
33 <element id="Medication.meta.source">
34 <path value="Medication.meta.source" />
35 <max value="0" />
36 </element>
37 <element id="Medication.meta.profile">
38 <path value="Medication.meta.profile" />
39 <min value="1" />
40 <max value="1" />
41 <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Medication_Free|1.0.0" />
42 </element>
43 <element id="Medication.meta.security">
44 <path value="Medication.meta.security" />
45 <max value="0" />
46 </element>
47 <element id="Medication.meta.tag">
48 <path value="Medication.meta.tag" />
49 <max value="0" />
50 </element>
51 <element id="Medication.implicitRules">
52 <path value="Medication.implicitRules" />
53 <max value="0" />
54 </element>
55 <element id="Medication.language">
56 <path value="Medication.language" />
57 <max value="0" />

```

```

58     </element>
59     <element id="Medication.text">
60         <path value="Medication.text" />
61         <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
62     </element>
63     <element id="Medication.text.status">
64         <path value="Medication.text.status" />
65         <fixedCode value="extensions" />
66     </element>
67     <element id="Medication.contained">
68         <path value="Medication.contained" />
69         <max value="0" />
70     </element>
71     <element id="Medication.extension">
72         <path value="Medication.extension" />
73         <licing>
74             <discriminator>
75                 <type value="value" />
76                 <path value="url" />
77             </discriminator>
78             <rules value="closed" />
79         </licing>
80         <mustSupport value="true" />
81     </element>
82     <element id="Medication.extension:Kategorie">
83         <path value="Medication.extension" />
84         <sliceName value="Kategorie" />
85         <type>
86             <code value="Extension" />
87             <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Medication_Type" />
88         </type>
89         <mustSupport value="true" />
90     </element>
91     <element id="Medication.extension:Kategorie.value[x]">
92         <path value="Medication.extension.value[x]" />
93         <mustSupport value="true" />
94     </element>
95     <element id="Medication.extension:Kategorie.value[x]:valueCodeableConce
pt">
96         <path value="Medication.extension.value[x]" />
97         <sliceName value="valueCodeableConcept" />
98         <mustSupport value="true" />
99     </element>
100    <element id="Medication.extension:Kategorie.value[x]:valueCodeableConce
pt.coding">
101        <path value="Medication.extension.value[x].coding" />
102        <mustSupport value="true" />
103    </element>
104    <element id="Medication.extension:Kategorie.value[x]:valueCodeableConce
pt.coding.display.extension">
105        <path value="Medication.extension.value[x].coding.display.extension"
/>
106    <licing>
107        <discriminator>
108            <type value="value" />

```

```

109         <path value="url" />
110     </discriminator>
111     <rules value="open" />
112 </slicing>
113     <mustSupport value="true" />
114 </element>
115     <element id="Medication.extension:Kategorie.value[x]:valueCodeableConce
pt.coding.display.extension:anzeigenameFachterminusGerman">
116         <path value="Medication.extension.value[x].coding.display.extension"
/>
117         <sliceName value="anzeigenameFachterminusGerman" />
118         <type>
119             <code value="Extension" />
120             <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
121         </type>
122         <mustSupport value="true" />
123     </element>
124     <element id="Medication.extension:Kategorie.value[x]:valueCodeableConce
pt.coding.display.extension:anzeigenameFachterminusGerman.extension">
125         <path value="Medication.extension.value[x].coding.display.extension.e
xtension" />
126         <slicing>
127             <discriminator>
128                 <type value="value" />
129                 <path value="url" />
130             </discriminator>
131             <rules value="open" />
132         </slicing>
133         <min value="1" />
134         <mustSupport value="true" />
135     </element>
136     <element id="Medication.extension:Kategorie.value[x]:valueCodeableConce
pt.coding.display.extension:anzeigenameFachterminusGerman.extension:content
">
137         <path value="Medication.extension.value[x].coding.display.extension.e
xtension" />
138         <sliceName value="content" />
139         <mustSupport value="true" />
140     </element>
141     <element id="Medication.extension:Kategorie.value[x]:valueCodeableConce
pt.coding.display.extension:anzeigenameFachterminusGerman.extension:content
.value[x]">
142         <path value="Medication.extension.value[x].coding.display.extension.e
xtension.value[x]" />
143         <slicing>
144             <discriminator>
145                 <type value="type" />
146                 <path value="$this" />
147             </discriminator>
148             <rules value="closed" />
149         </slicing>
150         <mustSupport value="true" />
151     </element>
152     <element id="Medication.extension:Kategorie.value[x]:valueCodeableConce
pt.coding.display.extension:anzeigenameFachterminusGerman.extension:content
.value[x]:valueString">
153         <path value="Medication.extension.value[x].coding.display.extension.e
xtension.valueString" />
154         <sliceName value="valueString" />

```



```

155     <min value="1" />
156     <mustSupport value="true" />
157 </element>
158 <element id="Medication.extension:Kategorie.value[x]:valueCodeableConcept.coding.userSelected">
159     <path value="Medication.extension.value[x].coding.userSelected" />
160     <max value="0" />
161 </element>
162 <element id="Medication.extension:Kategorie.value[x]:valueCodeableConcept.text">
163     <path value="Medication.extension.value[x].text" />
164     <mustSupport value="true" />
165 </element>
166 <element id="Medication.identifier">
167     <path value="Medication.identifier" />
168     <min value="1" />
169     <max value="1" />
170     <mustSupport value="true" />
171 </element>
172 <element id="Medication.identifier.use">
173     <path value="Medication.identifier.use" />
174     <max value="0" />
175 </element>
176 <element id="Medication.identifier.type">
177     <path value="Medication.identifier.type" />
178     <min value="1" />
179     <patternCodeableConcept>
180         <coding>
181             <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
182             <version value="2.9" />
183             <code value="RI" />
184             <display value="Resource identifier" />
185         </coding>
186     </patternCodeableConcept>
187 </element>
188 <element id="Medication.identifier.type.coding">
189     <path value="Medication.identifier.type.coding" />
190     <min value="1" />
191     <max value="1" />
192 </element>
193 <element id="Medication.identifier.type.coding.system">
194     <path value="Medication.identifier.type.coding.system" />
195     <min value="1" />
196 </element>
197 <element id="Medication.identifier.type.coding.version">
198     <path value="Medication.identifier.type.coding.version" />
199     <min value="1" />
200 </element>
201 <element id="Medication.identifier.type.coding.code">
202     <path value="Medication.identifier.type.coding.code" />
203     <min value="1" />
204 </element>
205 <element id="Medication.identifier.type.coding.display">
206     <path value="Medication.identifier.type.coding.display" />
207     <min value="1" />
208 </element>
209 <element id="Medication.identifier.type.coding.userSelected">
210     <path value="Medication.identifier.type.coding.userSelected" />
211     <max value="0" />
212 </element>

```

```

213 <element id="Medication.identifier.type.text">
214   <path value="Medication.identifier.type.text" />
215   <max value="0" />
216 </element>
217 <element id="Medication.identifier.system">
218   <path value="Medication.identifier.system" />
219   <min value="1" />
220   <fixedUri value="urn:ietf:rhc:3986" />
221   <mustSupport value="true" />
222 </element>
223 <element id="Medication.identifier.value">
224   <path value="Medication.identifier.value" />
225   <min value="1" />
226   <mustSupport value="true" />
227 </element>
228 <element id="Medication.identifier.period">
229   <path value="Medication.identifier.period" />
230   <max value="0" />
231 </element>
232 <element id="Medication.identifier.assigner">
233   <path value="Medication.identifier.assigner" />
234   <max value="0" />
235 </element>
236 <element id="Medication.code">
237   <path value="Medication.code" />
238   <mustSupport value="true" />
239 </element>
240 <element id="Medication.code.coding">
241   <path value="Medication.code.coding" />
242   <licing>
243     <discriminator>
244       <type value="pattern" />
245       <path value="$this" />
246     </discriminator>
247     <rules value="open" />
248   </licing>
249   <mustSupport value="true" />
250 </element>
251 <element id="Medication.code.coding:pznCode">
252   <path value="Medication.code.coding" />
253   <sliceName value="pznCode" />
254   <mustSupport value="true" />
255 </element>
256 <element id="Medication.code.coding:pznCode.version">
257   <path value="Medication.code.coding.version" />
258   <min value="1" />
259 </element>
260 <element id="Medication.code.coding:pznCode.display">
261   <path value="Medication.code.coding.display" />
262   <min value="1" />
263 </element>
264 <element id="Medication.code.coding:pznCode.userSelected">
265   <path value="Medication.code.coding.userSelected" />
266   <max value="0" />
267 </element>
268 <element id="Medication.code.coding:snomedCode">
269   <path value="Medication.code.coding" />
270   <sliceName value="snomedCode" />
271   <mustSupport value="true" />
272 </element>

```

```

273 <element id="Medication.code.coding:snomedCode.version">
274   <path value="Medication.code.coding.version" />
275   <min value="1" />
276 </element>
277 <element id="Medication.code.coding:snomedCode.display">
278   <path value="Medication.code.coding.display" />
279   <min value="1" />
280 </element>
281 <element id="Medication.code.coding:snomedCode.userSelected">
282   <path value="Medication.code.coding.userSelected" />
283   <max value="0" />
284 </element>
285 <element id="Medication.code.coding:atcCode">
286   <path value="Medication.code.coding" />
287   <sliceName value="atcCode" />
288   <mustSupport value="true" />
289 </element>
290 <element id="Medication.code.coding:atcCode.version">
291   <path value="Medication.code.coding.version" />
292   <min value="1" />
293 </element>
294 <element id="Medication.code.coding:atcCode.display">
295   <path value="Medication.code.coding.display" />
296   <min value="1" />
297 </element>
298 <element id="Medication.code.coding:atcCode.userSelected">
299   <path value="Medication.code.coding.userSelected" />
300   <max value="0" />
301 </element>
302 <element id="Medication.code.text">
303   <path value="Medication.code.text" />
304   <mustSupport value="true" />
305 </element>
306 <element id="Medication.status">
307   <path value="Medication.status" />
308   <max value="0" />
309 </element>
310 <element id="Medication.manufacturer">
311   <path value="Medication.manufacturer" />
312   <max value="0" />
313 </element>
314 <element id="Medication.form">
315   <path value="Medication.form" />
316   <mustSupport value="true" />
317 </element>
318 <element id="Medication.form.coding">
319   <path value="Medication.form.coding" />
320   <licing>
321     <discriminator>
322       <type value="pattern" />
323       <path value="$this" />
324     </discriminator>
325     <rules value="open" />
326   </licing>
327   <mustSupport value="true" />
328 </element>
329 <element id="Medication.form.coding:snomedCode">
330   <path value="Medication.form.coding" />
331   <sliceName value="snomedCode" />
332   <mustSupport value="true" />

```

```

333 </element>
334 <element id="Medication.form.coding:snomedCode.version">
335   <path value="Medication.form.coding.version" />
336   <min value="1" />
337 </element>
338 <element id="Medication.form.coding:snomedCode.display">
339   <path value="Medication.form.coding.display" />
340   <min value="1" />
341 </element>
342 <element id="Medication.form.coding:snomedCode.userSelected">
343   <path value="Medication.form.coding.userSelected" />
344   <max value="0" />
345 </element>
346 <element id="Medication.form.coding:edqmCode">
347   <path value="Medication.form.coding" />
348   <sliceName value="edqmCode" />
349   <mustSupport value="true" />
350 </element>
351 <element id="Medication.form.coding:edqmCode.version">
352   <path value="Medication.form.coding.version" />
353   <min value="1" />
354 </element>
355 <element id="Medication.form.coding:edqmCode.display">
356   <path value="Medication.form.coding.display" />
357   <min value="1" />
358 </element>
359 <element id="Medication.form.coding:edqmCode.userSelected">
360   <path value="Medication.form.coding.userSelected" />
361   <max value="0" />
362 </element>
363 <element id="Medication.form.coding:kbvDarreichungsform">
364   <path value="Medication.form.coding" />
365   <sliceName value="kbvDarreichungsform" />
366   <mustSupport value="true" />
367 </element>
368 <element id="Medication.form.coding:kbvDarreichungsform.version">
369   <path value="Medication.form.coding.version" />
370   <min value="1" />
371 </element>
372 <element id="Medication.form.coding:kbvDarreichungsform.display">
373   <path value="Medication.form.coding.display" />
374   <min value="1" />
375 </element>
376 <element id="Medication.form.coding:kbvDarreichungsform.userSelected">
377   <path value="Medication.form.coding.userSelected" />
378   <max value="0" />
379 </element>
380 <element id="Medication.form.text">
381   <path value="Medication.form.text" />
382   <mustSupport value="true" />
383 </element>
384 <element id="Medication.amount">
385   <path value="Medication.amount" />
386   <mustSupport value="true" />
387 </element>
388 <element id="Medication.amount.numerator">
389   <path value="Medication.amount.numerator" />
390   <mustSupport value="true" />
391 </element>
392 <element id="Medication.amount.numerator.value">

```

```

393     <path value="Medication.amount.numerator.value" />
394     <mustSupport value="true" />
395 </element>
396 <element id="Medication.amount.numerator.comparator">
397     <path value="Medication.amount.numerator.comparator" />
398     <max value="0" />
399 </element>
400 <element id="Medication.amount.numerator.unit">
401     <path value="Medication.amount.numerator.unit" />
402     <mustSupport value="true" />
403 </element>
404 <element id="Medication.amount.numerator.code">
405     <path value="Medication.amount.numerator.code" />
406     <mustSupport value="true" />
407 </element>
408 <element id="Medication.amount.denominator">
409     <path value="Medication.amount.denominator" />
410     <mustSupport value="true" />
411 </element>
412 <element id="Medication.amount.denominator.value">
413     <path value="Medication.amount.denominator.value" />
414     <mustSupport value="true" />
415 </element>
416 <element id="Medication.amount.denominator.comparator">
417     <path value="Medication.amount.denominator.comparator" />
418     <max value="0" />
419 </element>
420 <element id="Medication.amount.denominator.unit">
421     <path value="Medication.amount.denominator.unit" />
422     <mustSupport value="true" />
423 </element>
424 <element id="Medication.amount.denominator.code">
425     <path value="Medication.amount.denominator.code" />
426     <mustSupport value="true" />
427 </element>
428 <element id="Medication.ingredient">
429     <path value="Medication.ingredient" />
430     <mustSupport value="true" />
431 </element>
432 <element id="Medication.ingredient.item[x]">
433     <path value="Medication.ingredient.item[x]" />
434     <licing>
435         <discriminator>
436             <type value="type" />
437             <path value="$this" />
438         </discriminator>
439         <rules value="closed" />
440     </licing>
441     <type>
442         <code value="CodeableConcept" />
443     </type>
444     <type>
445         <code value="Reference" />
446         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Medication_Free|1.0.0" />
447     </type>
448     <mustSupport value="true" />
449 </element>
450 <element id="Medication.ingredient.item[x]:itemCodeableConcept">
451     <path value="Medication.ingredient.item[x]" />

```

```

452     <sliceName value="itemCodeableConcept" />
453     <max value="1" />
454     <type>
455       <code value="CodeableConcept" />
456     </type>
457     <mustSupport value="true" />
458   </element>
459   <element id="Medication.ingredient.item[x]:itemCodeableConcept.coding">
460     <path value="Medication.ingredient.item[x].coding" />
461     < slicing>
462       <discriminator>
463         <type value="pattern" />
464         <path value="$this" />
465       </discriminator>
466       <rules value="open" />
467     </slicing>
468     <mustSupport value="true" />
469   </element>
470   <element id="Medication.ingredient.item[x]:itemCodeableConcept.coding:askCode">
471     <path value="Medication.ingredient.item[x].coding" />
472     <sliceName value="askCode" />
473     <mustSupport value="true" />
474   </element>
475   <element id="Medication.ingredient.item[x]:itemCodeableConcept.coding:askCode.version">
476     <path value="Medication.ingredient.item[x].coding.version" />
477     <min value="1" />
478   </element>
479   <element id="Medication.ingredient.item[x]:itemCodeableConcept.coding:askCode.display">
480     <path value="Medication.ingredient.item[x].coding.display" />
481     <min value="1" />
482   </element>
483   <element id="Medication.ingredient.item[x]:itemCodeableConcept.coding:askCode.userSelected">
484     <path value="Medication.ingredient.item[x].coding.userSelected" />
485     <max value="0" />
486   </element>
487   <element id="Medication.ingredient.item[x]:itemCodeableConcept.coding:snomedCode">
488     <path value="Medication.ingredient.item[x].coding" />
489     <sliceName value="snomedCode" />
490     <mustSupport value="true" />
491   </element>
492   <element id="Medication.ingredient.item[x]:itemCodeableConcept.coding:snomedCode.version">
493     <path value="Medication.ingredient.item[x].coding.version" />
494     <min value="1" />
495   </element>
496   <element id="Medication.ingredient.item[x]:itemCodeableConcept.coding:snomedCode.display">
497     <path value="Medication.ingredient.item[x].coding.display" />
498     <min value="1" />
499   </element>
500   <element id="Medication.ingredient.item[x]:itemCodeableConcept.coding:snomedCode.userSelected">
501     <path value="Medication.ingredient.item[x].coding.userSelected" />
502     <max value="0" />
503   </element>

```

```

504 <element id="Medication.ingredient.item[x]:itemCodeableConcept.text">
505   <path value="Medication.ingredient.item[x].text" />
506   <mustSupport value="true" />
507 </element>
508 <element id="Medication.ingredient.item[x]:itemReference">
509   <path value="Medication.ingredient.item[x]" />
510   <sliceName value="itemReference" />
511   <max value="1" />
512   <type>
513     <code value="Reference" />
514   </type>
515   <mustSupport value="true" />
516 </element>
517 <element id="Medication.ingredient.item[x]:itemReference.reference">
518   <path value="Medication.ingredient.item[x].reference" />
519   <min value="1" />
520   <mustSupport value="true" />
521 </element>
522 <element id="Medication.ingredient.item[x]:itemReference.type">
523   <path value="Medication.ingredient.item[x].type" />
524   <max value="0" />
525 </element>
526 <element id="Medication.ingredient.item[x]:itemReference.identifier">
527   <path value="Medication.ingredient.item[x].identifier" />
528   <max value="0" />
529 </element>
530 <element id="Medication.ingredient.item[x]:itemReference.display">
531   <path value="Medication.ingredient.item[x].display" />
532   <max value="0" />
533 </element>
534 <element id="Medication.ingredient.isActive">
535   <path value="Medication.ingredient.isActive" />
536   <max value="0" />
537 </element>
538 <element id="Medication.ingredient.strength">
539   <path value="Medication.ingredient.strength" />
540   <mustSupport value="true" />
541 </element>
542 <element id="Medication.ingredient.strength.numerator">
543   <path value="Medication.ingredient.strength.numerator" />
544   <mustSupport value="true" />
545 </element>
546 <element id="Medication.ingredient.strength.numerator.value">
547   <path value="Medication.ingredient.strength.numerator.value" />
548   <mustSupport value="true" />
549 </element>
550 <element id="Medication.ingredient.strength.numerator.comparator">
551   <path value="Medication.ingredient.strength.numerator.comparator" />
552   <max value="0" />
553 </element>
554 <element id="Medication.ingredient.strength.numerator.unit">
555   <path value="Medication.ingredient.strength.numerator.unit" />
556   <mustSupport value="true" />
557 </element>
558 <element id="Medication.ingredient.strength.numerator.code">
559   <path value="Medication.ingredient.strength.numerator.code" />
560   <mustSupport value="true" />
561 </element>
562 <element id="Medication.ingredient.strength.denominator">
563   <path value="Medication.ingredient.strength.denominator" />

```

```

564     <mustSupport value="true" />
565 </element>
566 <element id="Medication.ingredient.strength.denominator.value">
567   <path value="Medication.ingredient.strength.denominator.value" />
568   <mustSupport value="true" />
569 </element>
570 <element id="Medication.ingredient.strength.denominator.comparator">
571   <path value="Medication.ingredient.strength.denominator.comparator" /
>
572   <max value="0" />
573 </element>
574 <element id="Medication.ingredient.strength.denominator.unit">
575   <path value="Medication.ingredient.strength.denominator.unit" />
576   <mustSupport value="true" />
577 </element>
578 <element id="Medication.ingredient.strength.denominator.code">
579   <path value="Medication.ingredient.strength.denominator.code" />
580   <mustSupport value="true" />
581 </element>
582 <element id="Medication.batch">
583   <path value="Medication.batch" />
584   <mustSupport value="true" />
585 </element>
586 <element id="Medication.batch.lotNumber">
587   <path value="Medication.batch.lotNumber" />
588   <mustSupport value="true" />
589 </element>
590 <element id="Medication.batch.expirationDate">
591   <path value="Medication.batch.expirationDate" />
592   <mustSupport value="true" />
593 </element>
594 </differential>
595 </StructureDefinition>

```

#### 48. KBV\_PR\_MIO\_DIGA\_MEDICATIONADMINISTRATION\_MEDICATION\_INTAKE\_FREE

##### KBV\_PR\_MIO\_DIGA\_MedicationAdministration\_Medication\_Intake\_Free

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_MedicationAdministration_Medication_Intake_Free" />
3   <version value="1.0.0" />
4   <name value="KBV_PR_MIO_DIGA_MedicationAdministration_Medication_Intake_F
ree" />
5   <title value="KBV_PR_MIO_DIGA_MedicationAdministration_Medication_Intake_
Free" />
6   <status value="draft" />
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <description value="Dieses Profil bildet die Medikamenteneinnahme ab." />
9   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://

```



loinc.org. Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and the Logical Observation Identifiers Names and Codes Loinc Committee and is available at no cost under the license at <http://loinc.org/license>. Loinc® is a registered United States trademark of Regenstrief Institute, Inc. This product includes all or a portion of the UCUM table, UCUM codes, and UCUM definitions or is derived from it, subject to a license from Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM codes, UCUM definitions also is subject to this license, a copy of which is available at <http://unitsofmeasure.org>. The current complete UCUM table, UCUM Specification are available for download at <http://unitsofmeasure.org>. The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures UCUM Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED "AS IS." ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE." />

```
10 <fhirVersion value="4.0.1" />
11 <kind value="resource" />
12 <abstract value="false" />
13 <type value="MedicationAdministration" />
14 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
MedicationAdministration" />
15 <derivation value="constraint" />
16 <differential>
17 <element id="MedicationAdministration">
18 <path value="MedicationAdministration" />
19 <definition value="Dieses Profil bildet die Medikamenteneinnahme
ab." />
20 </element>
21 <element id="MedicationAdministration.meta">
22 <path value="MedicationAdministration.meta" />
23 <min value="1" />
24 </element>
25 <element id="MedicationAdministration.meta.versionId">
26 <path value="MedicationAdministration.meta.versionId" />
27 <min value="1" />
28 </element>
29 <element id="MedicationAdministration.meta.lastUpdated">
30 <path value="MedicationAdministration.meta.lastUpdated" />
31 <min value="1" />
32 </element>
33 <element id="MedicationAdministration.meta.source">
34 <path value="MedicationAdministration.meta.source" />
35 <max value="0" />
36 </element>
37 <element id="MedicationAdministration.meta.profile">
38 <path value="MedicationAdministration.meta.profile" />
39 <min value="1" />
40 <max value="1" />
41 <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_MedicationAdministration_Medication_Intake_Free|1.0.0" />
42 </element>
43 <element id="MedicationAdministration.meta.security">
44 <path value="MedicationAdministration.meta.security" />
45 <max value="0" />
46 </element>
47 <element id="MedicationAdministration.meta.tag">
48 <path value="MedicationAdministration.meta.tag" />
49 <max value="0" />
```

```

50 </element>
51 <element id="MedicationAdministration.implicitRules">
52   <path value="MedicationAdministration.implicitRules" />
53   <max value="0" />
54 </element>
55 <element id="MedicationAdministration.language">
56   <path value="MedicationAdministration.language" />
57   <max value="0" />
58 </element>
59 <element id="MedicationAdministration.text">
60   <path value="MedicationAdministration.text" />
61   <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
62 </element>
63 <element id="MedicationAdministration.text.status">
64   <path value="MedicationAdministration.text.status" />
65   <fixedCode value="extensions" />
66 </element>
67 <element id="MedicationAdministration.contained">
68   <path value="MedicationAdministration.contained" />
69   <max value="0" />
70 </element>
71 <element id="MedicationAdministration.extension">
72   <path value="MedicationAdministration.extension" />
73   <licing>
74     <discriminator>
75       <type value="value" />
76       <path value="url" />
77     </discriminator>
78     <rules value="open" />
79   </licing>
80   <min value="0" />
81 </element>
82 <element id="MedicationAdministration.extension:arzneimittelAnamnese">
83   <path value="MedicationAdministration.extension" />
84   <sliceName value="arzneimittelAnamnese" />
85   <min value="0" />
86   <max value="1" />
87   <type>
88     <code value="Extension" />
89     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_DIGA_Reference" />
90   </type>
91   <mustSupport value="true" />
92 </element>
93 <element id="MedicationAdministration.extension:arzneimittelAnamnese.va
lue[x]">
94   <path value="MedicationAdministration.extension.value[x]" />
95   <min value="1" />
96 </element>
97 <element id="MedicationAdministration.extension:arzneimittelAnamnese.va
lue[x]:valueReference">
98   <path value="MedicationAdministration.extension.value[x]" />
99   <sliceName value="valueReference" />
100  <min value="1" />
101  <type>
102    <code value="Reference" />

```

```

103     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_MedicationStatement_Medication_Request_Free|1.0.0" />
104     </type>
105 </element>
106 <element id="MedicationAdministration.identifier">
107     <path value="MedicationAdministration.identifier" />
108     <min value="1" />
109     <max value="1" />
110     <mustSupport value="true" />
111 </element>
112 <element id="MedicationAdministration.identifier.use">
113     <path value="MedicationAdministration.identifier.use" />
114     <max value="0" />
115 </element>
116 <element id="MedicationAdministration.identifier.type">
117     <path value="MedicationAdministration.identifier.type" />
118     <min value="1" />
119     <patternCodeableConcept>
120         <coding>
121             <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
122             <version value="2.9" />
123             <code value="RI" />
124             <display value="Resource identifier" />
125         </coding>
126     </patternCodeableConcept>
127 </element>
128 <element id="MedicationAdministration.identifier.type.coding">
129     <path value="MedicationAdministration.identifier.type.coding" />
130     <min value="1" />
131     <max value="1" />
132 </element>
133 <element id="MedicationAdministration.identifier.type.coding.system">
134     <path value="MedicationAdministration.identifier.type.coding.system"
/>
135     <min value="1" />
136 </element>
137 <element id="MedicationAdministration.identifier.type.coding.version">
138     <path value="MedicationAdministration.identifier.type.coding.version"
/>
139     <min value="1" />
140 </element>
141 <element id="MedicationAdministration.identifier.type.coding.code">
142     <path value="MedicationAdministration.identifier.type.coding.code" />
143     <min value="1" />
144 </element>
145 <element id="MedicationAdministration.identifier.type.coding.display">
146     <path value="MedicationAdministration.identifier.type.coding.display"
/>
147     <min value="1" />
148 </element>
149 <element id="MedicationAdministration.identifier.type.coding.userSelect
ed">
150     <path value="MedicationAdministration.identifier.type.coding.userSele
cted" />
151     <max value="0" />
152 </element>
153 <element id="MedicationAdministration.identifier.type.text">
154     <path value="MedicationAdministration.identifier.type.text" />
155     <max value="0" />
156 </element>

```

```

157 <element id="MedicationAdministration.identifier.system">
158   <path value="MedicationAdministration.identifier.system" />
159   <min value="1" />
160   <fixedUri value="urn:ietf:rhc:3986" />
161   <mustSupport value="true" />
162 </element>
163 <element id="MedicationAdministration.identifier.value">
164   <path value="MedicationAdministration.identifier.value" />
165   <min value="1" />
166   <mustSupport value="true" />
167 </element>
168 <element id="MedicationAdministration.identifier.period">
169   <path value="MedicationAdministration.identifier.period" />
170   <max value="0" />
171 </element>
172 <element id="MedicationAdministration.identifier.assigner">
173   <path value="MedicationAdministration.identifier.assigner" />
174   <max value="0" />
175 </element>
176 <element id="MedicationAdministration.instantiates">
177   <path value="MedicationAdministration.instantiates" />
178   <max value="0" />
179 </element>
180 <element id="MedicationAdministration.partOf">
181   <path value="MedicationAdministration.partOf" />
182   <max value="0" />
183 </element>
184 <element id="MedicationAdministration.status">
185   <path value="MedicationAdministration.status" />
186   <patternCode value="completed" />
187 </element>
188 <element id="MedicationAdministration.statusReason">
189   <path value="MedicationAdministration.statusReason" />
190   <max value="0" />
191 </element>
192 <element id="MedicationAdministration.category">
193   <path value="MedicationAdministration.category" />
194   <max value="0" />
195 </element>
196 <element id="MedicationAdministration.medication[x]">
197   <path value="MedicationAdministration.medication[x]" />
198   <slicing>
199     <discriminator>
200       <type value="type" />
201       <path value="$this" />
202     </discriminator>
203     <rules value="open" />
204   </slicing>
205   <type>
206     <code value="Reference" />
207   </type>
208 </element>
209 <element id="MedicationAdministration.medication[x]:medicationReference
">
210   <path value="MedicationAdministration.medication[x]" />
211   <sliceName value="medicationReference" />
212   <min value="1" />
213   <type>
214     <code value="Reference" />

```

```

215     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Medication_Free|1.0.0" />
216   </type>
217   <mustSupport value="true" />
218 </element>
219   <element id="MedicationAdministration.medication[x]:medicationReference
.reference">
220     <path value="MedicationAdministration.medication[x].reference" />
221     <min value="1" />
222     <mustSupport value="true" />
223 </element>
224   <element id="MedicationAdministration.medication[x]:medicationReference
.type">
225     <path value="MedicationAdministration.medication[x].type" />
226     <max value="0" />
227 </element>
228   <element id="MedicationAdministration.medication[x]:medicationReference
.identifier">
229     <path value="MedicationAdministration.medication[x].identifier" />
230     <max value="0" />
231 </element>
232   <element id="MedicationAdministration.medication[x]:medicationReference
.display">
233     <path value="MedicationAdministration.medication[x].display" />
234     <max value="0" />
235 </element>
236   <element id="MedicationAdministration.subject">
237     <path value="MedicationAdministration.subject" />
238     <type>
239       <code value="Reference" />
240       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
241     </type>
242     <mustSupport value="true" />
243 </element>
244   <element id="MedicationAdministration.subject.reference">
245     <path value="MedicationAdministration.subject.reference" />
246     <min value="1" />
247     <mustSupport value="true" />
248 </element>
249   <element id="MedicationAdministration.subject.type">
250     <path value="MedicationAdministration.subject.type" />
251     <max value="0" />
252 </element>
253   <element id="MedicationAdministration.subject.identifier">
254     <path value="MedicationAdministration.subject.identifier" />
255     <max value="0" />
256 </element>
257   <element id="MedicationAdministration.subject.display">
258     <path value="MedicationAdministration.subject.display" />
259     <max value="0" />
260 </element>
261   <element id="MedicationAdministration.context">
262     <path value="MedicationAdministration.context" />
263     <max value="0" />
264 </element>
265   <element id="MedicationAdministration.supportingInformation">
266     <path value="MedicationAdministration.supportingInformation" />
267     <max value="0" />
268 </element>

```

```

269 <element id="MedicationAdministration.effective[x]">
270   <path value="MedicationAdministration.effective[x]" />
271   <slicing>
272     <discriminator>
273       <type value="type" />
274       <path value="$this" />
275     </discriminator>
276     <rules value="closed" />
277   </slicing>
278   <min value="1" />
279   <max value="1" />
280   <type>
281     <code value="dateTime" />
282   </type>
283   <type>
284     <code value="Period" />
285   </type>
286   <mustSupport value="true" />
287 </element>
288 <element id="MedicationAdministration.effective[x]:effectiveDateTime">
289   <path value="MedicationAdministration.effective[x]" />
290   <sliceName value="effectiveDateTime" />
291   <min value="0" />
292   <max value="1" />
293   <type>
294     <code value="dateTime" />
295   </type>
296   <mustSupport value="true" />
297 </element>
298 <element id="MedicationAdministration.effective[x]:effectivePeriod">
299   <path value="MedicationAdministration.effective[x]" />
300   <sliceName value="effectivePeriod" />
301   <min value="0" />
302   <max value="1" />
303   <type>
304     <code value="Period" />
305   </type>
306   <mustSupport value="true" />
307 </element>
308 <element id="MedicationAdministration.effective[x]:effectivePeriod.star
309   <path value="MedicationAdministration.effective[x].start" />
310   <mustSupport value="true" />
311 </element>
312 <element id="MedicationAdministration.effective[x]:effectivePeriod.end">
313   <path value="MedicationAdministration.effective[x].end" />
314   <mustSupport value="true" />
315 </element>
316 <element id="MedicationAdministration.performer">
317   <path value="MedicationAdministration.performer" />
318   <max value="1" />
319   <mustSupport value="true" />
320 </element>
321 <element id="MedicationAdministration.performer.function">
322   <path value="MedicationAdministration.performer.function" />
323   <max value="0" />
324 </element>
325 <element id="MedicationAdministration.performer.actor">
326   <path value="MedicationAdministration.performer.actor" />
327   <type>

```

```

328     <code value="Reference" />
329     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
330     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
331     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_RelatedPerson|1.0.0" />
332     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole|1.0.0" />
333   </type>
334   <mustSupport value="true" />
335 </element>
336 <element id="MedicationAdministration.performer.actor.reference">
337   <path value="MedicationAdministration.performer.actor.reference" />
338   <min value="1" />
339   <mustSupport value="true" />
340 </element>
341 <element id="MedicationAdministration.performer.actor.type">
342   <path value="MedicationAdministration.performer.actor.type" />
343   <max value="0" />
344 </element>
345 <element id="MedicationAdministration.performer.actor.identifier">
346   <path value="MedicationAdministration.performer.actor.identifier" />
347   <max value="0" />
348 </element>
349 <element id="MedicationAdministration.performer.actor.display">
350   <path value="MedicationAdministration.performer.actor.display" />
351   <max value="0" />
352 </element>
353 <element id="MedicationAdministration.reasonCode">
354   <path value="MedicationAdministration.reasonCode" />
355   <max value="1" />
356   <mustSupport value="true" />
357 </element>
358 <element id="MedicationAdministration.reasonCode.coding">
359   <path value="MedicationAdministration.reasonCode.coding" />
360   <mustSupport value="true" />
361 </element>
362 <element id="MedicationAdministration.reasonCode.coding.system">
363   <path value="MedicationAdministration.reasonCode.coding.system" />
364   <min value="1" />
365 </element>
366 <element id="MedicationAdministration.reasonCode.coding.version">
367   <path value="MedicationAdministration.reasonCode.coding.version" />
368   <min value="1" />
369 </element>
370 <element id="MedicationAdministration.reasonCode.coding.code">
371   <path value="MedicationAdministration.reasonCode.coding.code" />
372   <min value="1" />
373 </element>
374 <element id="MedicationAdministration.reasonCode.coding.display">
375   <path value="MedicationAdministration.reasonCode.coding.display" />
376   <min value="1" />
377 </element>
378 <element id="MedicationAdministration.reasonCode.coding.userSelected">
379   <path value="MedicationAdministration.reasonCode.coding.userSelected"
/>
380     <max value="0" />
381 </element>
382 <element id="MedicationAdministration.reasonCode.text">

```

```

383     <path value="MedicationAdministration.reasonCode.text" />
384     <mustSupport value="true" />
385 </element>
386 <element id="MedicationAdministration.reasonReference">
387     <path value="MedicationAdministration.reasonReference" />
388     <max value="0" />
389 </element>
390 <element id="MedicationAdministration.request">
391     <path value="MedicationAdministration.request" />
392     <max value="0" />
393 </element>
394 <element id="MedicationAdministration.request.reference">
395     <path value="MedicationAdministration.request.reference" />
396     <min value="1" />
397     <mustSupport value="true" />
398 </element>
399 <element id="MedicationAdministration.request.type">
400     <path value="MedicationAdministration.request.type" />
401     <max value="0" />
402 </element>
403 <element id="MedicationAdministration.request.identifier">
404     <path value="MedicationAdministration.request.identifier" />
405     <max value="0" />
406 </element>
407 <element id="MedicationAdministration.request.display">
408     <path value="MedicationAdministration.request.display" />
409     <max value="0" />
410 </element>
411 <element id="MedicationAdministration.device">
412     <path value="MedicationAdministration.device" />
413     <max value="0" />
414 </element>
415 <element id="MedicationAdministration.note">
416     <path value="MedicationAdministration.note" />
417     <max value="1" />
418     <mustSupport value="true" />
419 </element>
420 <element id="MedicationAdministration.note.author[x]">
421     <path value="MedicationAdministration.note.author[x]" />
422     <max value="0" />
423 </element>
424 <element id="MedicationAdministration.note.time">
425     <path value="MedicationAdministration.note.time" />
426     <max value="0" />
427 </element>
428 <element id="MedicationAdministration.note.text">
429     <path value="MedicationAdministration.note.text" />
430     <mustSupport value="true" />
431 </element>
432 <element id="MedicationAdministration.dosage">
433     <path value="MedicationAdministration.dosage" />
434     <min value="1" />
435     <mustSupport value="true" />
436 </element>
437 <element id="MedicationAdministration.dosage.text">
438     <path value="MedicationAdministration.dosage.text" />
439     <max value="0" />
440 </element>
441 <element id="MedicationAdministration.dosage.site">
442     <path value="MedicationAdministration.dosage.site" />

```



```

443     <max value="0" />
444 </element>
445 <element id="MedicationAdministration.dosage.route">
446   <path value="MedicationAdministration.dosage.route" />
447   <mustSupport value="true" />
448 </element>
449 <element id="MedicationAdministration.dosage.route.coding">
450   <path value="MedicationAdministration.dosage.route.coding" />
451   <licing>
452     <discriminator>
453       <type value="value" />
454       <path value="$this" />
455     </discriminator>
456     <rules value="open" />
457   </licing>
458   <mustSupport value="true" />
459 </element>
460 <element id="MedicationAdministration.dosage.route.coding:verabreichung
sweg">
461   <path value="MedicationAdministration.dosage.route.coding" />
462   <sliceName value="verabreichungsweg" />
463   <max value="1" />
464   <patternCoding>
465     <system value="http://snomed.info/sct" />
466   </patternCoding>
467   <mustSupport value="true" />
468   <binding>
469     <strength value="required" />
470     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_Base_AllergyIntolerance_Route_of_Administration|1.2.1" />
471   </binding>
472 </element>
473 <element id="MedicationAdministration.dosage.route.coding:verabreichung
sweg.display">
474   <path value="MedicationAdministration.dosage.route.coding.display" />
475   <min value="1" />
476 </element>
477 <element id="MedicationAdministration.dosage.route.coding:verabreichung
sweg.display.extension">
478   <path value="MedicationAdministration.dosage.route.coding.display.ext
ension" />
479   <licing>
480     <discriminator>
481       <type value="value" />
482       <path value="url" />
483     </discriminator>
484     <rules value="open" />
485   </licing>
486   <min value="1" />
487 </element>
488 <element id="MedicationAdministration.dosage.route.coding:verabreichung
sweg.display.extension:anzeigennameRoute">
489   <path value="MedicationAdministration.dosage.route.coding.display.ext
ension" />
490   <sliceName value="anzeigennameRoute" />
491   <min value="1" />
492   <max value="1" />
493   <type>
494     <code value="Extension" />

```

```

495     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
496   </type>
497   <mustSupport value="true" />
498 </element>
499   <element id="MedicationAdministration.dosage.route.coding:verabreichung
sweg.display.extension:anzeigenameRoute.extension">
500     <path value="MedicationAdministration.dosage.route.coding.display.ext
ension.extension" />
501     <licing>
502       <discriminator>
503         <type value="value" />
504         <path value="url" />
505       </discriminator>
506       <rules value="open" />
507     </licing>
508     <min value="1" />
509   </element>
510   <element id="MedicationAdministration.dosage.route.coding:verabreichung
sweg.display.extension:anzeigenameRoute.extension:content">
511     <path value="MedicationAdministration.dosage.route.coding.display.ext
ension.extension" />
512     <sliceName value="content" />
513     <min value="1" />
514   </element>
515   <element id="MedicationAdministration.dosage.route.coding:verabreichung
sweg.display.extension:anzeigenameRoute.extension:content.value[x]">
516     <path value="MedicationAdministration.dosage.route.coding.display.ext
ension.extension.value[x]" />
517     <licing>
518       <discriminator>
519         <type value="type" />
520         <path value="$this" />
521       </discriminator>
522       <rules value="closed" />
523     </licing>
524     <mustSupport value="true" />
525   </element>
526   <element id="MedicationAdministration.dosage.route.coding:verabreichung
sweg.display.extension:anzeigenameRoute.extension:content.value[x]:valueStr
ing">
527     <path value="MedicationAdministration.dosage.route.coding.display.ext
ension.extension.value[x]" />
528     <sliceName value="valueString" />
529     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/
KBV_CM_Base_AllergyIntolerance_Route_Of_Administration_German|1.2.1" />
530     <min value="1" />
531     <mustSupport value="true" />
532   </element>
533   <element id="MedicationAdministration.dosage.route.coding:verabreichung
sweg.userSelected">
534     <path value="MedicationAdministration.dosage.route.coding.userSelecte
d" />
535     <max value="0" />
536   </element>
537   <element id="MedicationAdministration.dosage.route.text">
538     <path value="MedicationAdministration.dosage.route.text" />

```

```

539     <mustSupport value="true" />
540 </element>
541 <element id="MedicationAdministration.dosage.method">
542   <path value="MedicationAdministration.dosage.method" />
543   <max value="0" />
544 </element>
545 <element id="MedicationAdministration.dosage.dose">
546   <path value="MedicationAdministration.dosage.dose" />
547   <min value="1" />
548   <mustSupport value="true" />
549 </element>
550 <element id="MedicationAdministration.dosage.dose.value">
551   <path value="MedicationAdministration.dosage.dose.value" />
552   <min value="1" />
553 </element>
554 <element id="MedicationAdministration.dosage.dose.unit">
555   <path value="MedicationAdministration.dosage.dose.unit" />
556   <min value="1" />
557 </element>
558 <element id="MedicationAdministration.dosage.dose.system">
559   <path value="MedicationAdministration.dosage.dose.system" />
560   <min value="1" />
561 </element>
562 <element id="MedicationAdministration.dosage.dose.code">
563   <path value="MedicationAdministration.dosage.dose.code" />
564   <min value="1" />
565 </element>
566 <element id="MedicationAdministration.dosage.rate[x]">
567   <path value="MedicationAdministration.dosage.rate[x]" />
568   <max value="0" />
569 </element>
570 <element id="MedicationAdministration.eventHistory">
571   <path value="MedicationAdministration.eventHistory" />
572   <max value="0" />
573 </element>
574 </differential>
575 </StructureDefinition>

```

#### 49. KBV\_PR\_MIO\_DIGA\_MEDICATIONSTATEMENT\_MEDICATION\_REQUEST\_FREE

##### KBV\_PR\_MIO\_DIGA\_MedicationStatement\_Medication\_Request\_Free

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_MedicationStatement_Medication_Request_Free" />
3   <version value="1.0.0" />
4   <name value="KBV_PR_MIO_DIGA_MedicationStatement_Medication_Request_Free"
/>
5   <title value="KBV_PR_MIO_DIGA_MedicationStatement_Medication_Request_Free
" />
6   <status value="draft" />
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <description value="Dieses Profil bildet die Arzneimittelanamnese ab." />
9   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED

```

CT®, was originally created by The College of American Pathologists. SNOMED and SNOMED CT are registered trademarks of SNOMED International. Implementers of these artefacts must have the appropriate SNOMED CT Affiliate license. This material contains content from Loinc <http://loinc.org>. Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and the Logical Observation Identifiers Names and Codes Loinc Committee and is available at no cost under the license at <http://loinc.org/license>. Loinc® is a registered United States trademark of Regenstrief Institute, Inc. This product includes all or a portion of the UCUM table, UCUM codes, and UCUM definitions or is derived from it, subject to a license from Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM codes, UCUM definitions also is subject to this license, a copy of which is available at <http://unitsofmeasure.org>. The current complete UCUM table, UCUM Specification are available for download at <http://unitsofmeasure.org>. The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures UCUM Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED "AS IS." ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE." />

```

10 <fhirVersion value="4.0.1" />
11 <kind value="resource" />
12 <abstract value="false" />
13 <type value="MedicationStatement" />
14 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
MedicationStatement" />
15 <derivation value="constraint" />
16 <differential>
17 <element id="MedicationStatement">
18 <path value="MedicationStatement" />
19 <definition value="Dieses Profil bildet die Arzneimittelanamnese
ab." />
20 </element>
21 <element id="MedicationStatement.meta">
22 <path value="MedicationStatement.meta" />
23 <min value="1" />
24 </element>
25 <element id="MedicationStatement.meta.versionId">
26 <path value="MedicationStatement.meta.versionId" />
27 <min value="1" />
28 </element>
29 <element id="MedicationStatement.meta.lastUpdated">
30 <path value="MedicationStatement.meta.lastUpdated" />
31 <min value="1" />
32 </element>
33 <element id="MedicationStatement.meta.source">
34 <path value="MedicationStatement.meta.source" />
35 <max value="0" />
36 </element>
37 <element id="MedicationStatement.meta.profile">
38 <path value="MedicationStatement.meta.profile" />
39 <min value="1" />
40 <max value="1" />
41 <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_MedicationStatement_Medication_Request_Free|1.0.0" />
42 </element>
43 <element id="MedicationStatement.meta.security">
44 <path value="MedicationStatement.meta.security" />
45 <max value="0" />

```

```

46 </element>
47 <element id="MedicationStatement.meta.tag">
48   <path value="MedicationStatement.meta.tag" />
49   <max value="0" />
50 </element>
51 <element id="MedicationStatement.implicitRules">
52   <path value="MedicationStatement.implicitRules" />
53   <max value="0" />
54 </element>
55 <element id="MedicationStatement.language">
56   <path value="MedicationStatement.language" />
57   <max value="0" />
58 </element>
59 <element id="MedicationStatement.text">
60   <path value="MedicationStatement.text" />
61   <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
62 </element>
63 <element id="MedicationStatement.text.status">
64   <path value="MedicationStatement.text.status" />
65   <fixedCode value="extensions" />
66 </element>
67 <element id="MedicationStatement.contained">
68   <path value="MedicationStatement.contained" />
69   <max value="0" />
70 </element>
71 <element id="MedicationStatement.identifier">
72   <path value="MedicationStatement.identifier" />
73   <min value="1" />
74   <max value="1" />
75   <mustSupport value="true" />
76 </element>
77 <element id="MedicationStatement.identifier.type">
78   <path value="MedicationStatement.identifier.type" />
79   <min value="1" />
80   <patternCodeableConcept>
81     <coding>
82       <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
83       <version value="2.9" />
84       <code value="RI" />
85       <display value="Resource identifier" />
86     </coding>
87   </patternCodeableConcept>
88 </element>
89 <element id="MedicationStatement.identifier.type.coding">
90   <path value="MedicationStatement.identifier.type.coding" />
91   <min value="1" />
92   <max value="1" />
93 </element>
94 <element id="MedicationStatement.identifier.type.coding.system">
95   <path value="MedicationStatement.identifier.type.coding.system" />
96   <min value="1" />
97 </element>
98 <element id="MedicationStatement.identifier.type.coding.version">
99   <path value="MedicationStatement.identifier.type.coding.version" />
100  <min value="1" />
101 </element>

```

```

102 <element id="MedicationStatement.identifier.type.coding.code">
103   <path value="MedicationStatement.identifier.type.coding.code" />
104   <min value="1" />
105 </element>
106 <element id="MedicationStatement.identifier.type.coding.display">
107   <path value="MedicationStatement.identifier.type.coding.display" />
108   <min value="1" />
109 </element>
110 <element id="MedicationStatement.identifier.type.coding.userSelected">
111   <path value="MedicationStatement.identifier.type.coding.userSelected"
/>
112   <max value="0" />
113 </element>
114 <element id="MedicationStatement.identifier.type.text">
115   <path value="MedicationStatement.identifier.type.text" />
116   <max value="0" />
117 </element>
118 <element id="MedicationStatement.identifier.system">
119   <path value="MedicationStatement.identifier.system" />
120   <min value="1" />
121   <fixedUri value="urn:iETF:rFC:3986" />
122   <mustSupport value="true" />
123 </element>
124 <element id="MedicationStatement.identifier.value">
125   <path value="MedicationStatement.identifier.value" />
126   <min value="1" />
127   <mustSupport value="true" />
128 </element>
129 <element id="MedicationStatement.identifier.period">
130   <path value="MedicationStatement.identifier.period" />
131   <max value="0" />
132 </element>
133 <element id="MedicationStatement.identifier.assigner">
134   <path value="MedicationStatement.identifier.assigner" />
135   <max value="0" />
136 </element>
137 <element id="MedicationStatement.basedOn">
138   <path value="MedicationStatement.basedOn" />
139   <max value="0" />
140 </element>
141 <element id="MedicationStatement.partOf">
142   <path value="MedicationStatement.partOf" />
143   <max value="0" />
144 </element>
145 <element id="MedicationStatement.status">
146   <path value="MedicationStatement.status" />
147   <mustSupport value="true" />
148 </element>
149 <element id="MedicationStatement.status.extension">
150   <path value="MedicationStatement.status.extension" />
151   <slicing>
152     <discriminator>
153       <type value="value" />
154       <path value="url" />
155     </discriminator>
156     <rules value="open" />
157   </slicing>
158   <min value="1" />
159 </element>
160 <element id="MedicationStatement.status.extension:anzeigenameStatus">

```

```

161     <path value="MedicationStatement.status.extension" />
162     <sliceName value="anzeigenameStatus" />
163     <min value="1" />
164     <max value="1" />
165     <type>
166         <code value="Extension" />
167         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
168     </type>
169     <mustSupport value="true" />
170 </element>
171 <element id="MedicationStatement.status.extension:anzeigenameStatus.ext
ension">
172     <path value="MedicationStatement.status.extension.extension" />
173     <slicing>
174         <discriminator>
175             <type value="value" />
176             <path value="url" />
177         </discriminator>
178         <rules value="open" />
179     </slicing>
180     <min value="1" />
181 </element>
182 <element id="MedicationStatement.status.extension:anzeigenameStatus.ext
ension:content">
183     <path value="MedicationStatement.status.extension.extension" />
184     <sliceName value="content" />
185     <min value="1" />
186 </element>
187 <element id="MedicationStatement.status.extension:anzeigenameStatus.ext
ension:content.value[x]">
188     <path value="MedicationStatement.status.extension.extension.value[x]"
/>
189     <slicing>
190         <discriminator>
191             <type value="type" />
192             <path value="$this" />
193         </discriminator>
194         <rules value="closed" />
195     </slicing>
196     <mustSupport value="true" />
197 </element>
198 <element id="MedicationStatement.status.extension:anzeigenameStatus.ext
ension:content.value[x]:valueString">
199     <path value="MedicationStatement.status.extension.extension.valueStri
ng" />
200     <sliceName value="valueString" />
201     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_DIGA_Medication_Statement_Status_German|1.0.0" />
202     <min value="1" />
203     <mustSupport value="true" />
204 </element>
205 <element id="MedicationStatement.statusReason">
206     <path value="MedicationStatement.statusReason" />
207     <max value="0" />
208 </element>
209 <element id="MedicationStatement.category">

```

```

210     <path value="MedicationStatement.category" />
211     <max value="0" />
212 </element>
213 <element id="MedicationStatement.category.coding.userSelected">
214     <path value="MedicationStatement.category.coding.userSelected" />
215     <max value="0" />
216 </element>
217 <element id="MedicationStatement.category.text">
218     <path value="MedicationStatement.category.text" />
219     <max value="0" />
220 </element>
221 <element id="MedicationStatement.medication[x]">
222     <path value="MedicationStatement.medication[x]" />
223     <slicing>
224         <discriminator>
225             <type value="type" />
226             <path value="$this" />
227         </discriminator>
228         <rules value="closed" />
229     </slicing>
230     <type>
231         <code value="Reference" />
232     </type>
233     <mustSupport value="true" />
234 </element>
235 <element id="MedicationStatement.medication[x]:medicationReference">
236     <path value="MedicationStatement.medication[x]" />
237     <sliceName value="medicationReference" />
238     <min value="1" />
239     <type>
240         <code value="Reference" />
241         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Medication_Free|1.0.0" />
242     </type>
243     <mustSupport value="true" />
244 </element>
245 <element id="MedicationStatement.medication[x]:medicationReference.refe
rence">
246     <path value="MedicationStatement.medication[x].reference" />
247     <min value="1" />
248     <mustSupport value="true" />
249 </element>
250 <element id="MedicationStatement.medication[x]:medicationReference.type
">
251     <path value="MedicationStatement.medication[x].type" />
252     <max value="0" />
253 </element>
254 <element id="MedicationStatement.medication[x]:medicationReference.iden
tifier">
255     <path value="MedicationStatement.medication[x].identifier" />
256     <max value="0" />
257 </element>
258 <element id="MedicationStatement.medication[x]:medicationReference.disp
lay">
259     <path value="MedicationStatement.medication[x].display" />
260     <max value="0" />
261 </element>
262 <element id="MedicationStatement.subject">
263     <path value="MedicationStatement.subject" />
264     <type>

```



```

265     <code value="Reference" />
266     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
267   </type>
268   <mustSupport value="true" />
269 </element>
270 <element id="MedicationStatement.subject.reference">
271   <path value="MedicationStatement.subject.reference" />
272   <min value="1" />
273   <mustSupport value="true" />
274 </element>
275 <element id="MedicationStatement.subject.type">
276   <path value="MedicationStatement.subject.type" />
277   <max value="0" />
278 </element>
279 <element id="MedicationStatement.subject.identifier">
280   <path value="MedicationStatement.subject.identifier" />
281   <max value="0" />
282 </element>
283 <element id="MedicationStatement.subject.display">
284   <path value="MedicationStatement.subject.display" />
285   <max value="0" />
286 </element>
287 <element id="MedicationStatement.context">
288   <path value="MedicationStatement.context" />
289   <max value="0" />
290 </element>
291 <element id="MedicationStatement.effective[x]">
292   <path value="MedicationStatement.effective[x]" />
293   <licing>
294     <discriminator>
295       <type value="type" />
296       <path value="$this" />
297     </discriminator>
298     <rules value="closed" />
299   </licing>
300   <min value="1" />
301   <type>
302     <code value="Period" />
303   </type>
304   <mustSupport value="true" />
305 </element>
306 <element id="MedicationStatement.effective[x]:effectivePeriod">
307   <path value="MedicationStatement.effective[x]" />
308   <sliceName value="effectivePeriod" />
309   <min value="1" />
310   <type>
311     <code value="Period" />
312   </type>
313   <mustSupport value="true" />
314 </element>
315 <element id="MedicationStatement.effective[x]:effectivePeriod.start">
316   <path value="MedicationStatement.effective[x].start" />
317   <mustSupport value="true" />
318 </element>
319 <element id="MedicationStatement.effective[x]:effectivePeriod.end">
320   <path value="MedicationStatement.effective[x].end" />
321   <mustSupport value="true" />
322 </element>
323 <element id="MedicationStatement.dateAsserted">

```

```

324     <path value="MedicationStatement.dateAsserted" />
325     <max value="0" />
326 </element>
327 <element id="MedicationStatement.informationSource">
328     <path value="MedicationStatement.informationSource" />
329     <min value="1" />
330     <type>
331         <code value="Reference" />
332         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
333         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
334         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_RelatedPerson|1.0.0" />
335         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole|1.0.0" />
336     </type>
337     <mustSupport value="true" />
338 </element>
339 <element id="MedicationStatement.informationSource.reference">
340     <path value="MedicationStatement.informationSource.reference" />
341     <min value="1" />
342     <mustSupport value="true" />
343 </element>
344 <element id="MedicationStatement.informationSource.type">
345     <path value="MedicationStatement.informationSource.type" />
346     <max value="0" />
347 </element>
348 <element id="MedicationStatement.informationSource.identifier">
349     <path value="MedicationStatement.informationSource.identifier" />
350     <max value="0" />
351 </element>
352 <element id="MedicationStatement.informationSource.display">
353     <path value="MedicationStatement.informationSource.display" />
354     <max value="0" />
355 </element>
356 <element id="MedicationStatement.derivedFrom">
357     <path value="MedicationStatement.derivedFrom" />
358     <max value="0" />
359 </element>
360 <element id="MedicationStatement.reasonCode">
361     <path value="MedicationStatement.reasonCode" />
362     <max value="1" />
363     <mustSupport value="true" />
364 </element>
365 <element id="MedicationStatement.reasonCode.coding">
366     <path value="MedicationStatement.reasonCode.coding" />
367     <mustSupport value="true" />
368 </element>
369 <element id="MedicationStatement.reasonCode.coding.system">
370     <path value="MedicationStatement.reasonCode.coding.system" />
371     <min value="1" />
372 </element>
373 <element id="MedicationStatement.reasonCode.coding.version">
374     <path value="MedicationStatement.reasonCode.coding.version" />
375     <min value="1" />
376 </element>
377 <element id="MedicationStatement.reasonCode.coding.code">
378     <path value="MedicationStatement.reasonCode.coding.code" />
379     <min value="1" />

```

```

380 </element>
381 <element id="MedicationStatement.reasonCode.coding.display">
382   <path value="MedicationStatement.reasonCode.coding.display" />
383   <min value="1" />
384 </element>
385 <element id="MedicationStatement.reasonCode.coding.userSelected">
386   <path value="MedicationStatement.reasonCode.coding.userSelected" />
387   <max value="0" />
388 </element>
389 <element id="MedicationStatement.reasonCode.text">
390   <path value="MedicationStatement.reasonCode.text" />
391   <mustSupport value="true" />
392 </element>
393 <element id="MedicationStatement.reasonReference">
394   <path value="MedicationStatement.reasonReference" />
395   <max value="0" />
396 </element>
397 <element id="MedicationStatement.note">
398   <path value="MedicationStatement.note" />
399   <max value="1" />
400   <mustSupport value="true" />
401 </element>
402 <element id="MedicationStatement.note.author[x]">
403   <path value="MedicationStatement.note.author[x]" />
404   <max value="0" />
405 </element>
406 <element id="MedicationStatement.note.time">
407   <path value="MedicationStatement.note.time" />
408   <max value="0" />
409 </element>
410 <element id="MedicationStatement.note.text">
411   <path value="MedicationStatement.note.text" />
412   <mustSupport value="true" />
413 </element>
414 <element id="MedicationStatement.dosage">
415   <path value="MedicationStatement.dosage" />
416   <licing>
417     <discriminator>
418       <type value="exists" />
419       <path value="text" />
420     </discriminator>
421     <rules value="closed" />
422   </licing>
423   <max value="1" />
424   <mustSupport value="true" />
425 </element>
426 <element id="MedicationStatement.dosage:dosierschemaUnstrukturiert">
427   <path value="MedicationStatement.dosage" />
428   <sliceName value="dosierschemaUnstrukturiert" />
429   <max value="1" />
430   <mustSupport value="true" />
431 </element>
432 <element id="MedicationStatement.dosage:dosierschemaUnstrukturiert.sequ
ence">
433   <path value="MedicationStatement.dosage.sequence" />
434   <max value="0" />
435 </element>
436 <element id="MedicationStatement.dosage:dosierschemaUnstrukturiert.text
">
437   <path value="MedicationStatement.dosage.text" />

```

```

438     <min value="1" />
439     <mustSupport value="true" />
440   </element>
441   <element id="MedicationStatement.dosage:dosierschemaUnstrukturiert.additionalInstruction">
442     <path value="MedicationStatement.dosage.additionalInstruction" />
443     <max value="0" />
444   </element>
445   <element id="MedicationStatement.dosage:dosierschemaUnstrukturiert.patientInstruction">
446     <path value="MedicationStatement.dosage.patientInstruction" />
447     <max value="0" />
448   </element>
449   <element id="MedicationStatement.dosage:dosierschemaUnstrukturiert.timing">
450     <path value="MedicationStatement.dosage.timing" />
451     <max value="0" />
452   </element>
453   <element id="MedicationStatement.dosage:dosierschemaUnstrukturiert.asNeeded[x]">
454     <path value="MedicationStatement.dosage.asNeeded[x]" />
455     <max value="0" />
456   </element>
457   <element id="MedicationStatement.dosage:dosierschemaUnstrukturiert.site">
458     <path value="MedicationStatement.dosage.site" />
459     <max value="0" />
460   </element>
461   <element id="MedicationStatement.dosage:dosierschemaUnstrukturiert.route">
462     <path value="MedicationStatement.dosage.route" />
463     <mustSupport value="true" />
464   </element>
465   <element id="MedicationStatement.dosage:dosierschemaUnstrukturiert.route.coding">
466     <path value="MedicationStatement.dosage.route.coding" />
467     <licing>
468       <discriminator>
469         <type value="value" />
470         <path value="$this" />
471       </discriminator>
472       <rules value="open" />
473     </licing>
474     <mustSupport value="true" />
475   </element>
476   <element id="MedicationStatement.dosage:dosierschemaUnstrukturiert.route.coding:verabreichungsweg">
477     <path value="MedicationStatement.dosage.route.coding" />
478     <sliceName value="verabreichungsweg" />
479     <max value="1" />
480     <patternCoding>
481       <system value="http://snomed.info/sct" />
482       <version value="http://snomed.info/sct/900000000000207008/version/20220131" />
483     </patternCoding>
484     <mustSupport value="true" />
485     <binding>
486       <strength value="required" />
487       <valueSet value="https://fhir.kbv.de/ValueSet/KBV_VS_Base_AllergyIntolerance_Route_of_Administration|1.2.1" />

```

```

488     </binding>
489 </element>
490 <element id="MedicationStatement.dosage:dosierschemaUnstrukturiert.route.coding:verabreichungsweg.system">
491     <path value="MedicationStatement.dosage.route.coding.system" />
492     <min value="1" />
493 </element>
494 <element id="MedicationStatement.dosage:dosierschemaUnstrukturiert.route.coding:verabreichungsweg.version">
495     <path value="MedicationStatement.dosage.route.coding.version" />
496     <min value="1" />
497 </element>
498 <element id="MedicationStatement.dosage:dosierschemaUnstrukturiert.route.coding:verabreichungsweg.code">
499     <path value="MedicationStatement.dosage.route.coding.code" />
500     <min value="1" />
501 </element>
502 <element id="MedicationStatement.dosage:dosierschemaUnstrukturiert.route.coding:verabreichungsweg.display">
503     <path value="MedicationStatement.dosage.route.coding.display" />
504     <min value="1" />
505 </element>
506 <element id="MedicationStatement.dosage:dosierschemaUnstrukturiert.route.coding:verabreichungsweg.display.extension">
507     <path value="MedicationStatement.dosage.route.coding.display.extension" />
508     < slicing>
509         < discriminator>
510             < type value="value" />
511             < path value="url" />
512         </ discriminator>
513         < rules value="closed" />
514     </ slicing>
515     < min value="1" />
516 </ element>
517 < element id="MedicationStatement.dosage:dosierschemaUnstrukturiert.route.coding:verabreichungsweg.display.extension:anzeigennameRoute">
518     < path value="MedicationStatement.dosage.route.coding.display.extension" />
519     < sliceName value="anzeigennameRoute" />
520     < min value="1" />
521     < max value="1" />
522     < type>
523         < code value="Extension" />
524         < profile value="https://fhir.kbv.de/StructureDefinition/KBV_EX_Base_Terminology_German" />
525     </ type>
526     < mustSupport value="true" />
527 </ element>
528 < element id="MedicationStatement.dosage:dosierschemaUnstrukturiert.route.coding:verabreichungsweg.display.extension:anzeigennameRoute.extension">
529     < path value="MedicationStatement.dosage.route.coding.display.extension.extension" />
530     < slicing>
531         < discriminator>
532             < type value="value" />
533             < path value="url" />
534         </ discriminator>
535         < rules value="open" />
536     </ slicing>

```

```

537     <min value="1" />
538   </element>
539   <element id="MedicationStatement.dosage:dosierschemaUnstrukturiert.route.coding:verabreichungsweg.display.extension:anzeigenamenRoute.extension:content">
540     <path value="MedicationStatement.dosage.route.coding.display.extension.value" />
541     <sliceName value="content" />
542     <min value="1" />
543   </element>
544   <element id="MedicationStatement.dosage:dosierschemaUnstrukturiert.route.coding:verabreichungsweg.display.extension:anzeigenamenRoute.extension:content.value[x]">
545     <path value="MedicationStatement.dosage.route.coding.display.extension.value[x]" />
546     <licing>
547       <discriminator>
548         <type value="type" />
549         <path value="$this" />
550       </discriminator>
551       <rules value="closed" />
552     </licing>
553     <mustSupport value="true" />
554   </element>
555   <element id="MedicationStatement.dosage:dosierschemaUnstrukturiert.route.coding:verabreichungsweg.display.extension:anzeigenamenRoute.extension:content.value[x]:valueString">
556     <path value="MedicationStatement.dosage.route.coding.display.extension.valueString" />
557     <sliceName value="valueString" />
558     <definition value="In diesem Attribut sollen die entsprechende deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems aus https://fhir.kbv.de/ConceptMap/KBV\_CM\_Base\_AllergyIntolerance\_Route\_of\_Administration|1.2.1" />
559     <min value="1" />
560     <mustSupport value="true" />
561   </element>
562   <element id="MedicationStatement.dosage:dosierschemaUnstrukturiert.route.coding:verabreichungsweg.userSelected">
563     <path value="MedicationStatement.dosage.route.coding.userSelected" />
564     <max value="0" />
565   </element>
566   <element id="MedicationStatement.dosage:dosierschemaUnstrukturiert.route.text">
567     <path value="MedicationStatement.dosage.route.text" />
568     <mustSupport value="true" />
569   </element>
570   <element id="MedicationStatement.dosage:dosierschemaUnstrukturiert.method">
571     <path value="MedicationStatement.dosage.method" />
572     <max value="0" />
573   </element>
574   <element id="MedicationStatement.dosage:dosierschemaUnstrukturiert.doseAndRate">
575     <path value="MedicationStatement.dosage.doseAndRate" />
576     <max value="0" />
577   </element>
578   <element id="MedicationStatement.dosage:dosierschemaUnstrukturiert.maxDosePerPeriod">

```

```

579     <path value="MedicationStatement.dosage.maxDosePerPeriod" />
580     <max value="0" />
581   </element>
582   <element id="MedicationStatement.dosage:dosierschemaUnstrukturiert.maxD
osePerAdministration">
583     <path value="MedicationStatement.dosage.maxDosePerAdministration" />
584     <max value="0" />
585   </element>
586   <element id="MedicationStatement.dosage:dosierschemaUnstrukturiert.maxD
osePerLifetime">
587     <path value="MedicationStatement.dosage.maxDosePerLifetime" />
588     <max value="0" />
589   </element>
590   <element id="MedicationStatement.dosage:dosierschemaStrukturiert">
591     <path value="MedicationStatement.dosage" />
592     <sliceName value="dosierschemaStrukturiert" />
593     <mustSupport value="true" />
594   </element>
595   <element id="MedicationStatement.dosage:dosierschemaStrukturiert.sequen
ce">
596     <path value="MedicationStatement.dosage.sequence" />
597     <max value="0" />
598   </element>
599   <element id="MedicationStatement.dosage:dosierschemaStrukturiert.text">
600     <path value="MedicationStatement.dosage.text" />
601     <max value="0" />
602   </element>
603   <element id="MedicationStatement.dosage:dosierschemaStrukturiert.additi
onalInstruction">
604     <path value="MedicationStatement.dosage.additionalInstruction" />
605     <max value="0" />
606   </element>
607   <element id="MedicationStatement.dosage:dosierschemaStrukturiert.patien
tInstruction">
608     <path value="MedicationStatement.dosage.patientInstruction" />
609     <max value="0" />
610   </element>
611   <element id="MedicationStatement.dosage:dosierschemaStrukturiert.timing
">
612     <path value="MedicationStatement.dosage.timing" />
613     <min value="1" />
614     <mustSupport value="true" />
615   </element>
616   <element id="MedicationStatement.dosage:dosierschemaStrukturiert.timing
.event">
617     <path value="MedicationStatement.dosage.timing.event" />
618     <max value="0" />
619   </element>
620   <element id="MedicationStatement.dosage:dosierschemaStrukturiert.timing
.repeat">
621     <path value="MedicationStatement.dosage.timing.repeat" />
622     <max value="0" />
623   </element>
624   <element id="MedicationStatement.dosage:dosierschemaStrukturiert.timing
.repeat.bounds[x]">
625     <path value="MedicationStatement.dosage.timing.repeat.bounds[x]" />
626     <max value="0" />
627   </element>
628   <element id="MedicationStatement.dosage:dosierschemaStrukturiert.timing
.repeat.count">

```

```

629     <path value="MedicationStatement.dosage.timing.repeat.count" />
630     <max value="0" />
631   </element>
632   <element id="MedicationStatement.dosage:dosierschemaStrukturiert.timing
633     .repeat.countMax">
634     <path value="MedicationStatement.dosage.timing.repeat.countMax" />
635     <max value="0" />
636   </element>
637   <element id="MedicationStatement.dosage:dosierschemaStrukturiert.timing
638     .repeat.duration">
639     <path value="MedicationStatement.dosage.timing.repeat.duration" />
640     <max value="0" />
641   </element>
642   <element id="MedicationStatement.dosage:dosierschemaStrukturiert.timing
643     .repeat.durationMax">
644     <path value="MedicationStatement.dosage.timing.repeat.durationMax" />
645     <max value="0" />
646   </element>
647   <element id="MedicationStatement.dosage:dosierschemaStrukturiert.timing
648     .repeat.durationUnit">
649     <path value="MedicationStatement.dosage.timing.repeat.durationUnit" /
650     >
651     <max value="0" />
652   </element>
653   <element id="MedicationStatement.dosage:dosierschemaStrukturiert.timing
654     .repeat.frequency">
655     <path value="MedicationStatement.dosage.timing.repeat.frequency" />
656     <max value="0" />
657   </element>
658   <element id="MedicationStatement.dosage:dosierschemaStrukturiert.timing
659     .repeat.frequencyMax">
660     <path value="MedicationStatement.dosage.timing.repeat.frequencyMax" /
661     >
662     <max value="0" />
663   </element>
664   <element id="MedicationStatement.dosage:dosierschemaStrukturiert.timing
665     .repeat.period">
666     <path value="MedicationStatement.dosage.timing.repeat.period" />
667     <max value="0" />
668   </element>
669   <element id="MedicationStatement.dosage:dosierschemaStrukturiert.timing
670     .repeat.periodMax">
671     <path value="MedicationStatement.dosage.timing.repeat.periodMax" />
672     <max value="0" />
673   </element>
674   <element id="MedicationStatement.dosage:dosierschemaStrukturiert.timing
675     .repeat.periodUnit">
676     <path value="MedicationStatement.dosage.timing.repeat.periodUnit" />
677     <max value="0" />
678   </element>
679   <element id="MedicationStatement.dosage:dosierschemaStrukturiert.timing
680     .repeat.dayOfWeek">
681     <path value="MedicationStatement.dosage.timing.repeat.dayOfWeek" />
682     <max value="0" />
683   </element>
684   <element id="MedicationStatement.dosage:dosierschemaStrukturiert.timing
685     .repeat.timeOfDay">
686     <path value="MedicationStatement.dosage.timing.repeat.timeOfDay" />
687     <max value="0" />
688   </element>

```



```

676     <element id="MedicationStatement.dosage:dosierschemaStrukturiert.timing
        .code">
677       <path value="MedicationStatement.dosage.timing.code" />
678       <min value="1" />
679       <mustSupport value="true" />
680       <binding>
681         <strength value="required" />
682         <description value="Morgens, Mittags, Abends, zur Nacht" />
683         <valueSet value="https://fhir.kbv.de/ValueSet/
        KBV_VS_MIO_DIGA_Dosage_Point_Of_Time|1.0.0" />
684       </binding>
685     </element>
686     <element id="MedicationStatement.dosage:dosierschemaStrukturiert.timing
        .code.coding">
687       <path value="MedicationStatement.dosage.timing.code.coding" />
688       <min value="1" />
689       <max value="1" />
690       <mustSupport value="true" />
691     </element>
692     <element id="MedicationStatement.dosage:dosierschemaStrukturiert.timing
        .code.coding.system">
693       <path value="MedicationStatement.dosage.timing.code.coding.system" />
694       <min value="1" />
695     </element>
696     <element id="MedicationStatement.dosage:dosierschemaStrukturiert.timing
        .code.coding.version">
697       <path value="MedicationStatement.dosage.timing.code.coding.version" /
        >
698       <min value="1" />
699     </element>
700     <element id="MedicationStatement.dosage:dosierschemaStrukturiert.timing
        .code.coding.code">
701       <path value="MedicationStatement.dosage.timing.code.coding.code" />
702       <min value="1" />
703     </element>
704     <element id="MedicationStatement.dosage:dosierschemaStrukturiert.timing
        .code.coding.display">
705       <path value="MedicationStatement.dosage.timing.code.coding.display" /
        >
706       <min value="1" />
707     </element>
708     <element id="MedicationStatement.dosage:dosierschemaStrukturiert.timing
        .code.coding.userSelected">
709       <path value="MedicationStatement.dosage.timing.code.coding.userSelect
        ed" />
710       <max value="0" />
711     </element>
712     <element id="MedicationStatement.dosage:dosierschemaStrukturiert.timing
        .code.text">
713       <path value="MedicationStatement.dosage.timing.code.text" />
714       <max value="0" />
715     </element>
716     <element id="MedicationStatement.dosage:dosierschemaStrukturiert.asNeed
        ed[x]">
717       <path value="MedicationStatement.dosage.asNeeded[x]" />
718       <max value="0" />
719     </element>
720     <element id="MedicationStatement.dosage:dosierschemaStrukturiert.site">
721       <path value="MedicationStatement.dosage.site" />
722       <max value="0" />

```

```

723 </element>
724 <element id="MedicationStatement.dosage:dosierschemaStrukturiert.route">
725   <path value="MedicationStatement.dosage.route" />
726   <mustSupport value="true" />
727 </element>
728 <element id="MedicationStatement.dosage:dosierschemaStrukturiert.route.
coding">
729   <path value="MedicationStatement.dosage.route.coding" />
730   <licing>
731     <discriminator>
732       <type value="value" />
733       <path value="$this" />
734     </discriminator>
735     <rules value="open" />
736   </licing>
737   <mustSupport value="true" />
738 </element>
739 <element id="MedicationStatement.dosage:dosierschemaStrukturiert.route.
coding:verabreichungsweg">
740   <path value="MedicationStatement.dosage.route.coding" />
741   <sliceName value="verabreichungsweg" />
742   <max value="1" />
743   <patternCoding>
744     <system value="http://snomed.info/sct" />
745     <version value="http://snomed.info/sct/900000000000207008/version/
20220131" />
746   </patternCoding>
747   <mustSupport value="true" />
748   <binding>
749     <strength value="required" />
750     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_Base_AllergyIntolerance_Route_of_Administration|1.2.1" />
751   </binding>
752 </element>
753 <element id="MedicationStatement.dosage:dosierschemaStrukturiert.route.
coding:verabreichungsweg.system">
754   <path value="MedicationStatement.dosage.route.coding.system" />
755   <min value="1" />
756 </element>
757 <element id="MedicationStatement.dosage:dosierschemaStrukturiert.route.
coding:verabreichungsweg.version">
758   <path value="MedicationStatement.dosage.route.coding.version" />
759   <min value="1" />
760 </element>
761 <element id="MedicationStatement.dosage:dosierschemaStrukturiert.route.
coding:verabreichungsweg.code">
762   <path value="MedicationStatement.dosage.route.coding.code" />
763   <min value="1" />
764 </element>
765 <element id="MedicationStatement.dosage:dosierschemaStrukturiert.route.
coding:verabreichungsweg.display">
766   <path value="MedicationStatement.dosage.route.coding.display" />
767   <min value="1" />
768 </element>
769 <element id="MedicationStatement.dosage:dosierschemaStrukturiert.route.
coding:verabreichungsweg.display.extension">
770   <path value="MedicationStatement.dosage.route.coding.display.extensio
n" />
771   <licing>
772     <discriminator>

```

```

773     <type value="value" />
774     <path value="url" />
775     </discriminator>
776     <rules value="closed" />
777   </slicing>
778   <min value="1" />
779 </element>
780   <element id="MedicationStatement.dosage:dosierschemaStrukturiert.route.
coding:verabreichungsweg.display.extension:anzeigenameRoute">
781     <path value="MedicationStatement.dosage.route.coding.display.extensio
n" />
782     <sliceName value="anzeigenameRoute" />
783     <min value="1" />
784     <max value="1" />
785     <type>
786       <code value="Extension" />
787       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
788     </type>
789     <mustSupport value="true" />
790   </element>
791   <element id="MedicationStatement.dosage:dosierschemaStrukturiert.route.
coding:verabreichungsweg.display.extension:anzeigenameRoute.extension">
792     <path value="MedicationStatement.dosage.route.coding.display.extensio
n.extension" />
793     <slicing>
794       <discriminator>
795         <type value="value" />
796         <path value="url" />
797       </discriminator>
798       <rules value="open" />
799     </slicing>
800     <min value="1" />
801   </element>
802   <element id="MedicationStatement.dosage:dosierschemaStrukturiert.route.
coding:verabreichungsweg.display.extension:anzeigenameRoute.extension:conte
nt">
803     <path value="MedicationStatement.dosage.route.coding.display.extensio
n.extension" />
804     <sliceName value="content" />
805     <min value="1" />
806   </element>
807   <element id="MedicationStatement.dosage:dosierschemaStrukturiert.route.
coding:verabreichungsweg.display.extension:anzeigenameRoute.extension:conte
nt.value[x]">
808     <path value="MedicationStatement.dosage.route.coding.display.extensio
n.extension.value[x]" />
809     <slicing>
810       <discriminator>
811         <type value="type" />
812         <path value="$this" />
813       </discriminator>
814       <rules value="closed" />
815     </slicing>
816     <mustSupport value="true" />
817   </element>
818   <element id="MedicationStatement.dosage:dosierschemaStrukturiert.route.
coding:verabreichungsweg.display.extension:anzeigenameRoute.extension:conte
nt.value[x]:valueString">

```

```

819     <path value="MedicationStatement.dosage.route.coding.display.extensio
n.extension.valueString" />
820     <sliceName value="valueString" />
821     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/
KBV_CM_Base_AllergyIntolerance_Route_of_Administration|1.2.1" />
822     <min value="1" />
823     <mustSupport value="true" />
824 </element>
825 <element id="MedicationStatement.dosage:dosierschemaStrukturiert.route.
coding:verabreichungsweg.userSelected">
826     <path value="MedicationStatement.dosage.route.coding.userSelected" />
827     <max value="0" />
828 </element>
829 <element id="MedicationStatement.dosage:dosierschemaStrukturiert.route.
text">
830     <path value="MedicationStatement.dosage.route.text" />
831     <mustSupport value="true" />
832 </element>
833 <element id="MedicationStatement.dosage:dosierschemaStrukturiert.method
">
834     <path value="MedicationStatement.dosage.method" />
835     <max value="0" />
836 </element>
837 <element id="MedicationStatement.dosage:dosierschemaStrukturiert.doseAn
dRate">
838     <path value="MedicationStatement.dosage.doseAndRate" />
839     <min value="1" />
840     <max value="1" />
841     <mustSupport value="true" />
842 </element>
843 <element id="MedicationStatement.dosage:dosierschemaStrukturiert.doseAn
dRate.type">
844     <path value="MedicationStatement.dosage.doseAndRate.type" />
845     <max value="0" />
846 </element>
847 <element id="MedicationStatement.dosage:dosierschemaStrukturiert.doseAn
dRate.dose[x]">
848     <path value="MedicationStatement.dosage.doseAndRate.dose[x]" />
849     <slicing>
850         <discriminator>
851             <type value="type" />
852             <path value="$this" />
853         </discriminator>
854         <rules value="closed" />
855     </slicing>
856     <min value="1" />
857     <type>
858         <code value="Quantity" />
859     </type>
860     <mustSupport value="true" />
861 </element>
862 <element id="MedicationStatement.dosage:dosierschemaStrukturiert.doseAn
dRate.dose[x]:doseQuantity">
863     <path value="MedicationStatement.dosage.doseAndRate.dose[x]" />
864     <sliceName value="doseQuantity" />
865     <min value="1" />
866     <type>

```

```

867     <code value="Quantity" />
868   </type>
869   <mustSupport value="true" />
870 </element>
871 <element id="MedicationStatement.dosage:dosierschemaStrukturiert.doseAn
dRate.dose[x]:doseQuantity.value">
872   <path value="MedicationStatement.dosage.doseAndRate.dose[x].value" />
873   <min value="1" />
874   <mustSupport value="true" />
875 </element>
876 <element id="MedicationStatement.dosage:dosierschemaStrukturiert.doseAn
dRate.dose[x]:doseQuantity.unit">
877   <path value="MedicationStatement.dosage.doseAndRate.dose[x].unit" />
878   <mustSupport value="true" />
879 </element>
880 <element id="MedicationStatement.dosage:dosierschemaStrukturiert.doseAn
dRate.dose[x]:doseQuantity.system">
881   <path value="MedicationStatement.dosage.doseAndRate.dose[x].system" /
>
882   <mustSupport value="true" />
883 </element>
884 <element id="MedicationStatement.dosage:dosierschemaStrukturiert.doseAn
dRate.dose[x]:doseQuantity.code">
885   <path value="MedicationStatement.dosage.doseAndRate.dose[x].code" />
886   <mustSupport value="true" />
887 </element>
888 <element id="MedicationStatement.dosage:dosierschemaStrukturiert.doseAn
dRate.rate[x]">
889   <path value="MedicationStatement.dosage.doseAndRate.rate[x]" />
890   <max value="0" />
891 </element>
892 <element id="MedicationStatement.dosage:dosierschemaStrukturiert.maxDos
ePerPeriod">
893   <path value="MedicationStatement.dosage.maxDosePerPeriod" />
894   <max value="0" />
895 </element>
896 <element id="MedicationStatement.dosage:dosierschemaStrukturiert.maxDos
ePerAdministration">
897   <path value="MedicationStatement.dosage.maxDosePerAdministration" />
898   <max value="0" />
899 </element>
900 <element id="MedicationStatement.dosage:dosierschemaStrukturiert.maxDos
ePerLifetime">
901   <path value="MedicationStatement.dosage.maxDosePerLifetime" />
902   <max value="0" />
903 </element>
904 </differential>
905 </StructureDefinition>

```

## 50. KBV\_PR\_MIO\_DIGA\_OBSERVATION\_ASSESSMENT\_SCALE

KBV_PR_MIO_DIGA_Observation_Assessment_Scale	
1	<StructureDefinition xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/StructureDefinition/ KBV_PR_MIO_DIGA_Observation_Assessment_Scale" />
3	<version value="1.0.0" />

```

4     <name value="KBV_PR_MIO_DIGA_Observation_Assessment_Scale" />
5     <title value="KBV_PR_MIO_DIGA_Observation_Assessment_Scale" />
6     <status value="draft" />
7     <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8     <description value="Dieses Profil bildet eine Bewertungsskala ab." />
9     <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM
definitions or is derived from it, subject to a license from Regenstrief
Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM
codes, UCUM definitions also is subject to this license, a copy of which is
available at http://unitsofmeasure.org. The current complete UCUM table,
UCUM Specification are available for download at http://unitsofmeasure.org.
The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief
Institute, Inc. and the Unified Codes for Units of Measures UCUM
Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM
DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS
OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE." />
10    <fhirVersion value="4.0.1" />
11    <kind value="resource" />
12    <abstract value="false" />
13    <type value="Observation" />
14    <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
15    <derivation value="constraint" />
16    <differential>
17      <element id="Observation">
18        <path value="Observation" />
19        <definition value="Dieses Profil bildet eine Bewertungsskala ab." />
20      </element>
21      <element id="Observation.meta">
22        <path value="Observation.meta" />
23        <min value="1" />
24      </element>
25      <element id="Observation.meta.versionId">
26        <path value="Observation.meta.versionId" />
27        <min value="1" />
28      </element>
29      <element id="Observation.meta.lastUpdated">
30        <path value="Observation.meta.lastUpdated" />
31        <min value="1" />
32      </element>
33      <element id="Observation.meta.source">
34        <path value="Observation.meta.source" />
35        <max value="0" />
36      </element>
37      <element id="Observation.meta.profile">
38        <path value="Observation.meta.profile" />

```

```

39     <min value="1" />
40     <max value="1" />
41     <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Assessment_Scale|1.0.0" />
42   </element>
43   <element id="Observation.meta.security">
44     <path value="Observation.meta.security" />
45     <max value="0" />
46   </element>
47   <element id="Observation.meta.tag">
48     <path value="Observation.meta.tag" />
49     <max value="0" />
50   </element>
51   <element id="Observation.implicitRules">
52     <path value="Observation.implicitRules" />
53     <max value="0" />
54   </element>
55   <element id="Observation.language">
56     <path value="Observation.language" />
57     <max value="0" />
58   </element>
59   <element id="Observation.text">
60     <path value="Observation.text" />
61     <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
62   </element>
63   <element id="Observation.text.status">
64     <path value="Observation.text.status" />
65     <fixedCode value="extensions" />
66   </element>
67   <element id="Observation.contained">
68     <path value="Observation.contained" />
69     <max value="0" />
70   </element>
71   <element id="Observation.identifier">
72     <path value="Observation.identifier" />
73     <min value="1" />
74     <max value="1" />
75     <mustSupport value="true" />
76   </element>
77   <element id="Observation.identifier.use">
78     <path value="Observation.identifier.use" />
79     <max value="0" />
80   </element>
81   <element id="Observation.identifier.type">
82     <path value="Observation.identifier.type" />
83     <min value="1" />
84     <patternCodeableConcept>
85       <coding>
86         <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
87         <version value="2.9" />
88         <code value="RI" />
89         <display value="Resource identifier" />
90       </coding>
91     </patternCodeableConcept>
92   </element>
93   <element id="Observation.identifier.type.coding">

```

```

94     <path value="Observation.identifier.type.coding" />
95     <min value="1" />
96     <max value="1" />
97 </element>
98 <element id="Observation.identifier.type.coding.system">
99     <path value="Observation.identifier.type.coding.system" />
100    <min value="1" />
101 </element>
102 <element id="Observation.identifier.type.coding.version">
103     <path value="Observation.identifier.type.coding.version" />
104    <min value="1" />
105 </element>
106 <element id="Observation.identifier.type.coding.code">
107     <path value="Observation.identifier.type.coding.code" />
108    <min value="1" />
109 </element>
110 <element id="Observation.identifier.type.coding.display">
111     <path value="Observation.identifier.type.coding.display" />
112    <min value="1" />
113 </element>
114 <element id="Observation.identifier.type.coding.userSelected">
115     <path value="Observation.identifier.type.coding.userSelected" />
116    <max value="0" />
117 </element>
118 <element id="Observation.identifier.type.text">
119     <path value="Observation.identifier.type.text" />
120    <max value="0" />
121 </element>
122 <element id="Observation.identifier.system">
123     <path value="Observation.identifier.system" />
124    <min value="1" />
125    <fixedUri value="urn:iETF:rFC:3986" />
126    <mustSupport value="true" />
127 </element>
128 <element id="Observation.identifier.value">
129     <path value="Observation.identifier.value" />
130    <min value="1" />
131    <mustSupport value="true" />
132 </element>
133 <element id="Observation.identifier.period">
134     <path value="Observation.identifier.period" />
135    <max value="0" />
136 </element>
137 <element id="Observation.identifier.assigner">
138     <path value="Observation.identifier.assigner" />
139    <max value="0" />
140 </element>
141 <element id="Observation.basedOn">
142     <path value="Observation.basedOn" />
143    <max value="0" />
144 </element>
145 <element id="Observation.partOf">
146     <path value="Observation.partOf" />
147    <max value="1" />
148    <type>
149        <code value="Reference" />
150        <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Procedure_Activity_Free|1.0.0" />
151    </type>
152    <mustSupport value="true" />

```



```

153 </element>
154 <element id="Observation.partOf.reference">
155   <path value="Observation.partOf.reference" />
156   <min value="1" />
157   <mustSupport value="true" />
158 </element>
159 <element id="Observation.partOf.type">
160   <path value="Observation.partOf.type" />
161   <max value="0" />
162 </element>
163 <element id="Observation.partOf.identifier">
164   <path value="Observation.partOf.identifier" />
165   <max value="0" />
166 </element>
167 <element id="Observation.partOf.display">
168   <path value="Observation.partOf.display" />
169   <max value="0" />
170 </element>
171 <element id="Observation.status">
172   <path value="Observation.status" />
173   <patternCode value="final" />
174 </element>
175 <element id="Observation.category">
176   <path value="Observation.category" />
177   <max value="1" />
178   <mustSupport value="true" />
179 </element>
180 <element id="Observation.category.coding">
181   <path value="Observation.category.coding" />
182   <min value="1" />
183   <max value="1" />
184   <patternCoding>
185     <system value="http://snomed.info/sct" />
186     <version value="http://snomed.info/sct/900000000000207008/version/
20220131" />
187     <code value="782487009:370132008=30766002" />
188     <display value="Assessment score (observable entity):Scale type
(attribute)=Quantitative (qualifier value)" />
189   </patternCoding>
190   <mustSupport value="true" />
191 </element>
192 <element id="Observation.category.coding.system">
193   <path value="Observation.category.coding.system" />
194   <min value="1" />
195 </element>
196 <element id="Observation.category.coding.version">
197   <path value="Observation.category.coding.version" />
198   <min value="1" />
199 </element>
200 <element id="Observation.category.coding.code">
201   <path value="Observation.category.coding.code" />
202   <min value="1" />
203 </element>
204 <element id="Observation.category.coding.display">
205   <path value="Observation.category.coding.display" />
206   <min value="1" />
207 </element>
208 <element id="Observation.category.coding.display.extension">
209   <path value="Observation.category.coding.display.extension" />
210   <slicing>

```

```

211     <discriminator>
212       <type value="value" />
213       <path value="url" />
214     </discriminator>
215     <rules value="open" />
216   </slicing>
217   <min value="1" />
218 </element>
219   <element id="Observation.category.coding.display.extension:anzeigenameC
220 ategory">
221     <path value="Observation.category.coding.display.extension" />
222     <sliceName value="anzeigenameCategory" />
223     <min value="1" />
224     <max value="1" />
225     <type>
226       <code value="Extension" />
227       <profile value="https://fhir.kbv.de/StructureDefinition/
228 KBV_EX_Base_Terminology_German" />
229     </type>
230     <mustSupport value="true" />
231 </element>
232   <element id="Observation.category.coding.display.extension:anzeigenameC
233 ategory.extension">
234     <path value="Observation.category.coding.display.extension.extension"
235 />
236     <slicing>
237       <discriminator>
238         <type value="value" />
239         <path value="url" />
240       </discriminator>
241       <rules value="closed" />
242     </slicing>
243     <min value="1" />
244 </element>
245   <element id="Observation.category.coding.display.extension:anzeigenameC
246 ategory.extension:content">
247     <path value="Observation.category.coding.display.extension.extension"
248 />
249     <sliceName value="content" />
250     <min value="1" />
251 </element>
252   <element id="Observation.category.coding.display.extension:anzeigenameC
253 ategory.extension:content.value[x]">
254     <path value="Observation.category.coding.display.extension.extension.
255 value[x]" />
256     <slicing>
257       <discriminator>
258         <type value="type" />
259         <path value="$this" />
260       </discriminator>
261       <rules value="closed" />
262     </slicing>
263     <mustSupport value="true" />
264 </element>
265   <element id="Observation.category.coding.display.extension:anzeigenameC
266 ategory.extension:content.value[x]:valueString">
267     <path value="Observation.category.coding.display.extension.extension.
268 valueString" />
269     <sliceName value="valueString" />
270     <fixedString value="Kardinalskala" />

```

```

261     <mustSupport value="true" />
262 </element>
263 <element id="Observation.category.coding.userSelected">
264     <path value="Observation.category.coding.userSelected" />
265     <max value="0" />
266 </element>
267 <element id="Observation.category.text">
268     <path value="Observation.category.text" />
269     <max value="0" />
270 </element>
271 <element id="Observation.code">
272     <path value="Observation.code" />
273     <mustSupport value="true" />
274 </element>
275 <element id="Observation.code.coding">
276     <path value="Observation.code.coding" />
277     <mustSupport value="true" />
278 </element>
279 <element id="Observation.code.coding.system">
280     <path value="Observation.code.coding.system" />
281     <min value="1" />
282 </element>
283 <element id="Observation.code.coding.version">
284     <path value="Observation.code.coding.version" />
285     <min value="1" />
286 </element>
287 <element id="Observation.code.coding.code">
288     <path value="Observation.code.coding.code" />
289     <min value="1" />
290 </element>
291 <element id="Observation.code.coding.display">
292     <path value="Observation.code.coding.display" />
293     <min value="1" />
294 </element>
295 <element id="Observation.code.coding.userSelected">
296     <path value="Observation.code.coding.userSelected" />
297     <max value="0" />
298 </element>
299 <element id="Observation.code.text">
300     <path value="Observation.code.text" />
301     <mustSupport value="true" />
302 </element>
303 <element id="Observation.subject">
304     <path value="Observation.subject" />
305     <min value="1" />
306     <type>
307         <code value="Reference" />
308         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
309     </type>
310     <mustSupport value="true" />
311 </element>
312 <element id="Observation.subject.reference">
313     <path value="Observation.subject.reference" />
314     <min value="1" />
315     <mustSupport value="true" />
316 </element>
317 <element id="Observation.subject.type">
318     <path value="Observation.subject.type" />
319     <max value="0" />

```

```

320 </element>
321 <element id="Observation.subject.identifier">
322   <path value="Observation.subject.identifier" />
323   <max value="0" />
324 </element>
325 <element id="Observation.subject.display">
326   <path value="Observation.subject.display" />
327   <max value="0" />
328 </element>
329 <element id="Observation.focus">
330   <path value="Observation.focus" />
331   <max value="0" />
332 </element>
333 <element id="Observation.encounter">
334   <path value="Observation.encounter" />
335   <max value="0" />
336 </element>
337 <element id="Observation.effective[x]">
338   <path value="Observation.effective[x]" />
339   <licing>
340     <discriminator>
341       <type value="type" />
342       <path value="$this" />
343     </discriminator>
344     <rules value="closed" />
345   </licing>
346   <min value="1" />
347   <type>
348     <code value="dateTime" />
349   </type>
350   <mustSupport value="true" />
351 </element>
352 <element id="Observation.effective[x]:effectiveDateTime">
353   <path value="Observation.effective[x]" />
354   <sliceName value="effectiveDateTime" />
355   <min value="1" />
356   <type>
357     <code value="dateTime" />
358   </type>
359   <mustSupport value="true" />
360 </element>
361 <element id="Observation.issued">
362   <path value="Observation.issued" />
363   <max value="0" />
364 </element>
365 <element id="Observation.performer">
366   <path value="Observation.performer" />
367   <max value="1" />
368   <type>
369     <code value="Reference" />
370     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
371     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
372     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_RelatedPerson|1.0.0" />
373     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole|1.0.0" />
374   </type>
375   <mustSupport value="true" />

```

```

376 </element>
377 <element id="Observation.performer.reference">
378   <path value="Observation.performer.reference" />
379   <min value="1" />
380   <mustSupport value="true" />
381 </element>
382 <element id="Observation.performer.type">
383   <path value="Observation.performer.type" />
384   <max value="0" />
385 </element>
386 <element id="Observation.performer.identifier">
387   <path value="Observation.performer.identifier" />
388   <max value="0" />
389 </element>
390 <element id="Observation.performer.display">
391   <path value="Observation.performer.display" />
392   <max value="0" />
393 </element>
394 <element id="Observation.value[x]">
395   <path value="Observation.value[x]" />
396   <slicing>
397     <discriminator>
398       <type value="type" />
399       <path value="$this" />
400     </discriminator>
401     <rules value="closed" />
402   </slicing>
403   <type>
404     <code value="Quantity" />
405   </type>
406   <mustSupport value="true" />
407 </element>
408 <element id="Observation.value[x]:valueQuantity">
409   <path value="Observation.value[x]" />
410   <sliceName value="valueQuantity" />
411   <min value="1" />
412   <type>
413     <code value="Quantity" />
414   </type>
415   <patternQuantity>
416     <unit value="1" />
417     <system value="http://unitsofmeasure.org" />
418     <code value="1" />
419   </patternQuantity>
420   <mustSupport value="true" />
421 </element>
422 <element id="Observation.value[x]:valueQuantity.value">
423   <path value="Observation.value[x].value" />
424   <min value="1" />
425   <mustSupport value="true" />
426 </element>
427 <element id="Observation.value[x]:valueQuantity.comparator">
428   <path value="Observation.value[x].comparator" />
429   <max value="0" />
430 </element>
431 <element id="Observation.value[x]:valueQuantity.unit">
432   <path value="Observation.value[x].unit" />
433   <mustSupport value="true" />
434 </element>
435 <element id="Observation.value[x]:valueQuantity.system">

```

```

436     <path value="Observation.value[x].system" />
437 </element>
438 <element id="Observation.value[x]:valueQuantity.code">
439   <path value="Observation.value[x].code" />
440   <mustSupport value="true" />
441 </element>
442 <element id="Observation.dataAbsentReason">
443   <path value="Observation.dataAbsentReason" />
444   <max value="0" />
445 </element>
446 <element id="Observation.interpretation">
447   <path value="Observation.interpretation" />
448   <max value="1" />
449   <mustSupport value="true" />
450   <binding>
451     <strength value="required" />
452     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_DIGA_Observation_Interpretation|1.0.0" />
453   </binding>
454 </element>
455 <element id="Observation.interpretation.coding">
456   <path value="Observation.interpretation.coding" />
457   <max value="1" />
458   <mustSupport value="true" />
459 </element>
460 <element id="Observation.interpretation.coding.system">
461   <path value="Observation.interpretation.coding.system" />
462   <min value="1" />
463 </element>
464 <element id="Observation.interpretation.coding.version">
465   <path value="Observation.interpretation.coding.version" />
466   <min value="1" />
467 </element>
468 <element id="Observation.interpretation.coding.code">
469   <path value="Observation.interpretation.coding.code" />
470   <min value="1" />
471 </element>
472 <element id="Observation.interpretation.coding.display">
473   <path value="Observation.interpretation.coding.display" />
474   <min value="1" />
475 </element>
476 <element id="Observation.interpretation.coding.display.extension">
477   <path value="Observation.interpretation.coding.display.extension" />
478   <slicing>
479     <discriminator>
480       <type value="value" />
481       <path value="url" />
482     </discriminator>
483     <rules value="open" />
484   </slicing>
485   <min value="1" />
486 </element>
487 <element id="Observation.interpretation.coding.display.extension:anzeigenameCode">
488   <path value="Observation.interpretation.coding.display.extension" />
489   <sliceName value="anzeigenameCode" />
490   <min value="1" />
491   <max value="1" />
492   <type>
493     <code value="Extension" />

```

```

494     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
495   </type>
496   <mustSupport value="true" />
497 </element>
498   <element id="Observation.interpretation.coding.display.extension:anzeig
enameCode.extension">
499     <path value="Observation.interpretation.coding.display.extension.exte
nsion" />
500     <slicing>
501       <discriminator>
502         <type value="value" />
503         <path value="url" />
504       </discriminator>
505       <rules value="closed" />
506     </slicing>
507     <min value="1" />
508 </element>
509   <element id="Observation.interpretation.coding.display.extension:anzeig
enameCode.extension:content">
510     <path value="Observation.interpretation.coding.display.extension.exte
nsion" />
511     <sliceName value="content" />
512     <min value="1" />
513 </element>
514   <element id="Observation.interpretation.coding.display.extension:anzeig
enameCode.extension:content.value[x]">
515     <path value="Observation.interpretation.coding.display.extension.exte
nsion.value[x]" />
516     <slicing>
517       <discriminator>
518         <type value="type" />
519         <path value="$this" />
520       </discriminator>
521       <rules value="closed" />
522     </slicing>
523     <mustSupport value="true" />
524 </element>
525   <element id="Observation.interpretation.coding.display.extension:anzeig
enameCode.extension:content.value[x]:valueString">
526     <path value="Observation.interpretation.coding.display.extension.exte
nsion.value[x]" />
527     <sliceName value="valueString" />
528     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/
KBV\_CM\_MIO\_DIGA\_Observation\_Interpretation\_German|1.0.0" />
529     <mustSupport value="true" />
530 </element>
531   <element id="Observation.interpretation.coding.userSelected">
532     <path value="Observation.interpretation.coding.userSelected" />
533     <max value="0" />
534 </element>
535   <element id="Observation.interpretation.text">
536     <path value="Observation.interpretation.text" />
537     <max value="0" />
538 </element>
539   <element id="Observation.note">
540     <path value="Observation.note" />

```

```

541     <max value="0" />
542 </element>
543 <element id="Observation.bodySite">
544     <path value="Observation.bodySite" />
545     <max value="0" />
546 </element>
547 <element id="Observation.method">
548     <path value="Observation.method" />
549     <mustSupport value="true" />
550     <binding>
551         <strength value="required" />
552         <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_DIGA_Scale_Method|1.0.0" />
553     </binding>
554 </element>
555 <element id="Observation.method.coding">
556     <path value="Observation.method.coding" />
557     <min value="1" />
558     <max value="1" />
559     <mustSupport value="true" />
560 </element>
561 <element id="Observation.method.coding.system">
562     <path value="Observation.method.coding.system" />
563     <min value="1" />
564 </element>
565 <element id="Observation.method.coding.version">
566     <path value="Observation.method.coding.version" />
567     <min value="1" />
568 </element>
569 <element id="Observation.method.coding.code">
570     <path value="Observation.method.coding.code" />
571     <min value="1" />
572 </element>
573 <element id="Observation.method.coding.display">
574     <path value="Observation.method.coding.display" />
575     <min value="1" />
576 </element>
577 <element id="Observation.method.coding.display.extension">
578     <path value="Observation.method.coding.display.extension" />
579     <slicing>
580         <discriminator>
581             <type value="value" />
582             <path value="url" />
583         </discriminator>
584         <rules value="open" />
585     </slicing>
586     <min value="1" />
587 </element>
588 <element id="Observation.method.coding.display.extension:anzeigenameCod
e">
589     <path value="Observation.method.coding.display.extension" />
590     <sliceName value="anzeigenameCode" />
591     <min value="1" />
592     <max value="1" />
593     <type>
594         <code value="Extension" />
595         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
596     </type>
597     <mustSupport value="true" />

```



```

598     </element>
599     <element id="Observation.method.coding.display.extension:anzeigenameCod
e.extension">
600         <path value="Observation.method.coding.display.extension.extension" /
>
601         < slicing>
602             < discriminator>
603                 < type value="value" />
604                 < path value="url" />
605             </ discriminator>
606             < rules value="open" />
607         </ slicing>
608         < min value="1" />
609     </ element>
610     <element id="Observation.method.coding.display.extension:anzeigenameCod
e.extension:content">
611         < path value="Observation.method.coding.display.extension.extension" /
>
612         < sliceName value="content" />
613         < min value="1" />
614     </ element>
615     <element id="Observation.method.coding.display.extension:anzeigenameCod
e.extension:content.value[x]">
616         < path value="Observation.method.coding.display.extension.extension.va
lue[x]" />
617         < slicing>
618             < discriminator>
619                 < type value="type" />
620                 < path value="$this" />
621             </ discriminator>
622             < rules value="closed" />
623         </ slicing>
624         < mustSupport value="true" />
625     </ element>
626     <element id="Observation.method.coding.display.extension:anzeigenameCod
e.extension:content.value[x]:valueString">
627         < path value="Observation.method.coding.display.extension.extension.va
lue[x]" />
628         < sliceName value="valueString" />
629         < definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/KBV\_CM\_MIO\_DIGA\_Scale\_Method\_German|
1.0.0" />
630         < mustSupport value="true" />
631     </ element>
632     <element id="Observation.method.coding.userSelected">
633         < path value="Observation.method.coding.userSelected" />
634         < max value="0" />
635     </ element>
636     <element id="Observation.method.text">
637         < path value="Observation.method.text" />
638         < max value="0" />
639     </ element>
640     <element id="Observation.specimen">
641         < path value="Observation.specimen" />
642         < max value="0" />
643     </ element>
644     <element id="Observation.device">
645         < path value="Observation.device" />

```

```

646     <max value="0" />
647 </element>
648 <element id="Observation.referenceRange">
649   <path value="Observation.referenceRange" />
650   <min value="1" />
651   <max value="1" />
652   <mustSupport value="true" />
653 </element>
654 <element id="Observation.referenceRange.low">
655   <path value="Observation.referenceRange.low" />
656   <min value="1" />
657   <mustSupport value="true" />
658 </element>
659 <element id="Observation.referenceRange.low.value">
660   <path value="Observation.referenceRange.low.value" />
661   <min value="1" />
662   <mustSupport value="true" />
663 </element>
664 <element id="Observation.referenceRange.low.unit">
665   <path value="Observation.referenceRange.low.unit" />
666   <mustSupport value="true" />
667 </element>
668 <element id="Observation.referenceRange.low.code">
669   <path value="Observation.referenceRange.low.code" />
670   <mustSupport value="true" />
671 </element>
672 <element id="Observation.referenceRange.high">
673   <path value="Observation.referenceRange.high" />
674   <min value="1" />
675   <mustSupport value="true" />
676 </element>
677 <element id="Observation.referenceRange.high.value">
678   <path value="Observation.referenceRange.high.value" />
679   <min value="1" />
680   <mustSupport value="true" />
681 </element>
682 <element id="Observation.referenceRange.high.unit">
683   <path value="Observation.referenceRange.high.unit" />
684   <mustSupport value="true" />
685 </element>
686 <element id="Observation.referenceRange.high.code">
687   <path value="Observation.referenceRange.high.code" />
688   <mustSupport value="true" />
689 </element>
690 <element id="Observation.referenceRange.type">
691   <path value="Observation.referenceRange.type" />
692   <min value="1" />
693   <mustSupport value="true" />
694 </element>
695 <element id="Observation.referenceRange.type.coding">
696   <path value="Observation.referenceRange.type.coding" />
697   <min value="1" />
698   <max value="1" />
699   <patternCoding>
700     <system value="http://snomed.info/sct" />
701     <version value="http://snomed.info/sct/900000000000207008/version/
20220131" />
702     <code value="278492000" />
703     <display value="Numerical range (qualifier value)" />
704   </patternCoding>

```

```

705     <mustSupport value="true" />
706 </element>
707 <element id="Observation.referenceRange.type.coding.system">
708   <path value="Observation.referenceRange.type.coding.system" />
709   <min value="1" />
710 </element>
711 <element id="Observation.referenceRange.type.coding.version">
712   <path value="Observation.referenceRange.type.coding.version" />
713   <min value="1" />
714 </element>
715 <element id="Observation.referenceRange.type.coding.code">
716   <path value="Observation.referenceRange.type.coding.code" />
717   <min value="1" />
718 </element>
719 <element id="Observation.referenceRange.type.coding.display">
720   <path value="Observation.referenceRange.type.coding.display" />
721   <min value="1" />
722 </element>
723 <element id="Observation.referenceRange.type.coding.userSelected">
724   <path value="Observation.referenceRange.type.coding.userSelected" />
725   <max value="0" />
726 </element>
727 <element id="Observation.referenceRange.type.text">
728   <path value="Observation.referenceRange.type.text" />
729   <max value="0" />
730 </element>
731 <element id="Observation.referenceRange.appliesTo">
732   <path value="Observation.referenceRange.appliesTo" />
733   <max value="0" />
734 </element>
735 <element id="Observation.referenceRange.age">
736   <path value="Observation.referenceRange.age" />
737   <max value="0" />
738 </element>
739 <element id="Observation.referenceRange.text">
740   <path value="Observation.referenceRange.text" />
741   <max value="0" />
742 </element>
743 <element id="Observation.hasMember">
744   <path value="Observation.hasMember" />
745   <max value="0" />
746 </element>
747 <element id="Observation.derivedFrom">
748   <path value="Observation.derivedFrom" />
749   <max value="0" />
750 </element>
751 <element id="Observation.component">
752   <path value="Observation.component" />
753   <max value="0" />
754 </element>
755 </differential>
756 </StructureDefinition>

```

## 51. KBV\_PR\_MIO\_DIGA\_OBSERVATION\_ASSESSMENT\_SCORE\_FREE

### KBV\_PR\_MIO\_DIGA\_Observation\_Assessment\_Score\_Free

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Assessment_Score_Free" />
3    <version value="1.0.0" />
4    <name value="KBV_PR_MIO_DIGA_Observation_Assessment_Score_Free" />
5    <title value="KBV_PR_MIO_DIGA_Observation_Assessment_Score_Free" />
6    <status value="draft" />
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <description value="Dieses Profil bildet einen Score ab." />
9    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM
definitions or is derived from it, subject to a license from Regenstrief
Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM
codes, UCUM definitions also is subject to this license, a copy of which is
available at http://unitsofmeasure.org. The current complete UCUM table,
UCUM Specification are available for download at http://unitsofmeasure.org.
The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief
Institute, Inc. and the Unified Codes for Units of Measures UCUM
Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM
DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS
OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE." />
10   <.fhirVersion value="4.0.1" />
11   <kind value="resource" />
12   <abstract value="false" />
13   <type value="Observation" />
14   <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
15   <derivation value="constraint" />
16   <differential>
17     <element id="Observation">
18       <path value="Observation" />
19       <definition value="Dieses Profil bildet einen Score ab." />
20     </element>
21     <element id="Observation.meta">
22       <path value="Observation.meta" />
23       <min value="1" />
24     </element>
25     <element id="Observation.meta.versionId">
26       <path value="Observation.meta.versionId" />
27       <min value="1" />
28   </differential>

```

```

29 <element id="Observation.meta.lastUpdated">
30   <path value="Observation.meta.lastUpdated" />
31   <min value="1" />
32 </element>
33 <element id="Observation.meta.source">
34   <path value="Observation.meta.source" />
35   <max value="0" />
36 </element>
37 <element id="Observation.meta.profile">
38   <path value="Observation.meta.profile" />
39   <min value="1" />
40   <max value="1" />
41   <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Assessment_Score_Free|1.0.0" />
42 </element>
43 <element id="Observation.meta.security">
44   <path value="Observation.meta.security" />
45   <max value="0" />
46 </element>
47 <element id="Observation.meta.tag">
48   <path value="Observation.meta.tag" />
49   <max value="0" />
50 </element>
51 <element id="Observation.implicitRules">
52   <path value="Observation.implicitRules" />
53   <max value="0" />
54 </element>
55 <element id="Observation.language">
56   <path value="Observation.language" />
57   <max value="0" />
58 </element>
59 <element id="Observation.text">
60   <path value="Observation.text" />
61   <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
62 </element>
63 <element id="Observation.text.status">
64   <path value="Observation.text.status" />
65   <fixedCode value="extensions" />
66 </element>
67 <element id="Observation.contained">
68   <path value="Observation.contained" />
69   <max value="0" />
70 </element>
71 <element id="Observation.identifier">
72   <path value="Observation.identifier" />
73   <min value="1" />
74   <max value="1" />
75   <mustSupport value="true" />
76 </element>
77 <element id="Observation.identifier.use">
78   <path value="Observation.identifier.use" />
79   <max value="0" />
80 </element>
81 <element id="Observation.identifier.type">
82   <path value="Observation.identifier.type" />
83   <min value="1" />

```

```

84     <patternCodeableConcept>
85         <coding>
86             <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
87             <version value="2.9" />
88             <code value="RI" />
89             <display value="Resource identifier" />
90         </coding>
91     </patternCodeableConcept>
92 </element>
93 <element id="Observation.identifier.type.coding">
94     <path value="Observation.identifier.type.coding" />
95     <min value="1" />
96     <max value="1" />
97 </element>
98 <element id="Observation.identifier.type.coding.system">
99     <path value="Observation.identifier.type.coding.system" />
100    <min value="1" />
101 </element>
102 <element id="Observation.identifier.type.coding.version">
103     <path value="Observation.identifier.type.coding.version" />
104     <min value="1" />
105 </element>
106 <element id="Observation.identifier.type.coding.code">
107     <path value="Observation.identifier.type.coding.code" />
108     <min value="1" />
109 </element>
110 <element id="Observation.identifier.type.coding.display">
111     <path value="Observation.identifier.type.coding.display" />
112     <min value="1" />
113 </element>
114 <element id="Observation.identifier.type.coding.userSelected">
115     <path value="Observation.identifier.type.coding.userSelected" />
116     <max value="0" />
117 </element>
118 <element id="Observation.identifier.type.text">
119     <path value="Observation.identifier.type.text" />
120     <max value="0" />
121 </element>
122 <element id="Observation.identifier.system">
123     <path value="Observation.identifier.system" />
124     <min value="1" />
125     <fixedUri value="urn:iETF:rFC:3986" />
126     <mustSupport value="true" />
127 </element>
128 <element id="Observation.identifier.value">
129     <path value="Observation.identifier.value" />
130     <min value="1" />
131     <mustSupport value="true" />
132 </element>
133 <element id="Observation.identifier.period">
134     <path value="Observation.identifier.period" />
135     <max value="0" />
136 </element>
137 <element id="Observation.identifier.assigner">
138     <path value="Observation.identifier.assigner" />
139     <max value="0" />
140 </element>
141 <element id="Observation.basedOn">
142     <path value="Observation.basedOn" />
143     <max value="0" />

```

```

144 </element>
145 <element id="Observation.partOf">
146   <path value="Observation.partOf" />
147   <max value="0" />
148 </element>
149 <element id="Observation.status">
150   <path value="Observation.status" />
151   <patternCode value="final" />
152 </element>
153 <element id="Observation.category">
154   <path value="Observation.category" />
155   <max value="0" />
156 </element>
157 <element id="Observation.code">
158   <path value="Observation.code" />
159   <mustSupport value="true" />
160 </element>
161 <element id="Observation.code.coding">
162   <path value="Observation.code.coding" />
163   <mustSupport value="true" />
164 </element>
165 <element id="Observation.code.coding.system">
166   <path value="Observation.code.coding.system" />
167   <min value="1" />
168 </element>
169 <element id="Observation.code.coding.version">
170   <path value="Observation.code.coding.version" />
171   <min value="1" />
172 </element>
173 <element id="Observation.code.coding.code">
174   <path value="Observation.code.coding.code" />
175   <min value="1" />
176 </element>
177 <element id="Observation.code.coding.display">
178   <path value="Observation.code.coding.display" />
179   <min value="1" />
180 </element>
181 <element id="Observation.code.coding.userSelected">
182   <path value="Observation.code.coding.userSelected" />
183   <max value="0" />
184 </element>
185 <element id="Observation.code.text">
186   <path value="Observation.code.text" />
187   <mustSupport value="true" />
188 </element>
189 <element id="Observation.subject">
190   <path value="Observation.subject" />
191   <min value="1" />
192   <type>
193     <code value="Reference" />
194     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
195   </type>
196   <mustSupport value="true" />
197 </element>
198 <element id="Observation.subject.reference">
199   <path value="Observation.subject.reference" />
200   <min value="1" />
201   <mustSupport value="true" />
202 </element>

```

```

203 <element id="Observation.subject.type">
204   <path value="Observation.subject.type" />
205   <max value="0" />
206 </element>
207 <element id="Observation.subject.identifier">
208   <path value="Observation.subject.identifier" />
209   <max value="0" />
210 </element>
211 <element id="Observation.subject.display">
212   <path value="Observation.subject.display" />
213   <max value="0" />
214 </element>
215 <element id="Observation.focus">
216   <path value="Observation.focus" />
217   <max value="0" />
218 </element>
219 <element id="Observation.encounter">
220   <path value="Observation.encounter" />
221   <max value="0" />
222 </element>
223 <element id="Observation.effective[x]">
224   <path value="Observation.effective[x]" />
225   <licing>
226     <discriminator>
227       <type value="type" />
228       <path value="$this" />
229     </discriminator>
230     <rules value="closed" />
231   </licing>
232   <type>
233     <code value="dateTime" />
234   </type>
235   <mustSupport value="true" />
236 </element>
237 <element id="Observation.effective[x]:effectiveDateTime">
238   <path value="Observation.effective[x]" />
239   <sliceName value="effectiveDateTime" />
240   <type>
241     <code value="dateTime" />
242   </type>
243   <mustSupport value="true" />
244 </element>
245 <element id="Observation.issued">
246   <path value="Observation.issued" />
247   <max value="0" />
248 </element>
249 <element id="Observation.performer">
250   <path value="Observation.performer" />
251   <max value="1" />
252   <type>
253     <code value="Reference" />
254     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
255     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
256     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_RelatedPerson|1.0.0" />
257     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole|1.0.0" />
258   </type>

```



```

259     <mustSupport value="true" />
260 </element>
261 <element id="Observation.performer.reference">
262     <path value="Observation.performer.reference" />
263     <min value="1" />
264     <mustSupport value="true" />
265 </element>
266 <element id="Observation.performer.type">
267     <path value="Observation.performer.type" />
268     <max value="0" />
269 </element>
270 <element id="Observation.performer.identifier">
271     <path value="Observation.performer.identifier" />
272     <max value="0" />
273 </element>
274 <element id="Observation.performer.display">
275     <path value="Observation.performer.display" />
276     <max value="0" />
277 </element>
278 <element id="Observation.value[x]">
279     <path value="Observation.value[x]" />
280     <slicing>
281         <discriminator>
282             <type value="type" />
283             <path value="$this" />
284         </discriminator>
285         <rules value="open" />
286     </slicing>
287     <type>
288         <code value="Quantity" />
289     </type>
290     <type>
291         <code value="CodeableConcept" />
292     </type>
293     <mustSupport value="true" />
294 </element>
295 <element id="Observation.value[x]:valueQuantity">
296     <path value="Observation.value[x]" />
297     <sliceName value="valueQuantity" />
298     <type>
299         <code value="Quantity" />
300     </type>
301     <patternQuantity>
302         <unit value="{score}" />
303         <system value="http://unitsofmeasure.org" />
304         <code value="{score}" />
305     </patternQuantity>
306     <mustSupport value="true" />
307 </element>
308 <element id="Observation.value[x]:valueQuantity.value">
309     <path value="Observation.value[x].value" />
310     <min value="1" />
311 </element>
312 <element id="Observation.value[x]:valueQuantity.comparator">
313     <path value="Observation.value[x].comparator" />
314     <max value="0" />
315 </element>
316 <element id="Observation.value[x]:valueQuantity.unit">
317     <path value="Observation.value[x].unit" />
318     <min value="1" />

```

```

319 </element>
320 <element id="Observation.value[x]:valueQuantity.system">
321   <path value="Observation.value[x].system" />
322   <min value="1" />
323 </element>
324 <element id="Observation.value[x]:valueQuantity.code">
325   <path value="Observation.value[x].code" />
326   <min value="1" />
327 </element>
328 <element id="Observation.value[x]:valueCodeableConcept">
329   <path value="Observation.value[x]" />
330   <sliceName value="valueCodeableConcept" />
331   <type>
332     <code value="CodeableConcept" />
333   </type>
334   <mustSupport value="true" />
335 </element>
336 <element id="Observation.value[x]:valueCodeableConcept.coding">
337   <path value="Observation.value[x].coding" />
338   <min value="1" />
339   <mustSupport value="true" />
340 </element>
341 <element id="Observation.value[x]:valueCodeableConcept.coding.system">
342   <path value="Observation.value[x].coding.system" />
343   <min value="1" />
344 </element>
345 <element id="Observation.value[x]:valueCodeableConcept.coding.version">
346   <path value="Observation.value[x].coding.version" />
347   <min value="1" />
348 </element>
349 <element id="Observation.value[x]:valueCodeableConcept.coding.code">
350   <path value="Observation.value[x].coding.code" />
351   <min value="1" />
352 </element>
353 <element id="Observation.value[x]:valueCodeableConcept.coding.display">
354   <path value="Observation.value[x].coding.display" />
355   <min value="1" />
356 </element>
357 <element id="Observation.value[x]:valueCodeableConcept.coding.userSelected">
358   <path value="Observation.value[x].coding.userSelected" />
359   <max value="0" />
360 </element>
361 <element id="Observation.value[x]:valueCodeableConcept.text">
362   <path value="Observation.value[x].text" />
363   <max value="0" />
364 </element>
365 <element id="Observation.dataAbsentReason">
366   <path value="Observation.dataAbsentReason" />
367   <max value="0" />
368 </element>
369 <element id="Observation.interpretation">
370   <path value="Observation.interpretation" />
371   <max value="1" />
372   <mustSupport value="true" />
373   <binding>
374     <strength value="required" />
375     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_DIGA_Observation_Interpretation|1.0.0" />
376   </binding>

```

```

377 </element>
378 <element id="Observation.interpretation.coding">
379   <path value="Observation.interpretation.coding" />
380   <max value="1" />
381   <mustSupport value="true" />
382 </element>
383 <element id="Observation.interpretation.coding.system">
384   <path value="Observation.interpretation.coding.system" />
385   <min value="1" />
386 </element>
387 <element id="Observation.interpretation.coding.version">
388   <path value="Observation.interpretation.coding.version" />
389   <min value="1" />
390 </element>
391 <element id="Observation.interpretation.coding.code">
392   <path value="Observation.interpretation.coding.code" />
393   <min value="1" />
394 </element>
395 <element id="Observation.interpretation.coding.display">
396   <path value="Observation.interpretation.coding.display" />
397   <min value="1" />
398 </element>
399 <element id="Observation.interpretation.coding.display.extension">
400   <path value="Observation.interpretation.coding.display.extension" />
401   <licing>
402     <discriminator>
403       <type value="value" />
404       <path value="url" />
405     </discriminator>
406     <rules value="open" />
407   </licing>
408   <min value="1" />
409 </element>
410 <element id="Observation.interpretation.coding.display.extension:anzeig
411   <path value="Observation.interpretation.coding.display.extension" />
412   <sliceName value="anzeigenameCode" />
413   <min value="1" />
414   <max value="1" />
415   <type>
416     <code value="Extension" />
417     <profile value="https://fhir.kbv.de/StructureDefinition/
418 KBV_EX_Base_Terminology_German" />
419   </type>
420   <mustSupport value="true" />
421 </element>
422 <element id="Observation.interpretation.coding.display.extension:anzeig
423   <path value="Observation.interpretation.coding.display.extension.exte
424   <licing>
425     <discriminator>
426       <type value="value" />
427       <path value="url" />
428     </discriminator>
429     <rules value="open" />
430   </licing>
431   <min value="1" />
432 </element>

```

```

432     <element id="Observation.interpretation.coding.display.extension:anzeig
enameCode.extension:content">
433       <path value="Observation.interpretation.coding.display.extension.exte
nsion" />
434       <sliceName value="content" />
435       <min value="1" />
436     </element>
437     <element id="Observation.interpretation.coding.display.extension:anzeig
enameCode.extension:content.value[x]">
438       <path value="Observation.interpretation.coding.display.extension.exte
nsion.value[x]" />
439       <slicing>
440         <discriminator>
441           <type value="type" />
442           <path value="$this" />
443         </discriminator>
444         <rules value="closed" />
445       </slicing>
446       <mustSupport value="true" />
447     </element>
448     <element id="Observation.interpretation.coding.display.extension:anzeig
enameCode.extension:content.value[x]:valueString">
449       <path value="Observation.interpretation.coding.display.extension.exte
nsion.value[x]" />
450       <sliceName value="valueString" />
451       <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/
KBV\_CM\_MIO\_DIGA\_Observation\_Interpretation\_German|1.0.0" />
452       <mustSupport value="true" />
453     </element>
454     <element id="Observation.interpretation.coding.userSelected">
455       <path value="Observation.interpretation.coding.userSelected" />
456       <max value="0" />
457     </element>
458     <element id="Observation.interpretation.text">
459       <path value="Observation.interpretation.text" />
460       <max value="0" />
461     </element>
462     <element id="Observation.note">
463       <path value="Observation.note" />
464       <max value="1" />
465       <mustSupport value="true" />
466     </element>
467     <element id="Observation.note.author[x]">
468       <path value="Observation.note.author[x]" />
469       <max value="0" />
470     </element>
471     <element id="Observation.note.time">
472       <path value="Observation.note.time" />
473       <max value="0" />
474     </element>
475     <element id="Observation.note.text">
476       <path value="Observation.note.text" />
477       <mustSupport value="true" />
478     </element>
479     <element id="Observation.bodySite">
480       <path value="Observation.bodySite" />
481       <max value="0" />

```

```

482 </element>
483 <element id="Observation.method">
484   <path value="Observation.method" />
485   <max value="0" />
486 </element>
487 <element id="Observation.method.text">
488   <path value="Observation.method.text" />
489   <max value="0" />
490 </element>
491 <element id="Observation.specimen">
492   <path value="Observation.specimen" />
493   <max value="0" />
494 </element>
495 <element id="Observation.device">
496   <path value="Observation.device" />
497   <max value="0" />
498 </element>
499 <element id="Observation.referenceRange">
500   <path value="Observation.referenceRange" />
501   <max value="1" />
502   <mustSupport value="true" />
503 </element>
504 <element id="Observation.referenceRange.low">
505   <path value="Observation.referenceRange.low" />
506   <min value="1" />
507   <patternQuantity>
508     <unit value="{score}" />
509     <system value="http://unitsofmeasure.org" />
510     <code value="{score}" />
511   </patternQuantity>
512   <mustSupport value="true" />
513 </element>
514 <element id="Observation.referenceRange.high">
515   <path value="Observation.referenceRange.high" />
516   <min value="1" />
517   <patternQuantity>
518     <unit value="{score}" />
519     <system value="http://unitsofmeasure.org" />
520     <code value="{score}" />
521   </patternQuantity>
522   <mustSupport value="true" />
523 </element>
524 <element id="Observation.referenceRange.type">
525   <path value="Observation.referenceRange.type" />
526   <min value="1" />
527   <mustSupport value="true" />
528 </element>
529 <element id="Observation.referenceRange.type.coding">
530   <path value="Observation.referenceRange.type.coding" />
531   <min value="1" />
532   <max value="1" />
533   <patternCoding>
534     <system value="http://snomed.info/sct" />
535     <version value="http://snomed.info/sct/900000000000207008/version/
20220131" />
536     <code value="278492000" />
537     <display value="Numerical range (qualifier value)" />
538   </patternCoding>
539   <mustSupport value="true" />
540 </element>

```

```

541 <element id="Observation.referenceRange.type.coding.system">
542   <path value="Observation.referenceRange.type.coding.system" />
543   <min value="1" />
544 </element>
545 <element id="Observation.referenceRange.type.coding.version">
546   <path value="Observation.referenceRange.type.coding.version" />
547   <min value="1" />
548 </element>
549 <element id="Observation.referenceRange.type.coding.code">
550   <path value="Observation.referenceRange.type.coding.code" />
551   <min value="1" />
552 </element>
553 <element id="Observation.referenceRange.type.coding.display">
554   <path value="Observation.referenceRange.type.coding.display" />
555   <min value="1" />
556 </element>
557 <element id="Observation.referenceRange.type.coding.userSelected">
558   <path value="Observation.referenceRange.type.coding.userSelected" />
559   <max value="0" />
560 </element>
561 <element id="Observation.referenceRange.type.text">
562   <path value="Observation.referenceRange.type.text" />
563   <max value="0" />
564 </element>
565 <element id="Observation.referenceRange.appliesTo">
566   <path value="Observation.referenceRange.appliesTo" />
567   <max value="0" />
568 </element>
569 <element id="Observation.referenceRange.age">
570   <path value="Observation.referenceRange.age" />
571   <max value="0" />
572 </element>
573 <element id="Observation.referenceRange.text">
574   <path value="Observation.referenceRange.text" />
575   <max value="0" />
576 </element>
577 <element id="Observation.hasMember">
578   <path value="Observation.hasMember" />
579   <max value="0" />
580 </element>
581 <element id="Observation.derivedFrom">
582   <path value="Observation.derivedFrom" />
583   <type>
584     <code value="Reference" />
585     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_QuestionnaireResponse_Free|1.0.0" />
586   </type>
587   <mustSupport value="true" />
588 </element>
589 <element id="Observation.derivedFrom.reference">
590   <path value="Observation.derivedFrom.reference" />
591   <min value="1" />
592   <mustSupport value="true" />
593 </element>
594 <element id="Observation.derivedFrom.type">
595   <path value="Observation.derivedFrom.type" />
596   <max value="0" />
597 </element>
598 <element id="Observation.derivedFrom.identifier">
599   <path value="Observation.derivedFrom.identifier" />

```

```

600     <max value="0" />
601   </element>
602   <element id="Observation.derivedFrom.display">
603     <path value="Observation.derivedFrom.display" />
604     <max value="0" />
605   </element>
606   <element id="Observation.component">
607     <path value="Observation.component" />
608     <max value="0" />
609   </element>
610 </differential>
611 </StructureDefinition>

```

## 52. KBV\_PR\_MIO\_DIGA\_OBSERVATION\_BLOOD\_PRESSURE

### KBV\_PR\_MIO\_DIGA\_Observation\_Blood\_Pressure

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Blood_Pressure" />
3    <version value="1.0.0" />
4    <name value="KBV_PR_MIO_DIGA_Observation_Blood_Pressure" />
5    <title value="KBV_PR_MIO_DIGA_Observation_Blood_Pressure" />
6    <status value="draft" />
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <description value="Dieses Profil bildet den Blutdruck ab." />
9    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM
definitions or is derived from it, subject to a license from Regenstrief
Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM
codes, UCUM definitions also is subject to this license, a copy of which is
available at http://unitsofmeasure.org. The current complete UCUM table,
UCUM Specification are available for download at http://unitsofmeasure.org.
The UCUM table and UCUM codes are copyright © 1995-2009, Regenstrief
Institute, Inc. and the Unified Codes for Units of Measures UCUM
Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM
DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS
OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE." />
10   <fhirVersion value="4.0.1" />
11   <kind value="resource" />
12   <abstract value="false" />
13   <type value="Observation" />
14   <baseDefinition value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_Base_Observation_Blood_Pressure|1.2.1" />

```

```

15 <derivation value="constraint" />
16 <differential>
17   <element id="Observation">
18     <path value="Observation" />
19     <definition value="Dieses Profil bildet den Blutdruck ab." />
20   </element>
21   <element id="Observation.meta">
22     <path value="Observation.meta" />
23     <min value="1" />
24   </element>
25   <element id="Observation.meta.versionId">
26     <path value="Observation.meta.versionId" />
27     <min value="1" />
28   </element>
29   <element id="Observation.meta.lastUpdated">
30     <path value="Observation.meta.lastUpdated" />
31     <min value="1" />
32   </element>
33   <element id="Observation.meta.source">
34     <path value="Observation.meta.source" />
35     <max value="0" />
36   </element>
37   <element id="Observation.meta.profile">
38     <path value="Observation.meta.profile" />
39     <min value="1" />
40     <max value="1" />
41     <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Blood_Pressure|1.0.0" />
42   </element>
43   <element id="Observation.meta.security">
44     <path value="Observation.meta.security" />
45     <max value="0" />
46   </element>
47   <element id="Observation.meta.tag">
48     <path value="Observation.meta.tag" />
49     <max value="0" />
50   </element>
51   <element id="Observation.implicitRules">
52     <path value="Observation.implicitRules" />
53     <max value="0" />
54   </element>
55   <element id="Observation.language">
56     <path value="Observation.language" />
57     <max value="0" />
58   </element>
59   <element id="Observation.text">
60     <path value="Observation.text" />
61     <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
62   </element>
63   <element id="Observation.text.status">
64     <path value="Observation.text.status" />
65     <fixedCode value="extensions" />
66   </element>
67   <element id="Observation.contained">
68     <path value="Observation.contained" />
69     <max value="0" />

```



```

70 </element>
71 <element id="Observation.identifier">
72   <path value="Observation.identifier" />
73   <min value="1" />
74   <max value="1" />
75   <mustSupport value="true" />
76 </element>
77 <element id="Observation.identifier.use">
78   <path value="Observation.identifier.use" />
79   <max value="0" />
80 </element>
81 <element id="Observation.identifier.type">
82   <path value="Observation.identifier.type" />
83   <min value="1" />
84   <patternCodeableConcept>
85     <coding>
86       <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
87       <version value="2.9" />
88       <code value="RI" />
89       <display value="Resource identifier" />
90     </coding>
91   </patternCodeableConcept>
92 </element>
93 <element id="Observation.identifier.type.coding">
94   <path value="Observation.identifier.type.coding" />
95   <min value="1" />
96   <max value="1" />
97 </element>
98 <element id="Observation.identifier.type.coding.system">
99   <path value="Observation.identifier.type.coding.system" />
100  <min value="1" />
101 </element>
102 <element id="Observation.identifier.type.coding.version">
103   <path value="Observation.identifier.type.coding.version" />
104   <min value="1" />
105 </element>
106 <element id="Observation.identifier.type.coding.code">
107   <path value="Observation.identifier.type.coding.code" />
108   <min value="1" />
109 </element>
110 <element id="Observation.identifier.type.coding.display">
111   <path value="Observation.identifier.type.coding.display" />
112   <min value="1" />
113 </element>
114 <element id="Observation.identifier.type.coding.userSelected">
115   <path value="Observation.identifier.type.coding.userSelected" />
116   <max value="0" />
117 </element>
118 <element id="Observation.identifier.type.text">
119   <path value="Observation.identifier.type.text" />
120   <max value="0" />
121 </element>
122 <element id="Observation.identifier.system">
123   <path value="Observation.identifier.system" />
124   <min value="1" />
125   <fixedUri value="urn:iETF:rFC:3986" />
126   <mustSupport value="true" />
127 </element>
128 <element id="Observation.identifier.value">
129   <path value="Observation.identifier.value" />

```

```

130     <min value="1" />
131     <mustSupport value="true" />
132 </element>
133 <element id="Observation.identifier.period">
134     <path value="Observation.identifier.period" />
135     <max value="0" />
136 </element>
137 <element id="Observation.identifier.assigner">
138     <path value="Observation.identifier.assigner" />
139     <max value="0" />
140 </element>
141 <element id="Observation.basedOn">
142     <path value="Observation.basedOn" />
143     <max value="0" />
144 </element>
145 <element id="Observation.partOf">
146     <path value="Observation.partOf" />
147     <max value="1" />
148     <type>
149         <code value="Reference" />
150         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Procedure_Activity_Free|1.0.0" />
151     </type>
152     <mustSupport value="true" />
153 </element>
154 <element id="Observation.partOf.reference">
155     <path value="Observation.partOf.reference" />
156     <min value="1" />
157     <mustSupport value="true" />
158 </element>
159 <element id="Observation.partOf.type">
160     <path value="Observation.partOf.type" />
161     <max value="0" />
162 </element>
163 <element id="Observation.partOf.identifier">
164     <path value="Observation.partOf.identifier" />
165     <max value="0" />
166 </element>
167 <element id="Observation.partOf.display">
168     <path value="Observation.partOf.display" />
169     <max value="0" />
170 </element>
171 <element id="Observation.category">
172     <path value="Observation.category" />
173     <mustSupport value="true" />
174 </element>
175 <element id="Observation.code">
176     <path value="Observation.code" />
177     <mustSupport value="true" />
178 </element>
179 <element id="Observation.code.coding">
180     <path value="Observation.code.coding" />
181     <slicing>
182         <discriminator>
183             <type value="pattern" />
184             <path value="$this" />
185         </discriminator>
186         <rules value="open" />
187     </slicing>
188     <mustSupport value="true" />

```

```

189 </element>
190 <element id="Observation.code.coding:loinc">
191   <path value="Observation.code.coding" />
192   <sliceName value="loinc" />
193   <mustSupport value="true" />
194 </element>
195 <element id="Observation.code.coding:loinc.display.extension">
196   <path value="Observation.code.coding.display.extension" />
197   <slicing>
198     <discriminator>
199       <type value="value" />
200       <path value="url" />
201     </discriminator>
202     <rules value="open" />
203   </slicing>
204   <min value="1" />
205 </element>
206 <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc">
207   <path value="Observation.code.coding.display.extension" />
208   <sliceName value="anzeigenamCodeLoinc" />
209   <mustSupport value="true" />
210 </element>
211 <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc.extension">
212   <path value="Observation.code.coding.display.extension.extension" />
213   <slicing>
214     <discriminator>
215       <type value="value" />
216       <path value="url" />
217     </discriminator>
218     <rules value="open" />
219   </slicing>
220   <min value="1" />
221 </element>
222 <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc.extension:content">
223   <path value="Observation.code.coding.display.extension.extension" />
224   <sliceName value="content" />
225   <min value="1" />
226 </element>
227 <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc.extension:content.value[x]">
228   <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
229   <slicing>
230     <discriminator>
231       <type value="type" />
232       <path value="$this" />
233     </discriminator>
234     <rules value="closed" />
235   </slicing>
236   <mustSupport value="true" />
237 </element>
238 <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc.extension:content.value[x]:valueString">
239   <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
240   <sliceName value="valueString" />
241   <mustSupport value="true" />

```

```

242 </element>
243 <element id="Observation.code.coding:loinc.userSelected">
244   <path value="Observation.code.coding.userSelected" />
245   <max value="0" />
246 </element>
247 <element id="Observation.code.coding:codeSnomed">
248   <path value="Observation.code.coding" />
249   <sliceName value="codeSnomed" />
250   <mustSupport value="true" />
251 </element>
252 <element id="Observation.code.coding:codeSnomed.display.extension">
253   <path value="Observation.code.coding.display.extension" />
254   <licing>
255     <discriminator>
256       <type value="value" />
257       <path value="url" />
258     </discriminator>
259     <rules value="open" />
260   </licing>
261   <min value="1" />
262 </element>
263 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed">
264   <path value="Observation.code.coding.display.extension" />
265   <sliceName value="anzeigenameCodeSnomed" />
266   <mustSupport value="true" />
267 </element>
268 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension">
269   <path value="Observation.code.coding.display.extension.extension" />
270   <licing>
271     <discriminator>
272       <type value="value" />
273       <path value="url" />
274     </discriminator>
275     <rules value="open" />
276   </licing>
277   <min value="1" />
278 </element>
279 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content">
280   <path value="Observation.code.coding.display.extension.extension" />
281   <sliceName value="content" />
282   <min value="1" />
283 </element>
284 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content.value[x]">
285   <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
286   <licing>
287     <discriminator>
288       <type value="type" />
289       <path value="$this" />
290     </discriminator>
291     <rules value="closed" />
292   </licing>
293   <mustSupport value="true" />
294 </element>
295 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content.value[x]:valueString">

```

```

296     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
297     <sliceName value="valueString" />
298     <mustSupport value="true" />
299 </element>
300 <element id="Observation.code.coding:codeSnomed.userSelected">
301     <path value="Observation.code.coding.userSelected" />
302     <max value="0" />
303 </element>
304 <element id="Observation.code.text">
305     <path value="Observation.code.text" />
306     <max value="0" />
307 </element>
308 <element id="Observation.subject">
309     <path value="Observation.subject" />
310     <type>
311         <code value="Reference" />
312         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
313     </type>
314     <mustSupport value="true" />
315 </element>
316 <element id="Observation.subject.reference">
317     <path value="Observation.subject.reference" />
318     <min value="1" />
319     <mustSupport value="true" />
320 </element>
321 <element id="Observation.subject.type">
322     <path value="Observation.subject.type" />
323     <max value="0" />
324 </element>
325 <element id="Observation.subject.identifier">
326     <path value="Observation.subject.identifier" />
327     <max value="0" />
328 </element>
329 <element id="Observation.subject.display">
330     <path value="Observation.subject.display" />
331     <max value="0" />
332 </element>
333 <element id="Observation.encounter">
334     <path value="Observation.encounter" />
335     <max value="0" />
336 </element>
337 <element id="Observation.effective[x]">
338     <path value="Observation.effective[x]" />
339     <licing>
340         <discriminator>
341             <type value="type" />
342             <path value="$this" />
343         </discriminator>
344         <rules value="closed" />
345     </licing>
346     <min value="1" />
347     <type>
348         <code value="dateTime" />
349     </type>
350     <mustSupport value="true" />
351 </element>
352 <element id="Observation.effective[x]:effectiveDateTime">
353     <path value="Observation.effective[x]" />

```

```

354     <sliceName value="effectiveDateTime" />
355     <min value="1" />
356     <type>
357         <code value="dateTime" />
358     </type>
359     <mustSupport value="true" />
360 </element>
361 <element id="Observation.issued">
362     <path value="Observation.issued" />
363     <max value="0" />
364 </element>
365 <element id="Observation.performer">
366     <path value="Observation.performer" />
367     <max value="1" />
368     <type>
369         <code value="Reference" />
370         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
371         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole|1.0.0" />
372         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
373         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_RelatedPerson|1.0.0" />
374     </type>
375     <mustSupport value="true" />
376 </element>
377 <element id="Observation.performer.reference">
378     <path value="Observation.performer.reference" />
379     <min value="1" />
380     <mustSupport value="true" />
381 </element>
382 <element id="Observation.performer.type">
383     <path value="Observation.performer.type" />
384     <max value="0" />
385 </element>
386 <element id="Observation.performer.identifier">
387     <path value="Observation.performer.identifier" />
388     <max value="0" />
389 </element>
390 <element id="Observation.performer.display">
391     <path value="Observation.performer.display" />
392     <max value="0" />
393 </element>
394 <element id="Observation.dataAbsentReason">
395     <path value="Observation.dataAbsentReason" />
396     <max value="0" />
397 </element>
398 <element id="Observation.interpretation">
399     <path value="Observation.interpretation" />
400     <max value="0" />
401 </element>
402 <element id="Observation.note">
403     <path value="Observation.note" />
404     <max value="1" />
405     <mustSupport value="true" />
406 </element>
407 <element id="Observation.note.author[x]">
408     <path value="Observation.note.author[x]" />
409     <max value="0" />

```

```

410 </element>
411 <element id="Observation.note.time">
412   <path value="Observation.note.time" />
413   <max value="0" />
414 </element>
415 <element id="Observation.note.text">
416   <path value="Observation.note.text" />
417   <mustSupport value="true" />
418 </element>
419 <element id="Observation.bodySite">
420   <path value="Observation.bodySite" />
421   <max value="0" />
422 </element>
423 <element id="Observation.method">
424   <path value="Observation.method" />
425   <max value="0" />
426 </element>
427 <element id="Observation.device">
428   <path value="Observation.device" />
429   <type>
430     <code value="Reference" />
431     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Device_Free|1.0.0" />
432   </type>
433   <mustSupport value="true" />
434 </element>
435 <element id="Observation.device.reference">
436   <path value="Observation.device.reference" />
437   <min value="1" />
438   <mustSupport value="true" />
439 </element>
440 <element id="Observation.device.type">
441   <path value="Observation.device.type" />
442   <max value="0" />
443 </element>
444 <element id="Observation.device.identifier">
445   <path value="Observation.device.identifier" />
446   <max value="0" />
447 </element>
448 <element id="Observation.device.display">
449   <path value="Observation.device.display" />
450   <max value="0" />
451 </element>
452 <element id="Observation.referenceRange">
453   <path value="Observation.referenceRange" />
454   <max value="0" />
455 </element>
456 <element id="Observation.hasMember">
457   <path value="Observation.hasMember" />
458   <max value="0" />
459 </element>
460 <element id="Observation.derivedFrom">
461   <path value="Observation.derivedFrom" />
462   <max value="0" />
463 </element>
464 <element id="Observation.component">
465   <path value="Observation.component" />
466   <licing>
467     <discriminator>
468       <type value="pattern" />

```

```

469     <path value="code.coding" />
470   </discriminator>
471   <rules value="closed" />
472 </slicing>
473 <max value="3" />
474 <mustSupport value="true" />
475 </element>
476 <element id="Observation.component:SystolicBP">
477   <path value="Observation.component" />
478   <sliceName value="SystolicBP" />
479   <mustSupport value="true" />
480 </element>
481 <element id="Observation.component:SystolicBP.code">
482   <path value="Observation.component.code" />
483   <mustSupport value="true" />
484 </element>
485 <element id="Observation.component:SystolicBP.code.coding">
486   <path value="Observation.component.code.coding" />
487   <mustSupport value="true" />
488 </element>
489 <element id="Observation.component:SystolicBP.code.coding:loinc">
490   <path value="Observation.component.code.coding" />
491   <sliceName value="loinc" />
492   <min value="1" />
493   <max value="1" />
494   <mustSupport value="true" />
495 </element>
496 <element id="Observation.component:SystolicBP.code.coding:loinc.system">
497   <path value="Observation.component.code.coding.system" />
498   <min value="1" />
499 </element>
500 <element id="Observation.component:SystolicBP.code.coding:loinc.code">
501   <path value="Observation.component.code.coding.code" />
502   <min value="1" />
503 </element>
504 <element id="Observation.component:SystolicBP.code.coding:loinc.display
505 .extension">
506   <path value="Observation.component.code.coding.display.extension" />
507   <slicing>
508     <discriminator>
509       <type value="value" />
510       <path value="url" />
511     </discriminator>
512     <rules value="open" />
513   </slicing>
514   <min value="1" />
515 </element>
516 <element id="Observation.component:SystolicBP.code.coding:loinc.display
517 .extension:anzeigeNameCodeLoinc">
518   <path value="Observation.component.code.coding.display.extension" />
519   <sliceName value="anzeigeNameCodeLoinc" />
520   <min value="1" />
521   <mustSupport value="true" />
522 </element>
523 <element id="Observation.component:SystolicBP.code.coding:loinc.display
524 .extension:anzeigeNameCodeLoinc.extension">
525   <path value="Observation.component.code.coding.display.extension.exte
526 nsion" />
527   <slicing>
528     <discriminator>

```



```

525     <type value="value" />
526     <path value="url" />
527   </discriminator>
528   <rules value="open" />
529 </slicing>
530 <min value="1" />
531 </element>
532 <element id="Observation.component.SystolicBP.code.coding.loinc.display
533 .extension:anzeigenameCodeLoinc.extension:content">
534   <path value="Observation.component.code.coding.display.extension.exte
535 nsion" />
536   <sliceName value="content" />
537   <min value="1" />
538 </element>
539 <element id="Observation.component.SystolicBP.code.coding.loinc.display
540 .extension:anzeigenameCodeLoinc.extension:content.value[x]">
541   <path value="Observation.component.code.coding.display.extension.exte
542 nsion.value[x]" />
543   <slicing>
544     <discriminator>
545       <type value="type" />
546       <path value="$this" />
547     </discriminator>
548     <rules value="closed" />
549   </slicing>
550   <mustSupport value="true" />
551 </element>
552 <element id="Observation.component.SystolicBP.code.coding.loinc.display
553 .extension:anzeigenameCodeLoinc.extension:content.value[x]:valueString">
554   <path value="Observation.component.code.coding.display.extension.exte
555 nsion.value[x]" />
556   <sliceName value="valueString" />
557   <min value="1" />
558   <mustSupport value="true" />
559 </element>
560 <element id="Observation.component.SystolicBP.code.coding.loinc.userSel
561 ected">
562   <path value="Observation.component.code.coding.userSelected" />
563   <max value="0" />
564 </element>
565 <element id="Observation.component.SystolicBP.code.coding:codeSnomed">
566   <path value="Observation.component.code.coding" />
567   <sliceName value="codeSnomed" />
568   <mustSupport value="true" />
569 </element>
570 <element id="Observation.component.SystolicBP.code.coding:codeSnomed.di
571 splay.extension">
572   <path value="Observation.component.code.coding.display.extension" />
573   <slicing>
574     <discriminator>
575       <type value="value" />
576       <path value="url" />
577     </discriminator>
578     <rules value="open" />
579   </slicing>
580   <min value="1" />
581 </element>
582 <element id="Observation.component.SystolicBP.code.coding:codeSnomed.di
583 splay.extension:anzeigenameCodeSnomed">
584   <path value="Observation.component.code.coding.display.extension" />

```

```

576     <sliceName value="anzeigennameCodeSnomed" />
577     <min value="1" />
578     <mustSupport value="true" />
579   </element>
580   <element id="Observation.component.SystolicBP.code.coding.codeSnomed.display.extension:anzeigennameCodeSnomed.extension">
581     <path value="Observation.component.code.coding.display.extension.extension" />
582     <slicing>
583       <discriminator>
584         <type value="value" />
585         <path value="url" />
586       </discriminator>
587       <rules value="open" />
588     </slicing>
589     <min value="1" />
590   </element>
591   <element id="Observation.component.SystolicBP.code.coding.codeSnomed.display.extension:anzeigennameCodeSnomed.extension:content">
592     <path value="Observation.component.code.coding.display.extension.extension" />
593     <sliceName value="content" />
594     <min value="1" />
595   </element>
596   <element id="Observation.component.SystolicBP.code.coding.codeSnomed.display.extension:anzeigennameCodeSnomed.extension:content.value[x]">
597     <path value="Observation.component.code.coding.display.extension.extension.value[x]" />
598     <slicing>
599       <discriminator>
600         <type value="type" />
601         <path value="$this" />
602       </discriminator>
603       <rules value="closed" />
604     </slicing>
605     <mustSupport value="true" />
606   </element>
607   <element id="Observation.component.SystolicBP.code.coding.codeSnomed.display.extension:anzeigennameCodeSnomed.extension:content.value[x]:valueString">
608     <path value="Observation.component.code.coding.display.extension.extension.value[x]" />
609     <sliceName value="valueString" />
610     <mustSupport value="true" />
611   </element>
612   <element id="Observation.component.SystolicBP.code.coding.codeSnomed.userSelected">
613     <path value="Observation.component.code.coding.userSelected" />
614     <max value="0" />
615   </element>
616   <element id="Observation.component.SystolicBP.value[x]">
617     <path value="Observation.component.value[x]" />
618     <slicing>
619       <discriminator>
620         <type value="type" />
621         <path value="$this" />
622       </discriminator>
623       <rules value="closed" />
624     </slicing>
625     <min value="1" />

```

```

626     <mustSupport value="true" />
627 </element>
628 <element id="Observation.component.SystolicBP.value[x]:valueQuantity">
629   <path value="Observation.component.value[x]" />
630   <sliceName value="valueQuantity" />
631   <min value="1" />
632   <mustSupport value="true" />
633 </element>
634 <element id="Observation.component.SystolicBP.value[x]:valueQuantity.co
mparator">
635   <path value="Observation.component.value[x].comparator" />
636   <max value="0" />
637 </element>
638 <element id="Observation.component.SystolicBP.dataAbsentReason">
639   <path value="Observation.component.dataAbsentReason" />
640   <max value="0" />
641 </element>
642 <element id="Observation.component.SystolicBP.interpretation">
643   <path value="Observation.component.interpretation" />
644   <max value="0" />
645 </element>
646 <element id="Observation.component.SystolicBP.referenceRange">
647   <path value="Observation.component.referenceRange" />
648   <max value="0" />
649 </element>
650 <element id="Observation.component.DiastolicBP">
651   <path value="Observation.component" />
652   <sliceName value="DiastolicBP" />
653   <mustSupport value="true" />
654 </element>
655 <element id="Observation.component.DiastolicBP.code">
656   <path value="Observation.component.code" />
657   <mustSupport value="true" />
658 </element>
659 <element id="Observation.component.DiastolicBP.code.coding">
660   <path value="Observation.component.code.coding" />
661   <licing>
662     <discriminator>
663       <type value="pattern" />
664       <path value="$this" />
665     </discriminator>
666     <rules value="open" />
667   </licing>
668   <mustSupport value="true" />
669 </element>
670 <element id="Observation.component.DiastolicBP.code.coding:loinc">
671   <path value="Observation.component.code.coding" />
672   <sliceName value="loinc" />
673   <min value="1" />
674   <patternCoding>
675     <system value="http://loinc.org" />
676     <version value="2.71" />
677     <code value="8462-4" />
678   </patternCoding>
679   <mustSupport value="true" />
680 </element>
681 <element id="Observation.component.DiastolicBP.code.coding:loinc.system
">
682   <path value="Observation.component.code.coding.system" />
683   <min value="1" />

```

```

684 </element>
685 <element id="Observation.component:DiastolicBP.code.coding:loinc.code">
686   <path value="Observation.component.code.coding.code" />
687   <min value="1" />
688 </element>
689 <element id="Observation.component:DiastolicBP.code.coding:loinc.display.extension">
690   <path value="Observation.component.code.coding.display.extension" />
691   <slicing>
692     <discriminator>
693       <type value="value" />
694       <path value="url" />
695     </discriminator>
696     <rules value="open" />
697   </slicing>
698   <min value="1" />
699 </element>
700 <element id="Observation.component:DiastolicBP.code.coding:loinc.display.extension:anzeigenameCodeLoinc">
701   <path value="Observation.component.code.coding.display.extension" />
702   <sliceName value="anzeigenameCodeLoinc" />
703   <min value="1" />
704   <mustSupport value="true" />
705 </element>
706 <element id="Observation.component:DiastolicBP.code.coding:loinc.display.extension:anzeigenameCodeLoinc.extension">
707   <path value="Observation.component.code.coding.display.extension.extension" />
708   <slicing>
709     <discriminator>
710       <type value="value" />
711       <path value="url" />
712     </discriminator>
713     <rules value="open" />
714   </slicing>
715   <min value="1" />
716 </element>
717 <element id="Observation.component:DiastolicBP.code.coding:loinc.display.extension:anzeigenameCodeLoinc.extension:content">
718   <path value="Observation.component.code.coding.display.extension.extension" />
719   <sliceName value="content" />
720   <min value="1" />
721 </element>
722 <element id="Observation.component:DiastolicBP.code.coding:loinc.display.extension:anzeigenameCodeLoinc.extension:content.value[x]">
723   <path value="Observation.component.code.coding.display.extension.extension.value[x]" />
724   <slicing>
725     <discriminator>
726       <type value="type" />
727       <path value="$this" />
728     </discriminator>
729     <rules value="closed" />
730   </slicing>
731   <mustSupport value="true" />
732 </element>
733 <element id="Observation.component:DiastolicBP.code.coding:loinc.display.extension:anzeigenameCodeLoinc.extension:content.value[x]:valueString">

```

```

734     <path value="Observation.component.code.coding.display.extension.exte
nion.value[x]" />
735     <sliceName value="valueString" />
736     <min value="1" />
737     <mustSupport value="true" />
738   </element>
739   <element id="Observation.component:DiastolicBP.code.coding:loinc.userSe
lected">
740     <path value="Observation.component.code.coding.userSelected" />
741     <max value="0" />
742   </element>
743   <element id="Observation.component:DiastolicBP.code.coding:codeSnomed">
744     <path value="Observation.component.code.coding" />
745     <sliceName value="codeSnomed" />
746     <mustSupport value="true" />
747   </element>
748   <element id="Observation.component:DiastolicBP.code.coding:codeSnomed.d
isplay.extension">
749     <path value="Observation.component.code.coding.display.extension" />
750     <licing>
751       <discriminator>
752         <type value="value" />
753         <path value="url" />
754       </discriminator>
755       <rules value="open" />
756     </licing>
757     <min value="1" />
758   </element>
759   <element id="Observation.component:DiastolicBP.code.coding:codeSnomed.d
isplay.extension:anzeigennameCodeSnomed">
760     <path value="Observation.component.code.coding.display.extension" />
761     <sliceName value="anzeigennameCodeSnomed" />
762     <min value="1" />
763     <mustSupport value="true" />
764   </element>
765   <element id="Observation.component:DiastolicBP.code.coding:codeSnomed.d
isplay.extension:anzeigennameCodeSnomed.extension">
766     <path value="Observation.component.code.coding.display.extension.exte
nion" />
767     <licing>
768       <discriminator>
769         <type value="value" />
770         <path value="url" />
771       </discriminator>
772       <rules value="open" />
773     </licing>
774     <min value="1" />
775   </element>
776   <element id="Observation.component:DiastolicBP.code.coding:codeSnomed.d
isplay.extension:anzeigennameCodeSnomed.extension:content">
777     <path value="Observation.component.code.coding.display.extension.exte
nion" />
778     <sliceName value="content" />
779     <min value="1" />
780   </element>
781   <element id="Observation.component:DiastolicBP.code.coding:codeSnomed.d
isplay.extension:anzeigennameCodeSnomed.extension:content.value[x]">
782     <path value="Observation.component.code.coding.display.extension.exte
nion.value[x]" />
783     <licing>

```

```

784     <discriminator>
785       <type value="type" />
786       <path value="$this" />
787     </discriminator>
788     <rules value="closed" />
789   </slicing>
790   <mustSupport value="true" />
791 </element>
792 <element id="Observation.component:DiastolicBP.code.coding:codeSnomed.d
display.extension:anzeigenameCodeSnomed.extension:content.value[x]:valueStri
ng">
793   <path value="Observation.component.code.coding.display.extension.exte
nsion.value[x]" />
794   <sliceName value="valueString" />
795   <min value="1" />
796   <mustSupport value="true" />
797 </element>
798 <element id="Observation.component:DiastolicBP.code.coding:codeSnomed.u
serSelected">
799   <path value="Observation.component.code.coding.userSelected" />
800   <max value="0" />
801 </element>
802 <element id="Observation.component:DiastolicBP.value[x]">
803   <path value="Observation.component.value[x]" />
804   <slicing>
805     <discriminator>
806       <type value="type" />
807       <path value="$this" />
808     </discriminator>
809     <rules value="closed" />
810   </slicing>
811   <min value="1" />
812   <mustSupport value="true" />
813 </element>
814 <element id="Observation.component:DiastolicBP.value[x]:valueQuantity">
815   <path value="Observation.component.value[x]" />
816   <sliceName value="valueQuantity" />
817   <min value="1" />
818   <mustSupport value="true" />
819 </element>
820 <element id="Observation.component:DiastolicBP.value[x]:valueQuantity.c
omparator">
821   <path value="Observation.component.value[x].comparator" />
822   <max value="0" />
823 </element>
824 <element id="Observation.component:DiastolicBP.dataAbsentReason">
825   <path value="Observation.component.dataAbsentReason" />
826   <max value="0" />
827 </element>
828 <element id="Observation.component:DiastolicBP.interpretation">
829   <path value="Observation.component.interpretation" />
830   <max value="0" />
831 </element>
832 <element id="Observation.component:DiastolicBP.referenceRange">
833   <path value="Observation.component.referenceRange" />
834   <max value="0" />
835 </element>
836 <element id="Observation.component:mittlererArteriellerBlutdruck">
837   <path value="Observation.component" />
838   <sliceName value="mittlererArteriellerBlutdruck" />

```

```

839     <mustSupport value="true" />
840 </element>
841 <element id="Observation.component:mittlererArteriellerBlutdruck.code">
842   <path value="Observation.component.code" />
843   <mustSupport value="true" />
844 </element>
845 <element id="Observation.component:mittlererArteriellerBlutdruck.code.c
oding">
846   <path value="Observation.component.code.coding" />
847   <licing>
848     <discriminator>
849       <type value="pattern" />
850       <path value="$this" />
851     </discriminator>
852     <rules value="open" />
853   </licing>
854   <mustSupport value="true" />
855 </element>
856 <element id="Observation.component:mittlererArteriellerBlutdruck.code.c
oding:codeLoinc">
857   <path value="Observation.component.code.coding" />
858   <sliceName value="codeLoinc" />
859   <mustSupport value="true" />
860 </element>
861 <element id="Observation.component:mittlererArteriellerBlutdruck.code.c
oding:codeLoinc.display.extension">
862   <path value="Observation.component.code.coding.display.extension" />
863   <licing>
864     <discriminator>
865       <type value="value" />
866       <path value="url" />
867     </discriminator>
868     <rules value="open" />
869   </licing>
870   <min value="1" />
871 </element>
872 <element id="Observation.component:mittlererArteriellerBlutdruck.code.c
oding:codeLoinc.display.extension:anzeigenameCodeLoinc">
873   <path value="Observation.component.code.coding.display.extension" />
874   <sliceName value="anzeigenameCodeLoinc" />
875   <min value="1" />
876   <mustSupport value="true" />
877 </element>
878 <element id="Observation.component:mittlererArteriellerBlutdruck.code.c
oding:codeLoinc.display.extension:anzeigenameCodeLoinc.extension">
879   <path value="Observation.component.code.coding.display.extension.exte
nsion" />
880   <licing>
881     <discriminator>
882       <type value="value" />
883       <path value="url" />
884     </discriminator>
885     <rules value="open" />
886   </licing>
887   <min value="1" />
888   <mustSupport value="true" />
889 </element>
890 <element id="Observation.component:mittlererArteriellerBlutdruck.code.c
oding:codeLoinc.display.extension:anzeigenameCodeLoinc.extension:content">

```

```

891     <path value="Observation.component.code.coding.display.extension.exte
nsion" />
892     <sliceName value="content" />
893     <min value="1" />
894     <mustSupport value="true" />
895 </element>
896 <element id="Observation.component:mittlererArteriellerBlutdruck.code.c
oding:codeLoinc.display.extension:anzeigenameCodeLoinc.extension:content.va
lue[x]">
897     <path value="Observation.component.code.coding.display.extension.exte
nsion.value[x]" />
898     <slicing>
899         <discriminator>
900             <type value="type" />
901             <path value="$this" />
902         </discriminator>
903         <rules value="closed" />
904     </slicing>
905     <mustSupport value="true" />
906 </element>
907 <element id="Observation.component:mittlererArteriellerBlutdruck.code.c
oding:codeLoinc.display.extension:anzeigenameCodeLoinc.extension:content.va
lue[x]:valueString">
908     <path value="Observation.component.code.coding.display.extension.exte
nsion.value[x]" />
909     <sliceName value="valueString" />
910     <min value="1" />
911     <mustSupport value="true" />
912 </element>
913 <element id="Observation.component:mittlererArteriellerBlutdruck.code.c
oding:codeLoinc.userSelected">
914     <path value="Observation.component.code.coding.userSelected" />
915     <max value="0" />
916 </element>
917 <element id="Observation.component:mittlererArteriellerBlutdruck.code.c
oding:codeSnomed">
918     <path value="Observation.component.code.coding" />
919     <sliceName value="codeSnomed" />
920     <mustSupport value="true" />
921 </element>
922 <element id="Observation.component:mittlererArteriellerBlutdruck.code.c
oding:codeSnomed.display.extension">
923     <path value="Observation.component.code.coding.display.extension" />
924     <slicing>
925         <discriminator>
926             <type value="value" />
927             <path value="url" />
928         </discriminator>
929         <rules value="open" />
930     </slicing>
931     <min value="1" />
932 </element>
933 <element id="Observation.component:mittlererArteriellerBlutdruck.code.c
oding:codeSnomed.display.extension:anzeigenameCodeSnomed">
934     <path value="Observation.component.code.coding.display.extension" />
935     <sliceName value="anzeigenameCodeSnomed" />
936     <min value="1" />
937     <mustSupport value="true" />
938 </element>

```



```

939     <element id="Observation.component:mittlererArteriellerBlutdruck.code.c
oding:codeSnomed.display.extension:anzeigenameCodeSnomed.extension">
940     <path value="Observation.component.code.coding.display.extension.exte
nsion" />
941     <slicing>
942         <discriminator>
943             <type value="value" />
944             <path value="url" />
945         </discriminator>
946         <rules value="open" />
947     </slicing>
948     <min value="1" />
949 </element>
950     <element id="Observation.component:mittlererArteriellerBlutdruck.code.c
oding:codeSnomed.display.extension:anzeigenameCodeSnomed.extension:content"
>
951     <path value="Observation.component.code.coding.display.extension.exte
nsion" />
952     <sliceName value="content" />
953     <min value="1" />
954 </element>
955     <element id="Observation.component:mittlererArteriellerBlutdruck.code.c
oding:codeSnomed.display.extension:anzeigenameCodeSnomed.extension:content.
value[x]">
956     <path value="Observation.component.code.coding.display.extension.exte
nsion.value[x]" />
957     <slicing>
958         <discriminator>
959             <type value="type" />
960             <path value="$this" />
961         </discriminator>
962         <rules value="closed" />
963     </slicing>
964     <mustSupport value="true" />
965 </element>
966     <element id="Observation.component:mittlererArteriellerBlutdruck.code.c
oding:codeSnomed.display.extension:anzeigenameCodeSnomed.extension:content.
value[x]:valueString">
967     <path value="Observation.component.code.coding.display.extension.exte
nsion.value[x]" />
968     <sliceName value="valueString" />
969     <min value="1" />
970     <mustSupport value="true" />
971 </element>
972     <element id="Observation.component:mittlererArteriellerBlutdruck.code.c
oding:codeSnomed.userSelected">
973     <path value="Observation.component.code.coding.userSelected" />
974     <max value="0" />
975 </element>
976     <element id="Observation.component:mittlererArteriellerBlutdruck.value[
x]">
977     <path value="Observation.component.value[x]" />
978     <min value="1" />
979     <mustSupport value="true" />
980 </element>
981     <element id="Observation.component:mittlererArteriellerBlutdruck.value[
x]:valueQuantity">
982     <path value="Observation.component.value[x]" />
983     <sliceName value="valueQuantity" />
984     <min value="1" />

```

```

985     <mustSupport value="true" />
986   </element>
987   <element id="Observation.component:mittlererArteriellerBlutdruck.value[
x]:valueQuantity.comparator">
988     <path value="Observation.component.value[x].comparator" />
989     <max value="0" />
990   </element>
991   <element id="Observation.component:mittlererArteriellerBlutdruck.dataAb
sentReason">
992     <path value="Observation.component.dataAbsentReason" />
993     <max value="0" />
994   </element>
995   <element id="Observation.component:mittlererArteriellerBlutdruck.interp
retation">
996     <path value="Observation.component.interpretation" />
997     <max value="0" />
998   </element>
999   <element id="Observation.component:mittlererArteriellerBlutdruck.refere
nceRange">
1000     <path value="Observation.component.referenceRange" />
1001     <max value="0" />
1002   </element>
1003 </differential>
1004 </StructureDefinition>

```

### 53. KBV\_PR\_MIO\_DIGA\_OBSERVATION\_BODY\_HEIGHT

#### KBV\_PR\_MIO\_DIGA\_Observation\_Body\_Height

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Body_Height" />
3   <version value="1.0.0" />
4   <name value="KBV_PR_MIO_DIGA_Observation_Body_Height" />
5   <title value="KBV_PR_MIO_DIGA_Observation_Body_Height" />
6   <status value="draft" />
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <description value="Dieses Profil bildet die Körpergröße/Körperlänge
ab." />
9   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM
definitions or is derived from it, subject to a license from Regenstrief
Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM
codes, UCUM definitions also is subject to this license, a copy of which is
available at http://unitsofmeasure.org. The current complete UCUM table,
UCUM Specification are available for download at http://unitsofmeasure.org.

```

The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures UCUM Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED "AS IS." ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE." />

```
10 <fhirVersion value="4.0.1" />
11 <kind value="resource" />
12 <abstract value="false" />
13 <type value="Observation" />
14 <baseDefinition value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_Base_Observation_Body_Height|1.2.1" />
15 <derivation value="constraint" />
16 <differential>
17 <element id="Observation">
18 <path value="Observation" />
19 <definition value="Dieses Profil bildet die Körpergröße/Körperlänge
ab." />
20 </element>
21 <element id="Observation.meta">
22 <path value="Observation.meta" />
23 <min value="1" />
24 </element>
25 <element id="Observation.meta.versionId">
26 <path value="Observation.meta.versionId" />
27 <min value="1" />
28 </element>
29 <element id="Observation.meta.lastUpdated">
30 <path value="Observation.meta.lastUpdated" />
31 <min value="1" />
32 </element>
33 <element id="Observation.meta.source">
34 <path value="Observation.meta.source" />
35 <max value="0" />
36 </element>
37 <element id="Observation.meta.profile">
38 <path value="Observation.meta.profile" />
39 <min value="1" />
40 <max value="1" />
41 <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Body_Height|1.0.0" />
42 </element>
43 <element id="Observation.meta.security">
44 <path value="Observation.meta.security" />
45 <max value="0" />
46 </element>
47 <element id="Observation.meta.tag">
48 <path value="Observation.meta.tag" />
49 <max value="0" />
50 </element>
51 <element id="Observation.implicitRules">
52 <path value="Observation.implicitRules" />
53 <max value="0" />
54 </element>
55 <element id="Observation.language">
56 <path value="Observation.language" />
57 <max value="0" />
58 </element>
59 <element id="Observation.text">
```

```

60     <path value="Observation.text" />
61     <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
62 </element>
63 <element id="Observation.text.status">
64     <path value="Observation.text.status" />
65     <fixedCode value="extensions" />
66 </element>
67 <element id="Observation.contained">
68     <path value="Observation.contained" />
69     <max value="0" />
70 </element>
71 <element id="Observation.identifier">
72     <path value="Observation.identifier" />
73     <min value="1" />
74     <max value="1" />
75     <mustSupport value="true" />
76 </element>
77 <element id="Observation.identifier.use">
78     <path value="Observation.identifier.use" />
79     <max value="0" />
80 </element>
81 <element id="Observation.identifier.type">
82     <path value="Observation.identifier.type" />
83     <min value="1" />
84     <patternCodeableConcept>
85         <coding>
86             <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
87             <version value="2.9" />
88             <code value="RI" />
89             <display value="Resource identifier" />
90         </coding>
91     </patternCodeableConcept>
92 </element>
93 <element id="Observation.identifier.type.coding">
94     <path value="Observation.identifier.type.coding" />
95     <min value="1" />
96     <max value="1" />
97 </element>
98 <element id="Observation.identifier.type.coding.system">
99     <path value="Observation.identifier.type.coding.system" />
100    <min value="1" />
101 </element>
102 <element id="Observation.identifier.type.coding.version">
103     <path value="Observation.identifier.type.coding.version" />
104     <min value="1" />
105 </element>
106 <element id="Observation.identifier.type.coding.code">
107     <path value="Observation.identifier.type.coding.code" />
108     <min value="1" />
109 </element>
110 <element id="Observation.identifier.type.coding.display">
111     <path value="Observation.identifier.type.coding.display" />
112     <min value="1" />
113 </element>
114 <element id="Observation.identifier.type.coding.userSelected">
115     <path value="Observation.identifier.type.coding.userSelected" />

```

```

116     <max value="0" />
117 </element>
118 <element id="Observation.identifier.type.text">
119     <path value="Observation.identifier.type.text" />
120     <max value="0" />
121 </element>
122 <element id="Observation.identifier.system">
123     <path value="Observation.identifier.system" />
124     <min value="1" />
125     <fixedUri value="urn:ietf:rfc:3986" />
126     <mustSupport value="true" />
127 </element>
128 <element id="Observation.identifier.value">
129     <path value="Observation.identifier.value" />
130     <min value="1" />
131     <mustSupport value="true" />
132 </element>
133 <element id="Observation.identifier.period">
134     <path value="Observation.identifier.period" />
135     <max value="0" />
136 </element>
137 <element id="Observation.identifier.assigner">
138     <path value="Observation.identifier.assigner" />
139     <max value="0" />
140 </element>
141 <element id="Observation.basedOn">
142     <path value="Observation.basedOn" />
143     <max value="0" />
144 </element>
145 <element id="Observation.partOf">
146     <path value="Observation.partOf" />
147     <max value="1" />
148     <type>
149         <code value="Reference" />
150         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Procedure_Activity_Free|1.0.0" />
151     </type>
152     <mustSupport value="true" />
153 </element>
154 <element id="Observation.partOf.reference">
155     <path value="Observation.partOf.reference" />
156     <min value="1" />
157     <mustSupport value="true" />
158 </element>
159 <element id="Observation.partOf.type">
160     <path value="Observation.partOf.type" />
161     <max value="0" />
162 </element>
163 <element id="Observation.partOf.identifier">
164     <path value="Observation.partOf.identifier" />
165     <max value="0" />
166 </element>
167 <element id="Observation.partOf.display">
168     <path value="Observation.partOf.display" />
169     <max value="0" />
170 </element>
171 <element id="Observation.category">
172     <path value="Observation.category" />
173     <mustSupport value="true" />
174 </element>

```

```

175 <element id="Observation.code">
176   <path value="Observation.code" />
177   <mustSupport value="true" />
178 </element>
179 <element id="Observation.code.coding">
180   <path value="Observation.code.coding" />
181   <slicing>
182     <discriminator>
183       <type value="pattern" />
184       <path value="$this" />
185     </discriminator>
186     <rules value="open" />
187   </slicing>
188   <mustSupport value="true" />
189 </element>
190 <element id="Observation.code.coding:loinc">
191   <path value="Observation.code.coding" />
192   <sliceName value="loinc" />
193   <patternCoding>
194     <system value="http://loinc.org" />
195   </patternCoding>
196   <mustSupport value="true" />
197 </element>
198 <element id="Observation.code.coding:loinc.display.extension">
199   <path value="Observation.code.coding.display.extension" />
200   <slicing>
201     <discriminator>
202       <type value="value" />
203       <path value="url" />
204     </discriminator>
205     <rules value="open" />
206   </slicing>
207   <min value="1" />
208 </element>
209 <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eloinc">
210   <path value="Observation.code.coding.display.extension" />
211   <sliceName value="anzeigenameloinc" />
212   <mustSupport value="true" />
213 </element>
214 <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eloinc.extension">
215   <path value="Observation.code.coding.display.extension.extension" />
216   <slicing>
217     <discriminator>
218       <type value="value" />
219       <path value="url" />
220     </discriminator>
221     <rules value="open" />
222   </slicing>
223   <min value="1" />
224 </element>
225 <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eloinc.extension:content">
226   <path value="Observation.code.coding.display.extension.extension" />
227   <sliceName value="content" />
228   <min value="1" />
229 </element>
230 <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eloinc.extension:content.value[x]">

```

```

231     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
232     <slicing>
233         <discriminator>
234             <type value="type" />
235             <path value="$this" />
236         </discriminator>
237         <rules value="closed" />
238     </slicing>
239     <mustSupport value="true" />
240 </element>
241 <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eloinc.extension:content.value[x]:valueString">
242     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
243     <sliceName value="valueString" />
244     <mustSupport value="true" />
245 </element>
246 <element id="Observation.code.coding:loinc.userSelected">
247     <path value="Observation.code.coding.userSelected" />
248     <max value="0" />
249 </element>
250 <element id="Observation.code.coding:codeSnomed">
251     <path value="Observation.code.coding" />
252     <sliceName value="codeSnomed" />
253     <patternCoding>
254         <system value="http://snomed.info/sct" />
255     </patternCoding>
256     <mustSupport value="true" />
257 </element>
258 <element id="Observation.code.coding:codeSnomed.display.extension">
259     <path value="Observation.code.coding.display.extension" />
260     <slicing>
261         <discriminator>
262             <type value="value" />
263             <path value="url" />
264         </discriminator>
265         <rules value="open" />
266     </slicing>
267     <min value="1" />
268 </element>
269 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed">
270     <path value="Observation.code.coding.display.extension" />
271     <sliceName value="anzeigenameCodeSnomed" />
272     <mustSupport value="true" />
273 </element>
274 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension">
275     <path value="Observation.code.coding.display.extension.extension" />
276     <slicing>
277         <discriminator>
278             <type value="value" />
279             <path value="url" />
280         </discriminator>
281         <rules value="open" />
282     </slicing>
283     <min value="1" />
284 </element>

```

```

285     <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genomeCodeSnomed.extension:content">
286       <path value="Observation.code.coding.display.extension.extension" />
287       <sliceName value="content" />
288       <min value="1" />
289     </element>
290     <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genomeCodeSnomed.extension:content.value[x]">
291       <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
292       <slicing>
293         <discriminator>
294           <type value="type" />
295           <path value="$this" />
296         </discriminator>
297         <rules value="closed" />
298       </slicing>
299       <mustSupport value="true" />
300     </element>
301     <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genomeCodeSnomed.extension:content.value[x]:valueString">
302       <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
303       <sliceName value="valueString" />
304       <mustSupport value="true" />
305     </element>
306     <element id="Observation.code.coding:codeSnomed.userSelected">
307       <path value="Observation.code.coding.userSelected" />
308       <max value="0" />
309     </element>
310     <element id="Observation.code.text">
311       <path value="Observation.code.text" />
312       <max value="0" />
313     </element>
314     <element id="Observation.subject">
315       <path value="Observation.subject" />
316       <type>
317         <code value="Reference" />
318         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
319       </type>
320       <mustSupport value="true" />
321     </element>
322     <element id="Observation.subject.reference">
323       <path value="Observation.subject.reference" />
324       <min value="1" />
325       <mustSupport value="true" />
326     </element>
327     <element id="Observation.subject.type">
328       <path value="Observation.subject.type" />
329       <max value="0" />
330     </element>
331     <element id="Observation.subject.identifrier">
332       <path value="Observation.subject.identifrier" />
333       <max value="0" />
334     </element>
335     <element id="Observation.subject.display">
336       <path value="Observation.subject.display" />
337       <max value="0" />
338     </element>

```



```

339 <element id="Observation.encounter">
340   <path value="Observation.encounter" />
341   <max value="0" />
342 </element>
343 <element id="Observation.effective[x]">
344   <path value="Observation.effective[x]" />
345   <slicing>
346     <discriminator>
347       <type value="type" />
348       <path value="$this" />
349     </discriminator>
350     <rules value="closed" />
351   </slicing>
352   <min value="1" />
353   <type>
354     <code value="dateTime" />
355   </type>
356   <mustSupport value="true" />
357 </element>
358 <element id="Observation.effective[x]:effectiveDateTime">
359   <path value="Observation.effective[x]" />
360   <sliceName value="effectiveDateTime" />
361   <min value="1" />
362   <type>
363     <code value="dateTime" />
364   </type>
365   <mustSupport value="true" />
366 </element>
367 <element id="Observation.issued">
368   <path value="Observation.issued" />
369   <max value="0" />
370 </element>
371 <element id="Observation.performer">
372   <path value="Observation.performer" />
373   <max value="1" />
374   <type>
375     <code value="Reference" />
376     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
377     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
378     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_RelatedPerson|1.0.0" />
379     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole|1.0.0" />
380   </type>
381   <mustSupport value="true" />
382 </element>
383 <element id="Observation.performer.reference">
384   <path value="Observation.performer.reference" />
385   <min value="1" />
386   <mustSupport value="true" />
387 </element>
388 <element id="Observation.performer.type">
389   <path value="Observation.performer.type" />
390   <max value="0" />
391 </element>
392 <element id="Observation.performer.identifier">
393   <path value="Observation.performer.identifier" />
394   <max value="0" />

```

```

395 </element>
396 <element id="Observation.performer.display">
397   <path value="Observation.performer.display" />
398   <max value="0" />
399 </element>
400 <element id="Observation.value[x]">
401   <path value="Observation.value[x]" />
402   <min value="1" />
403   <mustSupport value="true" />
404 </element>
405 <element id="Observation.value[x]:valueQuantity">
406   <path value="Observation.valueQuantity" />
407   <sliceName value="valueQuantity" />
408   <min value="1" />
409   <mustSupport value="true" />
410 </element>
411 <element id="Observation.dataAbsentReason">
412   <path value="Observation.dataAbsentReason" />
413   <max value="0" />
414 </element>
415 <element id="Observation.interpretation">
416   <path value="Observation.interpretation" />
417   <max value="0" />
418 </element>
419 <element id="Observation.note">
420   <path value="Observation.note" />
421   <max value="1" />
422   <mustSupport value="true" />
423 </element>
424 <element id="Observation.note.author[x]">
425   <path value="Observation.note.author[x]" />
426   <max value="0" />
427 </element>
428 <element id="Observation.note.time">
429   <path value="Observation.note.time" />
430   <max value="0" />
431 </element>
432 <element id="Observation.note.text">
433   <path value="Observation.note.text" />
434   <mustSupport value="true" />
435 </element>
436 <element id="Observation.bodySite">
437   <path value="Observation.bodySite" />
438   <mustSupport value="true" />
439 </element>
440 <element id="Observation.bodySite.coding">
441   <path value="Observation.bodySite.coding" />
442   <mustSupport value="true" />
443 </element>
444 <element id="Observation.bodySite.coding.display.extension">
445   <path value="Observation.bodySite.coding.display.extension" />
446   <slicing>
447     <discriminator>
448       <type value="value" />
449       <path value="url" />
450     </discriminator>
451     <rules value="open" />
452   </slicing>
453   <min value="1" />
454 </element>

```

```

455     <element id="Observation.bodySite.coding.display.extension:anzeigenameC
odeSnomed">
456       <path value="Observation.bodySite.coding.display.extension" />
457       <sliceName value="anzeigenameCodeSnomed" />
458       <min value="1" />
459       <mustSupport value="true" />
460     </element>
461     <element id="Observation.bodySite.coding.display.extension:anzeigenameC
odeSnomed.extension">
462       <path value="Observation.bodySite.coding.display.extension.extension"
/>
463       < slicing>
464         < discriminator>
465           < type value="value" />
466           < path value="url" />
467         </ discriminator>
468         < rules value="open" />
469       </ slicing>
470       < min value="1" />
471     </ element>
472     < element id="Observation.bodySite.coding.display.extension:anzeigenameC
odeSnomed.extension:content">
473       < path value="Observation.bodySite.coding.display.extension.extension"
/>
474       < sliceName value="content" />
475       < min value="1" />
476     </ element>
477     < element id="Observation.bodySite.coding.display.extension:anzeigenameC
odeSnomed.extension:content.value[x]">
478       < path value="Observation.bodySite.coding.display.extension.extension.
value[x]" />
479       < slicing>
480         < discriminator>
481           < type value="type" />
482           < path value="$this" />
483         </ discriminator>
484         < rules value="closed" />
485       </ slicing>
486       < mustSupport value="true" />
487     </ element>
488     < element id="Observation.bodySite.coding.display.extension:anzeigenameC
odeSnomed.extension:content.value[x]:valueString">
489       < path value="Observation.bodySite.coding.display.extension.extension.
value[x]" />
490       < sliceName value="valueString" />
491       < min value="1" />
492       < mustSupport value="true" />
493     </ element>
494     < element id="Observation.bodySite.coding.userSelected">
495       < path value="Observation.bodySite.coding.userSelected" />
496       < max value="0" />
497     </ element>
498     < element id="Observation.bodySite.text">
499       < path value="Observation.bodySite.text" />
500       < max value="0" />
501     </ element>
502     < element id="Observation.method">
503       < path value="Observation.method" />
504       < max value="0" />
505     </ element>

```

```

506     <element id="Observation.device">
507       <path value="Observation.device" />
508       <type>
509         <code value="Reference" />
510         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Device_Free|1.0.0" />
511       </type>
512       <mustSupport value="true" />
513     </element>
514     <element id="Observation.device.reference">
515       <path value="Observation.device.reference" />
516       <min value="1" />
517       <mustSupport value="true" />
518     </element>
519     <element id="Observation.device.type">
520       <path value="Observation.device.type" />
521       <max value="0" />
522     </element>
523     <element id="Observation.device.identifier">
524       <path value="Observation.device.identifier" />
525       <max value="0" />
526     </element>
527     <element id="Observation.device.display">
528       <path value="Observation.device.display" />
529       <max value="0" />
530     </element>
531     <element id="Observation.referenceRange">
532       <path value="Observation.referenceRange" />
533       <max value="0" />
534     </element>
535     <element id="Observation.hasMember">
536       <path value="Observation.hasMember" />
537       <max value="0" />
538     </element>
539     <element id="Observation.derivedFrom">
540       <path value="Observation.derivedFrom" />
541       <max value="0" />
542     </element>
543   </differential>
544 </StructureDefinition>

```

#### 54. KBV\_PR\_MIO\_DIGA\_OBSERVATION\_BODY\_TEMPERATURE

##### KBV\_PR\_MIO\_DIGA\_Observation\_Body\_Temperature

```

1   <StructureDefinition xmlns="http://hl7.org/fhir">
2     <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Body_Temperature" />
3     <version value="1.0.0" />
4     <name value="KBV_PR_MIO_DIGA_Observation_Body_Temperature" />
5     <title value="KBV_PR_MIO_DIGA_Observation_Body_Temperature" />
6     <status value="draft" />
7     <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8     <description value="Dieses Profil bildet die Körpertemperatur ab." />
9     <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which

```

is used by permission of SNOMED International. All rights reserved. SNOMED CT®, was originally created by The College of American Pathologists. SNOMED and SNOMED CT are registered trademarks of SNOMED International. Implementers of these artefacts must have the appropriate SNOMED CT Affiliate license. This material contains content from Loinc <http://loinc.org>. Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and the Logical Observation Identifiers Names and Codes Loinc Committee and is available at no cost under the license at <http://loinc.org/license>. Loinc® is a registered United States trademark of Regenstrief Institute, Inc. This product includes all or a portion of the UCUM table, UCUM codes, and UCUM definitions or is derived from it, subject to a license from Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM codes, UCUM definitions also is subject to this license, a copy of which is available at <http://unitsofmeasure.org>. The current complete UCUM table, UCUM Specification are available for download at <http://unitsofmeasure.org>. The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures UCUM Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED "AS IS." ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE." />

```

10 <fhirVersion value="4.0.1" />
11 <kind value="resource" />
12 <abstract value="false" />
13 <type value="Observation" />
14 <baseDefinition value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_Base_Observation_Body_Temperature|1.2.1" />
15 <derivation value="constraint" />
16 <differential>
17 <element id="Observation">
18 <path value="Observation" />
19 <definition value="Dieses Profil bildet die Körpertemperatur ab." />
20 </element>
21 <element id="Observation.meta">
22 <path value="Observation.meta" />
23 <min value="1" />
24 </element>
25 <element id="Observation.meta.versionId">
26 <path value="Observation.meta.versionId" />
27 <min value="1" />
28 </element>
29 <element id="Observation.meta.lastUpdated">
30 <path value="Observation.meta.lastUpdated" />
31 <min value="1" />
32 </element>
33 <element id="Observation.meta.source">
34 <path value="Observation.meta.source" />
35 <max value="0" />
36 </element>
37 <element id="Observation.meta.profile">
38 <path value="Observation.meta.profile" />
39 <min value="1" />
40 <max value="1" />
41 <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Body_Temperature|1.0.0" />
42 </element>
43 <element id="Observation.meta.security">
44 <path value="Observation.meta.security" />
45 <max value="0" />

```

```

46 </element>
47 <element id="Observation.meta.tag">
48   <path value="Observation.meta.tag" />
49   <max value="0" />
50 </element>
51 <element id="Observation.implicitRules">
52   <path value="Observation.implicitRules" />
53   <max value="0" />
54 </element>
55 <element id="Observation.language">
56   <path value="Observation.language" />
57   <max value="0" />
58 </element>
59 <element id="Observation.text">
60   <path value="Observation.text" />
61   <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
62 </element>
63 <element id="Observation.text.status">
64   <path value="Observation.text.status" />
65   <fixedCode value="extensions" />
66 </element>
67 <element id="Observation.contained">
68   <path value="Observation.contained" />
69   <max value="0" />
70 </element>
71 <element id="Observation.identifier">
72   <path value="Observation.identifier" />
73   <min value="1" />
74   <max value="1" />
75   <mustSupport value="true" />
76 </element>
77 <element id="Observation.identifier.use">
78   <path value="Observation.identifier.use" />
79   <max value="0" />
80 </element>
81 <element id="Observation.identifier.type">
82   <path value="Observation.identifier.type" />
83   <min value="1" />
84   <patternCodeableConcept>
85     <coding>
86       <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
87       <version value="2.9" />
88       <code value="RI" />
89       <display value="Resource identifier" />
90     </coding>
91   </patternCodeableConcept>
92 </element>
93 <element id="Observation.identifier.type.coding">
94   <path value="Observation.identifier.type.coding" />
95   <min value="1" />
96   <max value="1" />
97 </element>
98 <element id="Observation.identifier.type.coding.system">
99   <path value="Observation.identifier.type.coding.system" />
100   <min value="1" />
101 </element>

```

```

102 <element id="Observation.identifier.type.coding.version">
103   <path value="Observation.identifier.type.coding.version" />
104   <min value="1" />
105 </element>
106 <element id="Observation.identifier.type.coding.code">
107   <path value="Observation.identifier.type.coding.code" />
108   <min value="1" />
109 </element>
110 <element id="Observation.identifier.type.coding.display">
111   <path value="Observation.identifier.type.coding.display" />
112   <min value="1" />
113 </element>
114 <element id="Observation.identifier.type.coding.userSelected">
115   <path value="Observation.identifier.type.coding.userSelected" />
116   <max value="0" />
117 </element>
118 <element id="Observation.identifier.type.text">
119   <path value="Observation.identifier.type.text" />
120   <max value="0" />
121 </element>
122 <element id="Observation.identifier.system">
123   <path value="Observation.identifier.system" />
124   <min value="1" />
125   <fixedUri value="urn:iETF:rFC:3986" />
126   <mustSupport value="true" />
127 </element>
128 <element id="Observation.identifier.value">
129   <path value="Observation.identifier.value" />
130   <min value="1" />
131   <mustSupport value="true" />
132 </element>
133 <element id="Observation.identifier.period">
134   <path value="Observation.identifier.period" />
135   <max value="0" />
136 </element>
137 <element id="Observation.identifier.assigner">
138   <path value="Observation.identifier.assigner" />
139   <max value="0" />
140 </element>
141 <element id="Observation.basedOn">
142   <path value="Observation.basedOn" />
143   <max value="0" />
144 </element>
145 <element id="Observation.partOf">
146   <path value="Observation.partOf" />
147   <max value="1" />
148   <type>
149     <code value="Reference" />
150     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Procedure_Activity_Free|1.0.0" />
151   </type>
152   <mustSupport value="true" />
153 </element>
154 <element id="Observation.partOf.reference">
155   <path value="Observation.partOf.reference" />
156   <min value="1" />
157   <mustSupport value="true" />
158 </element>
159 <element id="Observation.partOf.type">
160   <path value="Observation.partOf.type" />

```

```

161     <max value="0" />
162 </element>
163 <element id="Observation.partOf.identifier">
164     <path value="Observation.partOf.identifier" />
165     <max value="0" />
166 </element>
167 <element id="Observation.partOf.display">
168     <path value="Observation.partOf.display" />
169     <max value="0" />
170 </element>
171 <element id="Observation.category">
172     <path value="Observation.category" />
173     <mustSupport value="true" />
174 </element>
175 <element id="Observation.code">
176     <path value="Observation.code" />
177     <mustSupport value="true" />
178 </element>
179 <element id="Observation.code.coding">
180     <path value="Observation.code.coding" />
181     <slicing>
182         <discriminator>
183             <type value="pattern" />
184             <path value="$this" />
185         </discriminator>
186         <rules value="open" />
187     </slicing>
188     <mustSupport value="true" />
189 </element>
190 <element id="Observation.code.coding.loinc">
191     <path value="Observation.code.coding" />
192     <sliceName value="loinc" />
193     <mustSupport value="true" />
194 </element>
195 <element id="Observation.code.coding.loinc.display.extension">
196     <path value="Observation.code.coding.display.extension" />
197     <slicing>
198         <discriminator>
199             <type value="value" />
200             <path value="url" />
201         </discriminator>
202         <rules value="open" />
203     </slicing>
204     <min value="1" />
205 </element>
206 <element id="Observation.code.coding.loinc.display.extension:anzeigenam
eCodeLoinc">
207     <path value="Observation.code.coding.display.extension" />
208     <sliceName value="anzeigenamCodeLoinc" />
209     <min value="1" />
210     <mustSupport value="true" />
211 </element>
212 <element id="Observation.code.coding.loinc.display.extension:anzeigenam
eCodeLoinc.extension">
213     <path value="Observation.code.coding.display.extension.extension" />
214     <slicing>
215         <discriminator>
216             <type value="value" />
217             <path value="url" />
218         </discriminator>

```



```

219     <rules value="open" />
220   </slicing>
221   <min value="1" />
222 </element>
223   <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc.extension:content">
224     <path value="Observation.code.coding.display.extension.extension" />
225     <sliceName value="content" />
226     <min value="1" />
227   </element>
228   <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc.extension:content.value[x]">
229     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
230     <slicing>
231       <discriminator>
232         <type value="type" />
233         <path value="$this" />
234       </discriminator>
235       <rules value="closed" />
236     </slicing>
237     <mustSupport value="true" />
238   </element>
239   <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc.extension:content.value[x]:valueString">
240     <path value="Observation.code.coding.display.extension.extension.valu
eString" />
241     <sliceName value="valueString" />
242     <min value="1" />
243     <mustSupport value="true" />
244   </element>
245   <element id="Observation.code.coding:loinc.userSelected">
246     <path value="Observation.code.coding.userSelected" />
247     <max value="0" />
248   </element>
249   <element id="Observation.code.coding:codeSnomed">
250     <path value="Observation.code.coding" />
251     <sliceName value="codeSnomed" />
252     <patternCoding>
253       <system value="http://snomed.info/sct" />
254     </patternCoding>
255     <mustSupport value="true" />
256   </element>
257   <element id="Observation.code.coding:codeSnomed.display.extension">
258     <path value="Observation.code.coding.display.extension" />
259     <slicing>
260       <discriminator>
261         <type value="value" />
262         <path value="url" />
263       </discriminator>
264       <rules value="open" />
265     </slicing>
266     <min value="1" />
267   </element>
268   <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed">
269     <path value="Observation.code.coding.display.extension" />
270     <sliceName value="anzeigenameCodeSnomed" />
271     <min value="1" />
272     <mustSupport value="true" />

```

```

273     </element>
274     <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genomeCodeSnomed.extension">
275         <path value="Observation.code.coding.display.extension.extension" />
276         <slicing>
277             <discriminator>
278                 <type value="value" />
279                 <path value="url" />
280             </discriminator>
281             <rules value="open" />
282         </slicing>
283         <min value="1" />
284     </element>
285     <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genomeCodeSnomed.extension:content">
286         <path value="Observation.code.coding.display.extension.extension" />
287         <sliceName value="content" />
288         <min value="1" />
289     </element>
290     <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genomeCodeSnomed.extension:content.value[x]">
291         <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
292         <slicing>
293             <discriminator>
294                 <type value="type" />
295                 <path value="$this" />
296             </discriminator>
297             <rules value="closed" />
298         </slicing>
299         <mustSupport value="true" />
300     </element>
301     <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genomeCodeSnomed.extension:content.value[x]:valueString">
302         <path value="Observation.code.coding.display.extension.extension.valu
eString" />
303         <sliceName value="valueString" />
304         <min value="1" />
305         <mustSupport value="true" />
306     </element>
307     <element id="Observation.code.coding:codeSnomed.userSelected">
308         <path value="Observation.code.coding.userSelected" />
309         <max value="0" />
310     </element>
311     <element id="Observation.code.text">
312         <path value="Observation.code.text" />
313         <max value="0" />
314     </element>
315     <element id="Observation.subject">
316         <path value="Observation.subject" />
317         <type>
318             <code value="Reference" />
319             <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
320         </type>
321         <mustSupport value="true" />
322     </element>
323     <element id="Observation.subject.reference">
324         <path value="Observation.subject.reference" />
325         <min value="1" />

```

```

326     <mustSupport value="true" />
327 </element>
328 <element id="Observation.subject.type">
329   <path value="Observation.subject.type" />
330   <max value="0" />
331 </element>
332 <element id="Observation.subject.identifier">
333   <path value="Observation.subject.identifier" />
334   <max value="0" />
335 </element>
336 <element id="Observation.subject.display">
337   <path value="Observation.subject.display" />
338   <max value="0" />
339 </element>
340 <element id="Observation.encounter">
341   <path value="Observation.encounter" />
342   <max value="0" />
343 </element>
344 <element id="Observation.effective[x]">
345   <path value="Observation.effective[x]" />
346   <licing>
347     <discriminator>
348       <type value="type" />
349       <path value="$this" />
350     </discriminator>
351     <rules value="closed" />
352   </licing>
353   <type>
354     <code value="dateTime" />
355   </type>
356   <mustSupport value="true" />
357 </element>
358 <element id="Observation.effective[x]:effectiveDateTime">
359   <path value="Observation.effective[x]" />
360   <sliceName value="effectiveDateTime" />
361   <min value="1" />
362   <mustSupport value="true" />
363 </element>
364 <element id="Observation.issued">
365   <path value="Observation.issued" />
366   <max value="0" />
367 </element>
368 <element id="Observation.performer">
369   <path value="Observation.performer" />
370   <max value="1" />
371   <type>
372     <code value="Reference" />
373     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
374     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
375     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_RelatedPerson|1.0.0" />
376     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole|1.0.0" />
377   </type>
378   <mustSupport value="true" />
379 </element>
380 <element id="Observation.performer.reference">
381   <path value="Observation.performer.reference" />

```

```

382     <min value="1" />
383     <mustSupport value="true" />
384 </element>
385 <element id="Observation.performer.type">
386   <path value="Observation.performer.type" />
387   <max value="0" />
388 </element>
389 <element id="Observation.performer.identifier">
390   <path value="Observation.performer.identifier" />
391   <max value="0" />
392 </element>
393 <element id="Observation.performer.display">
394   <path value="Observation.performer.display" />
395   <max value="0" />
396 </element>
397 <element id="Observation.value[x]">
398   <path value="Observation.value[x]" />
399   <slicing>
400     <discriminator>
401       <type value="type" />
402       <path value="$this" />
403     </discriminator>
404     <rules value="closed" />
405   </slicing>
406   <min value="1" />
407   <mustSupport value="true" />
408 </element>
409 <element id="Observation.value[x]:valueQuantity">
410   <path value="Observation.value[x]" />
411   <sliceName value="valueQuantity" />
412   <min value="1" />
413   <mustSupport value="true" />
414 </element>
415 <element id="Observation.dataAbsentReason">
416   <path value="Observation.dataAbsentReason" />
417   <max value="0" />
418 </element>
419 <element id="Observation.interpretation">
420   <path value="Observation.interpretation" />
421   <max value="0" />
422 </element>
423 <element id="Observation.note">
424   <path value="Observation.note" />
425   <max value="1" />
426   <mustSupport value="true" />
427 </element>
428 <element id="Observation.note.author[x]">
429   <path value="Observation.note.author[x]" />
430   <max value="0" />
431 </element>
432 <element id="Observation.note.time">
433   <path value="Observation.note.time" />
434   <max value="0" />
435 </element>
436 <element id="Observation.note.text">
437   <path value="Observation.note.text" />
438   <mustSupport value="true" />
439 </element>
440 <element id="Observation.bodySite">
441   <path value="Observation.bodySite" />

```

```

442     <max value="0" />
443 </element>
444 <element id="Observation.method">
445   <path value="Observation.method" />
446   <max value="0" />
447 </element>
448 <element id="Observation.specimen">
449   <path value="Observation.specimen" />
450   <max value="0" />
451 </element>
452 <element id="Observation.device">
453   <path value="Observation.device" />
454   <type>
455     <code value="Reference" />
456     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Device_Free|1.0.0" />
457   </type>
458   <mustSupport value="true" />
459 </element>
460 <element id="Observation.device.reference">
461   <path value="Observation.device.reference" />
462   <min value="1" />
463   <mustSupport value="true" />
464 </element>
465 <element id="Observation.device.type">
466   <path value="Observation.device.type" />
467   <max value="0" />
468 </element>
469 <element id="Observation.device.identifier">
470   <path value="Observation.device.identifier" />
471   <max value="0" />
472 </element>
473 <element id="Observation.device.display">
474   <path value="Observation.device.display" />
475   <max value="0" />
476 </element>
477 <element id="Observation.referenceRange">
478   <path value="Observation.referenceRange" />
479   <max value="0" />
480 </element>
481 <element id="Observation.hasMember">
482   <path value="Observation.hasMember" />
483   <max value="0" />
484 </element>
485 <element id="Observation.derivedFrom">
486   <path value="Observation.derivedFrom" />
487   <max value="0" />
488 </element>
489 </differential>
490 </StructureDefinition>

```

## 55. KBV\_PR\_MIO\_DIGA\_OBSERVATION\_BODY\_WEIGHT

### KBV\_PR\_MIO\_DIGA\_Observation\_Body\_Weight

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">

```

```

2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Body_Weight" />
3   <version value="1.0.0" />
4   <name value="KBV_PR_MIO_DIGA_Observation_Body_Weight" />
5   <title value="KBV_PR_MIO_DIGA_Observation_Body_Weight" />
6   <status value="draft" />
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <description value="Dieses Profil bildet das Körpergewicht ab." />
9   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM
definitions or is derived from it, subject to a license from Regenstrief
Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM
codes, UCUM definitions also is subject to this license, a copy of which is
available at http://unitsofmeasure.org. The current complete UCUM table,
UCUM Specification are available for download at http://unitsofmeasure.org.
The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief
Institute, Inc. and the Unified Codes for Units of Measures UCUM
Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM
DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS
OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE." />
10  <fhirVersion value="4.0.1" />
11  <kind value="resource" />
12  <abstract value="false" />
13  <type value="Observation" />
14  <baseDefinition value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_Base_Observation_Body_Weight|1.2.1" />
15  <derivation value="constraint" />
16  <differential>
17    <element id="Observation">
18      <path value="Observation" />
19      <definition value="Dieses Profil bildet das Körpergewicht ab." />
20    </element>
21    <element id="Observation.meta">
22      <path value="Observation.meta" />
23      <min value="1" />
24    </element>
25    <element id="Observation.meta.versionId">
26      <path value="Observation.meta.versionId" />
27      <min value="1" />
28    </element>
29    <element id="Observation.meta.lastUpdated">
30      <path value="Observation.meta.lastUpdated" />
31      <min value="1" />
32    </element>
33    <element id="Observation.meta.source">
34      <path value="Observation.meta.source" />
35      <max value="0" />

```

```

36 </element>
37 <element id="Observation.meta.profile">
38   <path value="Observation.meta.profile" />
39   <min value="1" />
40   <max value="1" />
41   <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Body_Weight|1.0.0" />
42 </element>
43 <element id="Observation.meta.security">
44   <path value="Observation.meta.security" />
45   <max value="0" />
46 </element>
47 <element id="Observation.meta.tag">
48   <path value="Observation.meta.tag" />
49   <max value="0" />
50 </element>
51 <element id="Observation.implicitRules">
52   <path value="Observation.implicitRules" />
53   <max value="0" />
54 </element>
55 <element id="Observation.language">
56   <path value="Observation.language" />
57   <max value="0" />
58 </element>
59 <element id="Observation.text">
60   <path value="Observation.text" />
61   <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
62 </element>
63 <element id="Observation.text.status">
64   <path value="Observation.text.status" />
65   <fixedCode value="extensions" />
66 </element>
67 <element id="Observation.contained">
68   <path value="Observation.contained" />
69   <max value="0" />
70 </element>
71 <element id="Observation.identifier">
72   <path value="Observation.identifier" />
73   <min value="1" />
74   <max value="1" />
75   <mustSupport value="true" />
76 </element>
77 <element id="Observation.identifier.use">
78   <path value="Observation.identifier.use" />
79   <max value="0" />
80 </element>
81 <element id="Observation.identifier.type">
82   <path value="Observation.identifier.type" />
83   <min value="1" />
84   <patternCodeableConcept>
85     <coding>
86       <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
87       <version value="2.9" />
88       <code value="RI" />
89       <display value="Resource identifier" />
90     </coding>

```

```

91     </patternCodeableConcept>
92 </element>
93 <element id="Observation.identifier.type.coding">
94   <path value="Observation.identifier.type.coding" />
95   <min value="1" />
96   <max value="1" />
97 </element>
98 <element id="Observation.identifier.type.coding.system">
99   <path value="Observation.identifier.type.coding.system" />
100  <min value="1" />
101 </element>
102 <element id="Observation.identifier.type.coding.version">
103   <path value="Observation.identifier.type.coding.version" />
104   <min value="1" />
105 </element>
106 <element id="Observation.identifier.type.coding.code">
107   <path value="Observation.identifier.type.coding.code" />
108   <min value="1" />
109 </element>
110 <element id="Observation.identifier.type.coding.display">
111   <path value="Observation.identifier.type.coding.display" />
112   <min value="1" />
113 </element>
114 <element id="Observation.identifier.type.coding.userSelected">
115   <path value="Observation.identifier.type.coding.userSelected" />
116   <max value="0" />
117 </element>
118 <element id="Observation.identifier.type.text">
119   <path value="Observation.identifier.type.text" />
120   <max value="0" />
121 </element>
122 <element id="Observation.identifier.system">
123   <path value="Observation.identifier.system" />
124   <min value="1" />
125   <fixedUri value="urn:iETF:rFC:3986" />
126   <mustSupport value="true" />
127 </element>
128 <element id="Observation.identifier.value">
129   <path value="Observation.identifier.value" />
130   <min value="1" />
131   <mustSupport value="true" />
132 </element>
133 <element id="Observation.identifier.period">
134   <path value="Observation.identifier.period" />
135   <max value="0" />
136 </element>
137 <element id="Observation.identifier.assigner">
138   <path value="Observation.identifier.assigner" />
139   <max value="0" />
140 </element>
141 <element id="Observation.basedOn">
142   <path value="Observation.basedOn" />
143   <max value="0" />
144 </element>
145 <element id="Observation.partOf">
146   <path value="Observation.partOf" />
147   <max value="1" />
148   <type>
149     <code value="Reference" />

```



```

150     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Procedure_Activity_Free|1.0.0" />
151   </type>
152   <mustSupport value="true" />
153 </element>
154 <element id="Observation.partOf.reference">
155   <path value="Observation.partOf.reference" />
156   <min value="1" />
157 </element>
158 <element id="Observation.partOf.type">
159   <path value="Observation.partOf.type" />
160   <max value="0" />
161 </element>
162 <element id="Observation.partOf.identifier">
163   <path value="Observation.partOf.identifier" />
164   <max value="0" />
165 </element>
166 <element id="Observation.partOf.display">
167   <path value="Observation.partOf.display" />
168   <max value="0" />
169 </element>
170 <element id="Observation.category">
171   <path value="Observation.category" />
172   <mustSupport value="true" />
173 </element>
174 <element id="Observation.code">
175   <path value="Observation.code" />
176   <mustSupport value="true" />
177 </element>
178 <element id="Observation.code.coding">
179   <path value="Observation.code.coding" />
180   <slicing>
181     <discriminator>
182       <type value="pattern" />
183       <path value="$this" />
184     </discriminator>
185     <rules value="open" />
186   </slicing>
187   <mustSupport value="true" />
188 </element>
189 <element id="Observation.code.coding.loinc">
190   <path value="Observation.code.coding" />
191   <sliceName value="loinc" />
192   <patternCoding>
193     <system value="http://loinc.org" />
194   </patternCoding>
195   <mustSupport value="true" />
196 </element>
197 <element id="Observation.code.coding.loinc.display.extension">
198   <path value="Observation.code.coding.display.extension" />
199   <slicing>
200     <discriminator>
201       <type value="value" />
202       <path value="url" />
203     </discriminator>
204     <rules value="open" />
205   </slicing>
206   <min value="1" />
207 </element>

```

```

208     <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc">
209       <path value="Observation.code.coding.display.extension" />
210       <sliceName value="anzeigenamCodeLoinc" />
211       <min value="1" />
212       <mustSupport value="true" />
213     </element>
214     <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc.extension">
215       <path value="Observation.code.coding.display.extension.extension" />
216       <slicing>
217         <discriminator>
218           <type value="value" />
219           <path value="url" />
220         </discriminator>
221         <rules value="open" />
222       </slicing>
223       <min value="1" />
224     </element>
225     <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc.extension:content">
226       <path value="Observation.code.coding.display.extension.extension" />
227       <sliceName value="content" />
228       <min value="1" />
229     </element>
230     <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc.extension:content.value[x]">
231       <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
232       <slicing>
233         <discriminator>
234           <type value="type" />
235           <path value="$this" />
236         </discriminator>
237         <rules value="closed" />
238       </slicing>
239       <mustSupport value="true" />
240     </element>
241     <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc.extension:content.value[x]:valueString">
242       <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
243       <sliceName value="valueString" />
244       <mustSupport value="true" />
245     </element>
246     <element id="Observation.code.coding:loinc.userSelected">
247       <path value="Observation.code.coding.userSelected" />
248       <max value="0" />
249     </element>
250     <element id="Observation.code.coding:codeSnomed">
251       <path value="Observation.code.coding" />
252       <sliceName value="codeSnomed" />
253       <patternCoding>
254         <system value="http://snomed.info/sct" />
255       </patternCoding>
256       <mustSupport value="true" />
257     </element>
258     <element id="Observation.code.coding:codeSnomed.display.extension">
259       <path value="Observation.code.coding.display.extension" />
260       <slicing>

```

```

261     <discriminator>
262       <type value="value" />
263       <path value="url" />
264     </discriminator>
265     <rules value="open" />
266   </slicing>
267   <min value="1" />
268 </element>
269 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed">
270   <path value="Observation.code.coding.display.extension" />
271   <sliceName value="anzeigenameCodeSnomed" />
272   <min value="1" />
273   <mustSupport value="true" />
274 </element>
275 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension">
276   <path value="Observation.code.coding.display.extension.extension" />
277   <slicing>
278     <discriminator>
279       <type value="value" />
280       <path value="url" />
281     </discriminator>
282     <rules value="open" />
283   </slicing>
284   <min value="1" />
285 </element>
286 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content">
287   <path value="Observation.code.coding.display.extension.extension" />
288   <sliceName value="content" />
289   <min value="1" />
290 </element>
291 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content.value[x]">
292   <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
293   <slicing>
294     <discriminator>
295       <type value="type" />
296       <path value="$this" />
297     </discriminator>
298     <rules value="closed" />
299   </slicing>
300   <mustSupport value="true" />
301 </element>
302 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content.value[x]:valueString">
303   <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
304   <sliceName value="valueString" />
305   <mustSupport value="true" />
306 </element>
307 <element id="Observation.code.coding:codeSnomed.userSelected">
308   <path value="Observation.code.coding.userSelected" />
309   <max value="0" />
310 </element>
311 <element id="Observation.code.text">
312   <path value="Observation.code.text" />
313   <max value="0" />

```

```

314 </element>
315 <element id="Observation.subject">
316   <path value="Observation.subject" />
317   <type>
318     <code value="Reference" />
319     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
320   </type>
321   <mustSupport value="true" />
322 </element>
323 <element id="Observation.subject.reference">
324   <path value="Observation.subject.reference" />
325   <min value="1" />
326   <mustSupport value="true" />
327 </element>
328 <element id="Observation.subject.type">
329   <path value="Observation.subject.type" />
330   <max value="0" />
331 </element>
332 <element id="Observation.subject.identifier">
333   <path value="Observation.subject.identifier" />
334   <max value="0" />
335 </element>
336 <element id="Observation.subject.display">
337   <path value="Observation.subject.display" />
338   <max value="0" />
339 </element>
340 <element id="Observation.encounter">
341   <path value="Observation.encounter" />
342   <max value="0" />
343 </element>
344 <element id="Observation.effective[x]">
345   <path value="Observation.effective[x]" />
346   <min value="1" />
347   <mustSupport value="true" />
348 </element>
349 <element id="Observation.effective[x]:effectiveDateTime">
350   <path value="Observation.effective[x]" />
351   <sliceName value="effectiveDateTime" />
352   <min value="1" />
353   <mustSupport value="true" />
354 </element>
355 <element id="Observation.issued">
356   <path value="Observation.issued" />
357   <max value="0" />
358 </element>
359 <element id="Observation.performer">
360   <path value="Observation.performer" />
361   <max value="1" />
362   <type>
363     <code value="Reference" />
364     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
365     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
366     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_RelatedPerson|1.0.0" />
367     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole|1.0.0" />
368   </type>

```

```

369     <mustSupport value="true" />
370 </element>
371 <element id="Observation.performer.reference">
372   <path value="Observation.performer.reference" />
373   <min value="1" />
374   <mustSupport value="true" />
375 </element>
376 <element id="Observation.performer.type">
377   <path value="Observation.performer.type" />
378   <max value="0" />
379 </element>
380 <element id="Observation.performer.identifier">
381   <path value="Observation.performer.identifier" />
382   <max value="0" />
383 </element>
384 <element id="Observation.performer.display">
385   <path value="Observation.performer.display" />
386   <max value="0" />
387 </element>
388 <element id="Observation.value[x]">
389   <path value="Observation.value[x]" />
390   <min value="1" />
391   <mustSupport value="true" />
392 </element>
393 <element id="Observation.value[x]:valueQuantity">
394   <path value="Observation.value[x]" />
395   <sliceName value="valueQuantity" />
396   <mustSupport value="true" />
397 </element>
398 <element id="Observation.value[x]:valueQuantity.comparator">
399   <path value="Observation.value[x].comparator" />
400   <max value="0" />
401 </element>
402 <element id="Observation.dataAbsentReason">
403   <path value="Observation.dataAbsentReason" />
404   <max value="0" />
405 </element>
406 <element id="Observation.interpretation">
407   <path value="Observation.interpretation" />
408   <max value="0" />
409 </element>
410 <element id="Observation.note">
411   <path value="Observation.note" />
412   <max value="1" />
413   <mustSupport value="true" />
414 </element>
415 <element id="Observation.note.author[x]">
416   <path value="Observation.note.author[x]" />
417   <max value="0" />
418 </element>
419 <element id="Observation.note.time">
420   <path value="Observation.note.time" />
421   <max value="0" />
422 </element>
423 <element id="Observation.note.text">
424   <path value="Observation.note.text" />
425   <mustSupport value="true" />
426 </element>
427 <element id="Observation.bodySite">
428   <path value="Observation.bodySite" />

```

```

429     <mustSupport value="true" />
430 </element>
431 <element id="Observation.bodySite.coding">
432   <path value="Observation.bodySite.coding" />
433   <mustSupport value="true" />
434 </element>
435 <element id="Observation.bodySite.coding.display.extension">
436   <path value="Observation.bodySite.coding.display.extension" />
437   <slicing>
438     <discriminator>
439       <type value="value" />
440       <path value="url" />
441     </discriminator>
442     <rules value="open" />
443   </slicing>
444   <min value="1" />
445 </element>
446 <element id="Observation.bodySite.coding.display.extension:anzeigenameC
odeSnomed">
447   <path value="Observation.bodySite.coding.display.extension" />
448   <sliceName value="anzeigenameCodeSnomed" />
449   <min value="1" />
450   <mustSupport value="true" />
451 </element>
452 <element id="Observation.bodySite.coding.display.extension:anzeigenameC
odeSnomed.extension">
453   <path value="Observation.bodySite.coding.display.extension.extension"
/>
454   <slicing>
455     <discriminator>
456       <type value="value" />
457       <path value="url" />
458     </discriminator>
459     <rules value="open" />
460   </slicing>
461   <min value="1" />
462 </element>
463 <element id="Observation.bodySite.coding.display.extension:anzeigenameC
odeSnomed.extension:content">
464   <path value="Observation.bodySite.coding.display.extension.extension"
/>
465   <sliceName value="content" />
466   <min value="1" />
467 </element>
468 <element id="Observation.bodySite.coding.display.extension:anzeigenameC
odeSnomed.extension:content.value[x]">
469   <path value="Observation.bodySite.coding.display.extension.extension.
value[x]" />
470   <slicing>
471     <discriminator>
472       <type value="type" />
473       <path value="$this" />
474     </discriminator>
475     <rules value="closed" />
476   </slicing>
477   <mustSupport value="true" />
478 </element>
479 <element id="Observation.bodySite.coding.display.extension:anzeigenameC
odeSnomed.extension:content.value[x]:valueString">

```

```

480     <path value="Observation.bodySite.coding.display.extension.extension.
value[x]" />
481     <sliceName value="valueString" />
482     <mustSupport value="true" />
483 </element>
484 <element id="Observation.bodySite.coding.userSelected">
485     <path value="Observation.bodySite.coding.userSelected" />
486     <max value="0" />
487 </element>
488 <element id="Observation.bodySite.text">
489     <path value="Observation.bodySite.text" />
490     <max value="0" />
491 </element>
492 <element id="Observation.method">
493     <path value="Observation.method" />
494     <mustSupport value="true" />
495 </element>
496 <element id="Observation.method.coding">
497     <path value="Observation.method.coding" />
498     <mustSupport value="true" />
499 </element>
500 <element id="Observation.method.coding.display.extension">
501     <path value="Observation.method.coding.display.extension" />
502     <licing>
503         <discriminator>
504             <type value="value" />
505             <path value="url" />
506         </discriminator>
507         <rules value="open" />
508     </licing>
509     <min value="1" />
510 </element>
511 <element id="Observation.method.coding.display.extension:anzeigenameMet
hodSnomed">
512     <path value="Observation.method.coding.display.extension" />
513     <sliceName value="anzeigenameMethodSnomed" />
514     <min value="1" />
515     <mustSupport value="true" />
516 </element>
517 <element id="Observation.method.coding.display.extension:anzeigenameMet
hodSnomed.extension">
518     <path value="Observation.method.coding.display.extension.extension" /
>
519     <licing>
520         <discriminator>
521             <type value="value" />
522             <path value="url" />
523         </discriminator>
524         <rules value="open" />
525     </licing>
526     <min value="1" />
527 </element>
528 <element id="Observation.method.coding.display.extension:anzeigenameMet
hodSnomed.extension:content">
529     <path value="Observation.method.coding.display.extension.extension" /
>
530     <sliceName value="content" />
531     <min value="1" />
532 </element>

```

```

533     <element id="Observation.method.coding.display.extension:anzeigenameMet
hodSnomed.extension:content.value[x]">
534     <path value="Observation.method.coding.display.extension.extension.va
lue[x]" />
535     <slicing>
536         <discriminator>
537             <type value="type" />
538             <path value="$this" />
539         </discriminator>
540         <rules value="closed" />
541     </slicing>
542     <mustSupport value="true" />
543 </element>
544     <element id="Observation.method.coding.display.extension:anzeigenameMet
hodSnomed.extension:content.value[x]:valueString">
545     <path value="Observation.method.coding.display.extension.extension.va
lueString" />
546     <sliceName value="valueString" />
547     <min value="1" />
548     <mustSupport value="true" />
549 </element>
550 <element id="Observation.method.coding.userSelected">
551     <path value="Observation.method.coding.userSelected" />
552     <max value="0" />
553 </element>
554 <element id="Observation.method.text">
555     <path value="Observation.method.text" />
556     <max value="0" />
557 </element>
558 <element id="Observation.device">
559     <path value="Observation.device" />
560     <type>
561         <code value="Reference" />
562         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Device_Free|1.0.0" />
563     </type>
564     <mustSupport value="true" />
565 </element>
566 <element id="Observation.device.reference">
567     <path value="Observation.device.reference" />
568     <min value="1" />
569     <mustSupport value="true" />
570 </element>
571 <element id="Observation.device.type">
572     <path value="Observation.device.type" />
573     <max value="0" />
574 </element>
575 <element id="Observation.device.identifrier">
576     <path value="Observation.device.identifrier" />
577     <max value="0" />
578 </element>
579 <element id="Observation.device.display">
580     <path value="Observation.device.display" />
581     <max value="0" />
582 </element>
583 <element id="Observation.referenceRange">
584     <path value="Observation.referenceRange" />
585     <max value="0" />
586 </element>
587 <element id="Observation.hasMember">

```



```

588     <path value="Observation.hasMember" />
589     <max value="0" />
590 </element>
591 <element id="Observation.derivedFrom">
592     <path value="Observation.derivedFrom" />
593     <max value="0" />
594 </element>
595 </differential>
596 </StructureDefinition>

```

## 56. KBV\_PR\_MIO\_DIGA\_OBSERVATION\_DIARY\_ENTRY

### KBV\_PR\_MIO\_DIGA\_Observation\_Diary\_Entry

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Diary_Entry" />
3   <version value="1.0.0" />
4   <name value="KBV_PR_MIO_DIGA_Observation_Diary_Entry" />
5   <title value="KBV_PR_MIO_DIGA_Observation_Diary_Entry" />
6   <status value="draft" />
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <description value="Dieses Profil bildet einen Tagebucheintrag ab." />
9   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM
definitions or is derived from it, subject to a license from Regenstrief
Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM
codes, UCUM definitions also is subject to this license, a copy of which is
available at http://unitsofmeasure.org. The current complete UCUM table,
UCUM Specification are available for download at http://unitsofmeasure.org.
The UCUM table and UCUM codes are copyright © 1995-2009, Regenstrief
Institute, Inc. and the Unified Codes for Units of Measures UCUM
Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM
DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS
OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE." />
10  <fhirVersion value="4.0.1" />
11  <kind value="resource" />
12  <abstract value="false" />
13  <type value="Observation" />
14  <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
15  <derivation value="constraint" />
16  <differential>
17    <element id="Observation">

```

```

18     <path value="Observation" />
19     <definition value="Dieses Profil bildet einen Tagebucheintrag ab." />
20 </element>
21 <element id="Observation.meta">
22     <path value="Observation.meta" />
23     <min value="1" />
24 </element>
25 <element id="Observation.meta.versionId">
26     <path value="Observation.meta.versionId" />
27     <min value="1" />
28 </element>
29 <element id="Observation.meta.lastUpdated">
30     <path value="Observation.meta.lastUpdated" />
31     <min value="1" />
32 </element>
33 <element id="Observation.meta.source">
34     <path value="Observation.meta.source" />
35     <max value="0" />
36 </element>
37 <element id="Observation.meta.profile">
38     <path value="Observation.meta.profile" />
39     <min value="1" />
40     <max value="1" />
41     <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Diary_Entry|1.0.0" />
42 </element>
43 <element id="Observation.meta.security">
44     <path value="Observation.meta.security" />
45     <max value="0" />
46 </element>
47 <element id="Observation.meta.tag">
48     <path value="Observation.meta.tag" />
49     <max value="0" />
50 </element>
51 <element id="Observation.implicitRules">
52     <path value="Observation.implicitRules" />
53     <max value="0" />
54 </element>
55 <element id="Observation.language">
56     <path value="Observation.language" />
57     <max value="0" />
58 </element>
59 <element id="Observation.text">
60     <path value="Observation.text" />
61     <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
62 </element>
63 <element id="Observation.text.status">
64     <path value="Observation.text.status" />
65     <fixedCode value="extensions" />
66 </element>
67 <element id="Observation.contained">
68     <path value="Observation.contained" />
69     <max value="0" />
70 </element>
71 <element id="Observation.extension">
72     <path value="Observation.extension" />

```

```

73     < slicing >
74         < discriminator >
75             < type value="value" />
76             < path value="url" />
77         < / discriminator >
78         < rules value="open" />
79     < / slicing >
80     < min value="0" />
81 < / element >
82 < element id="Observation.extension:abschnitte">
83     < path value="Observation.extension" />
84     < sliceName value="abschnitte" />
85     < min value="0" />
86     < type >
87         < code value="Extension" />
88         < profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_DIGA_Reference" />
89     < / type >
90     < mustSupport value="true" />
91 < / element >
92 < element id="Observation.extension:abschnitte.value[x]">
93     < path value="Observation.extension.value[x]" />
94     < min value="1" />
95 < / element >
96 < element id="Observation.extension:abschnitte.value[x]:valueReference">
97     < path value="Observation.extension.value[x]" />
98     < sliceName value="valueReference" />
99     < min value="1" />
100    < type >
101        < code value="Reference" />
102        < targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Assessment_Scale|1.0.0" />
103        < targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Assessment_Score_Free|1.0.0" />
104        < targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Blood_Pressure|1.0.0" />
105        < targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Body_Height|1.0.0" />
106        < targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Body_Temperature|1.0.0" />
107        < targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Body_Weight|1.0.0" />
108        < targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Diary_Entry|1.0.0" />
109        < targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Environmental_Factor_Free|1.0.0" />
110        < targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Functional_Assessment_Free|1.0.0" />
111        < targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Heart_Rate|1.0.0" />
112        < targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Life_Style_Factor_Free|1.0.0" />
113        < targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Nutrition_Intake|1.0.0" />
114        < targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Peripheral_Oxygen_Saturation|1.0.0" />
115        < targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Free|1.0.0" />
116        < targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Procedure_Activity_Free|1.0.0" />

```

```

117     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Condition_Problem_Free|1.0.0" />
118     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_CarePlan_Free|1.0.0" />
119     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Device_Free|1.0.0" />
120     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Encounter_Past_Appointment|1.0.0" />
121     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Goal_Free|1.0.0" />
122     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_MedicationAdministration_Medication_Intake_Free|1.0.0" />
123     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_MedicationStatement_Medication_Request_Free|1.0.0" />
124     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Questionnaire_Free|1.0.0" />
125     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_QuestionnaireResponse_Free|1.0.0" />
126   </type>
127 </element>
128 <element id="Observation.identifier">
129   <path value="Observation.identifier" />
130   <min value="1" />
131   <max value="1" />
132   <mustSupport value="true" />
133 </element>
134 <element id="Observation.identifier.use">
135   <path value="Observation.identifier.use" />
136   <max value="0" />
137 </element>
138 <element id="Observation.identifier.type">
139   <path value="Observation.identifier.type" />
140   <min value="1" />
141   <patternCodeableConcept>
142     <coding>
143       <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
144       <version value="2.9" />
145       <code value="RI" />
146       <display value="Resource identifier" />
147     </coding>
148   </patternCodeableConcept>
149 </element>
150 <element id="Observation.identifier.type.coding">
151   <path value="Observation.identifier.type.coding" />
152   <min value="1" />
153   <max value="1" />
154 </element>
155 <element id="Observation.identifier.type.coding.system">
156   <path value="Observation.identifier.type.coding.system" />
157   <min value="1" />
158 </element>
159 <element id="Observation.identifier.type.coding.version">
160   <path value="Observation.identifier.type.coding.version" />
161   <min value="1" />
162 </element>
163 <element id="Observation.identifier.type.coding.code">
164   <path value="Observation.identifier.type.coding.code" />
165   <min value="1" />
166 </element>
167 <element id="Observation.identifier.type.coding.display">

```

```

168     <path value="Observation.identifier.type.coding.display" />
169     <min value="1" />
170 </element>
171 <element id="Observation.identifier.type.coding.userSelected">
172     <path value="Observation.identifier.type.coding.userSelected" />
173     <max value="0" />
174 </element>
175 <element id="Observation.identifier.type.text">
176     <path value="Observation.identifier.type.text" />
177     <max value="0" />
178 </element>
179 <element id="Observation.identifier.system">
180     <path value="Observation.identifier.system" />
181     <min value="1" />
182     <fixedUri value="urn:ietf:rfc:3986" />
183     <mustSupport value="true" />
184 </element>
185 <element id="Observation.identifier.value">
186     <path value="Observation.identifier.value" />
187     <min value="1" />
188     <mustSupport value="true" />
189 </element>
190 <element id="Observation.identifier.period">
191     <path value="Observation.identifier.period" />
192     <max value="0" />
193 </element>
194 <element id="Observation.identifier.assigner">
195     <path value="Observation.identifier.assigner" />
196     <max value="0" />
197 </element>
198 <element id="Observation.basedOn">
199     <path value="Observation.basedOn" />
200     <max value="0" />
201 </element>
202 <element id="Observation.partOf">
203     <path value="Observation.partOf" />
204     <max value="0" />
205 </element>
206 <element id="Observation.status">
207     <path value="Observation.status" />
208     <patternCode value="final" />
209 </element>
210 <element id="Observation.category">
211     <path value="Observation.category" />
212     <max value="0" />
213 </element>
214 <element id="Observation.code">
215     <path value="Observation.code" />
216     <patternCodeableConcept>
217         <coding>
218             <system value="http://loinc.org" />
219             <version value="2.71" />
220             <code value="51855-5" />
221             <display value="Patient Note" />
222         </coding>
223     </patternCodeableConcept>
224     <mustSupport value="true" />
225 </element>
226 <element id="Observation.code.coding">
227     <path value="Observation.code.coding" />

```

```

228     <min value="1" />
229     <max value="1" />
230     <mustSupport value="true" />
231 </element>
232 <element id="Observation.code.coding.system">
233   <path value="Observation.code.coding.system" />
234   <min value="1" />
235 </element>
236 <element id="Observation.code.coding.version">
237   <path value="Observation.code.coding.version" />
238   <min value="1" />
239 </element>
240 <element id="Observation.code.coding.code">
241   <path value="Observation.code.coding.code" />
242   <min value="1" />
243 </element>
244 <element id="Observation.code.coding.display">
245   <path value="Observation.code.coding.display" />
246   <min value="1" />
247 </element>
248 <element id="Observation.code.coding.display.extension">
249   <path value="Observation.code.coding.display.extension" />
250   <slicing>
251     <discriminator>
252       <type value="value" />
253       <path value="url" />
254     </discriminator>
255     <rules value="open" />
256   </slicing>
257   <min value="1" />
258 </element>
259 <element id="Observation.code.coding.display.extension:anzeigennameCode">
260   <path value="Observation.code.coding.display.extension" />
261   <sliceName value="anzeigennameCode" />
262   <min value="1" />
263   <max value="1" />
264   <type>
265     <code value="Extension" />
266     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
267   </type>
268   <mustSupport value="true" />
269 </element>
270 <element id="Observation.code.coding.display.extension:anzeigennameCode.
extension">
271   <path value="Observation.code.coding.display.extension.extension" />
272   <slicing>
273     <discriminator>
274       <type value="value" />
275       <path value="url" />
276     </discriminator>
277     <rules value="open" />
278   </slicing>
279   <min value="1" />
280 </element>
281 <element id="Observation.code.coding.display.extension:anzeigennameCode.
extension:content">
282   <path value="Observation.code.coding.display.extension.extension" />
283   <sliceName value="content" />
284   <min value="1" />

```

```

285     </element>
286     <element id="Observation.code.coding.display.extension:anzeigenameCode.
extension:content.value[x]">
287     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
288     < slicing>
289         < discriminator>
290             < type value="type" />
291             < path value="$this" />
292         </ discriminator>
293         < rules value="closed" />
294     </ slicing>
295     < mustSupport value="true" />
296 </ element>
297     <element id="Observation.code.coding.display.extension:anzeigenameCode.
extension:content.value[x]:valueString">
298     <path value="Observation.code.coding.display.extension.extension.valu
eString" />
299     < sliceName value="valueString" />
300     < min value="1" />
301     < fixedString value="Tagebucheintrag" />
302     < mustSupport value="true" />
303 </ element>
304     <element id="Observation.code.coding.userSelected">
305     <path value="Observation.code.coding.userSelected" />
306     <max value="0" />
307 </ element>
308     <element id="Observation.code.text">
309     <path value="Observation.code.text" />
310     <max value="0" />
311 </ element>
312     <element id="Observation.subject">
313     <path value="Observation.subject" />
314     <min value="1" />
315     <type>
316         <code value="Reference" />
317         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
318     </type>
319     <mustSupport value="true" />
320 </ element>
321     <element id="Observation.subject.reference">
322     <path value="Observation.subject.reference" />
323     <min value="1" />
324     <mustSupport value="true" />
325 </ element>
326     <element id="Observation.subject.type">
327     <path value="Observation.subject.type" />
328     <max value="0" />
329 </ element>
330     <element id="Observation.subject.identifier">
331     <path value="Observation.subject.identifier" />
332     <max value="0" />
333 </ element>
334     <element id="Observation.subject.display">
335     <path value="Observation.subject.display" />
336     <max value="0" />
337 </ element>
338     <element id="Observation.focus">
339     <path value="Observation.focus" />

```

```

340     <max value="0" />
341 </element>
342 <element id="Observation.encounter">
343     <path value="Observation.encounter" />
344     <max value="0" />
345 </element>
346 <element id="Observation.effective[x]">
347     <path value="Observation.effective[x]" />
348     <slicing>
349         <discriminator>
350             <type value="type" />
351             <path value="$this" />
352         </discriminator>
353         <rules value="closed" />
354     </slicing>
355     <min value="1" />
356     <type>
357         <code value="dateTime" />
358     </type>
359     <type>
360         <code value="Period" />
361     </type>
362     <mustSupport value="true" />
363 </element>
364 <element id="Observation.effective[x]:effectiveDateTime">
365     <path value="Observation.effective[x]" />
366     <sliceName value="effectiveDateTime" />
367     <type>
368         <code value="dateTime" />
369     </type>
370     <mustSupport value="true" />
371 </element>
372 <element id="Observation.effective[x]:effectivePeriod">
373     <path value="Observation.effective[x]" />
374     <sliceName value="effectivePeriod" />
375     <type>
376         <code value="Period" />
377     </type>
378     <mustSupport value="true" />
379 </element>
380 <element id="Observation.effective[x]:effectivePeriod.start">
381     <path value="Observation.effective[x].start" />
382     <mustSupport value="true" />
383 </element>
384 <element id="Observation.effective[x]:effectivePeriod.end">
385     <path value="Observation.effective[x].end" />
386     <mustSupport value="true" />
387 </element>
388 <element id="Observation.issued">
389     <path value="Observation.issued" />
390     <max value="0" />
391 </element>
392 <element id="Observation.performer">
393     <path value="Observation.performer" />
394     <max value="1" />
395     <type>
396         <code value="Reference" />
397         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />

```



```

398     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
399     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_RelatedPerson|1.0.0" />
400     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole|1.0.0" />
401     </type>
402     <mustSupport value="true" />
403 </element>
404 <element id="Observation.performer.reference">
405     <path value="Observation.performer.reference" />
406     <min value="1" />
407     <mustSupport value="true" />
408 </element>
409 <element id="Observation.performer.type">
410     <path value="Observation.performer.type" />
411     <max value="0" />
412 </element>
413 <element id="Observation.performer.identifier">
414     <path value="Observation.performer.identifier" />
415     <max value="0" />
416 </element>
417 <element id="Observation.performer.display">
418     <path value="Observation.performer.display" />
419     <max value="0" />
420 </element>
421 <element id="Observation.value[x]">
422     <path value="Observation.value[x]" />
423     <licing>
424         <discriminator>
425             <type value="type" />
426             <path value="$this" />
427         </discriminator>
428         <rules value="closed" />
429     </licing>
430     <type>
431         <code value="string" />
432     </type>
433     <mustSupport value="true" />
434 </element>
435 <element id="Observation.value[x]:valueString">
436     <path value="Observation.value[x]" />
437     <sliceName value="valueString" />
438     <type>
439         <code value="string" />
440     </type>
441     <mustSupport value="true" />
442 </element>
443 <element id="Observation.dataAbsentReason">
444     <path value="Observation.dataAbsentReason" />
445     <max value="0" />
446 </element>
447 <element id="Observation.interpretation">
448     <path value="Observation.interpretation" />
449     <max value="0" />
450 </element>
451 <element id="Observation.note">
452     <path value="Observation.note" />
453     <mustSupport value="true" />
454 </element>

```

```

455 <element id="Observation.bodySite">
456   <path value="Observation.bodySite" />
457   <max value="0" />
458 </element>
459 <element id="Observation.method">
460   <path value="Observation.method" />
461   <max value="0" />
462 </element>
463 <element id="Observation.specimen">
464   <path value="Observation.specimen" />
465   <max value="0" />
466 </element>
467 <element id="Observation.device">
468   <path value="Observation.device" />
469   <max value="0" />
470 </element>
471 <element id="Observation.referenceRange">
472   <path value="Observation.referenceRange" />
473   <max value="0" />
474 </element>
475 <element id="Observation.hasMember">
476   <path value="Observation.hasMember" />
477   <type>
478     <code value="Reference" />
479     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Assessment_Scale|1.0.0" />
480     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_QuestionnaireResponse_Free|1.0.0" />
481     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Assessment_Score_Free|1.0.0" />
482     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Blood_Pressure|1.0.0" />
483     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Body_Height|1.0.0" />
484     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Body_Temperature|1.0.0" />
485     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Body_Weight|1.0.0" />
486     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Diary_Entry|1.0.0" />
487     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Environmental_Factor_Free|1.0.0" />
488     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Functional_Assessment_Free|1.0.0" />
489     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Heart_Rate|1.0.0" />
490     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Life_Style_Factor_Free|1.0.0" />
491     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Nutrition_Intake|1.0.0" />
492     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Peripheral_Oxygen_Saturation|1.0.0" />
493     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Free|1.0.0" />
494   </type>
495 </element>
496 <element id="Observation.derivedFrom">
497   <path value="Observation.derivedFrom" />
498   <max value="0" />
499 </element>

```

```

500     <element id="Observation.component">
501       <path value="Observation.component" />
502       <max value="0" />
503     </element>
504   </differential>
505 </StructureDefinition>

```

## 57. KBV\_PR\_MIO\_DIGA\_OBSERVATION\_ENVIRONMENTAL\_FACTOR\_FREE

### KBV\_PR\_MIO\_DIGA\_Observation\_Environmental\_Factor\_Free

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Environmental_Factor_Free" />
3    <version value="1.0.0" />
4    <name value="KBV_PR_MIO_DIGA_Observation_Environmental_Factor_Free" />
5    <title value="KBV_PR_MIO_DIGA_Observation_Environmental_Factor_Free" />
6    <status value="draft" />
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <description value="Dieses Profil bildet einen Umweltfaktor ab." />
9    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM
definitions or is derived from it, subject to a license from Regenstrief
Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM
codes, UCUM definitions also is subject to this license, a copy of which is
available at http://unitsofmeasure.org. The current complete UCUM table,
UCUM Specification are available for download at http://unitsofmeasure.org.
The UCUM table and UCUM codes are copyright © 1995-2009, Regenstrief
Institute, Inc. and the Unified Codes for Units of Measures UCUM
Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM
DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS
OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE." />
10   <fhirVersion value="4.0.1" />
11   <kind value="resource" />
12   <abstract value="false" />
13   <type value="Observation" />
14   <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
15   <derivation value="constraint" />
16   <differential>
17     <element id="Observation">
18       <path value="Observation" />
19       <definition value="Dieses Profil bildet einen Umweltfaktor ab." />
20     </element>

```

```

21 <element id="Observation.meta">
22   <path value="Observation.meta" />
23   <min value="1" />
24 </element>
25 <element id="Observation.meta.versionId">
26   <path value="Observation.meta.versionId" />
27   <min value="1" />
28 </element>
29 <element id="Observation.meta.lastUpdated">
30   <path value="Observation.meta.lastUpdated" />
31   <min value="1" />
32 </element>
33 <element id="Observation.meta.source">
34   <path value="Observation.meta.source" />
35   <max value="0" />
36 </element>
37 <element id="Observation.meta.profile">
38   <path value="Observation.meta.profile" />
39   <min value="1" />
40   <max value="1" />
41   <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Environmental_Factor_Free|1.0.0" />
42 </element>
43 <element id="Observation.meta.security">
44   <path value="Observation.meta.security" />
45   <max value="0" />
46 </element>
47 <element id="Observation.meta.tag">
48   <path value="Observation.meta.tag" />
49   <max value="0" />
50 </element>
51 <element id="Observation.implicitRules">
52   <path value="Observation.implicitRules" />
53   <max value="0" />
54 </element>
55 <element id="Observation.language">
56   <path value="Observation.language" />
57   <max value="0" />
58 </element>
59 <element id="Observation.text">
60   <path value="Observation.text" />
61   <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
62 </element>
63 <element id="Observation.text.status">
64   <path value="Observation.text.status" />
65   <fixedCode value="extensions" />
66 </element>
67 <element id="Observation.contained">
68   <path value="Observation.contained" />
69   <max value="0" />
70 </element>
71 <element id="Observation.identifier">
72   <path value="Observation.identifier" />
73   <min value="1" />
74   <max value="1" />
75   <mustSupport value="true" />

```

```

76 </element>
77 <element id="Observation.identifier.use">
78   <path value="Observation.identifier.use" />
79   <max value="0" />
80 </element>
81 <element id="Observation.identifier.type">
82   <path value="Observation.identifier.type" />
83   <min value="1" />
84   <patternCodeableConcept>
85     <coding>
86       <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
87       <version value="2.9" />
88       <code value="RI" />
89       <display value="Resource identifier" />
90     </coding>
91   </patternCodeableConcept>
92 </element>
93 <element id="Observation.identifier.type.coding">
94   <path value="Observation.identifier.type.coding" />
95   <min value="1" />
96   <max value="1" />
97 </element>
98 <element id="Observation.identifier.type.coding.system">
99   <path value="Observation.identifier.type.coding.system" />
100  <min value="1" />
101 </element>
102 <element id="Observation.identifier.type.coding.version">
103   <path value="Observation.identifier.type.coding.version" />
104   <min value="1" />
105 </element>
106 <element id="Observation.identifier.type.coding.code">
107   <path value="Observation.identifier.type.coding.code" />
108   <min value="1" />
109 </element>
110 <element id="Observation.identifier.type.coding.display">
111   <path value="Observation.identifier.type.coding.display" />
112   <min value="1" />
113 </element>
114 <element id="Observation.identifier.type.coding.userSelected">
115   <path value="Observation.identifier.type.coding.userSelected" />
116   <max value="0" />
117 </element>
118 <element id="Observation.identifier.type.text">
119   <path value="Observation.identifier.type.text" />
120   <max value="0" />
121 </element>
122 <element id="Observation.identifier.system">
123   <path value="Observation.identifier.system" />
124   <min value="1" />
125   <fixedUri value="urn:iETF:rFC:3986" />
126   <mustSupport value="true" />
127 </element>
128 <element id="Observation.identifier.value">
129   <path value="Observation.identifier.value" />
130   <min value="1" />
131   <mustSupport value="true" />
132 </element>
133 <element id="Observation.identifier.period">
134   <path value="Observation.identifier.period" />
135   <max value="0" />

```

```

136 </element>
137 <element id="Observation.identifier.assigner">
138   <path value="Observation.identifier.assigner" />
139   <max value="0" />
140 </element>
141 <element id="Observation.basedOn">
142   <path value="Observation.basedOn" />
143   <max value="0" />
144 </element>
145 <element id="Observation.partOf">
146   <path value="Observation.partOf" />
147   <max value="0" />
148 </element>
149 <element id="Observation.status">
150   <path value="Observation.status" />
151   <patternCode value="final" />
152 </element>
153 <element id="Observation.category">
154   <path value="Observation.category" />
155   <max value="1" />
156   <mustSupport value="true" />
157   <binding>
158     <strength value="required" />
159     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_DIGA_Environmental_Factors|1.0.0" />
160   </binding>
161 </element>
162 <element id="Observation.category.coding">
163   <path value="Observation.category.coding" />
164   <min value="1" />
165   <max value="1" />
166   <mustSupport value="true" />
167 </element>
168 <element id="Observation.category.coding.system">
169   <path value="Observation.category.coding.system" />
170   <min value="1" />
171 </element>
172 <element id="Observation.category.coding.code">
173   <path value="Observation.category.coding.code" />
174   <min value="1" />
175 </element>
176 <element id="Observation.category.coding.display">
177   <path value="Observation.category.coding.display" />
178   <min value="1" />
179 </element>
180 <element id="Observation.category.coding.userSelected">
181   <path value="Observation.category.coding.userSelected" />
182   <max value="0" />
183 </element>
184 <element id="Observation.category.text">
185   <path value="Observation.category.text" />
186   <max value="0" />
187 </element>
188 <element id="Observation.code">
189   <path value="Observation.code" />
190   <mustSupport value="true" />
191 </element>
192 <element id="Observation.code.coding">
193   <path value="Observation.code.coding" />
194   <mustSupport value="true" />

```

```

195 </element>
196 <element id="Observation.code.coding.system">
197   <path value="Observation.code.coding.system" />
198   <min value="1" />
199 </element>
200 <element id="Observation.code.coding.version">
201   <path value="Observation.code.coding.version" />
202   <min value="1" />
203 </element>
204 <element id="Observation.code.coding.code">
205   <path value="Observation.code.coding.code" />
206   <min value="1" />
207 </element>
208 <element id="Observation.code.coding.display">
209   <path value="Observation.code.coding.display" />
210   <min value="1" />
211 </element>
212 <element id="Observation.code.coding.userSelected">
213   <path value="Observation.code.coding.userSelected" />
214   <max value="0" />
215 </element>
216 <element id="Observation.code.text">
217   <path value="Observation.code.text" />
218   <mustSupport value="true" />
219 </element>
220 <element id="Observation.subject">
221   <path value="Observation.subject" />
222   <min value="1" />
223   <type>
224     <code value="Reference" />
225     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
226   </type>
227   <mustSupport value="true" />
228 </element>
229 <element id="Observation.subject.reference">
230   <path value="Observation.subject.reference" />
231   <min value="1" />
232   <mustSupport value="true" />
233 </element>
234 <element id="Observation.subject.type">
235   <path value="Observation.subject.type" />
236   <max value="0" />
237 </element>
238 <element id="Observation.subject.identifier">
239   <path value="Observation.subject.identifier" />
240   <max value="0" />
241 </element>
242 <element id="Observation.subject.display">
243   <path value="Observation.subject.display" />
244   <max value="0" />
245 </element>
246 <element id="Observation.focus">
247   <path value="Observation.focus" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter">
251   <path value="Observation.encounter" />
252   <max value="0" />
253 </element>

```

```

254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <type>
264     <code value="dateTime" />
265   </type>
266   <type>
267     <code value="Period" />
268   </type>
269   <mustSupport value="true" />
270 </element>
271 <element id="Observation.effective[x]:effectiveDateTime">
272   <path value="Observation.effective[x]" />
273   <sliceName value="effectiveDateTime" />
274   <type>
275     <code value="dateTime" />
276   </type>
277   <mustSupport value="true" />
278 </element>
279 <element id="Observation.effective[x]:effectivePeriod">
280   <path value="Observation.effectivePeriod" />
281   <sliceName value="effectivePeriod" />
282   <type>
283     <code value="Period" />
284   </type>
285   <mustSupport value="true" />
286 </element>
287 <element id="Observation.effective[x]:effectivePeriod.start">
288   <path value="Observation.effectivePeriod.start" />
289   <min value="1" />
290   <mustSupport value="true" />
291 </element>
292 <element id="Observation.effective[x]:effectivePeriod.end">
293   <path value="Observation.effectivePeriod.end" />
294   <min value="1" />
295   <mustSupport value="true" />
296 </element>
297 <element id="Observation.issued">
298   <path value="Observation.issued" />
299   <max value="0" />
300 </element>
301 <element id="Observation.performer">
302   <path value="Observation.performer" />
303   <max value="1" />
304   <type>
305     <code value="Reference" />
306     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
307     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
308     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_RelatedPerson|1.0.0" />
309     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole|1.0.0" />

```



```

310     </type>
311     <mustSupport value="true" />
312 </element>
313 <element id="Observation.performer.reference">
314     <path value="Observation.performer.reference" />
315     <min value="1" />
316     <mustSupport value="true" />
317 </element>
318 <element id="Observation.performer.type">
319     <path value="Observation.performer.type" />
320     <max value="0" />
321 </element>
322 <element id="Observation.performer.identifier">
323     <path value="Observation.performer.identifier" />
324     <max value="0" />
325 </element>
326 <element id="Observation.performer.display">
327     <path value="Observation.performer.display" />
328     <max value="0" />
329 </element>
330 <element id="Observation.value[x]">
331     <path value="Observation.value[x]" />
332     <max value="0" />
333 </element>
334 <element id="Observation.dataAbsentReason">
335     <path value="Observation.dataAbsentReason" />
336     <max value="0" />
337 </element>
338 <element id="Observation.interpretation">
339     <path value="Observation.interpretation" />
340     <max value="0" />
341 </element>
342 <element id="Observation.note">
343     <path value="Observation.note" />
344     <max value="1" />
345     <mustSupport value="true" />
346 </element>
347 <element id="Observation.note.author[x]">
348     <path value="Observation.note.author[x]" />
349     <max value="0" />
350 </element>
351 <element id="Observation.note.time">
352     <path value="Observation.note.time" />
353     <max value="0" />
354 </element>
355 <element id="Observation.note.text">
356     <path value="Observation.note.text" />
357     <mustSupport value="true" />
358 </element>
359 <element id="Observation.bodySite">
360     <path value="Observation.bodySite" />
361     <max value="0" />
362 </element>
363 <element id="Observation.method">
364     <path value="Observation.method" />
365     <max value="0" />
366 </element>
367 <element id="Observation.specimen">
368     <path value="Observation.specimen" />
369     <max value="0" />

```

```

370 </element>
371 <element id="Observation.device">
372   <path value="Observation.device" />
373   <max value="0" />
374 </element>
375 <element id="Observation.referenceRange">
376   <path value="Observation.referenceRange" />
377   <max value="0" />
378 </element>
379 <element id="Observation.hasMember">
380   <path value="Observation.hasMember" />
381   <type>
382     <code value="Reference" />
383     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Free|1.0.0" />
384     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Assessment_Scale|1.0.0" />
385   </type>
386   <mustSupport value="true" />
387 </element>
388 <element id="Observation.hasMember.reference">
389   <path value="Observation.hasMember.reference" />
390   <min value="1" />
391   <mustSupport value="true" />
392 </element>
393 <element id="Observation.hasMember.type">
394   <path value="Observation.hasMember.type" />
395   <max value="0" />
396 </element>
397 <element id="Observation.hasMember.identifier">
398   <path value="Observation.hasMember.identifier" />
399   <max value="0" />
400 </element>
401 <element id="Observation.hasMember.display">
402   <path value="Observation.hasMember.display" />
403   <max value="0" />
404 </element>
405 <element id="Observation.derivedFrom">
406   <path value="Observation.derivedFrom" />
407   <max value="0" />
408 </element>
409 <element id="Observation.component">
410   <path value="Observation.component" />
411   <max value="0" />
412 </element>
413 </differential>
414 </StructureDefinition>

```

## 58. KBV\_PR\_MIO\_DIGA\_OBSERVATION\_FREE

### KBV\_PR\_MIO\_DIGA\_Observation\_Free

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Free" />
3   <version value="1.0.0" />
4   <name value="KBV_PR_MIO_DIGA_Observation_Free" />

```

```

5     <title value="KBV_PR_MIO_DIGA_Observation_Free" />
6     <status value="draft" />
7     <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8     <description value="Dieses Profil bildet ein freies Ergebnis oder einen
9     <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM
definitions or is derived from it, subject to a license from Regenstrief
Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM
codes, UCUM definitions also is subject to this license, a copy of which is
available at http://unitsofmeasure.org. The current complete UCUM table,
UCUM Specification are available for download at http://unitsofmeasure.org.
The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief
Institute, Inc. and the Unified Codes for Units of Measures UCUM
Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM
DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS
OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE." />
10    <fhirVersion value="4.0.1" />
11    <kind value="resource" />
12    <abstract value="false" />
13    <type value="Observation" />
14    <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
15    <derivation value="constraint" />
16    <differential>
17      <element id="Observation">
18        <path value="Observation" />
19        <definition value="Dieses Profil bildet freies Ergebnis oder einen
freien Befund ab." />
20      </element>
21      <element id="Observation.meta">
22        <path value="Observation.meta" />
23        <min value="1" />
24      </element>
25      <element id="Observation.meta.versionId">
26        <path value="Observation.meta.versionId" />
27        <min value="1" />
28      </element>
29      <element id="Observation.meta.lastUpdated">
30        <path value="Observation.meta.lastUpdated" />
31        <min value="1" />
32      </element>
33      <element id="Observation.meta.source">
34        <path value="Observation.meta.source" />
35        <max value="0" />
36      </element>
37      <element id="Observation.meta.profile">

```

```

38     <path value="Observation.meta.profile" />
39     <min value="1" />
40     <max value="1" />
41     <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Free|1.0.0" />
42   </element>
43   <element id="Observation.meta.security">
44     <path value="Observation.meta.security" />
45     <max value="0" />
46   </element>
47   <element id="Observation.meta.tag">
48     <path value="Observation.meta.tag" />
49     <max value="0" />
50   </element>
51   <element id="Observation.implicitRules">
52     <path value="Observation.implicitRules" />
53     <max value="0" />
54   </element>
55   <element id="Observation.language">
56     <path value="Observation.language" />
57     <max value="0" />
58   </element>
59   <element id="Observation.text">
60     <path value="Observation.text" />
61     <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
62   </element>
63   <element id="Observation.text.status">
64     <path value="Observation.text.status" />
65     <fixedCode value="extensions" />
66   </element>
67   <element id="Observation.contained">
68     <path value="Observation.contained" />
69     <max value="0" />
70   </element>
71   <element id="Observation.basedOn">
72     <path value="Observation.basedOn" />
73     <type>
74       <code value="Reference" />
75       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_CarePlan_Free|1.0.0" />
76     </type>
77   </element>
78   <element id="Observation.partOf">
79     <path value="Observation.partOf" />
80     <type>
81       <code value="Reference" />
82       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_MedicationAdministration_Medication_Intake_Free|1.0.0" />
83       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_MedicationStatement_Medication_Request_Free|1.0.0" />
84       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Procedure_Activity_Free|1.0.0" />
85     </type>
86   </element>
87   <element id="Observation.subject">
88     <path value="Observation.subject" />

```

```

89     <type>
90       <code value="Reference" />
91       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
92       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Device_Free|1.0.0" />
93     </type>
94   </element>
95   <element id="Observation.focus">
96     <path value="Observation.focus" />
97     <type>
98       <code value="Reference" />
99       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_AllergyIntolerance_Free|1.0.0" />
100      <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Appointment_Free|1.0.0" />
101      <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_CarePlan_Free|1.0.0" />
102      <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Condition_Problem_Free|1.0.0" />
103      <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_DeviceDefinition_DIGA|1.0.0" />
104      <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_DeviceDefinition_Free|1.0.0" />
105      <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Device_DIGA|1.0.0" />
106      <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Device_Free|1.0.0" />
107      <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Encounter_Past_Appointment|1.0.0" />
108      <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Goal_Free|1.0.0" />
109      <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_MedicationAdministration_Medication_Intake_Free|1.0.0" />
110      <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Medication_Free|1.0.0" />
111      <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_MedicationStatement_Medication_Request_Free|1.0.0" />
112      <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Assessment_Scale|1.0.0" />
113      <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Assessment_Score_Free|1.0.0" />
114      <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Blood_Pressure|1.0.0" />
115      <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Body_Height|1.0.0" />
116      <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Body_Temperature|1.0.0" />
117      <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Body_Weight|1.0.0" />
118      <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Diary_Entry|1.0.0" />
119      <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Environmental_Factor_Free|1.0.0" />
120      <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Free|1.0.0" />
121      <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Functional_Assessment_Free|1.0.0" />
122      <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Glucose_Concentration|1.0.0" />

```

```

123     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Head_Circumference|1.0.0" />
124     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Heart_Rate|1.0.0" />
125     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Life_Style_Factor_Free|1.0.0" />
126     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Nutrition_Intake_Food_Composition_Types|
1.0.0" />
127     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Nutrition_Intake|1.0.0" />
128     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Peripheral_Oxygen_Saturation|1.0.0" />
129     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Respiratory_Rate|1.0.0" />
130     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Free|1.0.0" />
131     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Organization_Manufacturer|1.0.0" />
132     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Organization|1.0.0" />
133     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
134     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
135     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole|1.0.0" />
136     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Procedure_Activity_Free|1.0.0" />
137     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Questionnaire_Free|1.0.0" />
138     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_QuestionnaireResponse_Free|1.0.0" />
139     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_RelatedPerson|1.0.0" />
140   </type>
141 </element>
142 <element id="Observation.encounter">
143   <path value="Observation.encounter" />
144   <type>
145     <code value="Reference" />
146     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Encounter_Past_Appointment|1.0.0" />
147   </type>
148 </element>
149 <element id="Observation.performer">
150   <path value="Observation.performer" />
151   <type>
152     <code value="Reference" />
153     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
154     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole|1.0.0" />
155     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Organization|1.0.0" />
156     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
157     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_RelatedPerson|1.0.0" />
158   </type>

```

```

159     </element>
160     <element id="Observation.specimen">
161       <path value="Observation.specimen" />
162       <max value="0" />
163     </element>
164     <element id="Observation.device">
165       <path value="Observation.device" />
166       <type>
167         <code value="Reference" />
168         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Device_Free|1.0.0" />
169         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Device_DIGA|1.0.0" />
170       </type>
171     </element>
172     <element id="Observation.hasMember">
173       <path value="Observation.hasMember" />
174       <type>
175         <code value="Reference" />
176         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Assessment_Scale|1.0.0" />
177         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Assessment_Score_Free|1.0.0" />
178         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Blood_Pressure|1.0.0" />
179         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Body_Height|1.0.0" />
180         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Body_Temperature|1.0.0" />
181         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Body_Weight|1.0.0" />
182         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Diary_Entry|1.0.0" />
183         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Environmental_Factor_Free|1.0.0" />
184         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Free|1.0.0" />
185         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Functional_Assessment_Free|1.0.0" />
186         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Glucose_Concentration|1.0.0" />
187         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Head_Circumference|1.0.0" />
188         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Heart_Rate|1.0.0" />
189         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Life_Style_Factor_Free|1.0.0" />
190         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Nutrition_Intake_Food_Composition_Types|
1.0.0" />
191         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Nutrition_Intake|1.0.0" />
192         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Peripheral_Oxygen_Saturation|1.0.0" />
193         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Respiratory_Rate|1.0.0" />
194         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Free|1.0.0" />
195         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_QuestionnaireResponse_Free|1.0.0" />

```

```

196     </type>
197 </element>
198 <element id="Observation.derivedFrom">
199   <path value="Observation.derivedFrom" />
200   <type>
201     <code value="Reference" />
202     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Assessment_Scale|1.0.0" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Assessment_Score_Free|1.0.0" />
204     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Blood_Pressure|1.0.0" />
205     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Body_Height|1.0.0" />
206     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Body_Temperature|1.0.0" />
207     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Body_Weight|1.0.0" />
208     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Diary_Entry|1.0.0" />
209     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Environmental_Factor_Free|1.0.0" />
210     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Free|1.0.0" />
211     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Functional_Assessment_Free|1.0.0" />
212     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Glucose_Concentration|1.0.0" />
213     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Head_Circumference|1.0.0" />
214     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Heart_Rate|1.0.0" />
215     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Life_Style_Factor_Free|1.0.0" />
216     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Nutrition_Intake_Food_Composition_Types|
1.0.0" />
217     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Nutrition_Intake|1.0.0" />
218     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Peripheral_Oxygen_Saturation|1.0.0" />
219     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Respiratory_Rate|1.0.0" />
220     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Free|1.0.0" />
221     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_QuestionnaireResponse_Free|1.0.0" />
222   </type>
223 </element>
224 </differential>
225 </StructureDefinition>

```

## 59. KBV\_PR\_MIO\_DIGA\_OBSERVATION\_FUNCTIONAL\_ASSESSMENT\_FREE

### KBV\_PR\_MIO\_DIGA\_Observation\_Functional\_Assessment\_Free

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">

```



```

2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Functional_Assessment_Free" />
3   <version value="1.0.0" />
4   <name value="KBV_PR_MIO_DIGA_Observation_Functional_Assessment_Free" />
5   <title value="KBV_PR_MIO_DIGA_Observation_Functional_Assessment_Free" />
6   <status value="draft" />
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <description value="Dieses Profil bildet eine Funktionsbeurteilung ab." /
>
9   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM
definitions or is derived from it, subject to a license from Regenstrief
Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM
codes, UCUM definitions also is subject to this license, a copy of which is
available at http://unitsofmeasure.org. The current complete UCUM table,
UCUM Specification are available for download at http://unitsofmeasure.org.
The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief
Institute, Inc. and the Unified Codes for Units of Measures UCUM
Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM
DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS
OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE." />
10  <fhirVersion value="4.0.1" />
11  <kind value="resource" />
12  <abstract value="false" />
13  <type value="Observation" />
14  <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
15  <derivation value="constraint" />
16  <differential>
17    <element id="Observation">
18      <path value="Observation" />
19      <definition value="Dieses Profil bildet eine Funktionsbeurteilung
ab." />
20    </element>
21    <element id="Observation.meta">
22      <path value="Observation.meta" />
23      <min value="1" />
24    </element>
25    <element id="Observation.meta.versionId">
26      <path value="Observation.meta.versionId" />
27      <min value="1" />
28    </element>
29    <element id="Observation.meta.lastUpdated">
30      <path value="Observation.meta.lastUpdated" />
31      <min value="1" />
32    </element>
33    <element id="Observation.meta.source">

```

```

34     <path value="Observation.meta.source" />
35     <max value="0" />
36 </element>
37 <element id="Observation.meta.profile">
38     <path value="Observation.meta.profile" />
39     <min value="1" />
40     <max value="1" />
41     <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Functional_Assessment_Free|1.0.0" />
42 </element>
43 <element id="Observation.meta.security">
44     <path value="Observation.meta.security" />
45     <max value="0" />
46 </element>
47 <element id="Observation.meta.tag">
48     <path value="Observation.meta.tag" />
49     <max value="0" />
50 </element>
51 <element id="Observation.implicitRules">
52     <path value="Observation.implicitRules" />
53     <max value="0" />
54 </element>
55 <element id="Observation.language">
56     <path value="Observation.language" />
57     <max value="0" />
58 </element>
59 <element id="Observation.text">
60     <path value="Observation.text" />
61     <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
62 </element>
63 <element id="Observation.text.status">
64     <path value="Observation.text.status" />
65     <fixedCode value="extensions" />
66 </element>
67 <element id="Observation.contained">
68     <path value="Observation.contained" />
69     <max value="0" />
70 </element>
71 <element id="Observation.identifier">
72     <path value="Observation.identifier" />
73     <min value="1" />
74     <max value="1" />
75     <mustSupport value="true" />
76 </element>
77 <element id="Observation.identifier.use">
78     <path value="Observation.identifier.use" />
79     <max value="0" />
80 </element>
81 <element id="Observation.identifier.type">
82     <path value="Observation.identifier.type" />
83     <min value="1" />
84     <patternCodeableConcept>
85         <coding>
86             <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
87             <version value="2.9" />
88             <code value="RI" />

```

```

89         <display value="Resource identifier" />
90     </coding>
91     </patternCodeableConcept>
92 </element>
93 <element id="Observation.identifier.type.coding">
94     <path value="Observation.identifier.type.coding" />
95     <min value="1" />
96     <max value="1" />
97 </element>
98 <element id="Observation.identifier.type.coding.system">
99     <path value="Observation.identifier.type.coding.system" />
100    <min value="1" />
101 </element>
102 <element id="Observation.identifier.type.coding.version">
103     <path value="Observation.identifier.type.coding.version" />
104     <min value="1" />
105 </element>
106 <element id="Observation.identifier.type.coding.code">
107     <path value="Observation.identifier.type.coding.code" />
108     <min value="1" />
109 </element>
110 <element id="Observation.identifier.type.coding.display">
111     <path value="Observation.identifier.type.coding.display" />
112     <min value="1" />
113 </element>
114 <element id="Observation.identifier.type.coding.userSelected">
115     <path value="Observation.identifier.type.coding.userSelected" />
116     <max value="0" />
117 </element>
118 <element id="Observation.identifier.type.text">
119     <path value="Observation.identifier.type.text" />
120     <max value="0" />
121 </element>
122 <element id="Observation.identifier.system">
123     <path value="Observation.identifier.system" />
124     <min value="1" />
125     <fixedUri value="urn:iETF:rFC:3986" />
126     <mustSupport value="true" />
127 </element>
128 <element id="Observation.identifier.value">
129     <path value="Observation.identifier.value" />
130     <min value="1" />
131     <mustSupport value="true" />
132 </element>
133 <element id="Observation.identifier.period">
134     <path value="Observation.identifier.period" />
135     <max value="0" />
136 </element>
137 <element id="Observation.identifier.assigner">
138     <path value="Observation.identifier.assigner" />
139     <max value="0" />
140 </element>
141 <element id="Observation.basedOn">
142     <path value="Observation.basedOn" />
143     <max value="0" />
144 </element>
145 <element id="Observation.partOf">
146     <path value="Observation.partOf" />
147     <max value="0" />
148 </element>

```

```

149 <element id="Observation.status">
150   <path value="Observation.status" />
151   <patternCode value="final" />
152 </element>
153 <element id="Observation.category">
154   <path value="Observation.category" />
155   <max value="1" />
156   <mustSupport value="true" />
157   <binding>
158     <strength value="required" />
159     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_DIGA_Functional_Assessment_Type|1.0.0" />
160   </binding>
161 </element>
162 <element id="Observation.category.coding">
163   <path value="Observation.category.coding" />
164   <min value="1" />
165   <max value="1" />
166   <mustSupport value="true" />
167 </element>
168 <element id="Observation.category.coding.system">
169   <path value="Observation.category.coding.system" />
170   <min value="1" />
171 </element>
172 <element id="Observation.category.coding.code">
173   <path value="Observation.category.coding.code" />
174   <min value="1" />
175 </element>
176 <element id="Observation.category.coding.display">
177   <path value="Observation.category.coding.display" />
178   <min value="1" />
179 </element>
180 <element id="Observation.category.coding.userSelected">
181   <path value="Observation.category.coding.userSelected" />
182   <max value="0" />
183 </element>
184 <element id="Observation.category.text">
185   <path value="Observation.category.text" />
186   <max value="0" />
187 </element>
188 <element id="Observation.code">
189   <path value="Observation.code" />
190   <mustSupport value="true" />
191 </element>
192 <element id="Observation.code.coding">
193   <path value="Observation.code.coding" />
194   <mustSupport value="true" />
195 </element>
196 <element id="Observation.code.coding.system">
197   <path value="Observation.code.coding.system" />
198   <min value="1" />
199 </element>
200 <element id="Observation.code.coding.version">
201   <path value="Observation.code.coding.version" />
202   <min value="1" />
203 </element>
204 <element id="Observation.code.coding.code">
205   <path value="Observation.code.coding.code" />
206   <min value="1" />
207 </element>

```

```

208 <element id="Observation.code.coding.display">
209   <path value="Observation.code.coding.display" />
210   <min value="1" />
211 </element>
212 <element id="Observation.code.coding.userSelected">
213   <path value="Observation.code.coding.userSelected" />
214   <max value="0" />
215 </element>
216 <element id="Observation.code.text">
217   <path value="Observation.code.text" />
218   <mustSupport value="true" />
219 </element>
220 <element id="Observation.subject">
221   <path value="Observation.subject" />
222   <min value="1" />
223   <type>
224     <code value="Reference" />
225     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
226   </type>
227   <mustSupport value="true" />
228 </element>
229 <element id="Observation.subject.reference">
230   <path value="Observation.subject.reference" />
231   <min value="1" />
232   <mustSupport value="true" />
233 </element>
234 <element id="Observation.subject.type">
235   <path value="Observation.subject.type" />
236   <max value="0" />
237 </element>
238 <element id="Observation.subject.identifier">
239   <path value="Observation.subject.identifier" />
240   <max value="0" />
241 </element>
242 <element id="Observation.subject.display">
243   <path value="Observation.subject.display" />
244   <max value="0" />
245 </element>
246 <element id="Observation.focus">
247   <path value="Observation.focus" />
248   <max value="0" />
249 </element>
250 <element id="Observation.encounter">
251   <path value="Observation.encounter" />
252   <max value="0" />
253 </element>
254 <element id="Observation.effective[x]">
255   <path value="Observation.effective[x]" />
256   <slicing>
257     <discriminator>
258       <type value="type" />
259       <path value="$this" />
260     </discriminator>
261     <rules value="closed" />
262   </slicing>
263   <min value="1" />
264   <max value="1" />
265   <type>
266     <code value="dateTime" />

```

```

267     </type>
268     <type>
269       <code value="Period" />
270     </type>
271     <mustSupport value="true" />
272   </element>
273   <element id="Observation.effective[x]:effectiveDateTime">
274     <path value="Observation.effectiveDateTime" />
275     <sliceName value="effectiveDateTime" />
276     <type>
277       <code value="dateTime" />
278     </type>
279     <mustSupport value="true" />
280   </element>
281   <element id="Observation.effective[x]:effectivePeriod">
282     <path value="Observation.effectivePeriod" />
283     <sliceName value="effectivePeriod" />
284     <type>
285       <code value="Period" />
286     </type>
287     <mustSupport value="true" />
288   </element>
289   <element id="Observation.effective[x]:effectivePeriod.start">
290     <path value="Observation.effectivePeriod.start" />
291     <mustSupport value="true" />
292   </element>
293   <element id="Observation.effective[x]:effectivePeriod.end">
294     <path value="Observation.effectivePeriod.end" />
295     <mustSupport value="true" />
296   </element>
297   <element id="Observation.issued">
298     <path value="Observation.issued" />
299     <max value="0" />
300   </element>
301   <element id="Observation.performer">
302     <path value="Observation.performer" />
303     <max value="1" />
304     <type>
305       <code value="Reference" />
306       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
307       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
308       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_RelatedPerson|1.0.0" />
309       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole|1.0.0" />
310     </type>
311     <mustSupport value="true" />
312   </element>
313   <element id="Observation.performer.reference">
314     <path value="Observation.performer.reference" />
315     <min value="1" />
316     <mustSupport value="true" />
317   </element>
318   <element id="Observation.performer.type">
319     <path value="Observation.performer.type" />
320     <max value="0" />
321   </element>
322   <element id="Observation.performer.identifier">

```

```

323     <path value="Observation.performer.identifier" />
324     <max value="0" />
325 </element>
326 <element id="Observation.performer.display">
327     <path value="Observation.performer.display" />
328     <max value="0" />
329 </element>
330 <element id="Observation.value[x]">
331     <path value="Observation.value[x]" />
332     <slicing>
333         <discriminator>
334             <type value="type" />
335             <path value="$this" />
336         </discriminator>
337         <rules value="closed" />
338     </slicing>
339     <type>
340         <code value="Quantity" />
341     </type>
342     <type>
343         <code value="CodeableConcept" />
344     </type>
345     <mustSupport value="true" />
346 </element>
347 <element id="Observation.value[x]:valueQuantity">
348     <path value="Observation.value[x]" />
349     <sliceName value="valueQuantity" />
350     <type>
351         <code value="Quantity" />
352     </type>
353     <mustSupport value="true" />
354 </element>
355 <element id="Observation.value[x]:valueQuantity.value">
356     <path value="Observation.value[x].value" />
357     <min value="1" />
358 </element>
359 <element id="Observation.value[x]:valueQuantity.comparator">
360     <path value="Observation.value[x].comparator" />
361     <max value="0" />
362 </element>
363 <element id="Observation.value[x]:valueCodeableConcept">
364     <path value="Observation.valueCodeableConcept" />
365     <sliceName value="valueCodeableConcept" />
366     <type>
367         <code value="CodeableConcept" />
368     </type>
369     <mustSupport value="true" />
370 </element>
371 <element id="Observation.value[x]:valueCodeableConcept.coding">
372     <path value="Observation.valueCodeableConcept.coding" />
373     <min value="1" />
374     <mustSupport value="true" />
375 </element>
376 <element id="Observation.value[x]:valueCodeableConcept.coding.system">
377     <path value="Observation.valueCodeableConcept.coding.system" />
378     <min value="1" />
379 </element>
380 <element id="Observation.value[x]:valueCodeableConcept.coding.version">
381     <path value="Observation.valueCodeableConcept.coding.version" />
382     <min value="1" />

```

```

383 </element>
384 <element id="Observation.value[x]:valueCodeableConcept.coding.code">
385   <path value="Observation.valueCodeableConcept.coding.code" />
386   <min value="1" />
387 </element>
388 <element id="Observation.value[x]:valueCodeableConcept.coding.display">
389   <path value="Observation.valueCodeableConcept.coding.display" />
390   <min value="1" />
391 </element>
392 <element id="Observation.value[x]:valueCodeableConcept.coding.userSelected">
393   <path value="Observation.valueCodeableConcept.coding.userSelected" />
394   <max value="0" />
395 </element>
396 <element id="Observation.value[x]:valueCodeableConcept.text">
397   <path value="Observation.valueCodeableConcept.text" />
398   <max value="0" />
399 </element>
400 <element id="Observation.dataAbsentReason">
401   <path value="Observation.dataAbsentReason" />
402   <max value="0" />
403 </element>
404 <element id="Observation.interpretation">
405   <path value="Observation.interpretation" />
406   <max value="0" />
407 </element>
408 <element id="Observation.note">
409   <path value="Observation.note" />
410   <max value="1" />
411   <mustSupport value="true" />
412 </element>
413 <element id="Observation.note.author[x]">
414   <path value="Observation.note.author[x]" />
415   <max value="0" />
416 </element>
417 <element id="Observation.note.time">
418   <path value="Observation.note.time" />
419   <max value="0" />
420 </element>
421 <element id="Observation.note.text">
422   <path value="Observation.note.text" />
423   <mustSupport value="true" />
424 </element>
425 <element id="Observation.bodySite">
426   <path value="Observation.bodySite" />
427   <mustSupport value="true" />
428 </element>
429 <element id="Observation.bodySite.coding">
430   <path value="Observation.bodySite.coding" />
431   <min value="1" />
432   <max value="1" />
433 </element>
434 <element id="Observation.bodySite.coding.system">
435   <path value="Observation.bodySite.coding.system" />
436   <min value="1" />
437 </element>
438 <element id="Observation.bodySite.coding.version">
439   <path value="Observation.bodySite.coding.version" />
440   <min value="1" />
441 </element>

```



```

442 <element id="Observation.bodySite.coding.code">
443   <path value="Observation.bodySite.coding.code" />
444   <min value="1" />
445 </element>
446 <element id="Observation.bodySite.coding.display">
447   <path value="Observation.bodySite.coding.display" />
448   <min value="1" />
449 </element>
450 <element id="Observation.bodySite.coding.userSelected">
451   <path value="Observation.bodySite.coding.userSelected" />
452   <max value="0" />
453 </element>
454 <element id="Observation.bodySite.text">
455   <path value="Observation.bodySite.text" />
456   <max value="0" />
457 </element>
458 <element id="Observation.method">
459   <path value="Observation.method" />
460   <max value="0" />
461 </element>
462 <element id="Observation.specimen">
463   <path value="Observation.specimen" />
464   <max value="0" />
465 </element>
466 <element id="Observation.device">
467   <path value="Observation.device" />
468   <max value="0" />
469 </element>
470 <element id="Observation.referenceRange">
471   <path value="Observation.referenceRange" />
472   <max value="0" />
473 </element>
474 <element id="Observation.hasMember">
475   <path value="Observation.hasMember" />
476   <type>
477     <code value="Reference" />
478     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Free|1.0.0" />
479     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Assessment_Scale|1.0.0" />
480   </type>
481   <mustSupport value="true" />
482 </element>
483 <element id="Observation.hasMember.reference">
484   <path value="Observation.hasMember.reference" />
485   <min value="1" />
486   <mustSupport value="true" />
487 </element>
488 <element id="Observation.hasMember.type">
489   <path value="Observation.hasMember.type" />
490   <max value="0" />
491 </element>
492 <element id="Observation.hasMember.identifier">
493   <path value="Observation.hasMember.identifier" />
494   <max value="0" />
495 </element>
496 <element id="Observation.hasMember.display">
497   <path value="Observation.hasMember.display" />
498   <max value="0" />
499 </element>

```

```

500     <element id="Observation.derivedFrom">
501       <path value="Observation.derivedFrom" />
502       <max value="0" />
503     </element>
504     <element id="Observation.component">
505       <path value="Observation.component" />
506       <max value="0" />
507     </element>
508   </differential>
509 </StructureDefinition>

```

## 60. KBV\_PR\_MIO\_DIGA\_OBSERVATION\_GLUCOSE\_CONCENTRATION

### KBV\_PR\_MIO\_DIGA\_Observation\_Glucose\_Concentration

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Glucose_Concentration" />
3    <version value="1.0.0" />
4    <name value="KBV_PR_MIO_DIGA_Observation_Glucose_Concentration" />
5    <title value="KBV_PR_MIO_DIGA_Observation_Glucose_Concentration" />
6    <status value="draft" />
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <description value="Dieses Profil bildet die Glukosekonzentration ab." />
9    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM
definitions or is derived from it, subject to a license from Regenstrief
Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM
codes, UCUM definitions also is subject to this license, a copy of which is
available at http://unitsofmeasure.org. The current complete UCUM table,
UCUM Specification are available for download at http://unitsofmeasure.org.
The UCUM table and UCUM codes are copyright © 1995-2009, Regenstrief
Institute, Inc. and the Unified Codes for Units of Measures UCUM
Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM
DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS
OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE." />
10   <fhirVersion value="4.0.1" />
11   <kind value="resource" />
12   <abstract value="false" />
13   <type value="Observation" />
14   <baseDefinition value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_Base_Observation_Glucose_Concentration|1.2.1" />
15   <derivation value="constraint" />
16 </differential>

```

```

17     <element id="Observation">
18         <path value="Observation" />
19         <definition value="Dieses Profil bildet die Glukosekonzentration
ab." />
20     </element>
21     <element id="Observation.meta">
22         <path value="Observation.meta" />
23         <min value="1" />
24     </element>
25     <element id="Observation.meta.versionId">
26         <path value="Observation.meta.versionId" />
27         <min value="1" />
28     </element>
29     <element id="Observation.meta.lastUpdated">
30         <path value="Observation.meta.lastUpdated" />
31         <min value="1" />
32     </element>
33     <element id="Observation.meta.source">
34         <path value="Observation.meta.source" />
35         <max value="0" />
36     </element>
37     <element id="Observation.meta.profile">
38         <path value="Observation.meta.profile" />
39         <min value="1" />
40         <max value="1" />
41         <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Glucose_Concentration|1.0.0" />
42     </element>
43     <element id="Observation.meta.security">
44         <path value="Observation.meta.security" />
45         <max value="0" />
46     </element>
47     <element id="Observation.meta.tag">
48         <path value="Observation.meta.tag" />
49         <max value="0" />
50     </element>
51     <element id="Observation.implicitRules">
52         <path value="Observation.implicitRules" />
53         <max value="0" />
54     </element>
55     <element id="Observation.language">
56         <path value="Observation.language" />
57         <max value="0" />
58     </element>
59     <element id="Observation.text">
60         <path value="Observation.text" />
61         <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
62     </element>
63     <element id="Observation.text.status">
64         <path value="Observation.text.status" />
65         <fixedCode value="extensions" />
66     </element>
67     <element id="Observation.contained">
68         <path value="Observation.contained" />
69         <max value="0" />
70     </element>

```

```

71 <element id="Observation.identifier">
72   <path value="Observation.identifier" />
73   <min value="1" />
74   <max value="1" />
75   <mustSupport value="true" />
76 </element>
77 <element id="Observation.identifier.use">
78   <path value="Observation.identifier.use" />
79   <max value="0" />
80 </element>
81 <element id="Observation.identifier.type">
82   <path value="Observation.identifier.type" />
83   <min value="1" />
84   <patternCodeableConcept>
85     <coding>
86       <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
87       <version value="2.9" />
88       <code value="RI" />
89       <display value="Resource identifier" />
90     </coding>
91   </patternCodeableConcept>
92 </element>
93 <element id="Observation.identifier.type.coding">
94   <path value="Observation.identifier.type.coding" />
95   <min value="1" />
96   <max value="1" />
97 </element>
98 <element id="Observation.identifier.type.coding.system">
99   <path value="Observation.identifier.type.coding.system" />
100  <min value="1" />
101 </element>
102 <element id="Observation.identifier.type.coding.version">
103   <path value="Observation.identifier.type.coding.version" />
104   <min value="1" />
105 </element>
106 <element id="Observation.identifier.type.coding.code">
107   <path value="Observation.identifier.type.coding.code" />
108   <min value="1" />
109 </element>
110 <element id="Observation.identifier.type.coding.display">
111   <path value="Observation.identifier.type.coding.display" />
112   <min value="1" />
113 </element>
114 <element id="Observation.identifier.type.coding.userSelected">
115   <path value="Observation.identifier.type.coding.userSelected" />
116   <max value="0" />
117 </element>
118 <element id="Observation.identifier.type.text">
119   <path value="Observation.identifier.type.text" />
120   <max value="0" />
121 </element>
122 <element id="Observation.identifier.system">
123   <path value="Observation.identifier.system" />
124   <min value="1" />
125   <fixedUri value="urn:iETF:rFC:3986" />
126   <mustSupport value="true" />
127 </element>
128 <element id="Observation.identifier.value">
129   <path value="Observation.identifier.value" />
130   <min value="1" />

```

```

131     <mustSupport value="true" />
132 </element>
133 <element id="Observation.identifier.period">
134     <path value="Observation.identifier.period" />
135     <max value="0" />
136 </element>
137 <element id="Observation.identifier.assigner">
138     <path value="Observation.identifier.assigner" />
139     <max value="0" />
140 </element>
141 <element id="Observation.basedOn">
142     <path value="Observation.basedOn" />
143     <max value="0" />
144 </element>
145 <element id="Observation.partOf">
146     <path value="Observation.partOf" />
147     <max value="1" />
148     <type>
149         <code value="Reference" />
150         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Procedure_Activity_Free|1.0.0" />
151     </type>
152     <mustSupport value="true" />
153 </element>
154 <element id="Observation.partOf.reference">
155     <path value="Observation.partOf.reference" />
156     <min value="1" />
157     <mustSupport value="true" />
158 </element>
159 <element id="Observation.partOf.type">
160     <path value="Observation.partOf.type" />
161     <max value="0" />
162 </element>
163 <element id="Observation.partOf.identifier">
164     <path value="Observation.partOf.identifier" />
165     <max value="0" />
166 </element>
167 <element id="Observation.partOf.display">
168     <path value="Observation.partOf.display" />
169     <max value="0" />
170 </element>
171 <element id="Observation.category">
172     <path value="Observation.category" />
173     <mustSupport value="true" />
174 </element>
175 <element id="Observation.code">
176     <path value="Observation.code" />
177     <mustSupport value="true" />
178 </element>
179 <element id="Observation.code.coding">
180     <path value="Observation.code.coding" />
181     <slicing>
182         <discriminator>
183             <type value="pattern" />
184             <path value="$this" />
185         </discriminator>
186         <rules value="open" />
187     </slicing>
188     <mustSupport value="true" />
189 </element>

```

```

190 <element id="Observation.code.coding:loinc">
191   <path value="Observation.code.coding" />
192   <sliceName value="loinc" />
193   <patternCoding>
194     <system value="http://loinc.org" />
195   </patternCoding>
196   <mustSupport value="true" />
197 </element>
198 <element id="Observation.code.coding:loinc.display.extension">
199   <path value="Observation.code.coding.display.extension" />
200   <slicing>
201     <discriminator>
202       <type value="value" />
203       <path value="url" />
204     </discriminator>
205     <rules value="open" />
206   </slicing>
207   <min value="1" />
208 </element>
209 <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc">
210   <path value="Observation.code.coding.display.extension" />
211   <sliceName value="anzeigenameCodeLoinc" />
212   <min value="1" />
213   <mustSupport value="true" />
214 </element>
215 <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc.extension">
216   <path value="Observation.code.coding.display.extension.extension" />
217   <slicing>
218     <discriminator>
219       <type value="value" />
220       <path value="url" />
221     </discriminator>
222     <rules value="open" />
223   </slicing>
224   <min value="1" />
225 </element>
226 <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc.extension:content">
227   <path value="Observation.code.coding.display.extension.extension" />
228   <sliceName value="content" />
229   <min value="1" />
230 </element>
231 <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc.extension:content.value[x]">
232   <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
233   <slicing>
234     <discriminator>
235       <type value="type" />
236       <path value="$this" />
237     </discriminator>
238     <rules value="closed" />
239   </slicing>
240   <mustSupport value="true" />
241 </element>
242 <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc.extension:content.value[x]:valueString">

```

```

243     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
244     <sliceName value="valueString" />
245     <mustSupport value="true" />
246 </element>
247 <element id="Observation.code.coding:loinc.userSelected">
248     <path value="Observation.code.coding.userSelected" />
249     <max value="0" />
250 </element>
251 <element id="Observation.code.coding:codeSnomed">
252     <path value="Observation.code.coding" />
253     <sliceName value="codeSnomed" />
254     <patternCoding>
255         <system value="http://snomed.info/sct" />
256     </patternCoding>
257     <mustSupport value="true" />
258 </element>
259 <element id="Observation.code.coding:codeSnomed.display.extension">
260     <path value="Observation.code.coding.display.extension" />
261     <slicing>
262         <discriminator>
263             <type value="value" />
264             <path value="url" />
265         </discriminator>
266         <rules value="open" />
267     </slicing>
268     <min value="1" />
269 </element>
270 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed">
271     <path value="Observation.code.coding.display.extension" />
272     <sliceName value="anzeigenameCodeSnomed" />
273     <min value="1" />
274     <mustSupport value="true" />
275 </element>
276 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension">
277     <path value="Observation.code.coding.display.extension.extension" />
278     <slicing>
279         <discriminator>
280             <type value="value" />
281             <path value="url" />
282         </discriminator>
283         <rules value="open" />
284     </slicing>
285     <min value="1" />
286 </element>
287 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content">
288     <path value="Observation.code.coding.display.extension.extension" />
289     <sliceName value="content" />
290     <min value="1" />
291 </element>
292 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content.value[x]">
293     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
294     <slicing>
295         <discriminator>
296             <type value="type" />

```

```

297     <path value="$this" />
298   </discriminator>
299   <rules value="closed" />
300 </slicing>
301   <mustSupport value="true" />
302 </element>
303   <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genomeCodeSnomed.extension:content.value[x]:valueString">
304     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
305     <sliceName value="valueString" />
306     <mustSupport value="true" />
307   </element>
308   <element id="Observation.code.coding:codeSnomed.userSelected">
309     <path value="Observation.code.coding.userSelected" />
310     <max value="0" />
311   </element>
312   <element id="Observation.code.text">
313     <path value="Observation.code.text" />
314     <max value="0" />
315   </element>
316   <element id="Observation.subject">
317     <path value="Observation.subject" />
318     <type>
319       <code value="Reference" />
320       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
321     </type>
322     <mustSupport value="true" />
323   </element>
324   <element id="Observation.subject.reference">
325     <path value="Observation.subject.reference" />
326     <min value="1" />
327     <mustSupport value="true" />
328   </element>
329   <element id="Observation.subject.type">
330     <path value="Observation.subject.type" />
331     <max value="0" />
332   </element>
333   <element id="Observation.subject.identifier">
334     <path value="Observation.subject.identifier" />
335     <max value="0" />
336   </element>
337   <element id="Observation.subject.display">
338     <path value="Observation.subject.display" />
339     <max value="0" />
340   </element>
341   <element id="Observation.encounter">
342     <path value="Observation.encounter" />
343     <max value="0" />
344   </element>
345   <element id="Observation.effective[x]">
346     <path value="Observation.effective[x]" />
347     <slicing>
348       <discriminator>
349         <type value="type" />
350         <path value="$this" />
351       </discriminator>
352       <rules value="closed" />
353     </slicing>

```



```

354     <type>
355       <code value="dateTime" />
356     </type>
357     <mustSupport value="true" />
358   </element>
359   <element id="Observation.effective[x]:effectiveDateTime">
360     <path value="Observation.effective[x]" />
361     <sliceName value="effectiveDateTime" />
362     <min value="1" />
363     <mustSupport value="true" />
364   </element>
365   <element id="Observation.issued">
366     <path value="Observation.issued" />
367     <max value="0" />
368   </element>
369   <element id="Observation.performer">
370     <path value="Observation.performer" />
371     <max value="1" />
372     <type>
373       <code value="Reference" />
374       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
375       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
376       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_RelatedPerson|1.0.0" />
377       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole|1.0.0" />
378     </type>
379     <mustSupport value="true" />
380   </element>
381   <element id="Observation.performer.reference">
382     <path value="Observation.performer.reference" />
383     <min value="1" />
384     <mustSupport value="true" />
385   </element>
386   <element id="Observation.performer.type">
387     <path value="Observation.performer.type" />
388     <max value="0" />
389   </element>
390   <element id="Observation.performer.identifier">
391     <path value="Observation.performer.identifier" />
392     <max value="0" />
393   </element>
394   <element id="Observation.performer.display">
395     <path value="Observation.performer.display" />
396     <max value="0" />
397   </element>
398   <element id="Observation.value[x]">
399     <path value="Observation.value[x]" />
400     <slicing>
401       <discriminator>
402         <type value="type" />
403         <path value="$this" />
404       </discriminator>
405       <rules value="closed" />
406     </slicing>
407     <min value="1" />
408     <mustSupport value="true" />
409   </element>

```

```

410 <element id="Observation.value[x]:valueQuantity">
411   <path value="Observation.value[x]" />
412   <sliceName value="valueQuantity" />
413   <min value="1" />
414   <mustSupport value="true" />
415 </element>
416 <element id="Observation.dataAbsentReason">
417   <path value="Observation.dataAbsentReason" />
418   <max value="0" />
419 </element>
420 <element id="Observation.interpretation">
421   <path value="Observation.interpretation" />
422   <mustSupport value="true" />
423 </element>
424 <element id="Observation.interpretation.coding">
425   <path value="Observation.interpretation.coding" />
426   <mustSupport value="true" />
427 </element>
428 <element id="Observation.interpretation.coding.display.extension">
429   <path value="Observation.interpretation.coding.display.extension" />
430   <slicing>
431     <discriminator>
432       <type value="value" />
433       <path value="url" />
434     </discriminator>
435     <rules value="open" />
436   </slicing>
437   <min value="1" />
438 </element>
439 <element id="Observation.interpretation.coding.display.extension:anzeig
440   <path value="Observation.interpretation.coding.display.extension" />
441   <sliceName value="anzeigenameCodeSnomed" />
442   <min value="1" />
443   <mustSupport value="true" />
444 </element>
445 <element id="Observation.interpretation.coding.display.extension:anzeig
446   <path value="Observation.interpretation.coding.display.extension.exte
447   <slicing>
448     <discriminator>
449       <type value="value" />
450       <path value="url" />
451     </discriminator>
452     <rules value="open" />
453   </slicing>
454   <min value="1" />
455 </element>
456 <element id="Observation.interpretation.coding.display.extension:anzeig
457   <path value="Observation.interpretation.coding.display.extension.exte
458   <sliceName value="content" />
459   <min value="1" />
460   <mustSupport value="true" />
461 </element>
462 <element id="Observation.interpretation.coding.display.extension:anzeig
   <path value="Observation.interpretation.coding.display.extension:content.value[x]" />

```

```

463     <path value="Observation.interpretation.coding.display.extension.exte
nsion.value[x]" />
464     <mustSupport value="true" />
465   </element>
466   <element id="Observation.interpretation.coding.display.extension:anzeig
enameCodeSnomed.extension:content.value[x]:valueString">
467     <path value="Observation.interpretation.coding.display.extension.exte
nsion.valueString" />
468     <sliceName value="valueString" />
469     <mustSupport value="true" />
470   </element>
471   <element id="Observation.interpretation.coding.userSelected">
472     <path value="Observation.interpretation.coding.userSelected" />
473     <max value="0" />
474   </element>
475   <element id="Observation.interpretation.text">
476     <path value="Observation.interpretation.text" />
477     <max value="0" />
478   </element>
479   <element id="Observation.note">
480     <path value="Observation.note" />
481     <max value="1" />
482     <mustSupport value="true" />
483   </element>
484   <element id="Observation.note.author[x]">
485     <path value="Observation.note.author[x]" />
486     <max value="0" />
487   </element>
488   <element id="Observation.note.time">
489     <path value="Observation.note.time" />
490     <max value="0" />
491   </element>
492   <element id="Observation.note.text">
493     <path value="Observation.note.text" />
494     <mustSupport value="true" />
495   </element>
496   <element id="Observation.bodySite">
497     <path value="Observation.bodySite" />
498     <max value="0" />
499   </element>
500   <element id="Observation.method">
501     <path value="Observation.method" />
502     <max value="0" />
503   </element>
504   <element id="Observation.device">
505     <path value="Observation.device" />
506     <type>
507       <code value="Reference" />
508       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Device_Free|1.0.0" />
509     </type>
510     <mustSupport value="true" />
511   </element>
512   <element id="Observation.device.reference">
513     <path value="Observation.device.reference" />
514     <min value="1" />
515     <mustSupport value="true" />
516   </element>
517   <element id="Observation.device.type">
518     <path value="Observation.device.type" />

```

```

519     <max value="0" />
520 </element>
521 <element id="Observation.device.identififier">
522     <path value="Observation.device.identififier" />
523     <max value="0" />
524 </element>
525 <element id="Observation.device.display">
526     <path value="Observation.device.display" />
527     <max value="0" />
528 </element>
529 <element id="Observation.referenceRange">
530     <path value="Observation.referenceRange" />
531     <mustSupport value="true" />
532 </element>
533 <element id="Observation.referenceRange.low">
534     <path value="Observation.referenceRange.low" />
535     <mustSupport value="true" />
536 </element>
537 <element id="Observation.referenceRange.high">
538     <path value="Observation.referenceRange.high" />
539     <mustSupport value="true" />
540 </element>
541 <element id="Observation.referenceRange.type">
542     <path value="Observation.referenceRange.type" />
543     <mustSupport value="true" />
544 </element>
545 <element id="Observation.referenceRange.type.coding">
546     <path value="Observation.referenceRange.type.coding" />
547     <min value="1" />
548     <max value="1" />
549 </element>
550 <element id="Observation.referenceRange.type.coding.system">
551     <path value="Observation.referenceRange.type.coding.system" />
552     <min value="1" />
553 </element>
554 <element id="Observation.referenceRange.type.coding.version">
555     <path value="Observation.referenceRange.type.coding.version" />
556     <min value="1" />
557 </element>
558 <element id="Observation.referenceRange.type.coding.code">
559     <path value="Observation.referenceRange.type.coding.code" />
560     <min value="1" />
561 </element>
562 <element id="Observation.referenceRange.type.coding.display">
563     <path value="Observation.referenceRange.type.coding.display" />
564     <min value="1" />
565 </element>
566 <element id="Observation.referenceRange.type.coding.userSelected">
567     <path value="Observation.referenceRange.type.coding.userSelected" />
568     <max value="0" />
569 </element>
570 <element id="Observation.referenceRange.type.text">
571     <path value="Observation.referenceRange.type.text" />
572     <max value="0" />
573 </element>
574 <element id="Observation.referenceRange.appliesTo">
575     <path value="Observation.referenceRange.appliesTo" />
576     <max value="0" />
577 </element>
578 <element id="Observation.referenceRange.age">

```

```

579     <path value="Observation.referenceRange.age" />
580     <max value="0" />
581 </element>
582 <element id="Observation.referenceRange.text">
583     <path value="Observation.referenceRange.text" />
584     <max value="0" />
585 </element>
586 <element id="Observation.hasMember">
587     <path value="Observation.hasMember" />
588     <max value="0" />
589 </element>
590 <element id="Observation.derivedFrom">
591     <path value="Observation.derivedFrom" />
592     <max value="0" />
593 </element>
594 </differential>
595 </StructureDefinition>

```

## 61. KBV\_PR\_MIO\_DIGA\_OBSERVATION\_HEAD\_CIRCUMFERENCE

### KBV\_PR\_MIO\_DIGA\_Observation\_Head\_Circumference

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Head_Circumference" />
3   <version value="1.0.0" />
4   <name value="KBV_PR_MIO_DIGA_Observation_Head_Circumference" />
5   <title value="KBV_PR_MIO_DIGA_Observation_Head_Circumference" />
6   <status value="draft" />
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <description value="Dieses Profil bildet den Kopfumfang ab." />
9   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM
definitions or is derived from it, subject to a license from Regenstrief
Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM
codes, UCUM definitions also is subject to this license, a copy of which is
available at http://unitsofmeasure.org. The current complete UCUM table,
UCUM Specification are available for download at http://unitsofmeasure.org.
The UCUM table and UCUM codes are copyright © 1995-2009, Regenstrief
Institute, Inc. and the Unified Codes for Units of Measures UCUM
Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM
DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS
OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE." />
10  <fhirVersion value="4.0.1" />

```

```

11 <kind value="resource" />
12 <abstract value="false" />
13 <type value="Observation" />
14 <baseDefinition value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_Base_Observation_Head_Circumference|1.2.1" />
15 <derivation value="constraint" />
16 <differential>
17 <element id="Observation">
18 <path value="Observation" />
19 <definition value="Dieses Profil bildet den Kopfumfang ab." />
20 </element>
21 <element id="Observation.meta">
22 <path value="Observation.meta" />
23 <min value="1" />
24 </element>
25 <element id="Observation.meta.versionId">
26 <path value="Observation.meta.versionId" />
27 <min value="1" />
28 </element>
29 <element id="Observation.meta.lastUpdated">
30 <path value="Observation.meta.lastUpdated" />
31 <min value="1" />
32 </element>
33 <element id="Observation.meta.source">
34 <path value="Observation.meta.source" />
35 <max value="0" />
36 </element>
37 <element id="Observation.meta.profile">
38 <path value="Observation.meta.profile" />
39 <min value="1" />
40 <max value="1" />
41 <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Head_Circumference|1.0.0" />
42 </element>
43 <element id="Observation.meta.security">
44 <path value="Observation.meta.security" />
45 <max value="0" />
46 </element>
47 <element id="Observation.meta.tag">
48 <path value="Observation.meta.tag" />
49 <max value="0" />
50 </element>
51 <element id="Observation.implicitRules">
52 <path value="Observation.implicitRules" />
53 <max value="0" />
54 </element>
55 <element id="Observation.language">
56 <path value="Observation.language" />
57 <max value="0" />
58 </element>
59 <element id="Observation.text">
60 <path value="Observation.text" />
61 <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
62 </element>
63 <element id="Observation.text.status">
64 <path value="Observation.text.status" />

```

```

65     <fixedCode value="extensions" />
66 </element>
67 <element id="Observation.contained">
68     <path value="Observation.contained" />
69     <max value="0" />
70 </element>
71 <element id="Observation.identifier">
72     <path value="Observation.identifier" />
73     <min value="1" />
74     <max value="1" />
75     <mustSupport value="true" />
76 </element>
77 <element id="Observation.identifier.use">
78     <path value="Observation.identifier.use" />
79     <max value="0" />
80 </element>
81 <element id="Observation.identifier.type">
82     <path value="Observation.identifier.type" />
83     <min value="1" />
84     <patternCodeableConcept>
85         <coding>
86             <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
87             <version value="2.9" />
88             <code value="RI" />
89             <display value="Resource identifier" />
90         </coding>
91     </patternCodeableConcept>
92 </element>
93 <element id="Observation.identifier.type.coding">
94     <path value="Observation.identifier.type.coding" />
95     <min value="1" />
96     <max value="1" />
97 </element>
98 <element id="Observation.identifier.type.coding.system">
99     <path value="Observation.identifier.type.coding.system" />
100    <min value="1" />
101 </element>
102 <element id="Observation.identifier.type.coding.version">
103     <path value="Observation.identifier.type.coding.version" />
104     <min value="1" />
105 </element>
106 <element id="Observation.identifier.type.coding.code">
107     <path value="Observation.identifier.type.coding.code" />
108     <min value="1" />
109 </element>
110 <element id="Observation.identifier.type.coding.display">
111     <path value="Observation.identifier.type.coding.display" />
112     <min value="1" />
113 </element>
114 <element id="Observation.identifier.type.coding.userSelected">
115     <path value="Observation.identifier.type.coding.userSelected" />
116     <max value="0" />
117 </element>
118 <element id="Observation.identifier.type.text">
119     <path value="Observation.identifier.type.text" />
120     <max value="0" />
121 </element>
122 <element id="Observation.identifier.system">
123     <path value="Observation.identifier.system" />
124     <min value="1" />

```

```

125     <fixedUri value="urn:ietf:rhc:3986" />
126     <mustSupport value="true" />
127 </element>
128 <element id="Observation.identifier.value">
129     <path value="Observation.identifier.value" />
130     <min value="1" />
131     <mustSupport value="true" />
132 </element>
133 <element id="Observation.identifier.period">
134     <path value="Observation.identifier.period" />
135     <max value="0" />
136 </element>
137 <element id="Observation.identifier.assigner">
138     <path value="Observation.identifier.assigner" />
139     <max value="0" />
140 </element>
141 <element id="Observation.basedOn">
142     <path value="Observation.basedOn" />
143     <max value="0" />
144 </element>
145 <element id="Observation.partOf">
146     <path value="Observation.partOf" />
147     <max value="1" />
148     <type>
149         <code value="Reference" />
150         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Procedure_Activity_Free|1.0.0" />
151     </type>
152     <mustSupport value="true" />
153 </element>
154 <element id="Observation.partOf.reference">
155     <path value="Observation.partOf.reference" />
156     <min value="1" />
157     <mustSupport value="true" />
158 </element>
159 <element id="Observation.partOf.type">
160     <path value="Observation.partOf.type" />
161     <max value="0" />
162 </element>
163 <element id="Observation.partOf.identifier">
164     <path value="Observation.partOf.identifier" />
165     <max value="0" />
166 </element>
167 <element id="Observation.partOf.display">
168     <path value="Observation.partOf.display" />
169     <max value="0" />
170 </element>
171 <element id="Observation.category">
172     <path value="Observation.category" />
173     <mustSupport value="true" />
174 </element>
175 <element id="Observation.code">
176     <path value="Observation.code" />
177     <mustSupport value="true" />
178 </element>
179 <element id="Observation.code.coding">
180     <path value="Observation.code.coding" />
181     <licing>
182         <discriminator>
183             <type value="pattern" />

```



```

184     <path value="$this" />
185     </discriminator>
186     <rules value="open" />
187 </slicing>
188     <mustSupport value="true" />
189 </element>
190 <element id="Observation.code.coding:loinc">
191     <path value="Observation.code.coding" />
192     <sliceName value="loinc" />
193     <mustSupport value="true" />
194 </element>
195 <element id="Observation.code.coding:loinc.display.extension">
196     <path value="Observation.code.coding.display.extension" />
197     <slicing>
198         <discriminator>
199             <type value="value" />
200             <path value="url" />
201         </discriminator>
202         <rules value="open" />
203     </slicing>
204     <min value="1" />
205 </element>
206 <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc">
207     <path value="Observation.code.coding.display.extension" />
208     <sliceName value="anzeigenameCodeLoinc" />
209     <min value="1" />
210     <mustSupport value="true" />
211 </element>
212 <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc.extension">
213     <path value="Observation.code.coding.display.extension.extension" />
214     <slicing>
215         <discriminator>
216             <type value="value" />
217             <path value="url" />
218         </discriminator>
219         <rules value="open" />
220     </slicing>
221     <min value="1" />
222 </element>
223 <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc.extension:content">
224     <path value="Observation.code.coding.display.extension.extension" />
225     <sliceName value="content" />
226     <min value="1" />
227 </element>
228 <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc.extension:content.value[x]">
229     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
230     <slicing>
231         <discriminator>
232             <type value="type" />
233             <path value="$this" />
234         </discriminator>
235         <rules value="closed" />
236     </slicing>
237     <mustSupport value="true" />
238 </element>

```

```

239     <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc.extension:content.value[x]:valueString">
240     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
241     <sliceName value="valueString" />
242     <mustSupport value="true" />
243 </element>
244 <element id="Observation.code.coding:loinc.userSelected">
245     <path value="Observation.code.coding.userSelected" />
246     <max value="0" />
247 </element>
248 <element id="Observation.code.coding:codeSnomed">
249     <path value="Observation.code.coding" />
250     <sliceName value="codeSnomed" />
251     <patternCoding>
252         <system value="http://snomed.info/sct" />
253     </patternCoding>
254     <mustSupport value="true" />
255 </element>
256 <element id="Observation.code.coding:codeSnomed.display.extension">
257     <path value="Observation.code.coding.display.extension" />
258     <slicing>
259         <discriminator>
260             <type value="value" />
261             <path value="url" />
262         </discriminator>
263         <rules value="open" />
264     </slicing>
265     <min value="1" />
266 </element>
267 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed">
268     <path value="Observation.code.coding.display.extension" />
269     <sliceName value="anzeigenameCodeSnomed" />
270     <min value="1" />
271     <mustSupport value="true" />
272 </element>
273 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension">
274     <path value="Observation.code.coding.display.extension.extension" />
275     <slicing>
276         <discriminator>
277             <type value="value" />
278             <path value="url" />
279         </discriminator>
280         <rules value="open" />
281     </slicing>
282     <min value="1" />
283 </element>
284 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content">
285     <path value="Observation.code.coding.display.extension.extension" />
286     <sliceName value="content" />
287     <min value="1" />
288 </element>
289 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content.value[x]">
290     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
291     <slicing>

```

```

292     <discriminator>
293       <type value="type" />
294       <path value="$this" />
295     </discriminator>
296     <rules value="closed" />
297   </slicing>
298   <mustSupport value="true" />
299 </element>
300 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genomeCodeSnomed.extension:content.value[x]:valueString">
301   <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
302   <sliceName value="valueString" />
303   <mustSupport value="true" />
304 </element>
305 <element id="Observation.code.coding:codeSnomed.userSelected">
306   <path value="Observation.code.coding.userSelected" />
307   <max value="0" />
308 </element>
309 <element id="Observation.code.text">
310   <path value="Observation.code.text" />
311   <max value="0" />
312 </element>
313 <element id="Observation.subject">
314   <path value="Observation.subject" />
315   <type>
316     <code value="Reference" />
317     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
318   </type>
319   <mustSupport value="true" />
320 </element>
321 <element id="Observation.subject.reference">
322   <path value="Observation.subject.reference" />
323   <min value="1" />
324   <mustSupport value="true" />
325 </element>
326 <element id="Observation.subject.type">
327   <path value="Observation.subject.type" />
328   <max value="0" />
329 </element>
330 <element id="Observation.subject.identifier">
331   <path value="Observation.subject.identifier" />
332   <max value="0" />
333 </element>
334 <element id="Observation.subject.display">
335   <path value="Observation.subject.display" />
336   <max value="0" />
337 </element>
338 <element id="Observation.encounter">
339   <path value="Observation.encounter" />
340   <max value="0" />
341 </element>
342 <element id="Observation.effective[x]">
343   <path value="Observation.effective[x]" />
344   <slicing>
345     <discriminator>
346       <type value="type" />
347       <path value="$this" />
348     </discriminator>

```

```

349     <rules value="closed" />
350 </slicing>
351 <type>
352   <code value="dateTime" />
353 </type>
354 <mustSupport value="true" />
355 </element>
356 <element id="Observation.effective[x]:effectiveDateTime">
357   <path value="Observation.effective[x]" />
358   <sliceName value="effectiveDateTime" />
359   <min value="1" />
360   <mustSupport value="true" />
361 </element>
362 <element id="Observation.issued">
363   <path value="Observation.issued" />
364   <max value="0" />
365 </element>
366 <element id="Observation.performer">
367   <path value="Observation.performer" />
368   <max value="1" />
369   <type>
370     <code value="Reference" />
371     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
372     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
373     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_RelatedPerson|1.0.0" />
374     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole|1.0.0" />
375   </type>
376   <mustSupport value="true" />
377 </element>
378 <element id="Observation.performer.reference">
379   <path value="Observation.performer.reference" />
380   <min value="1" />
381   <mustSupport value="true" />
382 </element>
383 <element id="Observation.performer.type">
384   <path value="Observation.performer.type" />
385   <max value="0" />
386 </element>
387 <element id="Observation.performer.identifier">
388   <path value="Observation.performer.identifier" />
389   <max value="0" />
390 </element>
391 <element id="Observation.performer.display">
392   <path value="Observation.performer.display" />
393   <max value="0" />
394 </element>
395 <element id="Observation.value[x]">
396   <path value="Observation.value[x]" />
397   <slicing>
398     <discriminator>
399       <type value="type" />
400       <path value="$this" />
401     </discriminator>
402     <rules value="closed" />
403   </slicing>
404   <min value="1" />

```

```

405     <mustSupport value="true" />
406 </element>
407 <element id="Observation.value[x]:valueQuantity">
408   <path value="Observation.value[x]" />
409   <sliceName value="valueQuantity" />
410   <min value="1" />
411   <mustSupport value="true" />
412 </element>
413 <element id="Observation.value[x]:valueQuantity.comparator">
414   <path value="Observation.value[x].comparator" />
415   <max value="0" />
416 </element>
417 <element id="Observation.dataAbsentReason">
418   <path value="Observation.dataAbsentReason" />
419   <max value="0" />
420 </element>
421 <element id="Observation.interpretation">
422   <path value="Observation.interpretation" />
423   <max value="0" />
424 </element>
425 <element id="Observation.note">
426   <path value="Observation.note" />
427   <max value="1" />
428   <mustSupport value="true" />
429 </element>
430 <element id="Observation.note.author[x]">
431   <path value="Observation.note.author[x]" />
432   <max value="0" />
433 </element>
434 <element id="Observation.note.time">
435   <path value="Observation.note.time" />
436   <max value="0" />
437 </element>
438 <element id="Observation.note.text">
439   <path value="Observation.note.text" />
440   <mustSupport value="true" />
441 </element>
442 <element id="Observation.bodySite">
443   <path value="Observation.bodySite" />
444   <mustSupport value="true" />
445 </element>
446 <element id="Observation.bodySite.coding">
447   <path value="Observation.bodySite.coding" />
448   <mustSupport value="true" />
449 </element>
450 <element id="Observation.bodySite.coding.display.extension">
451   <path value="Observation.bodySite.coding.display.extension" />
452   <licing>
453     <discriminator>
454       <type value="value" />
455       <path value="url" />
456     </discriminator>
457     <rules value="open" />
458   </licing>
459   <min value="1" />
460 </element>
461 <element id="Observation.bodySite.coding.display.extension:anzeigenameCodeSnomed">
462   <path value="Observation.bodySite.coding.display.extension" />
463   <sliceName value="anzeigenameCodeSnomed" />

```

```

464     <min value="1" />
465     <mustSupport value="true" />
466   </element>
467   <element id="Observation.bodySite.coding.display.extension:anzeigenameC
odeSnomed.extension">
468     <path value="Observation.bodySite.coding.display.extension.extension"
/>
469     <slicing>
470       <discriminator>
471         <type value="value" />
472         <path value="url" />
473       </discriminator>
474       <rules value="open" />
475     </slicing>
476     <min value="1" />
477   </element>
478   <element id="Observation.bodySite.coding.display.extension:anzeigenameC
odeSnomed.extension:content">
479     <path value="Observation.bodySite.coding.display.extension.extension"
/>
480     <sliceName value="content" />
481     <min value="1" />
482     <mustSupport value="true" />
483   </element>
484   <element id="Observation.bodySite.coding.display.extension:anzeigenameC
odeSnomed.extension:content.value[x]">
485     <path value="Observation.bodySite.coding.display.extension.extension.
value[x]" />
486     <mustSupport value="true" />
487   </element>
488   <element id="Observation.bodySite.coding.display.extension:anzeigenameC
odeSnomed.extension:content.value[x]:valueString">
489     <path value="Observation.bodySite.coding.display.extension.extension.
valueString" />
490     <sliceName value="valueString" />
491     <min value="1" />
492     <mustSupport value="true" />
493   </element>
494   <element id="Observation.bodySite.coding.userSelected">
495     <path value="Observation.bodySite.coding.userSelected" />
496     <max value="0" />
497   </element>
498   <element id="Observation.bodySite.text">
499     <path value="Observation.bodySite.text" />
500     <max value="0" />
501   </element>
502   <element id="Observation.method">
503     <path value="Observation.method" />
504     <max value="0" />
505   </element>
506   <element id="Observation.device">
507     <path value="Observation.device" />
508     <type>
509       <code value="Reference" />
510       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Device_Free|1.0.0" />
511     </type>
512     <mustSupport value="true" />
513   </element>
514   <element id="Observation.device.reference">

```

```

515     <path value="Observation.device.reference" />
516     <min value="1" />
517     <mustSupport value="true" />
518 </element>
519 <element id="Observation.device.type">
520     <path value="Observation.device.type" />
521     <max value="0" />
522 </element>
523 <element id="Observation.device.identifier">
524     <path value="Observation.device.identifier" />
525     <max value="0" />
526 </element>
527 <element id="Observation.device.display">
528     <path value="Observation.device.display" />
529     <max value="0" />
530 </element>
531 <element id="Observation.referenceRange">
532     <path value="Observation.referenceRange" />
533     <max value="0" />
534 </element>
535 <element id="Observation.hasMember">
536     <path value="Observation.hasMember" />
537     <max value="0" />
538 </element>
539 <element id="Observation.derivedFrom">
540     <path value="Observation.derivedFrom" />
541     <max value="0" />
542 </element>
543 </differential>
544 </StructureDefinition>

```

## 62. KBV\_PR\_MIO\_DIGA\_OBSERVATION\_HEART\_RATE

### KBV\_PR\_MIO\_DIGA\_Observation\_Heart\_Rate

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Heart_Rate" />
3   <version value="1.0.0" />
4   <name value="KBV_PR_MIO_DIGA_Observation_Heart_Rate" />
5   <title value="KBV_PR_MIO_DIGA_Observation_Heart_Rate" />
6   <status value="draft" />
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <description value="Dieses Profil bildet die Herzfrequenz ab." />
9   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM

```

definitions or is derived from it, subject to a license from Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM codes, UCUM definitions also is subject to this license, a copy of which is available at <http://unitsofmeasure.org>. The current complete UCUM table, UCUM Specification are available for download at <http://unitsofmeasure.org>. The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures UCUM Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED "AS IS." ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE." />

```

10 <fhirVersion value="4.0.1" />
11 <kind value="resource" />
12 <abstract value="false" />
13 <type value="Observation" />
14 <baseDefinition value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_Base_Observation_Heart_Rate|1.2.1" />
15 <derivation value="constraint" />
16 <differential>
17 <element id="Observation">
18 <path value="Observation" />
19 <definition value="Dieses Profil bildet die Herzfrequenz ab." />
20 </element>
21 <element id="Observation.meta">
22 <path value="Observation.meta" />
23 <min value="1" />
24 </element>
25 <element id="Observation.meta.versionId">
26 <path value="Observation.meta.versionId" />
27 <min value="1" />
28 </element>
29 <element id="Observation.meta.lastUpdated">
30 <path value="Observation.meta.lastUpdated" />
31 <min value="1" />
32 </element>
33 <element id="Observation.meta.source">
34 <path value="Observation.meta.source" />
35 <max value="0" />
36 </element>
37 <element id="Observation.meta.profile">
38 <path value="Observation.meta.profile" />
39 <min value="1" />
40 <max value="1" />
41 <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Heart_Rate|1.0.0" />
42 </element>
43 <element id="Observation.meta.security">
44 <path value="Observation.meta.security" />
45 <max value="0" />
46 </element>
47 <element id="Observation.meta.tag">
48 <path value="Observation.meta.tag" />
49 <max value="0" />
50 </element>
51 <element id="Observation.implicitRules">
52 <path value="Observation.implicitRules" />
53 <max value="0" />
54 </element>
55 <element id="Observation.language">

```



```

56     <path value="Observation.language" />
57     <max value="0" />
58 </element>
59 <element id="Observation.text">
60     <path value="Observation.text" />
61     <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
62 </element>
63 <element id="Observation.text.status">
64     <path value="Observation.text.status" />
65     <fixedCode value="extensions" />
66 </element>
67 <element id="Observation.contained">
68     <path value="Observation.contained" />
69     <max value="0" />
70 </element>
71 <element id="Observation.identifier">
72     <path value="Observation.identifier" />
73     <min value="1" />
74     <max value="1" />
75     <mustSupport value="true" />
76 </element>
77 <element id="Observation.identifier.use">
78     <path value="Observation.identifier.use" />
79     <max value="0" />
80 </element>
81 <element id="Observation.identifier.type">
82     <path value="Observation.identifier.type" />
83     <min value="1" />
84     <patternCodeableConcept>
85         <coding>
86             <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
87             <version value="2.9" />
88             <code value="RI" />
89             <display value="Resource identifier" />
90         </coding>
91     </patternCodeableConcept>
92 </element>
93 <element id="Observation.identifier.type.coding">
94     <path value="Observation.identifier.type.coding" />
95     <min value="1" />
96     <max value="1" />
97 </element>
98 <element id="Observation.identifier.type.coding.system">
99     <path value="Observation.identifier.type.coding.system" />
100    <min value="1" />
101 </element>
102 <element id="Observation.identifier.type.coding.version">
103     <path value="Observation.identifier.type.coding.version" />
104     <min value="1" />
105 </element>
106 <element id="Observation.identifier.type.coding.code">
107     <path value="Observation.identifier.type.coding.code" />
108     <min value="1" />
109 </element>
110 <element id="Observation.identifier.type.coding.display">
111     <path value="Observation.identifier.type.coding.display" />

```

```

112     <min value="1" />
113 </element>
114 <element id="Observation.identifier.type.coding.userSelected">
115     <path value="Observation.identifier.type.coding.userSelected" />
116     <max value="0" />
117 </element>
118 <element id="Observation.identifier.type.text">
119     <path value="Observation.identifier.type.text" />
120     <max value="0" />
121 </element>
122 <element id="Observation.identifier.system">
123     <path value="Observation.identifier.system" />
124     <min value="1" />
125     <fixedUri value="urn:iETF:rFC:3986" />
126     <mustSupport value="true" />
127 </element>
128 <element id="Observation.identifier.value">
129     <path value="Observation.identifier.value" />
130     <min value="1" />
131     <mustSupport value="true" />
132 </element>
133 <element id="Observation.identifier.period">
134     <path value="Observation.identifier.period" />
135     <max value="0" />
136 </element>
137 <element id="Observation.identifier.assigner">
138     <path value="Observation.identifier.assigner" />
139     <max value="0" />
140 </element>
141 <element id="Observation.basedOn">
142     <path value="Observation.basedOn" />
143     <max value="0" />
144 </element>
145 <element id="Observation.partOf">
146     <path value="Observation.partOf" />
147     <max value="1" />
148     <type>
149         <code value="Reference" />
150         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Procedure_Activity_Free|1.0.0" />
151     </type>
152     <mustSupport value="true" />
153 </element>
154 <element id="Observation.partOf.reference">
155     <path value="Observation.partOf.reference" />
156     <min value="1" />
157     <mustSupport value="true" />
158 </element>
159 <element id="Observation.partOf.type">
160     <path value="Observation.partOf.type" />
161     <max value="0" />
162 </element>
163 <element id="Observation.partOf.identifier">
164     <path value="Observation.partOf.identifier" />
165     <max value="0" />
166 </element>
167 <element id="Observation.partOf.display">
168     <path value="Observation.partOf.display" />
169     <max value="0" />
170 </element>

```

```

171 <element id="Observation.category">
172   <path value="Observation.category" />
173   <mustSupport value="true" />
174 </element>
175 <element id="Observation.code">
176   <path value="Observation.code" />
177   <mustSupport value="true" />
178 </element>
179 <element id="Observation.code.coding">
180   <path value="Observation.code.coding" />
181   <licing>
182     <discriminator>
183       <type value="pattern" />
184       <path value="$this" />
185     </discriminator>
186     <rules value="open" />
187   </licing>
188   <mustSupport value="true" />
189 </element>
190 <element id="Observation.code.coding:loinc">
191   <path value="Observation.code.coding" />
192   <sliceName value="loinc" />
193   <mustSupport value="true" />
194 </element>
195 <element id="Observation.code.coding:loinc.display.extension">
196   <path value="Observation.code.coding.display.extension" />
197   <licing>
198     <discriminator>
199       <type value="value" />
200       <path value="url" />
201     </discriminator>
202     <rules value="open" />
203   </licing>
204   <min value="1" />
205 </element>
206 <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc">
207   <path value="Observation.code.coding.display.extension" />
208   <sliceName value="anzeigenamCodeLoinc" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc.extension">
213   <path value="Observation.code.coding.display.extension.extension" />
214   <licing>
215     <discriminator>
216       <type value="value" />
217       <path value="url" />
218     </discriminator>
219     <rules value="open" />
220   </licing>
221   <min value="1" />
222 </element>
223 <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc.extension:content">
224   <path value="Observation.code.coding.display.extension.extension" />
225   <sliceName value="content" />
226   <min value="1" />
227 </element>

```

```

228     <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc.extension:content.value[x]">
229     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
230     <slicing>
231         <discriminator>
232             <type value="type" />
233             <path value="$this" />
234         </discriminator>
235         <rules value="closed" />
236     </slicing>
237     <mustSupport value="true" />
238 </element>
239     <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc.extension:content.value[x]:valueString">
240     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
241     <sliceName value="valueString" />
242     <mustSupport value="true" />
243 </element>
244     <element id="Observation.code.coding:loinc.userSelected">
245     <path value="Observation.code.coding.userSelected" />
246     <max value="0" />
247 </element>
248     <element id="Observation.code.coding:codeSnomed">
249     <path value="Observation.code.coding" />
250     <sliceName value="codeSnomed" />
251     <patternCoding>
252         <system value="http://snomed.info/sct" />
253     </patternCoding>
254     <mustSupport value="true" />
255 </element>
256     <element id="Observation.code.coding:codeSnomed.display.extension">
257     <path value="Observation.code.coding.display.extension" />
258     <slicing>
259         <discriminator>
260             <type value="value" />
261             <path value="url" />
262         </discriminator>
263         <rules value="open" />
264     </slicing>
265     <min value="1" />
266 </element>
267     <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed">
268     <path value="Observation.code.coding.display.extension" />
269     <sliceName value="anzeigenameCodeSnomed" />
270     <min value="1" />
271     <mustSupport value="true" />
272 </element>
273     <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension">
274     <path value="Observation.code.coding.display.extension.extension" />
275     <slicing>
276         <discriminator>
277             <type value="value" />
278             <path value="url" />
279         </discriminator>
280         <rules value="open" />
281     </slicing>

```

```

282     <min value="1" />
283 </element>
284 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genomeCodeSnomed.extension:content">
285     <path value="Observation.code.coding.display.extension.extension" />
286     <sliceName value="content" />
287     <min value="1" />
288 </element>
289 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genomeCodeSnomed.extension:content.value[x]">
290     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
291     <slicing>
292         <discriminator>
293             <type value="type" />
294             <path value="$this" />
295         </discriminator>
296         <rules value="closed" />
297     </slicing>
298     <mustSupport value="true" />
299 </element>
300 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genomeCodeSnomed.extension:content.value[x]:valueString">
301     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
302     <sliceName value="valueString" />
303     <mustSupport value="true" />
304 </element>
305 <element id="Observation.code.coding:codeSnomed.userSelected">
306     <path value="Observation.code.coding.userSelected" />
307     <max value="0" />
308 </element>
309 <element id="Observation.code.text">
310     <path value="Observation.code.text" />
311     <max value="0" />
312 </element>
313 <element id="Observation.subject">
314     <path value="Observation.subject" />
315     <type>
316         <code value="Reference" />
317         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
318     </type>
319     <mustSupport value="true" />
320 </element>
321 <element id="Observation.subject.reference">
322     <path value="Observation.subject.reference" />
323     <min value="1" />
324     <mustSupport value="true" />
325 </element>
326 <element id="Observation.subject.type">
327     <path value="Observation.subject.type" />
328     <max value="0" />
329 </element>
330 <element id="Observation.subject.identififier">
331     <path value="Observation.subject.identififier" />
332     <max value="0" />
333 </element>
334 <element id="Observation.subject.display">
335     <path value="Observation.subject.display" />

```

```

336     <max value="0" />
337 </element>
338 <element id="Observation.encounter">
339   <path value="Observation.encounter" />
340   <max value="0" />
341 </element>
342 <element id="Observation.effective[x]">
343   <path value="Observation.effective[x]" />
344   < slicing>
345     < discriminator>
346       < type value="type" />
347       < path value="$this" />
348     </ discriminator>
349     < rules value="closed" />
350   </ slicing>
351   < type>
352     < code value="dateTime" />
353   </ type>
354   < mustSupport value="true" />
355 </ element>
356 <element id="Observation.effective[x]:effectiveDateTime">
357   < path value="Observation.effective[x]" />
358   < sliceName value="effectiveDateTime" />
359   < min value="1" />
360   < mustSupport value="true" />
361 </ element>
362 <element id="Observation.issued">
363   < path value="Observation.issued" />
364   < max value="0" />
365 </ element>
366 <element id="Observation.performer">
367   < path value="Observation.performer" />
368   < max value="1" />
369   < type>
370     < code value="Reference" />
371     < targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
372     < targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
373     < targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_RelatedPerson|1.0.0" />
374     < targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole|1.0.0" />
375   </ type>
376   < mustSupport value="true" />
377 </ element>
378 <element id="Observation.performer.reference">
379   < path value="Observation.performer.reference" />
380   < min value="1" />
381   < mustSupport value="true" />
382 </ element>
383 <element id="Observation.performer.type">
384   < path value="Observation.performer.type" />
385   < max value="0" />
386 </ element>
387 <element id="Observation.performer.identifier">
388   < path value="Observation.performer.identifier" />
389   < max value="0" />
390 </ element>
391 <element id="Observation.performer.display">

```

```

392     <path value="Observation.performer.display" />
393     <max value="0" />
394 </element>
395 <element id="Observation.value[x]">
396     <path value="Observation.value[x]" />
397     <slicing>
398         <discriminator>
399             <type value="type" />
400             <path value="$this" />
401         </discriminator>
402         <rules value="closed" />
403     </slicing>
404     <min value="1" />
405     <mustSupport value="true" />
406 </element>
407 <element id="Observation.value[x]:valueQuantity">
408     <path value="Observation.value[x]" />
409     <sliceName value="valueQuantity" />
410     <min value="1" />
411     <mustSupport value="true" />
412 </element>
413 <element id="Observation.value[x]:valueQuantity.comparator">
414     <path value="Observation.value[x].comparator" />
415     <max value="0" />
416 </element>
417 <element id="Observation.dataAbsentReason">
418     <path value="Observation.dataAbsentReason" />
419     <max value="0" />
420 </element>
421 <element id="Observation.interpretation">
422     <path value="Observation.interpretation" />
423     <max value="0" />
424 </element>
425 <element id="Observation.note">
426     <path value="Observation.note" />
427     <max value="1" />
428     <mustSupport value="true" />
429 </element>
430 <element id="Observation.note.author[x]">
431     <path value="Observation.note.author[x]" />
432     <max value="0" />
433 </element>
434 <element id="Observation.note.time">
435     <path value="Observation.note.time" />
436     <max value="0" />
437 </element>
438 <element id="Observation.note.text">
439     <path value="Observation.note.text" />
440     <mustSupport value="true" />
441 </element>
442 <element id="Observation.bodySite">
443     <path value="Observation.bodySite" />
444     <max value="0" />
445 </element>
446 <element id="Observation.method">
447     <path value="Observation.method" />
448     <max value="0" />
449 </element>
450 <element id="Observation.device">
451     <path value="Observation.device" />

```

```

452     <type>
453       <code value="Reference" />
454       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Device_Free|1.0.0" />
455     </type>
456     <mustSupport value="true" />
457   </element>
458   <element id="Observation.device.reference">
459     <path value="Observation.device.reference" />
460     <min value="1" />
461     <mustSupport value="true" />
462   </element>
463   <element id="Observation.device.type">
464     <path value="Observation.device.type" />
465     <max value="0" />
466   </element>
467   <element id="Observation.device.identifier">
468     <path value="Observation.device.identifier" />
469     <max value="0" />
470   </element>
471   <element id="Observation.device.display">
472     <path value="Observation.device.display" />
473     <max value="0" />
474   </element>
475   <element id="Observation.referenceRange">
476     <path value="Observation.referenceRange" />
477     <max value="0" />
478   </element>
479   <element id="Observation.hasMember">
480     <path value="Observation.hasMember" />
481     <max value="0" />
482   </element>
483   <element id="Observation.derivedFrom">
484     <path value="Observation.derivedFrom" />
485     <max value="0" />
486   </element>
487 </differential>
488 </StructureDefinition>

```

### 63. KBV\_PR\_MIO\_DIGA\_OBSERVATION\_LIFE\_STYLE\_FACTOR\_FREE

#### KBV\_PR\_MIO\_DIGA\_Observation\_Life\_Style\_Factor\_Free

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Life_Style_Factor_Free" />
3   <version value="1.0.0" />
4   <name value="KBV_PR_MIO_DIGA_Observation_Life_Style_Factor_Free" />
5   <title value="KBV_PR_MIO_DIGA_Observation_Life_Style_Factor_Free" />
6   <status value="draft" />
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <description value="Dieses Profil bildet einen freien Lebensstilfaktor
ab." />
9   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED

```



CT®, was originally created by The College of American Pathologists. SNOMED and SNOMED CT are registered trademarks of SNOMED International. Implementers of these artefacts must have the appropriate SNOMED CT Affiliate license. This material contains content from Loinc <http://loinc.org>. Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and the Logical Observation Identifiers Names and Codes Loinc Committee and is available at no cost under the license at <http://loinc.org/license>. Loinc® is a registered United States trademark of Regenstrief Institute, Inc. This product includes all or a portion of the UCUM table, UCUM codes, and UCUM definitions or is derived from it, subject to a license from Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM codes, UCUM definitions also is subject to this license, a copy of which is available at <http://unitsofmeasure.org>. The current complete UCUM table, UCUM Specification are available for download at <http://unitsofmeasure.org>. The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures UCUM Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED "AS IS." ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE." />

```
10 <fhirVersion value="4.0.1" />
11 <mapping>
12   <identity value="workflow" />
13   <uri value="http://hl7.org/fhir/workflow" />
14   <name value="Workflow Pattern" />
15 </mapping>
16 <mapping>
17   <identity value="sct-concept" />
18   <uri value="http://snomed.info/conceptdomain" />
19   <name value="SNOMED CT Concept Domain Binding" />
20 </mapping>
21 <mapping>
22   <identity value="v2" />
23   <uri value="http://hl7.org/v2" />
24   <name value="HL7 v2 Mapping" />
25 </mapping>
26 <mapping>
27   <identity value="rim" />
28   <uri value="http://hl7.org/v3" />
29   <name value="RIM Mapping" />
30 </mapping>
31 <mapping>
32   <identity value="w5" />
33   <uri value="http://hl7.org/fhir/fivews" />
34   <name value="FiveWs Pattern Mapping" />
35 </mapping>
36 <mapping>
37   <identity value="sct-attr" />
38   <uri value="http://snomed.org/attributebinding" />
39   <name value="SNOMED CT Attribute Binding" />
40 </mapping>
41 <kind value="resource" />
42 <abstract value="false" />
43 <type value="Observation" />
44 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
45 <derivation value="constraint" />
46 <differential>
47   <element id="Observation">
```

```

48     <path value="Observation" />
49     <definition value="Dieses Profil bildet einen freien Lebensstilfaktor
ab." />
50   </element>
51   <element id="Observation.meta">
52     <path value="Observation.meta" />
53     <min value="1" />
54   </element>
55   <element id="Observation.meta.versionId">
56     <path value="Observation.meta.versionId" />
57     <min value="1" />
58   </element>
59   <element id="Observation.meta.lastUpdated">
60     <path value="Observation.meta.lastUpdated" />
61     <min value="1" />
62   </element>
63   <element id="Observation.meta.source">
64     <path value="Observation.meta.source" />
65     <max value="0" />
66   </element>
67   <element id="Observation.meta.profile">
68     <path value="Observation.meta.profile" />
69     <min value="1" />
70     <max value="1" />
71     <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Life_Style_Factor_Free|1.0.0" />
72   </element>
73   <element id="Observation.meta.security">
74     <path value="Observation.meta.security" />
75     <max value="0" />
76   </element>
77   <element id="Observation.meta.tag">
78     <path value="Observation.meta.tag" />
79     <max value="0" />
80   </element>
81   <element id="Observation.implicitRules">
82     <path value="Observation.implicitRules" />
83     <max value="0" />
84   </element>
85   <element id="Observation.language">
86     <path value="Observation.language" />
87     <max value="0" />
88   </element>
89   <element id="Observation.text">
90     <path value="Observation.text" />
91     <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
92   </element>
93   <element id="Observation.text.status">
94     <path value="Observation.text.status" />
95     <fixedCode value="extensions" />
96   </element>
97   <element id="Observation.contained">
98     <path value="Observation.contained" />
99     <max value="0" />
100 </element>
101 <element id="Observation.identifier">

```

```

102     <path value="Observation.identifier" />
103     <min value="1" />
104     <max value="1" />
105     <mustSupport value="true" />
106 </element>
107 <element id="Observation.identifier.use">
108     <path value="Observation.identifier.use" />
109     <max value="0" />
110 </element>
111 <element id="Observation.identifier.type">
112     <path value="Observation.identifier.type" />
113     <min value="1" />
114     <patternCodeableConcept>
115         <coding>
116             <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
117             <version value="2.9" />
118             <code value="RI" />
119             <display value="Resource identifier" />
120         </coding>
121     </patternCodeableConcept>
122 </element>
123 <element id="Observation.identifier.type.coding">
124     <path value="Observation.identifier.type.coding" />
125     <min value="1" />
126     <max value="1" />
127 </element>
128 <element id="Observation.identifier.type.coding.system">
129     <path value="Observation.identifier.type.coding.system" />
130     <min value="1" />
131 </element>
132 <element id="Observation.identifier.type.coding.version">
133     <path value="Observation.identifier.type.coding.version" />
134     <min value="1" />
135 </element>
136 <element id="Observation.identifier.type.coding.code">
137     <path value="Observation.identifier.type.coding.code" />
138     <min value="1" />
139 </element>
140 <element id="Observation.identifier.type.coding.display">
141     <path value="Observation.identifier.type.coding.display" />
142     <min value="1" />
143 </element>
144 <element id="Observation.identifier.type.coding.userSelected">
145     <path value="Observation.identifier.type.coding.userSelected" />
146     <max value="0" />
147 </element>
148 <element id="Observation.identifier.type.text">
149     <path value="Observation.identifier.type.text" />
150     <max value="0" />
151 </element>
152 <element id="Observation.identifier.system">
153     <path value="Observation.identifier.system" />
154     <min value="1" />
155     <fixedUri value="urn:iETF:rFC:3986" />
156     <mustSupport value="true" />
157 </element>
158 <element id="Observation.identifier.value">
159     <path value="Observation.identifier.value" />
160     <min value="1" />
161     <mustSupport value="true" />

```

```

162 </element>
163 <element id="Observation.identifier.period">
164   <path value="Observation.identifier.period" />
165   <max value="0" />
166 </element>
167 <element id="Observation.identifier.assigner">
168   <path value="Observation.identifier.assigner" />
169   <max value="0" />
170 </element>
171 <element id="Observation.basedOn">
172   <path value="Observation.basedOn" />
173   <max value="0" />
174 </element>
175 <element id="Observation.partOf">
176   <path value="Observation.partOf" />
177   <max value="0" />
178 </element>
179 <element id="Observation.status">
180   <path value="Observation.status" />
181   <patternCode value="final" />
182 </element>
183 <element id="Observation.category">
184   <path value="Observation.category" />
185   <max value="1" />
186   <mustSupport value="true" />
187   <binding>
188     <strength value="required" />
189     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_DIGA_Lifestyle_Factors|1.0.0" />
190   </binding>
191 </element>
192 <element id="Observation.category.coding">
193   <path value="Observation.category.coding" />
194   <min value="1" />
195   <max value="1" />
196   <mustSupport value="true" />
197 </element>
198 <element id="Observation.category.coding.system">
199   <path value="Observation.category.coding.system" />
200   <min value="1" />
201 </element>
202 <element id="Observation.category.coding.code">
203   <path value="Observation.category.coding.code" />
204   <min value="1" />
205 </element>
206 <element id="Observation.category.coding.display">
207   <path value="Observation.category.coding.display" />
208   <min value="1" />
209 </element>
210 <element id="Observation.category.coding.userSelected">
211   <path value="Observation.category.coding.userSelected" />
212   <max value="0" />
213 </element>
214 <element id="Observation.category.text">
215   <path value="Observation.category.text" />
216   <max value="0" />
217 </element>
218 <element id="Observation.code">
219   <path value="Observation.code" />
220   <mustSupport value="true" />

```

```

221 </element>
222 <element id="Observation.code.coding">
223   <path value="Observation.code.coding" />
224   <mustSupport value="true" />
225 </element>
226 <element id="Observation.code.coding.system">
227   <path value="Observation.code.coding.system" />
228   <min value="1" />
229 </element>
230 <element id="Observation.code.coding.version">
231   <path value="Observation.code.coding.version" />
232   <min value="1" />
233 </element>
234 <element id="Observation.code.coding.code">
235   <path value="Observation.code.coding.code" />
236   <min value="1" />
237 </element>
238 <element id="Observation.code.coding.display">
239   <path value="Observation.code.coding.display" />
240   <min value="1" />
241 </element>
242 <element id="Observation.code.coding.userSelected">
243   <path value="Observation.code.coding.userSelected" />
244   <max value="0" />
245 </element>
246 <element id="Observation.code.text">
247   <path value="Observation.code.text" />
248   <mustSupport value="true" />
249 </element>
250 <element id="Observation.subject">
251   <path value="Observation.subject" />
252   <min value="1" />
253   <type>
254     <code value="Reference" />
255     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
256   </type>
257   <mustSupport value="true" />
258 </element>
259 <element id="Observation.subject.reference">
260   <path value="Observation.subject.reference" />
261   <min value="1" />
262   <mustSupport value="true" />
263 </element>
264 <element id="Observation.subject.type">
265   <path value="Observation.subject.type" />
266   <max value="0" />
267 </element>
268 <element id="Observation.subject.identifier">
269   <path value="Observation.subject.identifier" />
270   <max value="0" />
271 </element>
272 <element id="Observation.subject.display">
273   <path value="Observation.subject.display" />
274   <max value="0" />
275 </element>
276 <element id="Observation.focus">
277   <path value="Observation.focus" />
278   <max value="0" />
279 </element>

```

```

280 <element id="Observation.encounter">
281   <path value="Observation.encounter" />
282   <max value="0" />
283 </element>
284 <element id="Observation.effective[x]">
285   <path value="Observation.effective[x]" />
286   < slicing>
287     < discriminator>
288       < type value="type" />
289       < path value="$this" />
290     </ discriminator>
291     < rules value="closed" />
292   </ slicing>
293   < type>
294     < code value="dateTime" />
295   </ type>
296   < type>
297     < code value="Period" />
298   </ type>
299   < mustSupport value="true" />
300 </ element>
301 < element id="Observation.effective[x]:effectivePeriod">
302   < path value="Observation.effective[x]" />
303   < sliceName value="effectivePeriod" />
304   < type>
305     < code value="Period" />
306   </ type>
307   < mustSupport value="true" />
308 </ element>
309 < element id="Observation.effective[x]:effectivePeriod.start">
310   < path value="Observation.effective[x].start" />
311   < mustSupport value="true" />
312 </ element>
313 < element id="Observation.effective[x]:effectivePeriod.end">
314   < path value="Observation.effective[x].end" />
315   < mustSupport value="true" />
316 </ element>
317 < element id="Observation.effective[x]:effectiveDateTime">
318   < path value="Observation.effective[x]" />
319   < sliceName value="effectiveDateTime" />
320   < type>
321     < code value="dateTime" />
322   </ type>
323 </ element>
324 < element id="Observation.issued">
325   < path value="Observation.issued" />
326   < max value="0" />
327 </ element>
328 < element id="Observation.performer">
329   < path value="Observation.performer" />
330   < max value="1" />
331   < type>
332     < code value="Reference" />
333     < targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
334     < targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
335     < targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_RelatedPerson|1.0.0" />

```

```

336         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole|1.0.0" />
337     </type>
338     <mustSupport value="true" />
339 </element>
340 <element id="Observation.performer.reference">
341     <path value="Observation.performer.reference" />
342     <min value="1" />
343     <mustSupport value="true" />
344 </element>
345 <element id="Observation.performer.type">
346     <path value="Observation.performer.type" />
347     <max value="0" />
348 </element>
349 <element id="Observation.performer.identifier">
350     <path value="Observation.performer.identifier" />
351     <max value="0" />
352 </element>
353 <element id="Observation.performer.display">
354     <path value="Observation.performer.display" />
355     <max value="0" />
356 </element>
357 <element id="Observation.value[x]">
358     <path value="Observation.value[x]" />
359     <max value="0" />
360     <type>
361         <code value="CodeableConcept" />
362     </type>
363     <type>
364         <code value="string" />
365     </type>
366 </element>
367 <element id="Observation.dataAbsentReason">
368     <path value="Observation.dataAbsentReason" />
369     <max value="0" />
370 </element>
371 <element id="Observation.interpretation">
372     <path value="Observation.interpretation" />
373     <max value="0" />
374 </element>
375 <element id="Observation.note">
376     <path value="Observation.note" />
377     <max value="1" />
378     <mustSupport value="true" />
379 </element>
380 <element id="Observation.note.author[x]">
381     <path value="Observation.note.author[x]" />
382     <max value="0" />
383 </element>
384 <element id="Observation.note.time">
385     <path value="Observation.note.time" />
386     <max value="0" />
387 </element>
388 <element id="Observation.note.text">
389     <path value="Observation.note.text" />
390     <mustSupport value="true" />
391 </element>
392 <element id="Observation.bodySite">
393     <path value="Observation.bodySite" />
394     <max value="0" />

```

```

395 </element>
396 <element id="Observation.method">
397   <path value="Observation.method" />
398   <max value="0" />
399 </element>
400 <element id="Observation.specimen">
401   <path value="Observation.specimen" />
402   <max value="0" />
403 </element>
404 <element id="Observation.device">
405   <path value="Observation.device" />
406   <max value="0" />
407 </element>
408 <element id="Observation.referenceRange">
409   <path value="Observation.referenceRange" />
410   <max value="0" />
411 </element>
412 <element id="Observation.hasMember">
413   <path value="Observation.hasMember" />
414   <type>
415     <code value="Reference" />
416     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Free|1.0.0" />
417     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Assessment_Scale|1.0.0" />
418   </type>
419   <mustSupport value="true" />
420 </element>
421 <element id="Observation.hasMember.reference">
422   <path value="Observation.hasMember.reference" />
423   <min value="1" />
424   <mustSupport value="true" />
425 </element>
426 <element id="Observation.hasMember.type">
427   <path value="Observation.hasMember.type" />
428   <max value="0" />
429 </element>
430 <element id="Observation.hasMember.identifier">
431   <path value="Observation.hasMember.identifier" />
432   <max value="0" />
433 </element>
434 <element id="Observation.hasMember.display">
435   <path value="Observation.hasMember.display" />
436   <max value="0" />
437 </element>
438 <element id="Observation.derivedFrom">
439   <path value="Observation.derivedFrom" />
440   <max value="0" />
441 </element>
442 <element id="Observation.component">
443   <path value="Observation.component" />
444   <max value="0" />
445 </element>
446 </differential>
447 </StructureDefinition>

```



## 64. KBV\_PR\_MIO\_DIGA\_OBSERVATION\_NUTRITION\_INTAKE

### KBV\_PR\_MIO\_DIGA\_Observation\_Nutrition\_Intake

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Nutrition_Intake" />
3    <version value="1.0.0" />
4    <name value="KBV_PR_MIO_DIGA_Observation_Nutrition_Intake" />
5    <title value="KBV_PR_MIO_DIGA_Observation_Nutrition_Intake" />
6    <status value="draft" />
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <description value="Dieses Profil bildet die Nahrungsmittelaufnahme
ab." />
9    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM
definitions or is derived from it, subject to a license from Regenstrief
Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM
codes, UCUM definitions also is subject to this license, a copy of which is
available at http://unitsofmeasure.org. The current complete UCUM table,
UCUM Specification are available for download at http://unitsofmeasure.org.
The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief
Institute, Inc. and the Unified Codes for Units of Measures UCUM
Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM
DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS
OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE." />
10   <fhirVersion value="4.0.1" />
11   <kind value="resource" />
12   <abstract value="false" />
13   <type value="Observation" />
14   <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
15   <derivation value="constraint" />
16   <differential>
17     <element id="Observation">
18       <path value="Observation" />
19       <definition value="Dieses Profil bildet die Nahrungsmittelaufnahme
ab." />
20     </element>
21     <element id="Observation.meta">
22       <path value="Observation.meta" />
23       <min value="1" />
24     </element>
25     <element id="Observation.meta.versionId">
26       <path value="Observation.meta.versionId" />

```

```

27     <min value="1" />
28 </element>
29 <element id="Observation.meta.lastUpdated">
30   <path value="Observation.meta.lastUpdated" />
31   <min value="1" />
32 </element>
33 <element id="Observation.meta.source">
34   <path value="Observation.meta.source" />
35   <max value="0" />
36 </element>
37 <element id="Observation.meta.profile">
38   <path value="Observation.meta.profile" />
39   <min value="1" />
40   <max value="1" />
41   <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Nutrition_Intake|1.0.0" />
42 </element>
43 <element id="Observation.meta.security">
44   <path value="Observation.meta.security" />
45   <max value="0" />
46 </element>
47 <element id="Observation.meta.tag">
48   <path value="Observation.meta.tag" />
49   <max value="0" />
50 </element>
51 <element id="Observation.implicitRules">
52   <path value="Observation.implicitRules" />
53   <max value="0" />
54 </element>
55 <element id="Observation.language">
56   <path value="Observation.language" />
57   <max value="0" />
58 </element>
59 <element id="Observation.text">
60   <path value="Observation.text" />
61   <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
62 </element>
63 <element id="Observation.text.status">
64   <path value="Observation.text.status" />
65   <fixedCode value="extensions" />
66 </element>
67 <element id="Observation.contained">
68   <path value="Observation.contained" />
69   <max value="0" />
70 </element>
71 <element id="Observation.identifier">
72   <path value="Observation.identifier" />
73   <min value="1" />
74   <max value="1" />
75   <mustSupport value="true" />
76 </element>
77 <element id="Observation.identifier.use">
78   <path value="Observation.identifier.use" />
79   <max value="0" />
80 </element>
81 <element id="Observation.identifier.type">

```

```

82     <path value="Observation.identifier.type" />
83     <min value="1" />
84     <patternCodeableConcept>
85         <coding>
86             <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
87             <version value="2.9" />
88             <code value="RI" />
89             <display value="Resource identifier" />
90         </coding>
91     </patternCodeableConcept>
92 </element>
93 <element id="Observation.identifier.type.coding">
94     <path value="Observation.identifier.type.coding" />
95     <min value="1" />
96     <max value="1" />
97 </element>
98 <element id="Observation.identifier.type.coding.system">
99     <path value="Observation.identifier.type.coding.system" />
100    <min value="1" />
101 </element>
102 <element id="Observation.identifier.type.coding.version">
103     <path value="Observation.identifier.type.coding.version" />
104     <min value="1" />
105 </element>
106 <element id="Observation.identifier.type.coding.code">
107     <path value="Observation.identifier.type.coding.code" />
108     <min value="1" />
109 </element>
110 <element id="Observation.identifier.type.coding.display">
111     <path value="Observation.identifier.type.coding.display" />
112     <min value="1" />
113 </element>
114 <element id="Observation.identifier.type.coding.userSelected">
115     <path value="Observation.identifier.type.coding.userSelected" />
116     <max value="0" />
117 </element>
118 <element id="Observation.identifier.type.text">
119     <path value="Observation.identifier.type.text" />
120     <max value="0" />
121 </element>
122 <element id="Observation.identifier.system">
123     <path value="Observation.identifier.system" />
124     <min value="1" />
125     <fixedUri value="urn:iETF:rFC:3986" />
126     <mustSupport value="true" />
127 </element>
128 <element id="Observation.identifier.value">
129     <path value="Observation.identifier.value" />
130     <min value="1" />
131     <mustSupport value="true" />
132 </element>
133 <element id="Observation.identifier.period">
134     <path value="Observation.identifier.period" />
135     <max value="0" />
136 </element>
137 <element id="Observation.identifier.assigner">
138     <path value="Observation.identifier.assigner" />
139     <max value="0" />
140 </element>
141 <element id="Observation.basedOn">

```

```

142     <path value="Observation.basedOn" />
143     <max value="0" />
144 </element>
145 <element id="Observation.partOf">
146     <path value="Observation.partOf" />
147     <max value="0" />
148 </element>
149 <element id="Observation.status">
150     <path value="Observation.status" />
151     <patternCode value="final" />
152 </element>
153 <element id="Observation.category">
154     <path value="Observation.category" />
155     <max value="0" />
156 </element>
157 <element id="Observation.category.coding">
158     <path value="Observation.category.coding" />
159     <max value="0" />
160 </element>
161 <element id="Observation.category.coding.userSelected">
162     <path value="Observation.category.coding.userSelected" />
163     <max value="0" />
164 </element>
165 <element id="Observation.category.text">
166     <path value="Observation.category.text" />
167     <max value="0" />
168 </element>
169 <element id="Observation.code">
170     <path value="Observation.code" />
171     <mustSupport value="true" />
172 </element>
173 <element id="Observation.code.coding">
174     <path value="Observation.code.coding" />
175     <mustSupport value="true" />
176 </element>
177 <element id="Observation.code.coding.system">
178     <path value="Observation.code.coding.system" />
179     <min value="1" />
180 </element>
181 <element id="Observation.code.coding.version">
182     <path value="Observation.code.coding.version" />
183     <min value="1" />
184 </element>
185 <element id="Observation.code.coding.code">
186     <path value="Observation.code.coding.code" />
187     <min value="1" />
188 </element>
189 <element id="Observation.code.coding.display">
190     <path value="Observation.code.coding.display" />
191     <min value="1" />
192 </element>
193 <element id="Observation.code.coding.userSelected">
194     <path value="Observation.code.coding.userSelected" />
195     <max value="0" />
196 </element>
197 <element id="Observation.code.text">
198     <path value="Observation.code.text" />
199     <mustSupport value="true" />
200 </element>
201 <element id="Observation.subject">

```

```

202     <path value="Observation.subject" />
203     <min value="1" />
204     <type>
205         <code value="Reference" />
206         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
207     </type>
208     <mustSupport value="true" />
209 </element>
210 <element id="Observation.subject.reference">
211     <path value="Observation.subject.reference" />
212     <min value="1" />
213     <mustSupport value="true" />
214 </element>
215 <element id="Observation.subject.type">
216     <path value="Observation.subject.type" />
217     <max value="0" />
218 </element>
219 <element id="Observation.subject.identifier">
220     <path value="Observation.subject.identifier" />
221     <max value="0" />
222 </element>
223 <element id="Observation.subject.display">
224     <path value="Observation.subject.display" />
225     <max value="0" />
226 </element>
227 <element id="Observation.focus">
228     <path value="Observation.focus" />
229     <max value="0" />
230 </element>
231 <element id="Observation.encounter">
232     <path value="Observation.encounter" />
233     <max value="0" />
234 </element>
235 <element id="Observation.effective[x]">
236     <path value="Observation.effective[x]" />
237     <slicing>
238         <discriminator>
239             <type value="type" />
240             <path value="$this" />
241         </discriminator>
242         <rules value="closed" />
243     </slicing>
244     <min value="1" />
245     <type>
246         <code value="dateTime" />
247     </type>
248     <type>
249         <code value="Period" />
250     </type>
251     <mustSupport value="true" />
252 </element>
253 <element id="Observation.effective[x]:effectiveDateTime">
254     <path value="Observation.effective[x]" />
255     <sliceName value="effectiveDateTime" />
256     <type>
257         <code value="dateTime" />
258     </type>
259     <mustSupport value="true" />
260 </element>

```

```

261 <element id="Observation.effective[x]:effectivePeriod">
262   <path value="Observation.effective[x]" />
263   <sliceName value="effectivePeriod" />
264   <type>
265     <code value="Period" />
266   </type>
267   <mustSupport value="true" />
268 </element>
269 <element id="Observation.effective[x]:effectivePeriod.start">
270   <path value="Observation.effective[x].start" />
271   <mustSupport value="true" />
272 </element>
273 <element id="Observation.effective[x]:effectivePeriod.end">
274   <path value="Observation.effective[x].end" />
275   <mustSupport value="true" />
276 </element>
277 <element id="Observation.issued">
278   <path value="Observation.issued" />
279   <max value="0" />
280 </element>
281 <element id="Observation.performer">
282   <path value="Observation.performer" />
283   <max value="1" />
284   <type>
285     <code value="Reference" />
286     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
287     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
288     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_RelatedPerson|1.0.0" />
289     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole|1.0.0" />
290   </type>
291   <mustSupport value="true" />
292 </element>
293 <element id="Observation.performer.reference">
294   <path value="Observation.performer.reference" />
295   <min value="1" />
296   <mustSupport value="true" />
297 </element>
298 <element id="Observation.performer.type">
299   <path value="Observation.performer.type" />
300   <max value="0" />
301 </element>
302 <element id="Observation.performer.identifier">
303   <path value="Observation.performer.identifier" />
304   <max value="0" />
305 </element>
306 <element id="Observation.performer.display">
307   <path value="Observation.performer.display" />
308   <max value="0" />
309 </element>
310 <element id="Observation.value[x]">
311   <path value="Observation.value[x]" />
312   <max value="0" />
313 </element>
314 <element id="Observation.dataAbsentReason">
315   <path value="Observation.dataAbsentReason" />
316   <max value="0" />

```

```

317 </element>
318 <element id="Observation.interpretation">
319   <path value="Observation.interpretation" />
320   <max value="0" />
321 </element>
322 <element id="Observation.note">
323   <path value="Observation.note" />
324   <max value="1" />
325   <mustSupport value="true" />
326 </element>
327 <element id="Observation.note.author[x]">
328   <path value="Observation.note.author[x]" />
329   <max value="0" />
330 </element>
331 <element id="Observation.note.time">
332   <path value="Observation.note.time" />
333   <max value="0" />
334 </element>
335 <element id="Observation.note.text">
336   <path value="Observation.note.text" />
337   <mustSupport value="true" />
338 </element>
339 <element id="Observation.bodySite">
340   <path value="Observation.bodySite" />
341   <max value="0" />
342 </element>
343 <element id="Observation.method">
344   <path value="Observation.method" />
345   <max value="0" />
346 </element>
347 <element id="Observation.specimen">
348   <path value="Observation.specimen" />
349   <max value="0" />
350 </element>
351 <element id="Observation.device">
352   <path value="Observation.device" />
353   <max value="0" />
354 </element>
355 <element id="Observation.referenceRange">
356   <path value="Observation.referenceRange" />
357   <max value="0" />
358 </element>
359 <element id="Observation.hasMember">
360   <path value="Observation.hasMember" />
361   <type>
362     <code value="Reference" />
363     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Nutrition_Intake_Food_Composition_Types|
1.0.0" />
364   </type>
365   <mustSupport value="true" />
366 </element>
367 <element id="Observation.hasMember.reference">
368   <path value="Observation.hasMember.reference" />
369   <min value="1" />
370   <mustSupport value="true" />
371 </element>
372 <element id="Observation.hasMember.type">
373   <path value="Observation.hasMember.type" />
374   <max value="0" />

```

```

375 </element>
376 <element id="Observation.hasMember.identifier">
377   <path value="Observation.hasMember.identifier" />
378   <max value="0" />
379 </element>
380 <element id="Observation.hasMember.display">
381   <path value="Observation.hasMember.display" />
382   <max value="0" />
383 </element>
384 <element id="Observation.derivedFrom">
385   <path value="Observation.derivedFrom" />
386   <max value="0" />
387 </element>
388 <element id="Observation.component">
389   <path value="Observation.component" />
390   <mustSupport value="true" />
391 </element>
392 <element id="Observation.component.extension">
393   <path value="Observation.component.extension" />
394   <licing>
395     <discriminator>
396       <type value="value" />
397       <path value="url" />
398     </discriminator>
399     <rules value="open" />
400   </licing>
401   <min value="0" />
402 </element>
403 <element id="Observation.component.extension:erfolgteEinnahme">
404   <path value="Observation.component.extension" />
405   <sliceName value="erfolgteEinnahme" />
406   <min value="0" />
407   <max value="1" />
408   <type>
409     <code value="Extension" />
410     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_MIO_DIGA_Nutrition_Intake_Taken" />
411   </type>
412   <mustSupport value="true" />
413 </element>
414 <element id="Observation.component.extension:erfolgteEinnahme.extension
">
415   <path value="Observation.component.extension.extension" />
416   <licing>
417     <discriminator>
418       <type value="value" />
419       <path value="url" />
420     </discriminator>
421     <rules value="open" />
422   </licing>
423   <min value="1" />
424 </element>
425 <element id="Observation.component.extension:erfolgteEinnahme.extension
:einnahmeErfolgt">
426   <path value="Observation.component.extension.extension" />
427   <sliceName value="einnahmeErfolgt" />
428   <min value="1" />
429 </element>
430 <element id="Observation.component.extension:erfolgteEinnahme.extension
:einnahmeErfolgt.extension">

```



```

431     <path value="Observation.component.extension.extension.extension" />
432     <slicing>
433         <discriminator>
434             <type value="value" />
435             <path value="url" />
436         </discriminator>
437         <rules value="open" />
438     </slicing>
439     <min value="2" />
440 </element>
441     <element id="Observation.component.extension:erfolgteEinnahme.extension
:einnahmeErfolgt.extension:einnahmeErfolgtCode">
442         <path value="Observation.component.extension.extension.extension" />
443         <sliceName value="einnahmeErfolgtCode" />
444         <min value="1" />
445     </element>
446     <element id="Observation.component.extension:erfolgteEinnahme.extension
:einnahmeErfolgt.extension:einnahmeErfolgtCode.value[x]:valueCodeableConcep
t">
447         <path value="Observation.component.extension.extension.extension.valu
e[x]" />
448         <sliceName value="valueCodeableConcept" />
449         <min value="1" />
450     </element>
451     <element id="Observation.component.extension:erfolgteEinnahme.extension
:einnahmeErfolgt.extension:einnahmeErfolgtCode.value[x]:valueCodeableConcep
t.coding">
452         <path value="Observation.component.extension.extension.extension.valu
e[x].coding" />
453         <min value="1" />
454     </element>
455     <element id="Observation.component.extension:erfolgteEinnahme.extension
:einnahmeErfolgt.extension:einnahmeErfolgtCode.value[x]:valueCodeableConcep
t.coding.system">
456         <path value="Observation.component.extension.extension.extension.valu
e[x].coding.system" />
457         <min value="1" />
458     </element>
459     <element id="Observation.component.extension:erfolgteEinnahme.extension
:einnahmeErfolgt.extension:einnahmeErfolgtCode.value[x]:valueCodeableConcep
t.coding.version">
460         <path value="Observation.component.extension.extension.extension.valu
e[x].coding.version" />
461         <min value="1" />
462     </element>
463     <element id="Observation.component.extension:erfolgteEinnahme.extension
:einnahmeErfolgt.extension:einnahmeErfolgtCode.value[x]:valueCodeableConcep
t.coding.code">
464         <path value="Observation.component.extension.extension.extension.valu
e[x].coding.code" />
465         <min value="1" />
466     </element>
467     <element id="Observation.component.extension:erfolgteEinnahme.extension
:einnahmeErfolgt.extension:einnahmeErfolgtCode.value[x]:valueCodeableConcep
t.coding.display">
468         <path value="Observation.component.extension.extension.extension.valu
e[x].coding.display" />
469         <min value="1" />
470     </element>
471     <element id="Observation.component.code">

```

```

472     <path value="Observation.component.code" />
473     <mustSupport value="true" />
474 </element>
475 <element id="Observation.component.code.coding">
476     <path value="Observation.component.code.coding" />
477     <mustSupport value="true" />
478 </element>
479 <element id="Observation.component.code.coding.system">
480     <path value="Observation.component.code.coding.system" />
481     <min value="1" />
482 </element>
483 <element id="Observation.component.code.coding.version">
484     <path value="Observation.component.code.coding.version" />
485     <min value="1" />
486 </element>
487 <element id="Observation.component.code.coding.code">
488     <path value="Observation.component.code.coding.code" />
489     <min value="1" />
490 </element>
491 <element id="Observation.component.code.coding.display">
492     <path value="Observation.component.code.coding.display" />
493     <min value="1" />
494 </element>
495 <element id="Observation.component.code.coding.userSelected">
496     <path value="Observation.component.code.coding.userSelected" />
497     <max value="0" />
498 </element>
499 <element id="Observation.component.code.text">
500     <path value="Observation.component.code.text" />
501     <mustSupport value="true" />
502 </element>
503 <element id="Observation.component.value[x]">
504     <path value="Observation.component.value[x]" />
505     <slicing>
506         <discriminator>
507             <type value="type" />
508             <path value="$this" />
509         </discriminator>
510         <rules value="closed" />
511     </slicing>
512     <type>
513         <code value="Quantity" />
514     </type>
515     <mustSupport value="true" />
516 </element>
517 <element id="Observation.component.value[x]:valueQuantity">
518     <path value="Observation.component.value[x]" />
519     <sliceName value="valueQuantity" />
520     <min value="1" />
521     <type>
522         <code value="Quantity" />
523     </type>
524     <mustSupport value="true" />
525 </element>
526 <element id="Observation.component.value[x]:valueQuantity.value">
527     <path value="Observation.component.value[x].value" />
528     <min value="1" />
529     <mustSupport value="true" />
530 </element>
531 <element id="Observation.component.value[x]:valueQuantity.comparator">

```

```

532     <path value="Observation.component.value[x].comparator" />
533     <max value="0" />
534 </element>
535 <element id="Observation.component.value[x]:valueQuantity.unit">
536     <path value="Observation.component.value[x].unit" />
537     <mustSupport value="true" />
538 </element>
539 <element id="Observation.component.value[x]:valueQuantity.code">
540     <path value="Observation.component.value[x].code" />
541     <mustSupport value="true" />
542 </element>
543 <element id="Observation.component.dataAbsentReason">
544     <path value="Observation.component.dataAbsentReason" />
545     <max value="0" />
546 </element>
547 <element id="Observation.component.interpretation">
548     <path value="Observation.component.interpretation" />
549     <max value="0" />
550 </element>
551 <element id="Observation.component.referenceRange">
552     <path value="Observation.component.referenceRange" />
553     <max value="0" />
554 </element>
555 </differential>
556 </StructureDefinition>

```

## 65. KBV\_PR\_MIO\_DIGA\_OBSERVATION\_NUTRITION\_INTAKE\_FOOD\_COMPOSITION\_TYPES

### KBV\_PR\_MIO\_DIGA\_Observation\_Nutrition\_Intake\_Food\_Composition\_Types

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Nutrition_Intake_Food_Composition_Types" />
3   <version value="1.0.0" />
4   <name value="KBV_PR_MIO_DIGA_Observation_Nutrition_Intake_Food_Compositio
n_Types" />
5   <title value="KBV_PR_MIO_DIGA_Observation_Nutrition_Intake_Food_Compositi
on_Types" />
6   <status value="draft" />
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <description value="Dieses Profil bildet ein Detail über die
Gesamtzusammensetzung einer Nahrungsmittelaufnahme ab." />
9   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM
definitions or is derived from it, subject to a license from Regenstrief
Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM

```

codes, UCUM definitions also is subject to this license, a copy of which is available at <http://unitsofmeasure.org>. The current complete UCUM table, UCUM Specification are available for download at <http://unitsofmeasure.org>. The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures UCUM Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED "AS IS." ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE." />

```

10 <fhirVersion value="4.0.1" />
11 <kind value="resource" />
12 <abstract value="false" />
13 <type value="Observation" />
14 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Observation" />
15 <derivation value="constraint" />
16 <differential>
17 <element id="Observation">
18 <path value="Observation" />
19 <definition value="Dieses Profil bildet ein Detail über die
Gesamtzusammensetzung einer Nahrungsmittelaufnahme ab." />
20 </element>
21 <element id="Observation.meta">
22 <path value="Observation.meta" />
23 <min value="1" />
24 </element>
25 <element id="Observation.meta.versionId">
26 <path value="Observation.meta.versionId" />
27 <min value="1" />
28 </element>
29 <element id="Observation.meta.lastUpdated">
30 <path value="Observation.meta.lastUpdated" />
31 <min value="1" />
32 </element>
33 <element id="Observation.meta.source">
34 <path value="Observation.meta.source" />
35 <max value="0" />
36 </element>
37 <element id="Observation.meta.profile">
38 <path value="Observation.meta.profile" />
39 <min value="1" />
40 <max value="1" />
41 <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Nutrition_Intake_Food_Composition_Types|
1.0.0" />
42 </element>
43 <element id="Observation.meta.security">
44 <path value="Observation.meta.security" />
45 <max value="0" />
46 </element>
47 <element id="Observation.meta.tag">
48 <path value="Observation.meta.tag" />
49 <max value="0" />
50 </element>
51 <element id="Observation.implicitRules">
52 <path value="Observation.implicitRules" />
53 <max value="0" />
54 </element>
55 <element id="Observation.language">

```

```

56     <path value="Observation.language" />
57     <max value="0" />
58 </element>
59 <element id="Observation.text">
60     <path value="Observation.text" />
61     <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
62 </element>
63 <element id="Observation.text.status">
64     <path value="Observation.text.status" />
65     <fixedCode value="extensions" />
66 </element>
67 <element id="Observation.contained">
68     <path value="Observation.contained" />
69     <max value="0" />
70 </element>
71 <element id="Observation.identifier">
72     <path value="Observation.identifier" />
73     <min value="1" />
74     <max value="1" />
75     <mustSupport value="true" />
76 </element>
77 <element id="Observation.identifier.use">
78     <path value="Observation.identifier.use" />
79     <max value="0" />
80 </element>
81 <element id="Observation.identifier.type">
82     <path value="Observation.identifier.type" />
83     <min value="1" />
84     <patternCodeableConcept>
85         <coding>
86             <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
87             <version value="2.9" />
88             <code value="RI" />
89             <display value="Resource identifier" />
90         </coding>
91     </patternCodeableConcept>
92 </element>
93 <element id="Observation.identifier.type.coding">
94     <path value="Observation.identifier.type.coding" />
95     <min value="1" />
96     <max value="1" />
97 </element>
98 <element id="Observation.identifier.type.coding.system">
99     <path value="Observation.identifier.type.coding.system" />
100    <min value="1" />
101 </element>
102 <element id="Observation.identifier.type.coding.version">
103     <path value="Observation.identifier.type.coding.version" />
104     <min value="1" />
105 </element>
106 <element id="Observation.identifier.type.coding.code">
107     <path value="Observation.identifier.type.coding.code" />
108     <min value="1" />
109 </element>
110 <element id="Observation.identifier.type.coding.display">
111     <path value="Observation.identifier.type.coding.display" />

```

```

112     <min value="1" />
113 </element>
114 <element id="Observation.identifier.type.coding.userSelected">
115     <path value="Observation.identifier.type.coding.userSelected" />
116     <max value="0" />
117 </element>
118 <element id="Observation.identifier.type.text">
119     <path value="Observation.identifier.type.text" />
120     <max value="0" />
121 </element>
122 <element id="Observation.identifier.system">
123     <path value="Observation.identifier.system" />
124     <min value="1" />
125     <fixedUri value="urn:iETF:rFC:3986" />
126     <mustSupport value="true" />
127 </element>
128 <element id="Observation.identifier.value">
129     <path value="Observation.identifier.value" />
130     <min value="1" />
131     <mustSupport value="true" />
132 </element>
133 <element id="Observation.identifier.period">
134     <path value="Observation.identifier.period" />
135     <max value="0" />
136 </element>
137 <element id="Observation.identifier.assigner">
138     <path value="Observation.identifier.assigner" />
139     <max value="0" />
140 </element>
141 <element id="Observation.basedOn">
142     <path value="Observation.basedOn" />
143     <max value="0" />
144 </element>
145 <element id="Observation.partOf">
146     <path value="Observation.partOf" />
147     <max value="0" />
148 </element>
149 <element id="Observation.status">
150     <path value="Observation.status" />
151     <patternCode value="final" />
152 </element>
153 <element id="Observation.category">
154     <path value="Observation.category" />
155     <min value="1" />
156     <max value="1" />
157     <patternCodeableConcept>
158         <coding>
159             <system value="http://snomed.info/sct" />
160             <version value="http://snomed.info/sct/900000000000207008/
version/20220131" />
161             <code value="229957008" />
162             <display value="Food composition types (substance)" />
163         </coding>
164     </patternCodeableConcept>
165     <mustSupport value="true" />
166 </element>
167 <element id="Observation.category.coding">
168     <path value="Observation.category.coding" />
169     <min value="1" />
170     <max value="1" />

```

```

171     <mustSupport value="true" />
172 </element>
173 <element id="Observation.category.coding.system">
174     <path value="Observation.category.coding.system" />
175     <min value="1" />
176 </element>
177 <element id="Observation.category.coding.version">
178     <path value="Observation.category.coding.version" />
179     <min value="1" />
180 </element>
181 <element id="Observation.category.coding.code">
182     <path value="Observation.category.coding.code" />
183     <min value="1" />
184 </element>
185 <element id="Observation.category.coding.display">
186     <path value="Observation.category.coding.display" />
187     <min value="1" />
188 </element>
189 <element id="Observation.category.coding.display.extension">
190     <path value="Observation.category.coding.display.extension" />
191     < slicing>
192         < discriminator>
193             < type value="value" />
194             < path value="url" />
195         </ discriminator>
196         < rules value="open" />
197     </ slicing>
198     < min value="1" />
199 </ element>
200 < element id="Observation.category.coding.display.extension:anzeigenameC
201 ategory">
202     < path value="Observation.category.coding.display.extension" />
203     < sliceName value="anzeigenameCategory" />
204     < min value="1" />
205     < max value="1" />
206     < type>
207         < code value="Extension" />
208         < profile value="https://fhir.kbv.de/StructureDefinition/
209 KBV_EX_Base_Terminology_German" />
210     </ type>
211     < mustSupport value="true" />
212 </ element>
213 < element id="Observation.category.coding.display.extension:anzeigenameC
214 ategory.extension">
215     < path value="Observation.category.coding.display.extension.extension"
216 />
217     < slicing>
218         < discriminator>
219             < type value="value" />
220             < path value="url" />
221         </ discriminator>
222         < rules value="open" />
223     </ slicing>
224     < min value="1" />
225 </ element>
226 < element id="Observation.category.coding.display.extension:anzeigenameC
227 ategory.extension:content">
228     < path value="Observation.category.coding.display.extension.extension"
229 />
230     < sliceName value="content" />

```

```

225     <min value="1" />
226 </element>
227 <element id="Observation.category.coding.display.extension:anzeigenameC
category.extension:content.value[x]">
228 <path value="Observation.category.coding.display.extension.extension.
value[x]" />
229 <mustSupport value="true" />
230 </element>
231 <element id="Observation.category.coding.display.extension:anzeigenameC
category.extension:content.value[x]:valueString">
232 <path value="Observation.category.coding.display.extension.extension.
valueString" />
233 <sliceName value="valueString" />
234 <min value="1" />
235 <fixedString value="Detail über die Gesamtzusammensetzung" />
236 <mustSupport value="true" />
237 </element>
238 <element id="Observation.category.coding.userSelected">
239 <path value="Observation.category.coding.userSelected" />
240 <max value="0" />
241 </element>
242 <element id="Observation.category.text">
243 <path value="Observation.category.text" />
244 <max value="0" />
245 </element>
246 <element id="Observation.code">
247 <path value="Observation.code" />
248 <mustSupport value="true" />
249 </element>
250 <element id="Observation.code.coding">
251 <path value="Observation.code.coding" />
252 <mustSupport value="true" />
253 </element>
254 <element id="Observation.code.coding.system">
255 <path value="Observation.code.coding.system" />
256 <min value="1" />
257 </element>
258 <element id="Observation.code.coding.version">
259 <path value="Observation.code.coding.version" />
260 <min value="1" />
261 </element>
262 <element id="Observation.code.coding.code">
263 <path value="Observation.code.coding.code" />
264 <min value="1" />
265 </element>
266 <element id="Observation.code.coding.display">
267 <path value="Observation.code.coding.display" />
268 <min value="1" />
269 </element>
270 <element id="Observation.code.coding.userSelected">
271 <path value="Observation.code.coding.userSelected" />
272 <max value="0" />
273 </element>
274 <element id="Observation.code.text">
275 <path value="Observation.code.text" />
276 <mustSupport value="true" />
277 </element>
278 <element id="Observation.subject">
279 <path value="Observation.subject" />
280 <min value="1" />

```



```

281     <type>
282       <code value="Reference" />
283       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
284     </type>
285     <mustSupport value="true" />
286   </element>
287   <element id="Observation.subject.reference">
288     <path value="Observation.subject.reference" />
289     <min value="1" />
290     <mustSupport value="true" />
291   </element>
292   <element id="Observation.subject.type">
293     <path value="Observation.subject.type" />
294     <max value="0" />
295   </element>
296   <element id="Observation.subject.identifier">
297     <path value="Observation.subject.identifier" />
298     <max value="0" />
299   </element>
300   <element id="Observation.subject.display">
301     <path value="Observation.subject.display" />
302     <max value="0" />
303   </element>
304   <element id="Observation.focus">
305     <path value="Observation.focus" />
306     <max value="0" />
307   </element>
308   <element id="Observation.encounter">
309     <path value="Observation.encounter" />
310     <max value="0" />
311   </element>
312   <element id="Observation.effective[x]">
313     <path value="Observation.effective[x]" />
314     <licing>
315       <discriminator>
316         <type value="type" />
317         <path value="$this" />
318       </discriminator>
319       <rules value="closed" />
320     </licing>
321     <min value="1" />
322     <type>
323       <code value="dateTime" />
324     </type>
325     <type>
326       <code value="Period" />
327     </type>
328     <mustSupport value="true" />
329   </element>
330   <element id="Observation.effective[x]:effectiveDateTime">
331     <path value="Observation.effective[x]" />
332     <sliceName value="effectiveDateTime" />
333     <type>
334       <code value="dateTime" />
335     </type>
336     <mustSupport value="true" />
337   </element>
338   <element id="Observation.effective[x]:effectivePeriod">
339     <path value="Observation.effective[x]" />

```

```

340     <sliceName value="effectivePeriod" />
341     <type>
342       <code value="Period" />
343     </type>
344     <mustSupport value="true" />
345   </element>
346   <element id="Observation.effective[x]:effectivePeriod.start">
347     <path value="Observation.effective[x].start" />
348     <mustSupport value="true" />
349   </element>
350   <element id="Observation.effective[x]:effectivePeriod.end">
351     <path value="Observation.effective[x].end" />
352     <mustSupport value="true" />
353   </element>
354   <element id="Observation.issued">
355     <path value="Observation.issued" />
356     <max value="0" />
357   </element>
358   <element id="Observation.performer">
359     <path value="Observation.performer" />
360     <max value="1" />
361     <type>
362       <code value="Reference" />
363       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
364       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
365       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_RelatedPerson|1.0.0" />
366       <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole|1.0.0" />
367     </type>
368     <mustSupport value="true" />
369   </element>
370   <element id="Observation.performer.reference">
371     <path value="Observation.performer.reference" />
372     <min value="1" />
373     <mustSupport value="true" />
374   </element>
375   <element id="Observation.performer.type">
376     <path value="Observation.performer.type" />
377     <max value="0" />
378   </element>
379   <element id="Observation.performer.identifier">
380     <path value="Observation.performer.identifier" />
381     <max value="0" />
382   </element>
383   <element id="Observation.performer.display">
384     <path value="Observation.performer.display" />
385     <max value="0" />
386   </element>
387   <element id="Observation.value[x]">
388     <path value="Observation.value[x]" />
389     <slicing>
390       <discriminator>
391         <type value="type" />
392         <path value="$this" />
393       </discriminator>
394       <rules value="open" />
395     </slicing>

```

```

396     <min value="1" />
397     <type>
398       <code value="Quantity" />
399     </type>
400     <mustSupport value="true" />
401   </element>
402   <element id="Observation.value[x]:valueQuantity">
403     <path value="Observation.value[x]" />
404     <sliceName value="valueQuantity" />
405     <min value="1" />
406     <type>
407       <code value="Quantity" />
408     </type>
409     <mustSupport value="true" />
410   </element>
411   <element id="Observation.value[x]:valueQuantity.value">
412     <path value="Observation.value[x].value" />
413     <min value="1" />
414     <mustSupport value="true" />
415   </element>
416   <element id="Observation.value[x]:valueQuantity.comparator">
417     <path value="Observation.value[x].comparator" />
418     <max value="0" />
419   </element>
420   <element id="Observation.value[x]:valueQuantity.unit">
421     <path value="Observation.value[x].unit" />
422     <mustSupport value="true" />
423   </element>
424   <element id="Observation.value[x]:valueQuantity.code">
425     <path value="Observation.value[x].code" />
426     <mustSupport value="true" />
427   </element>
428   <element id="Observation.dataAbsentReason">
429     <path value="Observation.dataAbsentReason" />
430     <max value="0" />
431   </element>
432   <element id="Observation.interpretation">
433     <path value="Observation.interpretation" />
434     <max value="0" />
435   </element>
436   <element id="Observation.note">
437     <path value="Observation.note" />
438     <max value="0" />
439   </element>
440   <element id="Observation.bodySite">
441     <path value="Observation.bodySite" />
442     <max value="0" />
443   </element>
444   <element id="Observation.method">
445     <path value="Observation.method" />
446     <max value="0" />
447   </element>
448   <element id="Observation.specimen">
449     <path value="Observation.specimen" />
450     <max value="0" />
451   </element>
452   <element id="Observation.device">
453     <path value="Observation.device" />
454     <max value="0" />
455   </element>

```

```

456     <element id="Observation.referenceRange">
457       <path value="Observation.referenceRange" />
458       <max value="0" />
459     </element>
460     <element id="Observation.hasMember">
461       <path value="Observation.hasMember" />
462       <max value="0" />
463     </element>
464     <element id="Observation.derivedFrom">
465       <path value="Observation.derivedFrom" />
466       <max value="0" />
467     </element>
468     <element id="Observation.component">
469       <path value="Observation.component" />
470       <max value="0" />
471     </element>
472   </differential>
473 </StructureDefinition>

```

## 66. KBV\_PR\_MIO\_DIGA\_OBSERVATION\_PERIPHERAL\_OXYGEN\_SATURATION

### KBV\_PR\_MIO\_DIGA\_Observation\_Peripheral\_Oxygen\_Saturation

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Peripheral_Oxygen_Saturation" />
3    <version value="1.0.0" />
4    <name value="KBV_PR_MIO_DIGA_Observation_Peripheral_Oxygen_Saturation" />
5    <title value="KBV_PR_MIO_DIGA_Observation_Peripheral_Oxygen_Saturation" /
>
6    <status value="draft" />
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <description value="Dieses Profil bildet die periphere arterielle
Sauerstoffsättigung ab." />
9    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM
definitions or is derived from it, subject to a license from Regenstrief
Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM
codes, UCUM definitions is subject to this license, a copy of which is
available at http://unitsofmeasure.org. The current complete UCUM table,
UCUM Specification are available for download at http://unitsofmeasure.org.
The UCUM table and UCUM codes are copyright © 1995-2009, Regenstrief
Institute, Inc. and the Unified Codes for Units of Measures UCUM
Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM
DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS
OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE

```

IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE." />

```
10 <fhirVersion value="4.0.1" />
11 <kind value="resource" />
12 <abstract value="false" />
13 <type value="Observation" />
14 <baseDefinition value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_Base_Observation_Peripheral_Oxygen_Saturation|1.2.1" />
15 <derivation value="constraint" />
16 <differential>
17 <element id="Observation">
18 <path value="Observation" />
19 <definition value="Dieses Profil bildet die periphere arterielle
Sauerstoffsättigung ab." />
20 </element>
21 <element id="Observation.meta">
22 <path value="Observation.meta" />
23 <min value="1" />
24 </element>
25 <element id="Observation.meta.versionId">
26 <path value="Observation.meta.versionId" />
27 <min value="1" />
28 </element>
29 <element id="Observation.meta.lastUpdated">
30 <path value="Observation.meta.lastUpdated" />
31 <min value="1" />
32 </element>
33 <element id="Observation.meta.source">
34 <path value="Observation.meta.source" />
35 <max value="0" />
36 </element>
37 <element id="Observation.meta.profile">
38 <path value="Observation.meta.profile" />
39 <min value="1" />
40 <max value="1" />
41 <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Peripheral_Oxygen_Saturation|1.0.0" />
42 </element>
43 <element id="Observation.meta.security">
44 <path value="Observation.meta.security" />
45 <max value="0" />
46 </element>
47 <element id="Observation.meta.tag">
48 <path value="Observation.meta.tag" />
49 <max value="0" />
50 </element>
51 <element id="Observation.implicitRules">
52 <path value="Observation.implicitRules" />
53 <max value="0" />
54 </element>
55 <element id="Observation.language">
56 <path value="Observation.language" />
57 <max value="0" />
58 </element>
59 <element id="Observation.text">
60 <path value="Observation.text" />
61 <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
```

dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz enthalten sind." />

```
62 </element>
63 <element id="Observation.text.status">
64 <path value="Observation.text.status" />
65 <fixedCode value="extensions" />
66 </element>
67 <element id="Observation.contained">
68 <path value="Observation.contained" />
69 <max value="0" />
70 </element>
71 <element id="Observation.identifier">
72 <path value="Observation.identifier" />
73 <min value="1" />
74 <max value="1" />
75 <mustSupport value="true" />
76 </element>
77 <element id="Observation.identifier.use">
78 <path value="Observation.identifier.use" />
79 <max value="0" />
80 </element>
81 <element id="Observation.identifier.type">
82 <path value="Observation.identifier.type" />
83 <min value="1" />
84 <patternCodeableConcept>
85 <coding>
86 <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
87 <version value="2.9" />
88 <code value="RI" />
89 <display value="Resource identifier" />
90 </coding>
91 </patternCodeableConcept>
92 </element>
93 <element id="Observation.identifier.type.coding">
94 <path value="Observation.identifier.type.coding" />
95 <min value="1" />
96 <max value="1" />
97 </element>
98 <element id="Observation.identifier.type.coding.system">
99 <path value="Observation.identifier.type.coding.system" />
100 <min value="1" />
101 </element>
102 <element id="Observation.identifier.type.coding.version">
103 <path value="Observation.identifier.type.coding.version" />
104 <min value="1" />
105 </element>
106 <element id="Observation.identifier.type.coding.code">
107 <path value="Observation.identifier.type.coding.code" />
108 <min value="1" />
109 </element>
110 <element id="Observation.identifier.type.coding.display">
111 <path value="Observation.identifier.type.coding.display" />
112 <min value="1" />
113 </element>
114 <element id="Observation.identifier.type.coding.userSelected">
115 <path value="Observation.identifier.type.coding.userSelected" />
116 <max value="0" />
117 </element>
118 <element id="Observation.identifier.type.text">
119 <path value="Observation.identifier.type.text" />
```

```

120     <max value="0" />
121 </element>
122 <element id="Observation.identifier.system">
123     <path value="Observation.identifier.system" />
124     <min value="1" />
125     <fixedUri value="urn:ietf:rhc:3986" />
126     <mustSupport value="true" />
127 </element>
128 <element id="Observation.identifier.value">
129     <path value="Observation.identifier.value" />
130     <min value="1" />
131     <mustSupport value="true" />
132 </element>
133 <element id="Observation.identifier.period">
134     <path value="Observation.identifier.period" />
135     <max value="0" />
136 </element>
137 <element id="Observation.identifier.assigner">
138     <path value="Observation.identifier.assigner" />
139     <max value="0" />
140 </element>
141 <element id="Observation.basedOn">
142     <path value="Observation.basedOn" />
143     <max value="0" />
144 </element>
145 <element id="Observation.partOf">
146     <path value="Observation.partOf" />
147     <max value="1" />
148     <type>
149         <code value="Reference" />
150         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Procedure_Activity_Free|1.0.0" />
151     </type>
152     <mustSupport value="true" />
153 </element>
154 <element id="Observation.partOf.reference">
155     <path value="Observation.partOf.reference" />
156     <min value="1" />
157     <mustSupport value="true" />
158 </element>
159 <element id="Observation.partOf.type">
160     <path value="Observation.partOf.type" />
161     <max value="0" />
162 </element>
163 <element id="Observation.partOf.identifier">
164     <path value="Observation.partOf.identifier" />
165     <max value="0" />
166 </element>
167 <element id="Observation.partOf.display">
168     <path value="Observation.partOf.display" />
169     <max value="0" />
170 </element>
171 <element id="Observation.category">
172     <path value="Observation.category" />
173     <mustSupport value="true" />
174 </element>
175 <element id="Observation.code">
176     <path value="Observation.code" />
177     <mustSupport value="true" />
178 </element>

```

```

179 <element id="Observation.code.coding">
180   <path value="Observation.code.coding" />
181   <slicing>
182     <discriminator>
183       <type value="pattern" />
184       <path value="$this" />
185     </discriminator>
186     <rules value="open" />
187   </slicing>
188   <mustSupport value="true" />
189 </element>
190 <element id="Observation.code.coding:loinc">
191   <path value="Observation.code.coding" />
192   <sliceName value="loinc" />
193   <mustSupport value="true" />
194 </element>
195 <element id="Observation.code.coding:loinc.display.extension">
196   <path value="Observation.code.coding.display.extension" />
197   <slicing>
198     <discriminator>
199       <type value="value" />
200       <path value="url" />
201     </discriminator>
202     <rules value="open" />
203   </slicing>
204   <min value="1" />
205 </element>
206 <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc">
207   <path value="Observation.code.coding.display.extension" />
208   <sliceName value="anzeigenameCodeLoinc" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc.extension">
213   <path value="Observation.code.coding.display.extension.extension" />
214   <slicing>
215     <discriminator>
216       <type value="value" />
217       <path value="url" />
218     </discriminator>
219     <rules value="open" />
220   </slicing>
221   <min value="1" />
222 </element>
223 <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc.extension:content">
224   <path value="Observation.code.coding.display.extension.extension" />
225   <sliceName value="content" />
226   <min value="1" />
227 </element>
228 <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc.extension:content.value[x]">
229   <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
230   <slicing>
231     <discriminator>
232       <type value="type" />
233       <path value="$this" />

```



```

234     </discriminator>
235     <rules value="closed" />
236   </slicing>
237   <mustSupport value="true" />
238 </element>
239 <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc.extension:content.value[x]:valueString">
240   <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
241   <sliceName value="valueString" />
242   <min value="1" />
243   <mustSupport value="true" />
244 </element>
245 <element id="Observation.code.coding:loinc.userSelected">
246   <path value="Observation.code.coding.userSelected" />
247   <max value="0" />
248 </element>
249 <element id="Observation.code.coding:codeSnomed">
250   <path value="Observation.code.coding" />
251   <sliceName value="codeSnomed" />
252   <mustSupport value="true" />
253 </element>
254 <element id="Observation.code.coding:codeSnomed.display.extension">
255   <path value="Observation.code.coding.display.extension" />
256   <slicing>
257     <discriminator>
258       <type value="value" />
259       <path value="url" />
260     </discriminator>
261     <rules value="open" />
262   </slicing>
263   <min value="1" />
264 </element>
265 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed">
266   <path value="Observation.code.coding.display.extension" />
267   <sliceName value="anzeigenameCodeSnomed" />
268   <min value="1" />
269   <mustSupport value="true" />
270 </element>
271 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension">
272   <path value="Observation.code.coding.display.extension.extension" />
273   <slicing>
274     <discriminator>
275       <type value="value" />
276       <path value="url" />
277     </discriminator>
278     <rules value="open" />
279   </slicing>
280   <min value="1" />
281 </element>
282 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content">
283   <path value="Observation.code.coding.display.extension.extension" />
284   <sliceName value="content" />
285   <min value="1" />
286 </element>
287 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content.value[x]">

```

```

288     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
289     <slicing>
290         <discriminator>
291             <type value="type" />
292             <path value="$this" />
293         </discriminator>
294         <rules value="closed" />
295     </slicing>
296     <mustSupport value="true" />
297 </element>
298 <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content.value[x]:valueString">
299     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
300     <sliceName value="valueString" />
301     <min value="1" />
302     <mustSupport value="true" />
303 </element>
304 <element id="Observation.code.coding:codeSnomed.userSelected">
305     <path value="Observation.code.coding.userSelected" />
306     <max value="0" />
307 </element>
308 <element id="Observation.code.text">
309     <path value="Observation.code.text" />
310     <max value="0" />
311 </element>
312 <element id="Observation.subject">
313     <path value="Observation.subject" />
314     <type>
315         <code value="Reference" />
316         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
317     </type>
318     <mustSupport value="true" />
319 </element>
320 <element id="Observation.subject.reference">
321     <path value="Observation.subject.reference" />
322     <min value="1" />
323     <mustSupport value="true" />
324 </element>
325 <element id="Observation.subject.type">
326     <path value="Observation.subject.type" />
327     <max value="0" />
328 </element>
329 <element id="Observation.subject.identifier">
330     <path value="Observation.subject.identifier" />
331     <max value="0" />
332 </element>
333 <element id="Observation.subject.display">
334     <path value="Observation.subject.display" />
335     <max value="0" />
336 </element>
337 <element id="Observation.encounter">
338     <path value="Observation.encounter" />
339     <max value="0" />
340 </element>
341 <element id="Observation.effective[x]">
342     <path value="Observation.effective[x]" />
343     <slicing>

```

```

344     <discriminator>
345       <type value="type" />
346       <path value="$this" />
347     </discriminator>
348     <rules value="closed" />
349   </slicing>
350   <type>
351     <code value="dateTime" />
352   </type>
353   <mustSupport value="true" />
354 </element>
355 <element id="Observation.effective[x]:effectiveDateTime">
356   <path value="Observation.effective[x]" />
357   <sliceName value="effectiveDateTime" />
358   <min value="1" />
359   <mustSupport value="true" />
360 </element>
361 <element id="Observation.issued">
362   <path value="Observation.issued" />
363   <max value="0" />
364 </element>
365 <element id="Observation.performer">
366   <path value="Observation.performer" />
367   <max value="1" />
368   <type>
369     <code value="Reference" />
370     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
371     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
372     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_RelatedPerson|1.0.0" />
373     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole|1.0.0" />
374   </type>
375   <mustSupport value="true" />
376 </element>
377 <element id="Observation.performer.reference">
378   <path value="Observation.performer.reference" />
379   <min value="1" />
380   <mustSupport value="true" />
381 </element>
382 <element id="Observation.performer.type">
383   <path value="Observation.performer.type" />
384   <max value="0" />
385 </element>
386 <element id="Observation.performer.identifier">
387   <path value="Observation.performer.identifier" />
388   <max value="0" />
389 </element>
390 <element id="Observation.performer.display">
391   <path value="Observation.performer.display" />
392   <max value="0" />
393 </element>
394 <element id="Observation.value[x]">
395   <path value="Observation.value[x]" />
396   <slicing>
397     <discriminator>
398       <type value="type" />
399       <path value="$this" />

```

```

400     </discriminator>
401     <rules value="closed" />
402 </slicing>
403 <min value="1" />
404 <mustSupport value="true" />
405 </element>
406 <element id="Observation.value[x]:valueQuantity">
407   <path value="Observation.value[x]" />
408   <sliceName value="valueQuantity" />
409   <min value="1" />
410 </element>
411 <element id="Observation.dataAbsentReason">
412   <path value="Observation.dataAbsentReason" />
413   <max value="0" />
414 </element>
415 <element id="Observation.interpretation">
416   <path value="Observation.interpretation" />
417   <max value="0" />
418 </element>
419 <element id="Observation.note">
420   <path value="Observation.note" />
421   <max value="1" />
422   <mustSupport value="true" />
423 </element>
424 <element id="Observation.note.author[x]">
425   <path value="Observation.note.author[x]" />
426   <max value="0" />
427 </element>
428 <element id="Observation.note.time">
429   <path value="Observation.note.time" />
430   <max value="0" />
431 </element>
432 <element id="Observation.note.text">
433   <path value="Observation.note.text" />
434   <mustSupport value="true" />
435 </element>
436 <element id="Observation.bodySite">
437   <path value="Observation.bodySite" />
438   <max value="0" />
439 </element>
440 <element id="Observation.method">
441   <path value="Observation.method" />
442   <min value="1" />
443   <mustSupport value="true" />
444 </element>
445 <element id="Observation.method.coding">
446   <path value="Observation.method.coding" />
447   <min value="1" />
448   <max value="1" />
449   <mustSupport value="true" />
450 </element>
451 <element id="Observation.method.coding.system">
452   <path value="Observation.method.coding.system" />
453   <min value="1" />
454 </element>
455 <element id="Observation.method.coding.version">
456   <path value="Observation.method.coding.version" />
457   <min value="1" />
458 </element>
459 <element id="Observation.method.coding.code">

```

```

460     <path value="Observation.method.coding.code" />
461     <min value="1" />
462 </element>
463 <element id="Observation.method.coding.display">
464     <path value="Observation.method.coding.display" />
465     <min value="1" />
466 </element>
467 <element id="Observation.method.coding.display.extension">
468     <path value="Observation.method.coding.display.extension" />
469     <slicing>
470         <discriminator>
471             <type value="value" />
472             <path value="url" />
473         </discriminator>
474         <rules value="open" />
475     </slicing>
476     <min value="1" />
477 </element>
478 <element id="Observation.method.coding.display.extension:anzeigenameMet
hodSnomed">
479     <path value="Observation.method.coding.display.extension" />
480     <sliceName value="anzeigenameMethodSnomed" />
481     <min value="1" />
482     <max value="1" />
483     <type>
484         <code value="Extension" />
485         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
486     </type>
487     <mustSupport value="true" />
488 </element>
489 <element id="Observation.method.coding.display.extension:anzeigenameMet
hodSnomed.extension">
490     <path value="Observation.method.coding.display.extension.extension" /
>
491     <slicing>
492         <discriminator>
493             <type value="value" />
494             <path value="url" />
495         </discriminator>
496         <rules value="open" />
497     </slicing>
498     <min value="1" />
499 </element>
500 <element id="Observation.method.coding.display.extension:anzeigenameMet
hodSnomed.extension:content">
501     <path value="Observation.method.coding.display.extension.extension" /
>
502     <sliceName value="content" />
503     <min value="1" />
504 </element>
505 <element id="Observation.method.coding.display.extension:anzeigenameMet
hodSnomed.extension:content.value[x]">
506     <path value="Observation.method.coding.display.extension.extension.va
lue[x]" />
507     <slicing>
508         <discriminator>
509             <type value="type" />
510             <path value="$this" />
511         </discriminator>

```

```

512     <rules value="closed" />
513 </slicing>
514     <mustSupport value="true" />
515 </element>
516     <element id="Observation.method.coding.display.extension:anzeigenameMethodSnomed.extension:content.value[x]:valueString">
517         <path value="Observation.method.coding.display.extension.extension.value[x]" />
518         <sliceName value="valueString" />
519         <min value="1" />
520         <fixedString value="Pulsoximeter" />
521         <mustSupport value="true" />
522 </element>
523     <element id="Observation.method.coding.userSelected">
524         <path value="Observation.method.coding.userSelected" />
525         <max value="0" />
526 </element>
527     <element id="Observation.method.text">
528         <path value="Observation.method.text" />
529         <max value="0" />
530 </element>
531     <element id="Observation.device">
532         <path value="Observation.device" />
533         <type>
534             <code value="Reference" />
535             <targetProfile value="https://fhir.kbv.de/StructureDefinition/KBV_PR_MIO_DIGA_Device_Free|1.0.0" />
536         </type>
537         <mustSupport value="true" />
538 </element>
539     <element id="Observation.device.reference">
540         <path value="Observation.device.reference" />
541         <min value="1" />
542         <mustSupport value="true" />
543 </element>
544     <element id="Observation.device.type">
545         <path value="Observation.device.type" />
546         <max value="0" />
547 </element>
548     <element id="Observation.device.identifier">
549         <path value="Observation.device.identifier" />
550         <max value="0" />
551 </element>
552     <element id="Observation.device.display">
553         <path value="Observation.device.display" />
554         <max value="0" />
555 </element>
556     <element id="Observation.referenceRange">
557         <path value="Observation.referenceRange" />
558         <max value="0" />
559 </element>
560     <element id="Observation.hasMember">
561         <path value="Observation.hasMember" />
562         <max value="0" />
563 </element>
564     <element id="Observation.derivedFrom">
565         <path value="Observation.derivedFrom" />
566         <max value="0" />
567 </element>
568     <element id="Observation.component">

```

```

569     <path value="Observation.component" />
570     <max value="0" />
571   </element>
572 </differential>
573 </StructureDefinition>

```

## 67. KBV\_PR\_MIO\_DIGA\_OBSERVATION\_RESPIRATORY\_RATE

### KBV\_PR\_MIO\_DIGA\_Observation\_Respiratory\_Rate

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2  <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Respiratory_Rate" />
3  <version value="1.0.0" />
4  <name value="KBV_PR_MIO_DIGA_Observation_Respiratory_Rate" />
5  <title value="KBV_PR_MIO_DIGA_Observation_Respiratory_Rate" />
6  <status value="draft" />
7  <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8  <description value="Dieses Profil bildet die Atemfrequenz ab." />
9  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM
definitions or is derived from it, subject to a license from Regenstrief
Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM
codes, UCUM definitions also is subject to this license, a copy of which is
available at http://unitsofmeasure.org. The current complete UCUM table,
UCUM Specification are available for download at http://unitsofmeasure.org.
The UCUM table and UCUM codes are copyright © 1995-2009, Regenstrief
Institute, Inc. and the Unified Codes for Units of Measures UCUM
Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM
DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS
OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE." />
10 <fhirVersion value="4.0.1" />
11 <kind value="resource" />
12 <abstract value="false" />
13 <type value="Observation" />
14 <baseDefinition value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_Base_Observation_Respiratory_Rate|1.2.1" />
15 <derivation value="constraint" />
16 <differential>
17   <element id="Observation">
18     <path value="Observation" />
19     <definition value="Dieses Profil bildet die Atemfrequenz ab." />
20   </element>
21   <element id="Observation.meta">

```

```

22     <path value="Observation.meta" />
23     <min value="1" />
24 </element>
25 <element id="Observation.meta.versionId">
26     <path value="Observation.meta.versionId" />
27     <min value="1" />
28 </element>
29 <element id="Observation.meta.lastUpdated">
30     <path value="Observation.meta.lastUpdated" />
31     <min value="1" />
32 </element>
33 <element id="Observation.meta.source">
34     <path value="Observation.meta.source" />
35     <max value="0" />
36 </element>
37 <element id="Observation.meta.profile">
38     <path value="Observation.meta.profile" />
39     <min value="1" />
40     <max value="1" />
41     <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Respiratory_Rate|1.0.0" />
42 </element>
43 <element id="Observation.meta.security">
44     <path value="Observation.meta.security" />
45     <max value="0" />
46 </element>
47 <element id="Observation.meta.tag">
48     <path value="Observation.meta.tag" />
49     <max value="0" />
50 </element>
51 <element id="Observation.implicitRules">
52     <path value="Observation.implicitRules" />
53     <max value="0" />
54 </element>
55 <element id="Observation.language">
56     <path value="Observation.language" />
57     <max value="0" />
58 </element>
59 <element id="Observation.text">
60     <path value="Observation.text" />
61     <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
62 </element>
63 <element id="Observation.text.status">
64     <path value="Observation.text.status" />
65     <fixedCode value="extensions" />
66 </element>
67 <element id="Observation.contained">
68     <path value="Observation.contained" />
69     <max value="0" />
70 </element>
71 <element id="Observation.identifier">
72     <path value="Observation.identifier" />
73     <min value="1" />
74     <max value="1" />
75     <mustSupport value="true" />
76 </element>

```



```

77 <element id="Observation.identifier.use">
78   <path value="Observation.identifier.use" />
79   <max value="0" />
80 </element>
81 <element id="Observation.identifier.type">
82   <path value="Observation.identifier.type" />
83   <min value="1" />
84   <patternCodeableConcept>
85     <coding>
86       <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
87       <version value="2.9" />
88       <code value="RI" />
89       <display value="Resource identifier" />
90     </coding>
91   </patternCodeableConcept>
92 </element>
93 <element id="Observation.identifier.type.coding">
94   <path value="Observation.identifier.type.coding" />
95   <min value="1" />
96   <max value="1" />
97 </element>
98 <element id="Observation.identifier.type.coding.system">
99   <path value="Observation.identifier.type.coding.system" />
100  <min value="1" />
101 </element>
102 <element id="Observation.identifier.type.coding.version">
103   <path value="Observation.identifier.type.coding.version" />
104   <min value="1" />
105 </element>
106 <element id="Observation.identifier.type.coding.code">
107   <path value="Observation.identifier.type.coding.code" />
108   <min value="1" />
109 </element>
110 <element id="Observation.identifier.type.coding.display">
111   <path value="Observation.identifier.type.coding.display" />
112   <min value="1" />
113 </element>
114 <element id="Observation.identifier.type.coding.userSelected">
115   <path value="Observation.identifier.type.coding.userSelected" />
116   <max value="0" />
117 </element>
118 <element id="Observation.identifier.type.text">
119   <path value="Observation.identifier.type.text" />
120   <max value="0" />
121 </element>
122 <element id="Observation.identifier.system">
123   <path value="Observation.identifier.system" />
124   <min value="1" />
125   <fixedUri value="urn:iETF:rFC:3986" />
126   <mustSupport value="true" />
127 </element>
128 <element id="Observation.identifier.value">
129   <path value="Observation.identifier.value" />
130   <min value="1" />
131   <mustSupport value="true" />
132 </element>
133 <element id="Observation.identifier.period">
134   <path value="Observation.identifier.period" />
135   <max value="0" />
136 </element>

```

```

137 <element id="Observation.identifier.assigner">
138   <path value="Observation.identifier.assigner" />
139   <max value="0" />
140 </element>
141 <element id="Observation.basedOn">
142   <path value="Observation.basedOn" />
143   <max value="0" />
144 </element>
145 <element id="Observation.partOf">
146   <path value="Observation.partOf" />
147   <max value="1" />
148   <type>
149     <code value="Reference" />
150     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Procedure_Activity_Free|1.0.0" />
151   </type>
152   <mustSupport value="true" />
153 </element>
154 <element id="Observation.partOf.reference">
155   <path value="Observation.partOf.reference" />
156   <min value="1" />
157   <mustSupport value="true" />
158 </element>
159 <element id="Observation.partOf.type">
160   <path value="Observation.partOf.type" />
161   <max value="0" />
162 </element>
163 <element id="Observation.partOf.identifier">
164   <path value="Observation.partOf.identifier" />
165   <max value="0" />
166 </element>
167 <element id="Observation.partOf.display">
168   <path value="Observation.partOf.display" />
169   <max value="0" />
170 </element>
171 <element id="Observation.category">
172   <path value="Observation.category" />
173   <mustSupport value="true" />
174 </element>
175 <element id="Observation.code">
176   <path value="Observation.code" />
177   <mustSupport value="true" />
178 </element>
179 <element id="Observation.code.coding">
180   <path value="Observation.code.coding" />
181   <slicing>
182     <discriminator>
183       <type value="pattern" />
184       <path value="$this" />
185     </discriminator>
186     <rules value="open" />
187   </slicing>
188   <mustSupport value="true" />
189 </element>
190 <element id="Observation.code.coding.loinc">
191   <path value="Observation.code.coding" />
192   <sliceName value="loinc" />
193   <mustSupport value="true" />
194 </element>
195 <element id="Observation.code.coding.loinc.display.extension">

```

```

196     <path value="Observation.code.coding.display.extension" />
197     <slicing>
198         <discriminator>
199             <type value="value" />
200             <path value="url" />
201         </discriminator>
202         <rules value="open" />
203     </slicing>
204     <min value="1" />
205 </element>
206 <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc">
207     <path value="Observation.code.coding.display.extension" />
208     <sliceName value="anzeigenamCodeLoinc" />
209     <min value="1" />
210     <mustSupport value="true" />
211 </element>
212 <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc.extension">
213     <path value="Observation.code.coding.display.extension.extension" />
214     <slicing>
215         <discriminator>
216             <type value="value" />
217             <path value="url" />
218         </discriminator>
219         <rules value="open" />
220     </slicing>
221     <min value="1" />
222 </element>
223 <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc.extension:content">
224     <path value="Observation.code.coding.display.extension.extension" />
225     <sliceName value="content" />
226     <min value="1" />
227 </element>
228 <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc.extension:content.value[x]">
229     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
230     <slicing>
231         <discriminator>
232             <type value="type" />
233             <path value="$this" />
234         </discriminator>
235         <rules value="closed" />
236     </slicing>
237     <mustSupport value="true" />
238 </element>
239 <element id="Observation.code.coding:loinc.display.extension:anzeigenam
eCodeLoinc.extension:content.value[x]:valueString">
240     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
241     <sliceName value="valueString" />
242     <mustSupport value="true" />
243 </element>
244 <element id="Observation.code.coding:loinc.userSelected">
245     <path value="Observation.code.coding.userSelected" />
246     <max value="0" />
247 </element>
248 <element id="Observation.code.coding:codeSnomed">

```

```

249     <path value="Observation.code.coding" />
250     <sliceName value="codeSnomed" />
251     <patternCoding>
252       <system value="http://snomed.info/sct" />
253     </patternCoding>
254     <mustSupport value="true" />
255   </element>
256   <element id="Observation.code.coding:codeSnomed.display.extension">
257     <path value="Observation.code.coding.display.extension" />
258     <slicing>
259       <discriminator>
260         <type value="value" />
261         <path value="url" />
262       </discriminator>
263       <rules value="open" />
264     </slicing>
265     <min value="1" />
266   </element>
267   <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed">
268     <path value="Observation.code.coding.display.extension" />
269     <sliceName value="anzeigenameCodeSnomed" />
270     <min value="1" />
271     <mustSupport value="true" />
272   </element>
273   <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension">
274     <path value="Observation.code.coding.display.extension.extension" />
275     <slicing>
276       <discriminator>
277         <type value="value" />
278         <path value="url" />
279       </discriminator>
280       <rules value="open" />
281     </slicing>
282     <min value="1" />
283   </element>
284   <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content">
285     <path value="Observation.code.coding.display.extension.extension" />
286     <sliceName value="content" />
287     <min value="1" />
288   </element>
289   <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content.value[x]">
290     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />
291     <slicing>
292       <discriminator>
293         <type value="type" />
294         <path value="$this" />
295       </discriminator>
296       <rules value="closed" />
297     </slicing>
298     <mustSupport value="true" />
299   </element>
300   <element id="Observation.code.coding:codeSnomed.display.extension:anzei
genameCodeSnomed.extension:content.value[x]:valueString">
301     <path value="Observation.code.coding.display.extension.extension.valu
e[x]" />

```

```

302     <sliceName value="valueString" />
303     <mustSupport value="true" />
304 </element>
305 <element id="Observation.code.coding:codeSnomed.userSelected">
306   <path value="Observation.code.coding.userSelected" />
307   <max value="0" />
308 </element>
309 <element id="Observation.code.text">
310   <path value="Observation.code.text" />
311   <max value="0" />
312 </element>
313 <element id="Observation.subject">
314   <path value="Observation.subject" />
315   <type>
316     <code value="Reference" />
317     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
318   </type>
319   <mustSupport value="true" />
320 </element>
321 <element id="Observation.subject.reference">
322   <path value="Observation.subject.reference" />
323   <min value="1" />
324   <mustSupport value="true" />
325 </element>
326 <element id="Observation.subject.type">
327   <path value="Observation.subject.type" />
328   <max value="0" />
329 </element>
330 <element id="Observation.subject.identifier">
331   <path value="Observation.subject.identifier" />
332   <max value="0" />
333 </element>
334 <element id="Observation.subject.display">
335   <path value="Observation.subject.display" />
336   <max value="0" />
337 </element>
338 <element id="Observation.encounter">
339   <path value="Observation.encounter" />
340   <max value="0" />
341 </element>
342 <element id="Observation.effective[x]">
343   <path value="Observation.effective[x]" />
344   <licing>
345     <discriminator>
346       <type value="type" />
347       <path value="$this" />
348     </discriminator>
349     <rules value="closed" />
350   </licing>
351   <type>
352     <code value="dateTime" />
353   </type>
354   <mustSupport value="true" />
355 </element>
356 <element id="Observation.effective[x]:effectiveDateTime">
357   <path value="Observation.effective[x]" />
358   <sliceName value="effectiveDateTime" />
359   <min value="1" />
360   <mustSupport value="true" />

```

```

361 </element>
362 <element id="Observation.issued">
363   <path value="Observation.issued" />
364   <max value="0" />
365 </element>
366 <element id="Observation.performer">
367   <path value="Observation.performer" />
368   <max value="1" />
369   <type>
370     <code value="Reference" />
371     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
372     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
373     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_RelatedPerson|1.0.0" />
374     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole|1.0.0" />
375   </type>
376   <mustSupport value="true" />
377 </element>
378 <element id="Observation.performer.reference">
379   <path value="Observation.performer.reference" />
380   <min value="1" />
381   <mustSupport value="true" />
382 </element>
383 <element id="Observation.performer.type">
384   <path value="Observation.performer.type" />
385   <max value="0" />
386 </element>
387 <element id="Observation.performer.identifier">
388   <path value="Observation.performer.identifier" />
389   <max value="0" />
390 </element>
391 <element id="Observation.performer.display">
392   <path value="Observation.performer.display" />
393   <max value="0" />
394 </element>
395 <element id="Observation.value[x]">
396   <path value="Observation.value[x]" />
397   <slicing>
398     <discriminator>
399       <type value="type" />
400       <path value="$this" />
401     </discriminator>
402     <rules value="closed" />
403   </slicing>
404   <min value="1" />
405   <mustSupport value="true" />
406 </element>
407 <element id="Observation.value[x]:valueQuantity">
408   <path value="Observation.value[x]" />
409   <sliceName value="valueQuantity" />
410   <min value="1" />
411   <mustSupport value="true" />
412 </element>
413 <element id="Observation.value[x]:valueQuantity.comparator">
414   <path value="Observation.value[x].comparator" />
415   <max value="0" />
416 </element>

```

```

417 <element id="Observation.dataAbsentReason">
418   <path value="Observation.dataAbsentReason" />
419   <max value="0" />
420 </element>
421 <element id="Observation.interpretation">
422   <path value="Observation.interpretation" />
423   <max value="0" />
424 </element>
425 <element id="Observation.note">
426   <path value="Observation.note" />
427   <max value="1" />
428   <mustSupport value="true" />
429 </element>
430 <element id="Observation.note.author[x]">
431   <path value="Observation.note.author[x]" />
432   <max value="0" />
433 </element>
434 <element id="Observation.note.time">
435   <path value="Observation.note.time" />
436   <max value="0" />
437 </element>
438 <element id="Observation.note.text">
439   <path value="Observation.note.text" />
440   <mustSupport value="true" />
441 </element>
442 <element id="Observation.bodySite">
443   <path value="Observation.bodySite" />
444   <max value="0" />
445 </element>
446 <element id="Observation.method">
447   <path value="Observation.method" />
448   <max value="0" />
449 </element>
450 <element id="Observation.device">
451   <path value="Observation.device" />
452   <type>
453     <code value="Reference" />
454     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Device_Free|1.0.0" />
455   </type>
456   <mustSupport value="true" />
457 </element>
458 <element id="Observation.device.reference">
459   <path value="Observation.device.reference" />
460   <min value="1" />
461   <mustSupport value="true" />
462 </element>
463 <element id="Observation.device.type">
464   <path value="Observation.device.type" />
465   <max value="0" />
466 </element>
467 <element id="Observation.device.identifier">
468   <path value="Observation.device.identifier" />
469   <max value="0" />
470 </element>
471 <element id="Observation.device.display">
472   <path value="Observation.device.display" />
473   <max value="0" />
474 </element>
475 <element id="Observation.referenceRange">

```

```

476     <path value="Observation.referenceRange" />
477     <max value="0" />
478 </element>
479 <element id="Observation.hasMember">
480     <path value="Observation.hasMember" />
481     <max value="0" />
482 </element>
483 <element id="Observation.derivedFrom">
484     <path value="Observation.derivedFrom" />
485     <max value="0" />
486 </element>
487 </differential>
488 </StructureDefinition>

```

## 68. KBV\_PR\_MIO\_DIGA\_ORGANIZATION

### KBV\_PR\_MIO\_DIGA\_Organization

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Organization" />
3   <version value="1.0.0" />
4   <name value="KBV_PR_MIO_DIGA_Organization" />
5   <title value="KBV_PR_MIO_DIGA_Organization" />
6   <status value="draft" />
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <description value="Dieses Profil bildet eine Einrichtung bspw. einen
Ort, an dem ein Kontakt zwischen der zu behandelnden Person und der
leistungserbringenden Person stattfindet (z.B. Praxis), ab." />
9   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM
definitions or is derived from it, subject to a license from Regenstrief
Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM
codes, UCUM definitions also is subject to this license, a copy of which is
available at http://unitsofmeasure.org. The current complete UCUM table,
UCUM Specification are available for download at http://unitsofmeasure.org.
The UCUM table and UCUM codes are copyright © 1995-2009, Regenstrief
Institute, Inc. and the Unified Codes for Units of Measures UCUM
Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM
DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS
OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE." />
10  <fhirVersion value="4.0.1" />
11  <kind value="resource" />
12  <abstract value="false" />

```



```

13     <type value="Organization" />
14     <baseDefinition value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_Base_Organization|1.2.1" />
15     <derivation value="constraint" />
16     <differential>
17         <element id="Organization">
18             <path value="Organization" />
19             <definition value="Dieses Profil bildet eine Einrichtung bspw. einen
Ort, an dem ein Kontakt zwischen der zu behandelnden Person und der
leistungserbringenden Person stattfindet (z.B. Praxis), ab." />
20         </element>
21         <element id="Organization.meta">
22             <path value="Organization.meta" />
23             <min value="1" />
24         </element>
25         <element id="Organization.meta.versionId">
26             <path value="Organization.meta.versionId" />
27             <min value="1" />
28         </element>
29         <element id="Organization.meta.lastUpdated">
30             <path value="Organization.meta.lastUpdated" />
31             <min value="1" />
32         </element>
33         <element id="Organization.meta.source">
34             <path value="Organization.meta.source" />
35             <max value="0" />
36         </element>
37         <element id="Organization.meta.profile">
38             <path value="Organization.meta.profile" />
39             <min value="1" />
40             <max value="1" />
41         <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Organization|1.0.0" />
42         </element>
43         <element id="Organization.meta.security">
44             <path value="Organization.meta.security" />
45             <max value="0" />
46         </element>
47         <element id="Organization.meta.tag">
48             <path value="Organization.meta.tag" />
49             <max value="0" />
50         </element>
51         <element id="Organization.implicitRules">
52             <path value="Organization.implicitRules" />
53             <max value="0" />
54         </element>
55         <element id="Organization.language">
56             <path value="Organization.language" />
57             <max value="0" />
58         </element>
59         <element id="Organization.text">
60             <path value="Organization.text" />
61             <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
62         </element>
63         <element id="Organization.text.status">
64             <path value="Organization.text.status" />

```

```

65     <fixedCode value="extensions" />
66 </element>
67 <element id="Organization.contained">
68     <path value="Organization.contained" />
69     <max value="0" />
70 </element>
71 <element id="Organization.extension">
72     <path value="Organization.extension" />
73     <licing>
74         <discriminator>
75             <type value="value" />
76             <path value="url" />
77         </discriminator>
78         <rules value="open" />
79     </licing>
80     <min value="0" />
81 </element>
82 <element id="Organization.extension:ergaenzende_Angaben">
83     <path value="Organization.extension" />
84     <sliceName value="ergaenzende_Angaben" />
85     <min value="0" />
86     <mustSupport value="true" />
87 </element>
88 <element id="Organization.extension:ergaenzende_Angaben.value[x]">
89     <path value="Organization.extension.value[x]" />
90     <licing>
91         <discriminator>
92             <type value="type" />
93             <path value="$this" />
94         </discriminator>
95         <rules value="closed" />
96     </licing>
97     <mustSupport value="true" />
98 </element>
99 <element id="Organization.extension:ergaenzende_Angaben.value[x]:valueS
100     <path value="Organization.extension.value[x]" />
101     <sliceName value="valueString" />
102     <mustSupport value="true" />
103 </element>
104 <element id="Organization.identifier">
105     <path value="Organization.identifier" />
106     <licing>
107         <discriminator>
108             <type value="value" />
109             <path value="type.coding.code" />
110         </discriminator>
111         <rules value="closed" />
112     </licing>
113     <min value="1" />
114     <mustSupport value="true" />
115 </element>
116 <element id="Organization.identifier:Institutionskennzeichen">
117     <path value="Organization.identifier" />
118     <sliceName value="Institutionskennzeichen" />
119     <max value="1" />
120     <mustSupport value="true" />
121 </element>
122 <element id="Organization.identifier:Betriebsstaettennummer">
123     <path value="Organization.identifier" />

```

```

124     <sliceName value="Betriebsstaettennummer" />
125     <max value="1" />
126     <mustSupport value="true" />
127 </element>
128 <element id="Organization.identifier:VKNR">
129     <path value="Organization.identifier" />
130     <sliceName value="VKNR" />
131     <max value="1" />
132     <mustSupport value="true" />
133 </element>
134 <element id="Organization.identifier:KZV-Abrechnungsnummer">
135     <path value="Organization.identifier" />
136     <sliceName value="KZV-Abrechnungsnummer" />
137     <mustSupport value="true" />
138 </element>
139 <element id="Organization.identifier:uuid">
140     <path value="Organization.identifier" />
141     <sliceName value="uuid" />
142     <min value="1" />
143     <max value="1" />
144     <mustSupport value="true" />
145 </element>
146 <element id="Organization.identifier:uuid.type">
147     <path value="Organization.identifier.type" />
148     <min value="1" />
149 </element>
150 <element id="Organization.identifier:uuid.type.coding">
151     <path value="Organization.identifier.type.coding" />
152     <min value="1" />
153     <max value="1" />
154 </element>
155 <element id="Organization.identifier:uuid.type.coding.system">
156     <path value="Organization.identifier.type.coding.system" />
157     <min value="1" />
158     <fixedUri value="http://terminology.hl7.org/CodeSystem/v2-0203" />
159 </element>
160 <element id="Organization.identifier:uuid.type.coding.version">
161     <path value="Organization.identifier.type.coding.version" />
162     <min value="1" />
163     <fixedString value="2.9" />
164 </element>
165 <element id="Organization.identifier:uuid.type.coding.code">
166     <path value="Organization.identifier.type.coding.code" />
167     <min value="1" />
168     <fixedCode value="RI" />
169 </element>
170 <element id="Organization.identifier:uuid.type.coding.display">
171     <path value="Organization.identifier.type.coding.display" />
172     <min value="1" />
173     <fixedString value="Resource identifier" />
174 </element>
175 <element id="Organization.identifier:uuid.type.coding.userSelected">
176     <path value="Organization.identifier.type.coding.userSelected" />
177     <max value="0" />
178 </element>
179 <element id="Organization.identifier:uuid.type.text">
180     <path value="Organization.identifier.type.text" />
181     <max value="0" />
182 </element>
183 <element id="Organization.identifier:uuid.system">

```

```

184     <path value="Organization.identifier.system" />
185     <min value="1" />
186     <fixedUri value="urn:ietf:rfc:3986" />
187     <mustSupport value="true" />
188 </element>
189 <element id="Organization.identifier:uuid.value">
190     <path value="Organization.identifier.value" />
191     <min value="1" />
192     <mustSupport value="true" />
193 </element>
194 <element id="Organization.identifier:uuid.period">
195     <path value="Organization.identifier.period" />
196     <max value="0" />
197 </element>
198 <element id="Organization.identifier:uuid.assigner">
199     <path value="Organization.identifier.assigner" />
200     <max value="0" />
201 </element>
202 <element id="Organization.active">
203     <path value="Organization.active" />
204     <max value="0" />
205 </element>
206 <element id="Organization.type">
207     <path value="Organization.type" />
208     <max value="0" />
209 </element>
210 <element id="Organization.name">
211     <path value="Organization.name" />
212     <min value="1" />
213     <mustSupport value="true" />
214 </element>
215 <element id="Organization.alias">
216     <path value="Organization.alias" />
217     <max value="0" />
218 </element>
219 <element id="Organization.telecom">
220     <path value="Organization.telecom" />
221     <mustSupport value="true" />
222 </element>
223 <element id="Organization.telecom.system">
224     <path value="Organization.telecom.system" />
225     <mustSupport value="true" />
226 </element>
227 <element id="Organization.telecom.system.extension">
228     <path value="Organization.telecom.system.extension" />
229     <slicing>
230         <discriminator>
231             <type value="value" />
232             <path value="url" />
233         </discriminator>
234         <rules value="open" />
235     </slicing>
236     <min value="1" />
237 </element>
238 <element id="Organization.telecom.system.extension:anzeigenameCode">
239     <path value="Organization.telecom.system.extension" />
240     <sliceName value="anzeigenameCode" />
241     <min value="1" />
242     <max value="1" />
243     <mustSupport value="true" />

```

```

244     </element>
245     <element id="Organization.telecom.system.extension:anzeigenamCode.exte
nsion">
246         <path value="Organization.telecom.system.extension.extension" />
247         <slicing>
248             <discriminator>
249                 <type value="value" />
250                 <path value="url" />
251             </discriminator>
252             <rules value="open" />
253         </slicing>
254         <min value="1" />
255     </element>
256     <element id="Organization.telecom.system.extension:anzeigenamCode.exte
nsion:content">
257         <path value="Organization.telecom.system.extension.extension" />
258         <sliceName value="content" />
259         <min value="1" />
260     </element>
261     <element id="Organization.telecom.system.extension:anzeigenamCode.exte
nsion:content.value[x]">
262         <path value="Organization.telecom.system.extension.extension.value[x]
" />
263         <slicing>
264             <discriminator>
265                 <type value="type" />
266                 <path value="$this" />
267             </discriminator>
268             <rules value="closed" />
269         </slicing>
270         <mustSupport value="true" />
271     </element>
272     <element id="Organization.telecom.system.extension:anzeigenamCode.exte
nsion:content.value[x]:valueString">
273         <path value="Organization.telecom.system.extension.extension.valueStr
ing" />
274         <sliceName value="valueString" />
275         <min value="1" />
276         <mustSupport value="true" />
277     </element>
278     <element id="Organization.telecom.value">
279         <path value="Organization.telecom.value" />
280         <mustSupport value="true" />
281     </element>
282     <element id="Organization.telecom.use">
283         <path value="Organization.telecom.use" />
284         <max value="0" />
285     </element>
286     <element id="Organization.telecom.rank">
287         <path value="Organization.telecom.rank" />
288         <max value="0" />
289     </element>
290     <element id="Organization.telecom.period">
291         <path value="Organization.telecom.period" />
292         <max value="0" />
293     </element>
294     <element id="Organization.address">
295         <path value="Organization.address" />
296         <slicing>
297             <discriminator>

```

```

298     <type value="value" />
299     <path value="type" />
300   </discriminator>
301   <rules value="closed" />
302 </slicing>
303 <max value="2" />
304 <mustSupport value="true" />
305 </element>
306 <element id="Organization.address:Strassenanschrift">
307   <path value="Organization.address" />
308   <sliceName value="Strassenanschrift" />
309   <mustSupport value="true" />
310 </element>
311 <element id="Organization.address:Strassenanschrift.extension">
312   <path value="Organization.address.extension" />
313   <slicing>
314     <discriminator>
315       <type value="value" />
316       <path value="url" />
317     </discriminator>
318     <rules value="open" />
319   </slicing>
320   <min value="0" />
321 </element>
322 <element id="Organization.address:Strassenanschrift.extension:Stadtteil
">
323   <path value="Organization.address.extension" />
324   <sliceName value="Stadtteil" />
325   <min value="0" />
326   <mustSupport value="true" />
327 </element>
328 <element id="Organization.address:Strassenanschrift.extension:Stadtteil
.value[x]">
329   <path value="Organization.address.extension.value[x]" />
330   <slicing>
331     <discriminator>
332       <type value="type" />
333       <path value="$this" />
334     </discriminator>
335     <rules value="closed" />
336   </slicing>
337   <mustSupport value="true" />
338 </element>
339 <element id="Organization.address:Strassenanschrift.extension:Stadtteil
.value[x]:valueString">
340   <path value="Organization.address.extension.value[x]" />
341   <sliceName value="valueString" />
342   <mustSupport value="true" />
343 </element>
344 <element id="Organization.address:Strassenanschrift.line">
345   <path value="Organization.address.line" />
346   <mustSupport value="true" />
347 </element>
348 <element id="Organization.address:Strassenanschrift.line.extension">
349   <path value="Organization.address.line.extension" />
350   <slicing>
351     <discriminator>
352       <type value="value" />
353       <path value="url" />
354     </discriminator>

```

```

355     <rules value="open" />
356   </slicing>
357   <min value="0" />
358 </element>
359 <element id="Organization.address:Strassenanschrift.line.extension:Stras
360 sse">
361   <path value="Organization.address.line.extension" />
362   <sliceName value="Strasse" />
363   <min value="0" />
364   <mustSupport value="true" />
365 </element>
366 <element id="Organization.address:Strassenanschrift.line.extension:Stras
367 sse.value[x]">
368   <path value="Organization.address.line.extension.value[x]" />
369   <slicing>
370     <discriminator>
371       <type value="type" />
372       <path value="$this" />
373     </discriminator>
374     <rules value="closed" />
375   </slicing>
376   <mustSupport value="true" />
377 </element>
378 <element id="Organization.address:Strassenanschrift.line.extension:Stras
379 sse.value[x]:valueString">
380   <path value="Organization.address.line.extension.value[x]" />
381   <sliceName value="valueString" />
382   <mustSupport value="true" />
383 </element>
384 <element id="Organization.address:Strassenanschrift.line.extension:Haus
385 nummer">
386   <path value="Organization.address.line.extension" />
387   <sliceName value="Hausnummer" />
388   <min value="0" />
389   <mustSupport value="true" />
390 </element>
391 <element id="Organization.address:Strassenanschrift.line.extension:Haus
392 nummer.value[x]">
393   <path value="Organization.address.line.extension.value[x]" />
394   <slicing>
395     <discriminator>
396       <type value="type" />
397       <path value="$this" />
398     </discriminator>
399     <rules value="closed" />
400   </slicing>
401   <mustSupport value="true" />
402 </element>
403 <element id="Organization.address:Strassenanschrift.line.extension:Haus
404 nummer.value[x]:valueString">
405   <path value="Organization.address.line.extension.value[x]" />
406   <sliceName value="valueString" />
407   <mustSupport value="true" />
408 </element>
409 <element id="Organization.address:Strassenanschrift.line.extension:Adre
410 sszusatz">
411   <path value="Organization.address.line.extension" />
412   <sliceName value="Adresszusatz" />
413   <min value="0" />
414   <mustSupport value="true" />

```

```

408     </element>
409     <element id="Organization.address:Strassenanschrift.line.extension:Adre
sszusatz.value[x]">
410         <path value="Organization.address.line.extension.value[x]" />
411         <licing>
412             <discriminator>
413                 <type value="type" />
414                 <path value="$this" />
415             </discriminator>
416             <rules value="closed" />
417         </licing>
418         <mustSupport value="true" />
419     </element>
420     <element id="Organization.address:Strassenanschrift.line.extension:Adre
sszusatz.value[x]:valueString">
421         <path value="Organization.address.line.extension.value[x]" />
422         <sliceName value="valueString" />
423         <mustSupport value="true" />
424     </element>
425     <element id="Organization.address:Strassenanschrift.city">
426         <path value="Organization.address.city" />
427         <mustSupport value="true" />
428     </element>
429     <element id="Organization.address:Strassenanschrift.state">
430         <path value="Organization.address.state" />
431         <max value="0" />
432     </element>
433     <element id="Organization.address:Strassenanschrift.postalCode">
434         <path value="Organization.address.postalCode" />
435         <mustSupport value="true" />
436     </element>
437     <element id="Organization.address:Strassenanschrift.country">
438         <path value="Organization.address.country" />
439         <mustSupport value="true" />
440     </element>
441     <element id="Organization.address:Strassenanschrift.period">
442         <path value="Organization.address.period" />
443         <max value="0" />
444     </element>
445     <element id="Organization.address:Postfach">
446         <path value="Organization.address" />
447         <sliceName value="Postfach" />
448         <mustSupport value="true" />
449     </element>
450     <element id="Organization.address:Postfach.extension">
451         <path value="Organization.address.extension" />
452         <licing>
453             <discriminator>
454                 <type value="value" />
455                 <path value="url" />
456             </discriminator>
457             <rules value="open" />
458         </licing>
459         <min value="0" />
460     </element>
461     <element id="Organization.address:Postfach.extension:Stadtteil">
462         <path value="Organization.address.extension" />
463         <sliceName value="Stadtteil" />
464         <min value="0" />
465         <mustSupport value="true" />

```



```

466 </element>
467 <element id="Organization.address:Postfach.extension:Stadtteil.value[x]
">
468   <path value="Organization.address.extension.value[x]" />
469   <slicing>
470     <discriminator>
471       <type value="type" />
472       <path value="$this" />
473     </discriminator>
474     <rules value="closed" />
475   </slicing>
476   <mustSupport value="true" />
477 </element>
478 <element id="Organization.address:Postfach.extension:Stadtteil.value[x]
:valueString">
479   <path value="Organization.address.extension.value[x]" />
480   <sliceName value="valueString" />
481   <mustSupport value="true" />
482 </element>
483 <element id="Organization.address:Postfach.line">
484   <path value="Organization.address.line" />
485   <max value="1" />
486   <mustSupport value="true" />
487 </element>
488 <element id="Organization.address:Postfach.line.extension">
489   <path value="Organization.address.line.extension" />
490   <slicing>
491     <discriminator>
492       <type value="value" />
493       <path value="url" />
494     </discriminator>
495     <rules value="open" />
496   </slicing>
497   <min value="1" />
498 </element>
499 <element id="Organization.address:Postfach.line.extension:Postfach">
500   <path value="Organization.address.line.extension" />
501   <sliceName value="Postfach" />
502   <min value="1" />
503   <mustSupport value="true" />
504 </element>
505 <element id="Organization.address:Postfach.line.extension:Postfach.valu
e[x]">
506   <path value="Organization.address.line.extension.value[x]" />
507   <slicing>
508     <discriminator>
509       <type value="type" />
510       <path value="$this" />
511     </discriminator>
512     <rules value="closed" />
513   </slicing>
514   <mustSupport value="true" />
515 </element>
516 <element id="Organization.address:Postfach.line.extension:Postfach.valu
e[x]:valueString">
517   <path value="Organization.address.line.extension.value[x]" />
518   <sliceName value="valueString" />
519   <mustSupport value="true" />
520 </element>
521 <element id="Organization.address:Postfach.city">

```

```

522     <path value="Organization.address.city" />
523     <mustSupport value="true" />
524 </element>
525 <element id="Organization.address:Postfach.state">
526     <path value="Organization.address.state" />
527     <max value="0" />
528 </element>
529 <element id="Organization.address:Postfach.postalCode">
530     <path value="Organization.address.postalCode" />
531     <mustSupport value="true" />
532 </element>
533 <element id="Organization.address:Postfach.country">
534     <path value="Organization.address.country" />
535     <mustSupport value="true" />
536 </element>
537 <element id="Organization.address:Postfach.period">
538     <path value="Organization.address.period" />
539     <max value="0" />
540 </element>
541 <element id="Organization.partOf">
542     <path value="Organization.partOf" />
543     <max value="0" />
544 </element>
545 <element id="Organization.contact">
546     <path value="Organization.contact" />
547     <max value="0" />
548 </element>
549 <element id="Organization.endpoint">
550     <path value="Organization.endpoint" />
551     <max value="0" />
552 </element>
553 </differential>
554 </StructureDefinition>

```

## 69. KBV\_PR\_MIO\_DIGA\_ORGANIZATION\_MANUFACTURER

### KBV\_PR\_MIO\_DIGA\_Organization\_Manufacturer

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Organization_Manufacturer" />
3   <version value="1.0.0" />
4   <name value="KBV_PR_MIO_DIGA_Organization_Manufacturer" />
5   <title value="KBV_PR_MIO_DIGA_Organization_Manufacturer" />
6   <status value="draft" />
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <description value="Dieses Profil bildet einen Geräte-Hersteller oder
DiGA-Hersteller ab." />
9   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995-2020, Regenstrief Institute, Inc. and

```

the Logical Observation Identifiers Names and Codes Loinc Committee and is available at no cost under the license at <http://loinc.org/license>. Loinc® is a registered United States trademark of Regenstrief Institute, Inc. This product includes all or a portion of the UCUM table, UCUM codes, and UCUM definitions or is derived from it, subject to a license from Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM codes, UCUM definitions also is subject to this license, a copy of which is available at <http://unitsofmeasure.org>. The current complete UCUM table, UCUM Specification are available for download at <http://unitsofmeasure.org>. The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures UCUM Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED "AS IS." ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE." />

```

10 <fhirVersion value="4.0.1" />
11 <kind value="resource" />
12 <abstract value="false" />
13 <type value="Organization" />
14 <baseDefinition value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_Base_Organization|1.2.1" />
15 <derivation value="constraint" />
16 <differential>
17 <element id="Organization">
18 <path value="Organization" />
19 <definition value="Dieses Profil bildet einen Geräte-Hersteller oder
DiGA-Hersteller ab." />
20 </element>
21 <element id="Organization.meta">
22 <path value="Organization.meta" />
23 <min value="1" />
24 </element>
25 <element id="Organization.meta.versionId">
26 <path value="Organization.meta.versionId" />
27 <min value="1" />
28 </element>
29 <element id="Organization.meta.lastUpdated">
30 <path value="Organization.meta.lastUpdated" />
31 <min value="1" />
32 </element>
33 <element id="Organization.meta.source">
34 <path value="Organization.meta.source" />
35 <max value="0" />
36 </element>
37 <element id="Organization.meta.profile">
38 <path value="Organization.meta.profile" />
39 <min value="1" />
40 <max value="1" />
41 <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Organization_Manufacturer|1.0.0" />
42 </element>
43 <element id="Organization.meta.security">
44 <path value="Organization.meta.security" />
45 <max value="0" />
46 </element>
47 <element id="Organization.meta.tag">
48 <path value="Organization.meta.tag" />
49 <max value="0" />
50 </element>

```

```

51 <element id="Organization.implicitRules">
52   <path value="Organization.implicitRules" />
53   <max value="0" />
54 </element>
55 <element id="Organization.language">
56   <path value="Organization.language" />
57   <max value="0" />
58 </element>
59 <element id="Organization.text">
60   <path value="Organization.text" />
61   <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
62 </element>
63 <element id="Organization.text.status">
64   <path value="Organization.text.status" />
65   <fixedCode value="extensions" />
66 </element>
67 <element id="Organization.contained">
68   <path value="Organization.contained" />
69   <max value="0" />
70 </element>
71 <element id="Organization.extension">
72   <path value="Organization.extension" />
73   <slicing>
74     <discriminator>
75       <type value="value" />
76       <path value="url" />
77     </discriminator>
78     <rules value="open" />
79   </slicing>
80   <min value="0" />
81 </element>
82 <element id="Organization.extension:ergaenzende_Angaben">
83   <path value="Organization.extension" />
84   <sliceName value="ergaenzende_Angaben" />
85   <min value="0" />
86   <max value="0" />
87 </element>
88 <element id="Organization.identififier">
89   <path value="Organization.identififier" />
90   <slicing>
91     <discriminator>
92       <type value="value" />
93       <path value="type.coding.code" />
94     </discriminator>
95     <rules value="closed" />
96   </slicing>
97   <min value="1" />
98   <max value="1" />
99   <mustSupport value="true" />
100 </element>
101 <element id="Organization.identififier:Institutionskennzeichen">
102   <path value="Organization.identififier" />
103   <sliceName value="Institutionskennzeichen" />
104   <max value="0" />
105 </element>
106 <element id="Organization.identififier:Betriebsstaettennummer">

```

```

107     <path value="Organization.identifier" />
108     <sliceName value="Betriebsstaettensnummer" />
109     <max value="0" />
110 </element>
111 <element id="Organization.identifier:VKNR">
112     <path value="Organization.identifier" />
113     <sliceName value="VKNR" />
114     <max value="0" />
115 </element>
116 <element id="Organization.identifier:KZV-Abrechnungsnummer">
117     <path value="Organization.identifier" />
118     <sliceName value="KZV-Abrechnungsnummer" />
119     <max value="0" />
120 </element>
121 <element id="Organization.identifier:uuid">
122     <path value="Organization.identifier" />
123     <sliceName value="uuid" />
124     <min value="1" />
125     <max value="1" />
126     <mustSupport value="true" />
127 </element>
128 <element id="Organization.identifier:uuid.type">
129     <path value="Organization.identifier.type" />
130     <min value="1" />
131 </element>
132 <element id="Organization.identifier:uuid.type.coding">
133     <path value="Organization.identifier.type.coding" />
134     <min value="1" />
135     <max value="1" />
136 </element>
137 <element id="Organization.identifier:uuid.type.coding.system">
138     <path value="Organization.identifier.type.coding.system" />
139     <min value="1" />
140     <fixedUri value="http://terminology.hl7.org/CodeSystem/v2-0203" />
141 </element>
142 <element id="Organization.identifier:uuid.type.coding.version">
143     <path value="Organization.identifier.type.coding.version" />
144     <min value="1" />
145     <fixedString value="2.9" />
146 </element>
147 <element id="Organization.identifier:uuid.type.coding.code">
148     <path value="Organization.identifier.type.coding.code" />
149     <min value="1" />
150     <fixedCode value="RI" />
151 </element>
152 <element id="Organization.identifier:uuid.type.coding.display">
153     <path value="Organization.identifier.type.coding.display" />
154     <min value="1" />
155     <fixedString value="Resource identifier" />
156 </element>
157 <element id="Organization.identifier:uuid.type.coding.userSelected">
158     <path value="Organization.identifier.type.coding.userSelected" />
159     <max value="0" />
160 </element>
161 <element id="Organization.identifier:uuid.type.text">
162     <path value="Organization.identifier.type.text" />
163     <max value="0" />
164 </element>
165 <element id="Organization.identifier:uuid.system">
166     <path value="Organization.identifier.system" />

```

```

167     <min value="1" />
168     <fixedUri value="urn:ietf:rfc:3986" />
169     <mustSupport value="true" />
170 </element>
171 <element id="Organization.identifier.uuid.value">
172     <path value="Organization.identifier.value" />
173     <min value="1" />
174     <mustSupport value="true" />
175 </element>
176 <element id="Organization.identifier.uuid.period">
177     <path value="Organization.identifier.period" />
178     <max value="0" />
179 </element>
180 <element id="Organization.identifier.uuid.assigner">
181     <path value="Organization.identifier.assigner" />
182     <max value="0" />
183 </element>
184 <element id="Organization.active">
185     <path value="Organization.active" />
186     <max value="0" />
187 </element>
188 <element id="Organization.type">
189     <path value="Organization.type" />
190     <max value="0" />
191 </element>
192 <element id="Organization.name">
193     <path value="Organization.name" />
194     <mustSupport value="true" />
195 </element>
196 <element id="Organization.alias">
197     <path value="Organization.alias" />
198     <max value="0" />
199 </element>
200 <element id="Organization.telecom">
201     <path value="Organization.telecom" />
202     <max value="1" />
203     <patternContactPoint>
204         <system value="url" />
205     </patternContactPoint>
206     <mustSupport value="true" />
207 </element>
208 <element id="Organization.telecom.system">
209     <path value="Organization.telecom.system" />
210     <mustSupport value="true" />
211 </element>
212 <element id="Organization.telecom.system.extension">
213     <path value="Organization.telecom.system.extension" />
214     <slicing>
215         <discriminator>
216             <type value="value" />
217             <path value="url" />
218         </discriminator>
219         <rules value="open" />
220     </slicing>
221     <min value="1" />
222 </element>
223 <element id="Organization.telecom.system.extension:anzeigenameCode">
224     <path value="Organization.telecom.system.extension" />
225     <sliceName value="anzeigenameCode" />
226     <min value="1" />

```

```

227     <max value="1" />
228     <mustSupport value="true" />
229 </element>
230 <element id="Organization.telecom.system.extension:anzeigenamCode.extension">
231     <path value="Organization.telecom.system.extension.extension" />
232     <slicing>
233         <discriminator>
234             <type value="value" />
235             <path value="url" />
236         </discriminator>
237         <rules value="open" />
238     </slicing>
239     <min value="1" />
240 </element>
241 <element id="Organization.telecom.system.extension:anzeigenamCode.extension:content">
242     <path value="Organization.telecom.system.extension.extension" />
243     <sliceName value="content" />
244     <min value="1" />
245 </element>
246 <element id="Organization.telecom.system.extension:anzeigenamCode.extension:content.value[x]">
247     <path value="Organization.telecom.system.extension.extension.value[x]" />
248     <slicing>
249         <discriminator>
250             <type value="type" />
251             <path value="$this" />
252         </discriminator>
253         <rules value="closed" />
254     </slicing>
255     <mustSupport value="true" />
256 </element>
257 <element id="Organization.telecom.system.extension:anzeigenamCode.extension:content.value[x]:valueString">
258     <path value="Organization.telecom.system.extension.extension.value[x]" />
259     <sliceName value="valueString" />
260     <fixedString value="URL" />
261     <mustSupport value="true" />
262 </element>
263 <element id="Organization.telecom.value">
264     <path value="Organization.telecom.value" />
265     <mustSupport value="true" />
266 </element>
267 <element id="Organization.telecom.use">
268     <path value="Organization.telecom.use" />
269     <max value="0" />
270 </element>
271 <element id="Organization.telecom.rank">
272     <path value="Organization.telecom.rank" />
273     <max value="0" />
274 </element>
275 <element id="Organization.telecom.period">
276     <path value="Organization.telecom.period" />
277     <max value="0" />
278 </element>
279 <element id="Organization.address">
280     <path value="Organization.address" />

```

```

281     <slicing>
282       <discriminator>
283         <type value="value" />
284         <path value="type" />
285       </discriminator>
286       <rules value="closed" />
287     </slicing>
288     <max value="1" />
289     <mustSupport value="true" />
290   </element>
291   <element id="Organization.address:Strassenanschrift">
292     <path value="Organization.address" />
293     <sliceName value="Strassenanschrift" />
294     <max value="1" />
295     <mustSupport value="true" />
296   </element>
297   <element id="Organization.address:Strassenanschrift.extension">
298     <path value="Organization.address.extension" />
299     <slicing>
300       <discriminator>
301         <type value="value" />
302         <path value="url" />
303       </discriminator>
304       <rules value="open" />
305     </slicing>
306     <min value="0" />
307     <mustSupport value="true" />
308   </element>
309   <element id="Organization.address:Strassenanschrift.extension:Stadtteil
">
310     <path value="Organization.address.extension" />
311     <sliceName value="Stadtteil" />
312     <min value="0" />
313     <mustSupport value="true" />
314   </element>
315   <element id="Organization.address:Strassenanschrift.extension:Stadtteil
.value[x]">
316     <path value="Organization.address.extension.value[x]" />
317     <slicing>
318       <discriminator>
319         <type value="type" />
320         <path value="$this" />
321       </discriminator>
322       <rules value="closed" />
323     </slicing>
324     <mustSupport value="true" />
325   </element>
326   <element id="Organization.address:Strassenanschrift.extension:Stadtteil
.value[x]:valueString">
327     <path value="Organization.address.extension.value[x]" />
328     <sliceName value="valueString" />
329     <mustSupport value="true" />
330   </element>
331   <element id="Organization.address:Strassenanschrift.line">
332     <path value="Organization.address.line" />
333     <mustSupport value="true" />
334   </element>
335   <element id="Organization.address:Strassenanschrift.line.extension">
336     <path value="Organization.address.line.extension" />
337     <slicing>

```



```

338     <discriminator>
339       <type value="value" />
340       <path value="url" />
341     </discriminator>
342     <rules value="open" />
343   </slicing>
344   <min value="0" />
345 </element>
346 <element id="Organization.address:Strassenanschrift.line.extension:Strasse">
347   <path value="Organization.address.line.extension" />
348   <sliceName value="Strasse" />
349   <min value="0" />
350   <mustSupport value="true" />
351 </element>
352 <element id="Organization.address:Strassenanschrift.line.extension:Strasse.value[x]">
353   <path value="Organization.address.line.extension.value[x]" />
354   <slicing>
355     <discriminator>
356       <type value="type" />
357       <path value="$this" />
358     </discriminator>
359     <rules value="closed" />
360   </slicing>
361   <mustSupport value="true" />
362 </element>
363 <element id="Organization.address:Strassenanschrift.line.extension:Strasse.value[x]:valueString">
364   <path value="Organization.address.line.extension.value[x]" />
365   <sliceName value="valueString" />
366   <mustSupport value="true" />
367 </element>
368 <element id="Organization.address:Strassenanschrift.line.extension:Hausnummer">
369   <path value="Organization.address.line.extension" />
370   <sliceName value="Hausnummer" />
371   <min value="0" />
372   <mustSupport value="true" />
373 </element>
374 <element id="Organization.address:Strassenanschrift.line.extension:Hausnummer.value[x]">
375   <path value="Organization.address.line.extension.value[x]" />
376   <slicing>
377     <discriminator>
378       <type value="type" />
379       <path value="$this" />
380     </discriminator>
381     <rules value="closed" />
382   </slicing>
383   <mustSupport value="true" />
384 </element>
385 <element id="Organization.address:Strassenanschrift.line.extension:Hausnummer.value[x]:valueString">
386   <path value="Organization.address.line.extension.value[x]" />
387   <sliceName value="valueString" />
388   <mustSupport value="true" />
389 </element>
390 <element id="Organization.address:Strassenanschrift.line.extension:Adresszusatz">

```

```

391     <path value="Organization.address.line.extension" />
392     <sliceName value="Adresszusatz" />
393     <min value="0" />
394     <mustSupport value="true" />
395 </element>
396 <element id="Organization.address:Strassenanschrift.line.extension:Adre
sszusatz.value[x]">
397     <path value="Organization.address.line.extension.value[x]" />
398     <slicing>
399         <discriminator>
400             <type value="type" />
401             <path value="$this" />
402         </discriminator>
403         <rules value="closed" />
404     </slicing>
405     <mustSupport value="true" />
406 </element>
407 <element id="Organization.address:Strassenanschrift.line.extension:Adre
sszusatz.value[x]:valueString">
408     <path value="Organization.address.line.extension.value[x]" />
409     <sliceName value="valueString" />
410     <mustSupport value="true" />
411 </element>
412 <element id="Organization.address:Strassenanschrift.city">
413     <path value="Organization.address.city" />
414     <mustSupport value="true" />
415 </element>
416 <element id="Organization.address:Strassenanschrift.state">
417     <path value="Organization.address.state" />
418     <max value="0" />
419 </element>
420 <element id="Organization.address:Strassenanschrift.postalCode">
421     <path value="Organization.address.postalCode" />
422     <mustSupport value="true" />
423 </element>
424 <element id="Organization.address:Strassenanschrift.country">
425     <path value="Organization.address.country" />
426     <mustSupport value="true" />
427 </element>
428 <element id="Organization.address:Strassenanschrift.period">
429     <path value="Organization.address.period" />
430     <max value="0" />
431 </element>
432 <element id="Organization.address:Postfach">
433     <path value="Organization.address" />
434     <sliceName value="Postfach" />
435     <max value="1" />
436     <mustSupport value="true" />
437 </element>
438 <element id="Organization.address:Postfach.extension">
439     <path value="Organization.address.extension" />
440     <slicing>
441         <discriminator>
442             <type value="value" />
443             <path value="url" />
444         </discriminator>
445         <rules value="open" />
446     </slicing>
447     <min value="0" />
448 </element>

```

```

449 <element id="Organization.address.Postfach.extension.Stadtteil">
450 <path value="Organization.address.extension" />
451 <sliceName value="Stadtteil" />
452 <min value="0" />
453 <mustSupport value="true" />
454 </element>
455 <element id="Organization.address.Postfach.extension.Stadtteil.value[x]
">
456 <path value="Organization.address.extension.value[x]" />
457 <slicing>
458 <discriminator>
459 <type value="type" />
460 <path value="$this" />
461 </discriminator>
462 <rules value="closed" />
463 </slicing>
464 <mustSupport value="true" />
465 </element>
466 <element id="Organization.address.Postfach.extension.Stadtteil.value[x]
:valueString">
467 <path value="Organization.address.extension.value[x]" />
468 <sliceName value="valueString" />
469 <mustSupport value="true" />
470 </element>
471 <element id="Organization.address.Postfach.line">
472 <path value="Organization.address.line" />
473 <max value="1" />
474 <mustSupport value="true" />
475 </element>
476 <element id="Organization.address.Postfach.line.extension">
477 <path value="Organization.address.line.extension" />
478 <slicing>
479 <discriminator>
480 <type value="value" />
481 <path value="url" />
482 </discriminator>
483 <rules value="open" />
484 </slicing>
485 <min value="1" />
486 </element>
487 <element id="Organization.address.Postfach.line.extension.Postfach">
488 <path value="Organization.address.line.extension" />
489 <sliceName value="Postfach" />
490 <min value="1" />
491 <mustSupport value="true" />
492 </element>
493 <element id="Organization.address.Postfach.line.extension.Postfach.valu
e[x]">
494 <path value="Organization.address.line.extension.value[x]" />
495 <slicing>
496 <discriminator>
497 <type value="type" />
498 <path value="$this" />
499 </discriminator>
500 <rules value="closed" />
501 </slicing>
502 <mustSupport value="true" />
503 </element>
504 <element id="Organization.address.Postfach.line.extension.Postfach.valu
e[x]:valueString">

```

```

505     <path value="Organization.address.line.extension.value[x]" />
506     <sliceName value="valueString" />
507     <mustSupport value="true" />
508 </element>
509 <element id="Organization.address:Postfach.city">
510     <path value="Organization.address.city" />
511     <mustSupport value="true" />
512 </element>
513 <element id="Organization.address:Postfach.state">
514     <path value="Organization.address.state" />
515     <max value="0" />
516 </element>
517 <element id="Organization.address:Postfach.postalCode">
518     <path value="Organization.address.postalCode" />
519     <mustSupport value="true" />
520 </element>
521 <element id="Organization.address:Postfach.country">
522     <path value="Organization.address.country" />
523     <mustSupport value="true" />
524 </element>
525 <element id="Organization.address:Postfach.period">
526     <path value="Organization.address.period" />
527     <max value="0" />
528 </element>
529 <element id="Organization.partOf">
530     <path value="Organization.partOf" />
531     <max value="0" />
532 </element>
533 <element id="Organization.contact">
534     <path value="Organization.contact" />
535     <max value="0" />
536 </element>
537 <element id="Organization.endpoint">
538     <path value="Organization.endpoint" />
539     <max value="0" />
540 </element>
541 </differential>
542 </StructureDefinition>

```

## 70. KBV\_PR\_MIO\_DIGA\_PATIENT

### KBV\_PR\_MIO\_DIGA\_Patient

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient" />
3   <version value="1.0.0" />
4   <name value="KBV_PR_MIO_DIGA_Patient" />
5   <title value="KBV_PR_MIO_DIGA_Patient" />
6   <status value="draft" />
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <description value="Dieses Profil bildet die versicherte Person ab." />
9   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED

```

and SNOMED CT are registered trademarks of SNOMED International. Implementers of these artefacts must have the appropriate SNOMED CT Affiliate license. This material contains content from Loinc <http://loinc.org>. Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and the Logical Observation Identifiers Names and Codes Loinc Committee and is available at no cost under the license at <http://loinc.org/license>. Loinc® is a registered United States trademark of Regenstrief Institute, Inc. This product includes all or a portion of the UCUM table, UCUM codes, and UCUM definitions or is derived from it, subject to a license from Regenstrief Institute, Inc. and The UCUM Patient. Your use of the UCUM table, UCUM codes, UCUM definitions also is subject to this license, a copy of which is available at <http://unitsofmeasure.org>. The current complete UCUM table, UCUM Specification are available for download at <http://unitsofmeasure.org>. The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures UCUM Patient. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED "AS IS." ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE." />

```
10 <fhirVersion value="4.0.1" />
11 <mapping>
12   <identity value="rim" />
13   <uri value="http://hl7.org/v3" />
14   <name value="RIM Mapping" />
15 </mapping>
16 <mapping>
17   <identity value="cda" />
18   <uri value="http://hl7.org/v3/cda" />
19   <name value="CDA (R2)" />
20 </mapping>
21 <mapping>
22   <identity value="w5" />
23   <uri value="http://hl7.org/fhir/fivews" />
24   <name value="FiveWs Pattern Mapping" />
25 </mapping>
26 <mapping>
27   <identity value="v2" />
28   <uri value="http://hl7.org/v2" />
29   <name value="HL7 v2 Mapping" />
30 </mapping>
31 <mapping>
32   <identity value="loinc" />
33   <uri value="http://loinc.org" />
34   <name value="LOINC code for the element" />
35 </mapping>
36 <kind value="resource" />
37 <abstract value="false" />
38 <type value="Patient" />
39 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/Patient" /
>
40 <derivation value="constraint" />
41 <differential>
42   <element id="Patient">
43     <path value="Patient" />
44     <definition value="Dieses Profil bildet die versicherte Person ab." /
>
45   <constraint>
46     <key value="pat-1" />
47     <severity value="error" />
```

```

48     <human value="Die amtliche Differenzierung der Geschlechtsangabe
'other' darf nur gefüllt sein, wenn das Geschlecht 'other' angegeben ist" /
>
49     <expression value="gender.exists() and gender='other' implies
gender.extension('http://fhir.de/StructureDefinition/gender-amtlich-
de').exists()" />
50     <source value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient" />
51     </constraint>
52   </element>
53   <element id="Patient.meta">
54     <path value="Patient.meta" />
55     <min value="1" />
56   </element>
57   <element id="Patient.meta.versionId">
58     <path value="Patient.meta.versionId" />
59     <min value="1" />
60   </element>
61   <element id="Patient.meta.lastUpdated">
62     <path value="Patient.meta.lastUpdated" />
63     <min value="1" />
64   </element>
65   <element id="Patient.meta.source">
66     <path value="Patient.meta.source" />
67     <max value="0" />
68   </element>
69   <element id="Patient.meta.profile">
70     <path value="Patient.meta.profile" />
71     <min value="1" />
72     <max value="1" />
73     <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
74   </element>
75   <element id="Patient.meta.security">
76     <path value="Patient.meta.security" />
77     <max value="0" />
78   </element>
79   <element id="Patient.meta.tag">
80     <path value="Patient.meta.tag" />
81     <max value="0" />
82   </element>
83   <element id="Patient.implicitRules">
84     <path value="Patient.implicitRules" />
85     <max value="0" />
86   </element>
87   <element id="Patient.language">
88     <path value="Patient.language" />
89     <max value="0" />
90   </element>
91   <element id="Patient.text">
92     <path value="Patient.text" />
93     <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
94   </element>
95   <element id="Patient.text.status">
96     <path value="Patient.text.status" />
97     <patternCode value="extensions" />

```

```

98 </element>
99 <element id="Patient.contained">
100   <path value="Patient.contained" />
101   <max value="0" />
102 </element>
103 <element id="Patient.identifier">
104   <path value="Patient.identifier" />
105   <licing>
106     <discriminator>
107       <type value="value" />
108       <path value="type.coding.code" />
109     </discriminator>
110     <discriminator>
111       <type value="value" />
112       <path value="system" />
113     </discriminator>
114     <rules value="closed" />
115   </licing>
116   <min value="1" />
117   <mustSupport value="true" />
118 </element>
119 <element id="Patient.identifier:pid">
120   <path value="Patient.identifier" />
121   <sliceName value="pid" />
122   <type>
123     <code value="Identifier" />
124     <profile value="http://fhir.de/StructureDefinition/identifier-pid|
0.9.13" />
125   </type>
126   <mustSupport value="true" />
127 </element>
128 <element id="Patient.identifier:pid.type.coding">
129   <path value="Patient.identifier.type.coding" />
130   <min value="1" />
131   <max value="1" />
132 </element>
133 <element id="Patient.identifier:pid.type.coding.system">
134   <path value="Patient.identifier.type.coding.system" />
135   <min value="1" />
136   <fixedUri value="http://terminology.hl7.org/CodeSystem/v2-0203" />
137 </element>
138 <element id="Patient.identifier:pid.type.coding.code">
139   <path value="Patient.identifier.type.coding.code" />
140   <min value="1" />
141   <fixedCode value="MR" />
142 </element>
143 <element id="Patient.identifier:pid.type.coding.display">
144   <path value="Patient.identifier.type.coding.display" />
145   <min value="1" />
146   <patternString value="Medical record number" />
147 </element>
148 <element id="Patient.identifier:pid.type.coding.userSelected">
149   <path value="Patient.identifier.type.coding.userSelected" />
150   <max value="0" />
151 </element>
152 <element id="Patient.identifier:pid.value">
153   <path value="Patient.identifier.value" />
154   <min value="1" />
155   <mustSupport value="true" />
156 </element>

```

```

157 <element id="Patient.identifier:pid.period">
158   <path value="Patient.identifier.period" />
159   <max value="0" />
160 </element>
161 <element id="Patient.identifier:pid.assigner">
162   <path value="Patient.identifier.assigner" />
163   <max value="0" />
164 </element>
165 <element id="Patient.identifier:pseudoId_GKV">
166   <path value="Patient.identifier" />
167   <sliceName value="pseudoId_GKV" />
168   <max value="1" />
169   <type>
170     <code value="Identifier" />
171     <profile value="http://fhir.de/StructureDefinition/identifier-
pseudo-kvid|0.9.13" />
172   </type>
173   <mustSupport value="true" />
174 </element>
175 <element id="Patient.identifier:pseudoId_GKV.type">
176   <path value="Patient.identifier.type" />
177   <min value="1" />
178 </element>
179 <element id="Patient.identifier:pseudoId_GKV.type.coding">
180   <path value="Patient.identifier.type.coding" />
181   <min value="1" />
182   <max value="1" />
183 </element>
184 <element id="Patient.identifier:pseudoId_GKV.type.coding.system">
185   <path value="Patient.identifier.type.coding.system" />
186   <min value="1" />
187   <fixedUri value="http://fhir.de/CodeSystem/identifier-type-de-
basis" />
188 </element>
189 <element id="Patient.identifier:pseudoId_GKV.type.coding.code">
190   <path value="Patient.identifier.type.coding.code" />
191   <min value="1" />
192   <fixedCode value="GKV" />
193 </element>
194 <element id="Patient.identifier:pseudoId_GKV.type.coding.display">
195   <path value="Patient.identifier.type.coding.display" />
196   <min value="1" />
197   <patternString value="Pseudonymisierte Gesetzliche
Krankenversicherung" />
198 </element>
199 <element id="Patient.identifier:pseudoId_GKV.type.coding.userSelected">
200   <path value="Patient.identifier.type.coding.userSelected" />
201   <max value="0" />
202 </element>
203 <element id="Patient.identifier:pseudoId_GKV.value">
204   <path value="Patient.identifier.value" />
205   <min value="1" />
206   <mustSupport value="true" />
207 </element>
208 <element id="Patient.identifier:pseudoId_GKV.period">
209   <path value="Patient.identifier.period" />
210   <max value="0" />
211 </element>
212 <element id="Patient.identifier:pseudoId_GKV.assigner">
213   <path value="Patient.identifier.assigner" />

```



```

214     <max value="0" />
215 </element>
216 <element id="Patient.identifier:versichertenId_GKV">
217   <path value="Patient.identifier" />
218   <sliceName value="versichertenId_GKV" />
219   <max value="1" />
220   <type>
221     <code value="Identifier" />
222     <profile value="http://fhir.de/StructureDefinition/identifier-
223 kvid-10|0.9.13" />
224   </type>
225   <mustSupport value="true" />
226 </element>
227 <element id="Patient.identifier:versichertenId_GKV.type">
228   <path value="Patient.identifier.type" />
229   <min value="1" />
230 </element>
231 <element id="Patient.identifier:versichertenId_GKV.type.coding">
232   <path value="Patient.identifier.type.coding" />
233   <min value="1" />
234   <max value="1" />
235 </element>
236 <element id="Patient.identifier:versichertenId_GKV.type.coding.system">
237   <path value="Patient.identifier.type.coding.system" />
238   <min value="1" />
239   <fixedUri value="http://fhir.de/CodeSystem/identifier-type-de-
240 basis" />
241 </element>
242 <element id="Patient.identifier:versichertenId_GKV.type.coding.code">
243   <path value="Patient.identifier.type.coding.code" />
244   <min value="1" />
245   <fixedCode value="GKV" />
246 </element>
247 <element id="Patient.identifier:versichertenId_GKV.type.coding.display">
248   <path value="Patient.identifier.type.coding.display" />
249   <min value="1" />
250   <patternString value="Gesetzliche Krankenversicherung" />
251 </element>
252 <element id="Patient.identifier:versichertenId_GKV.type.coding.userSele
253 cted">
254   <path value="Patient.identifier.type.coding.userSelected" />
255   <max value="0" />
256 </element>
257 <element id="Patient.identifier:versichertenId_GKV.value">
258   <path value="Patient.identifier.value" />
259   <min value="1" />
260   <mustSupport value="true" />
261 </element>
262 <element id="Patient.identifier:versichertenId_GKV.period">
263   <path value="Patient.identifier.period" />
264   <max value="0" />
265 </element>
266 <element id="Patient.identifier:versichertenId_GKV.assigner">
267   <path value="Patient.identifier.assigner" />
268   <max value="0" />
269 </element>
270 <element id="Patient.identifier:versichertennummer_pkv">
271   <path value="Patient.identifier" />
272   <sliceName value="versichertennummer_pkv" />
273   <max value="1" />

```

```

271     <type>
272       <code value="Identifizier" />
273       <profile value="http://fhir.de/StructureDefinition/identifizier-pkv|
0.9.13" />
274     </type>
275     <mustSupport value="true" />
276   </element>
277   <element id="Patient.identifizier:versichertennummer_pkv.type">
278     <path value="Patient.identifizier.type" />
279     <min value="1" />
280   </element>
281   <element id="Patient.identifizier:versichertennummer_pkv.type.coding">
282     <path value="Patient.identifizier.type.coding" />
283     <min value="1" />
284     <max value="1" />
285   </element>
286   <element id="Patient.identifizier:versichertennummer_pkv.type.coding.system">
287     <path value="Patient.identifizier.type.coding.system" />
288     <min value="1" />
289     <fixedUri value="http://fhir.de/CodeSystem/identifizier-type-de-
basis" />
290   </element>
291   <element id="Patient.identifizier:versichertennummer_pkv.type.coding.code">
292     <path value="Patient.identifizier.type.coding.code" />
293     <min value="1" />
294     <fixedCode value="PKV" />
295   </element>
296   <element id="Patient.identifizier:versichertennummer_pkv.type.coding.display">
297     <path value="Patient.identifizier.type.coding.display" />
298     <min value="1" />
299     <patternString value="Private Krankenversicherung" />
300   </element>
301   <element id="Patient.identifizier:versichertennummer_pkv.type.coding.userSelected">
302     <path value="Patient.identifizier.type.coding.userSelected" />
303     <max value="0" />
304   </element>
305   <element id="Patient.identifizier:versichertennummer_pkv.value">
306     <path value="Patient.identifizier.value" />
307     <min value="1" />
308     <mustSupport value="true" />
309   </element>
310   <element id="Patient.identifizier:versichertennummer_pkv.period">
311     <path value="Patient.identifizier.period" />
312     <max value="0" />
313   </element>
314   <element id="Patient.identifizier:versichertennummer_pkv.assigner">
315     <path value="Patient.identifizier.assigner" />
316     <max value="0" />
317   </element>
318   <element id="Patient.identifizier:reisepassnummer">
319     <path value="Patient.identifizier" />
320     <sliceName value="reisepassnummer" />
321     <mustSupport value="true" />
322   </element>
323   <element id="Patient.identifizier:reisepassnummer.type">
324     <path value="Patient.identifizier.type" />

```

```

325     <min value="1" />
326     <patternCodeableConcept>
327         <coding>
328             <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
329             <code value="PPN" />
330         </coding>
331     </patternCodeableConcept>
332 </element>
333 <element id="Patient.identifier:reisepassnummer.type.coding">
334     <path value="Patient.identifier.type.coding" />
335     <min value="1" />
336     <max value="1" />
337 </element>
338 <element id="Patient.identifier:reisepassnummer.type.coding.system">
339     <path value="Patient.identifier.type.coding.system" />
340     <min value="1" />
341     <fixedUri value="http://terminology.hl7.org/CodeSystem/v2-0203" />
342 </element>
343 <element id="Patient.identifier:reisepassnummer.type.coding.code">
344     <path value="Patient.identifier.type.coding.code" />
345     <min value="1" />
346     <fixedCode value="PPN" />
347 </element>
348 <element id="Patient.identifier:reisepassnummer.type.coding.display">
349     <path value="Patient.identifier.type.coding.display" />
350     <min value="1" />
351     <patternString value="Passport number" />
352 </element>
353 <element id="Patient.identifier:reisepassnummer.type.coding.userSelecte
354     <path value="Patient.identifier.type.coding.userSelected" />
355     <max value="0" />
356 </element>
357 <element id="Patient.identifier:reisepassnummer.value">
358     <path value="Patient.identifier.value" />
359     <min value="1" />
360     <mustSupport value="true" />
361 </element>
362 <element id="Patient.identifier:reisepassnummer.period">
363     <path value="Patient.identifier.period" />
364     <max value="0" />
365 </element>
366 <element id="Patient.identifier:reisepassnummer.assigner">
367     <path value="Patient.identifier.assigner" />
368     <max value="0" />
369 </element>
370 <element id="Patient.identifier:versichertenummer_kvkk">
371     <path value="Patient.identifier" />
372     <sliceName value="versichertenummer_kvkk" />
373     <max value="1" />
374     <mustSupport value="true" />
375 </element>
376 <element id="Patient.identifier:versichertenummer_kvkk.type">
377     <path value="Patient.identifier.type" />
378     <min value="1" />
379     <patternCodeableConcept>
380         <coding>
381             <system value="https://fhir.kbv.de/CodeSystem/
382             KBV_CS_Base_identifier_type" />
383             <code value="kvk" />

```

```

383     </coding>
384   </patternCodeableConcept>
385 </element>
386 <element id="Patient.identifier:versichertennummer_kv.k.type.coding">
387   <path value="Patient.identifier.type.coding" />
388   <min value="1" />
389   <max value="1" />
390 </element>
391 <element id="Patient.identifier:versichertennummer_kv.k.type.coding.system">
392   <path value="Patient.identifier.type.coding.system" />
393   <min value="1" />
394   <fixedUri value="https://fhir.kbv.de/CodeSystem/
KBV_CS_Base_identifier_type" />
395 </element>
396 <element id="Patient.identifier:versichertennummer_kv.k.type.coding.code">
397   <path value="Patient.identifier.type.coding.code" />
398   <min value="1" />
399   <fixedCode value="kv.k" />
400 </element>
401 <element id="Patient.identifier:versichertennummer_kv.k.type.coding.display">
402   <path value="Patient.identifier.type.coding.display" />
403   <min value="1" />
404   <patternString value="Krankenversichertenkarte" />
405 </element>
406 <element id="Patient.identifier:versichertennummer_kv.k.type.coding.userSelected">
407   <path value="Patient.identifier.type.coding.userSelected" />
408   <max value="0" />
409 </element>
410 <element id="Patient.identifier:versichertennummer_kv.k.system">
411   <path value="Patient.identifier.system" />
412   <min value="1" />
413   <patternUri value="http://fhir.de/NamingSystem/gkv/kv.k-
versichertennummer" />
414 </element>
415 <element id="Patient.identifier:versichertennummer_kv.k.value">
416   <path value="Patient.identifier.value" />
417   <min value="1" />
418   <mustSupport value="true" />
419 </element>
420 <element id="Patient.identifier:versichertennummer_kv.k.period">
421   <path value="Patient.identifier.period" />
422   <max value="0" />
423 </element>
424 <element id="Patient.identifier:versichertennummer_kv.k.assigner">
425   <path value="Patient.identifier.assigner" />
426   <max value="0" />
427 </element>
428 <element id="Patient.identifier:uuid">
429   <path value="Patient.identifier" />
430   <sliceName value="uuid" />
431   <min value="1" />
432   <max value="1" />
433   <mustSupport value="true" />
434 </element>
435 <element id="Patient.identifier:uuid.type">
436   <path value="Patient.identifier.type" />

```

```

437     <min value="1" />
438     <patternCodeableConcept>
439         <coding>
440             <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
441             <version value="2.9" />
442             <code value="RI" />
443             <display value="Resource identifier" />
444         </coding>
445     </patternCodeableConcept>
446 </element>
447 <element id="Patient.identifier.uuid.type.coding">
448     <path value="Patient.identifier.type.coding" />
449     <min value="1" />
450     <max value="1" />
451 </element>
452 <element id="Patient.identifier.uuid.type.coding.system">
453     <path value="Patient.identifier.type.coding.system" />
454     <min value="1" />
455     <fixedUri value="http://terminology.hl7.org/CodeSystem/v2-0203" />
456 </element>
457 <element id="Patient.identifier.uuid.type.coding.version">
458     <path value="Patient.identifier.type.coding.version" />
459     <min value="1" />
460     <fixedString value="2.9" />
461 </element>
462 <element id="Patient.identifier.uuid.type.coding.code">
463     <path value="Patient.identifier.type.coding.code" />
464     <min value="1" />
465     <fixedCode value="RI" />
466 </element>
467 <element id="Patient.identifier.uuid.type.coding.display">
468     <path value="Patient.identifier.type.coding.display" />
469     <min value="1" />
470     <patternString value="Resource identifier" />
471 </element>
472 <element id="Patient.identifier.uuid.type.coding.userSelected">
473     <path value="Patient.identifier.type.coding.userSelected" />
474     <max value="0" />
475 </element>
476 <element id="Patient.identifier.uuid.type.text">
477     <path value="Patient.identifier.type.text" />
478     <max value="0" />
479 </element>
480 <element id="Patient.identifier.uuid.system">
481     <path value="Patient.identifier.system" />
482     <min value="1" />
483     <fixedUri value="urn:iETF:rFC:3986" />
484     <mustSupport value="true" />
485 </element>
486 <element id="Patient.identifier.uuid.value">
487     <path value="Patient.identifier.value" />
488     <min value="1" />
489     <mustSupport value="true" />
490 </element>
491 <element id="Patient.identifier.uuid.period">
492     <path value="Patient.identifier.period" />
493     <max value="0" />
494 </element>
495 <element id="Patient.identifier.uuid.assigner">
496     <path value="Patient.identifier.assigner" />

```

```

497     <max value="0" />
498 </element>
499 <element id="Patient.active">
500   <path value="Patient.active" />
501   <max value="0" />
502 </element>
503 <element id="Patient.name">
504   <path value="Patient.name" />
505   <licing>
506     <discriminator>
507       <type value="value" />
508       <path value="use" />
509     </discriminator>
510     <rules value="closed" />
511   </licing>
512   <mustSupport value="true" />
513 </element>
514 <element id="Patient.name:name">
515   <path value="Patient.name" />
516   <sliceName value="name" />
517   <max value="1" />
518   <type>
519     <code value="HumanName" />
520     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_Base_Datatype_Name|1.2.1" />
521   </type>
522   <mustSupport value="true" />
523 </element>
524 <element id="Patient.name:name.text">
525   <path value="Patient.name.text" />
526   <mustSupport value="true" />
527 </element>
528 <element id="Patient.name:name.family">
529   <path value="Patient.name.family" />
530   <mustSupport value="true" />
531 </element>
532 <element id="Patient.name:name.family.extension">
533   <path value="Patient.name.family.extension" />
534   <licing>
535     <discriminator>
536       <type value="value" />
537       <path value="url" />
538     </discriminator>
539     <rules value="open" />
540   </licing>
541   <min value="1" />
542   <mustSupport value="true" />
543 </element>
544 <element id="Patient.name:name.family.extension:namenszusatz">
545   <path value="Patient.name.family.extension" />
546   <sliceName value="namenszusatz" />
547   <min value="0" />
548   <mustSupport value="true" />
549 </element>
550 <element id="Patient.name:name.family.extension:namenszusatz.value[x]">
551   <path value="Patient.name.family.extension.value[x]" />
552   <licing>
553     <discriminator>
554       <type value="type" />
555       <path value="$this" />

```

```

556     </discriminator>
557     <rules value="closed" />
558 </slicing>
559 <mustSupport value="true" />
560 </element>
561 <element id="Patient.name:name.family.extension:namenszusatz.value[x]:v
alueString">
562   <path value="Patient.name.family.extension.value[x]" />
563   <sliceName value="valueString" />
564   <min value="1" />
565   <mustSupport value="true" />
566 </element>
567 <element id="Patient.name:name.family.extension:nachname">
568   <path value="Patient.name.family.extension" />
569   <sliceName value="nachname" />
570   <min value="1" />
571   <max value="1" />
572   <mustSupport value="true" />
573 </element>
574 <element id="Patient.name:name.family.extension:nachname.value[x]">
575   <path value="Patient.name.family.extension.value[x]" />
576   <slicing>
577     <discriminator>
578       <type value="type" />
579       <path value="$this" />
580     </discriminator>
581     <rules value="closed" />
582   </slicing>
583   <mustSupport value="true" />
584 </element>
585 <element id="Patient.name:name.family.extension:nachname.value[x]:value
String">
586   <path value="Patient.name.family.extension.value[x]" />
587   <sliceName value="valueString" />
588   <min value="1" />
589   <mustSupport value="true" />
590 </element>
591 <element id="Patient.name:name.family.extension:vorsatzwort">
592   <path value="Patient.name.family.extension" />
593   <sliceName value="vorsatzwort" />
594   <max value="1" />
595   <mustSupport value="true" />
596 </element>
597 <element id="Patient.name:name.family.extension:vorsatzwort.value[x]">
598   <path value="Patient.name.family.extension.value[x]" />
599   <slicing>
600     <discriminator>
601       <type value="type" />
602       <path value="$this" />
603     </discriminator>
604     <rules value="closed" />
605   </slicing>
606   <mustSupport value="true" />
607 </element>
608 <element id="Patient.name:name.family.extension:vorsatzwort.value[x]:va
alueString">
609   <path value="Patient.name.family.extension.value[x]" />
610   <sliceName value="valueString" />
611   <min value="1" />
612   <mustSupport value="true" />

```

```

613 </element>
614 <element id="Patient.name:name.given">
615   <path value="Patient.name.given" />
616   <min value="1" />
617   <mustSupport value="true" />
618 </element>
619 <element id="Patient.name:name.prefix">
620   <path value="Patient.name.prefix" />
621   <max value="1" />
622   <mustSupport value="true" />
623 </element>
624 <element id="Patient.name:name.prefix.extension">
625   <path value="Patient.name.prefix.extension" />
626   <licing>
627     <discriminator>
628       <type value="value" />
629       <path value="url" />
630     </discriminator>
631     <rules value="open" />
632   </licing>
633   <min value="1" />
634   <mustSupport value="true" />
635 </element>
636 <element id="Patient.name:name.prefix.extension:prefix-qualifier">
637   <path value="Patient.name.prefix.extension" />
638   <sliceName value="prefix-qualifier" />
639   <min value="1" />
640   <mustSupport value="true" />
641 </element>
642 <element id="Patient.name:name.prefix.extension:prefix-
qualifier.value[x]:valueCode">
643   <path value="Patient.name.prefix.extension.value[x]" />
644   <sliceName value="valueCode" />
645   <min value="1" />
646   <mustSupport value="true" />
647 </element>
648 <element id="Patient.name:name.suffix">
649   <path value="Patient.name.suffix" />
650   <max value="0" />
651 </element>
652 <element id="Patient.name:name.period">
653   <path value="Patient.name.period" />
654   <max value="0" />
655 </element>
656 <element id="Patient.name:geburtsname">
657   <path value="Patient.name" />
658   <sliceName value="geburtsname" />
659   <max value="1" />
660   <type>
661     <code value="HumanName" />
662     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_Base_Datatype_Maiden_Name|1.2.1" />
663   </type>
664   <mustSupport value="true" />
665 </element>
666 <element id="Patient.name:geburtsname.text">
667   <path value="Patient.name.text" />
668   <mustSupport value="true" />
669 </element>
670 <element id="Patient.name:geburtsname.family">

```



```

671     <path value="Patient.name.family" />
672     <mustSupport value="true" />
673 </element>
674 <element id="Patient.name.geburtsname.family.extension">
675     <path value="Patient.name.family.extension" />
676     <slicing>
677         <discriminator>
678             <type value="value" />
679             <path value="url" />
680         </discriminator>
681         <rules value="open" />
682     </slicing>
683     <min value="1" />
684     <mustSupport value="true" />
685 </element>
686 <element id="Patient.name.geburtsname.family.extension.namenszusatz">
687     <path value="Patient.name.family.extension" />
688     <sliceName value="namenszusatz" />
689     <min value="0" />
690     <mustSupport value="true" />
691 </element>
692 <element id="Patient.name.geburtsname.family.extension.namenszusatz.value[x]">
693     <path value="Patient.name.family.extension.value[x]" />
694     <slicing>
695         <discriminator>
696             <type value="type" />
697             <path value="$this" />
698         </discriminator>
699         <rules value="closed" />
700     </slicing>
701     <mustSupport value="true" />
702 </element>
703 <element id="Patient.name.geburtsname.family.extension.namenszusatz.value[x]:valueString">
704     <path value="Patient.name.family.extension.value[x]" />
705     <sliceName value="valueString" />
706     <min value="1" />
707     <mustSupport value="true" />
708 </element>
709 <element id="Patient.name.geburtsname.family.extension.nachname">
710     <path value="Patient.name.family.extension" />
711     <sliceName value="nachname" />
712     <min value="1" />
713     <max value="1" />
714     <mustSupport value="true" />
715 </element>
716 <element id="Patient.name.geburtsname.family.extension.nachname.value[x]">
717     <path value="Patient.name.family.extension.value[x]" />
718     <slicing>
719         <discriminator>
720             <type value="type" />
721             <path value="$this" />
722         </discriminator>
723         <rules value="closed" />
724     </slicing>
725     <mustSupport value="true" />
726 </element>

```

```

727     <element id="Patient.name.geburtsname.family.extension.nachname.value[x
]:valueString">
728       <path value="Patient.name.family.extension.value[x]" />
729       <sliceName value="valueString" />
730       <min value="1" />
731       <mustSupport value="true" />
732     </element>
733     <element id="Patient.name.geburtsname.family.extension.vorsatzwort">
734       <path value="Patient.name.family.extension" />
735       <sliceName value="vorsatzwort" />
736       <max value="1" />
737       <mustSupport value="true" />
738     </element>
739     <element id="Patient.name.geburtsname.family.extension.vorsatzwort.valu
e[x]">
740       <path value="Patient.name.family.extension.value[x]" />
741       <licing>
742         <discriminator>
743           <type value="type" />
744           <path value="$this" />
745         </discriminator>
746         <rules value="closed" />
747       </licing>
748       <mustSupport value="true" />
749     </element>
750     <element id="Patient.name.geburtsname.family.extension.vorsatzwort.valu
e[x]:valueString">
751       <path value="Patient.name.family.extension.value[x]" />
752       <sliceName value="valueString" />
753       <min value="1" />
754       <mustSupport value="true" />
755     </element>
756     <element id="Patient.name.geburtsname.suffix">
757       <path value="Patient.name.suffix" />
758       <max value="0" />
759     </element>
760     <element id="Patient.name.geburtsname.period">
761       <path value="Patient.name.period" />
762       <max value="0" />
763     </element>
764     <element id="Patient.telecom">
765       <path value="Patient.telecom" />
766       <type>
767         <code value="ContactPoint" />
768         <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_Base_Datatype_Contactpoint" />
769       </type>
770       <mustSupport value="true" />
771     </element>
772     <element id="Patient.telecom.system">
773       <path value="Patient.telecom.system" />
774       <mustSupport value="true" />
775     </element>
776     <element id="Patient.telecom.system.extension">
777       <path value="Patient.telecom.system.extension" />
778       <licing>
779         <discriminator>
780           <type value="value" />
781           <path value="url" />
782         </discriminator>

```

```

783     <rules value="open" />
784   </slicing>
785   <min value="1" />
786 </element>
787 <element id="Patient.telecom.system.extension:anzeigennameCode">
788   <path value="Patient.telecom.system.extension" />
789   <sliceName value="anzeigennameCode" />
790   <min value="1" />
791   <max value="1" />
792   <mustSupport value="true" />
793 </element>
794 <element id="Patient.telecom.system.extension:anzeigennameCode.extension
">
795   <path value="Patient.telecom.system.extension.extension" />
796   <slicing>
797     <discriminator>
798       <type value="value" />
799       <path value="url" />
800     </discriminator>
801     <rules value="open" />
802   </slicing>
803   <min value="1" />
804 </element>
805 <element id="Patient.telecom.system.extension:anzeigennameCode.extension
:content">
806   <path value="Patient.telecom.system.extension.extension" />
807   <sliceName value="content" />
808   <min value="1" />
809 </element>
810 <element id="Patient.telecom.system.extension:anzeigennameCode.extension
:content.value[x]">
811   <path value="Patient.telecom.system.extension.extension.value[x]" />
812   <slicing>
813     <discriminator>
814       <type value="type" />
815       <path value="$this" />
816     </discriminator>
817     <rules value="closed" />
818   </slicing>
819   <mustSupport value="true" />
820 </element>
821 <element id="Patient.telecom.system.extension:anzeigennameCode.extension
:content.value[x]:valueString">
822   <path value="Patient.telecom.system.extension.extension.value[x]" />
823   <sliceName value="valueString" />
824   <mustSupport value="true" />
825 </element>
826 <element id="Patient.telecom.value">
827   <path value="Patient.telecom.value" />
828   <mustSupport value="true" />
829 </element>
830 <element id="Patient.telecom.use">
831   <path value="Patient.telecom.use" />
832   <max value="0" />
833 </element>
834 <element id="Patient.telecom.rank">
835   <path value="Patient.telecom.rank" />
836   <max value="0" />
837 </element>
838 <element id="Patient.telecom.period">

```

```

839     <path value="Patient.telecom.period" />
840     <max value="0" />
841 </element>
842 <element id="Patient.gender">
843     <path value="Patient.gender" />
844     <comment value="Für die meisten Patientenprofile ist das Geschlecht
      zwingend anzugeben. Da es beim Zaeb, Impfpass und eAu nicht auftaucht, muss
      die Kardinalizäz bei 0..1 verbleiben. Hier muss noch die Extension
      &quot;gender_amtlich_de hinzugefügt werden" />
845     <mustSupport value="true" />
846 </element>
847 <element id="Patient.gender.extension">
848     <path value="Patient.gender.extension" />
849     <licing>
850         <discriminator>
851             <type value="value" />
852             <path value="url" />
853         </discriminator>
854         <rules value="open" />
855     </licing>
856 </element>
857 <element id="Patient.gender.extension:other-amtlich">
858     <path value="Patient.gender.extension" />
859     <sliceName value="other-amtlich" />
860     <max value="1" />
861     <type>
862         <code value="Extension" />
863         <profile value="http://fhir.de/StructureDefinition/gender-amtlich-
      de|0.9.13" />
864     </type>
865 </element>
866 <element id="Patient.gender.extension:anzeigenameCode">
867     <path value="Patient.gender.extension" />
868     <sliceName value="anzeigenameCode" />
869     <max value="1" />
870     <type>
871         <code value="Extension" />
872         <profile value="https://fhir.kbv.de/StructureDefinition/
      KBV_EX_Base_Terminology_German" />
873     </type>
874 </element>
875 <element id="Patient.gender.extension:anzeigenameCode.extension">
876     <path value="Patient.gender.extension.extension" />
877     <licing>
878         <discriminator>
879             <type value="value" />
880             <path value="url" />
881         </discriminator>
882         <rules value="open" />
883     </licing>
884 </element>
885 <element id="Patient.gender.extension:anzeigenameCode.extension:content
      ">
886     <path value="Patient.gender.extension.extension" />
887     <sliceName value="content" />
888 </element>
889 <element id="Patient.gender.extension:anzeigenameCode.extension:content
      .value[x]:valueString">
890     <path value="Patient.gender.extension.extension.value[x]" />
891     <sliceName value="valueString" />

```

```

892     <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
https://fhir.kbv.de/ConceptMap/KBV\_CM\_Base\_Gender\_German
eingetragen werden." />
893   </element>
894   <element id="Patient.birthDate">
895     <path value="Patient.birthDate" />
896     <mustSupport value="true" />
897   </element>
898   <element id="Patient.deceased[x]">
899     <path value="Patient.deceased[x]" />
900     <max value="0" />
901   </element>
902   <element id="Patient.address">
903     <path value="Patient.address" />
904     <slicing>
905       <discriminator>
906         <type value="value" />
907         <path value="type" />
908       </discriminator>
909       <rules value="closed" />
910     </slicing>
911     <mustSupport value="true" />
912   </element>
913   <element id="Patient.address:Strassenanschrift">
914     <path value="Patient.address" />
915     <sliceName value="Strassenanschrift" />
916     <max value="1" />
917     <type>
918       <code value="Address" />
919       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_Base_Datatype_Street_Address" />
920     </type>
921     <mustSupport value="true" />
922   </element>
923   <element id="Patient.address:Strassenanschrift.extension">
924     <path value="Patient.address.extension" />
925     <slicing>
926       <discriminator>
927         <type value="value" />
928         <path value="url" />
929       </discriminator>
930       <rules value="open" />
931     </slicing>
932     <mustSupport value="true" />
933   </element>
934   <element id="Patient.address:Strassenanschrift.extension:Stadtteil">
935     <path value="Patient.address.extension" />
936     <sliceName value="Stadtteil" />
937     <min value="0" />
938     <mustSupport value="true" />
939   </element>
940   <element id="Patient.address:Strassenanschrift.line">
941     <path value="Patient.address.line" />
942     <mustSupport value="true" />
943   </element>
944   <element id="Patient.address:Strassenanschrift.line.extension">
945     <path value="Patient.address.line.extension" />
946     <slicing>
947       <discriminator>

```

```

948     <type value="value" />
949     <path value="url" />
950   </discriminator>
951   <rules value="open" />
952 </slicing>
953 <min value="0" />
954 <mustSupport value="true" />
955 </element>
956 <element id="Patient.address:Strassenanschrift.line.extension:Strasse">
957   <path value="Patient.address.line.extension" />
958   <sliceName value="Strasse" />
959   <min value="0" />
960   <mustSupport value="true" />
961 </element>
962 <element id="Patient.address:Strassenanschrift.line.extension:Strasse.v
963 alue[x]">
964   <path value="Patient.address.line.extension.value[x]" />
965   <slicing>
966     <discriminator>
967       <type value="type" />
968       <path value="$this" />
969     </discriminator>
970     <rules value="closed" />
971   </slicing>
972   <mustSupport value="true" />
973 </element>
974 <element id="Patient.address:Strassenanschrift.line.extension:Strasse.v
975 alue[x]:valueString">
976   <path value="Patient.address.line.extension.value[x]" />
977   <sliceName value="valueString" />
978   <mustSupport value="true" />
979 </element>
980 <element id="Patient.address:Strassenanschrift.line.extension:Hausnumme
981 r">
982   <path value="Patient.address.line.extension" />
983   <sliceName value="Hausnummer" />
984   <min value="0" />
985   <mustSupport value="true" />
986 </element>
987 <element id="Patient.address:Strassenanschrift.line.extension:Hausnumme
988 r.value[x]">
989   <path value="Patient.address.line.extension.value[x]" />
990   <slicing>
991     <discriminator>
992       <type value="type" />
993       <path value="$this" />
994     </discriminator>
995     <rules value="closed" />
996   </slicing>
997   <mustSupport value="true" />
998 </element>
999 <element id="Patient.address:Strassenanschrift.line.extension:Hausnumme
1000 r.value[x]:valueString">
1001   <path value="Patient.address.line.extension.value[x]" />
1002   <sliceName value="valueString" />
1003   <mustSupport value="true" />
1004 </element>
1005 <element id="Patient.address:Strassenanschrift.line.extension:Adresszus
1006 atz">
1007   <path value="Patient.address.line.extension" />

```

```

1002     <sliceName value="Adresszusatz" />
1003     <min value="0" />
1004     <mustSupport value="true" />
1005   </element>
1006   <element id="Patient.address:Strassenanschrift.line.extension:Adresszus
atz.value[x]">
1007     <path value="Patient.address.line.extension.value[x]" />
1008     <licing>
1009       <discriminator>
1010         <type value="type" />
1011         <path value="$this" />
1012       </discriminator>
1013       <rules value="closed" />
1014     </licing>
1015     <mustSupport value="true" />
1016   </element>
1017   <element id="Patient.address:Strassenanschrift.line.extension:Adresszus
atz.value[x]:valueString">
1018     <path value="Patient.address.line.extension.value[x]" />
1019     <sliceName value="valueString" />
1020     <mustSupport value="true" />
1021   </element>
1022   <element id="Patient.address:Strassenanschrift.city">
1023     <path value="Patient.address.city" />
1024     <mustSupport value="true" />
1025   </element>
1026   <element id="Patient.address:Strassenanschrift.state">
1027     <path value="Patient.address.state" />
1028     <max value="0" />
1029   </element>
1030   <element id="Patient.address:Strassenanschrift.postalCode">
1031     <path value="Patient.address.postalCode" />
1032     <mustSupport value="true" />
1033   </element>
1034   <element id="Patient.address:Strassenanschrift.country">
1035     <path value="Patient.address.country" />
1036     <mustSupport value="true" />
1037   </element>
1038   <element id="Patient.address:Strassenanschrift.period">
1039     <path value="Patient.address.period" />
1040     <max value="0" />
1041   </element>
1042   <element id="Patient.address:Postfach">
1043     <path value="Patient.address" />
1044     <sliceName value="Postfach" />
1045     <max value="1" />
1046     <type>
1047       <code value="Address" />
1048       <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_Base_Datatype_Post_Office_Box" />
1049     </type>
1050     <mustSupport value="true" />
1051   </element>
1052   <element id="Patient.address:Postfach.extension">
1053     <path value="Patient.address.extension" />
1054     <licing>
1055       <discriminator>
1056         <type value="value" />
1057         <path value="url" />
1058       </discriminator>

```

```

1059     <rules value="open" />
1060 </slicing>
1061 <min value="0" />
1062 <mustSupport value="true" />
1063 </element>
1064 <element id="Patient.address:Postfach.extension:Stadtteil">
1065   <path value="Patient.address.extension" />
1066   <sliceName value="Stadtteil" />
1067   <min value="0" />
1068   <mustSupport value="true" />
1069 </element>
1070 <element id="Patient.address:Postfach.extension:Stadtteil.value[x]">
1071   <path value="Patient.address.extension.value[x]" />
1072   <slicing>
1073     <discriminator>
1074       <type value="type" />
1075       <path value="$this" />
1076     </discriminator>
1077     <rules value="open" />
1078   </slicing>
1079   <mustSupport value="true" />
1080 </element>
1081 <element id="Patient.address:Postfach.extension:Stadtteil.value[x]:valu
eString">
1082   <path value="Patient.address.extension.value[x]" />
1083   <sliceName value="valueString" />
1084   <min value="1" />
1085   <mustSupport value="true" />
1086 </element>
1087 <element id="Patient.address:Postfach.line">
1088   <path value="Patient.address.line" />
1089   <max value="1" />
1090   <mustSupport value="true" />
1091 </element>
1092 <element id="Patient.address:Postfach.line.extension">
1093   <path value="Patient.address.line.extension" />
1094   <slicing>
1095     <discriminator>
1096       <type value="value" />
1097       <path value="url" />
1098     </discriminator>
1099     <rules value="open" />
1100   </slicing>
1101   <min value="1" />
1102   <mustSupport value="true" />
1103 </element>
1104 <element id="Patient.address:Postfach.line.extension:Postfach">
1105   <path value="Patient.address.line.extension" />
1106   <sliceName value="Postfach" />
1107   <min value="1" />
1108   <mustSupport value="true" />
1109 </element>
1110 <element id="Patient.address:Postfach.line.extension:Postfach.value[x]">
1111   <path value="Patient.address.line.extension.value[x]" />
1112   <slicing>
1113     <discriminator>
1114       <type value="type" />
1115       <path value="$this" />
1116     </discriminator>
1117     <rules value="closed" />

```



```

1118     </slicing>
1119     <mustSupport value="true" />
1120 </element>
1121 <element id="Patient.address:Postfach.line.extension:Postfach.value[x]:
valueString">
1122     <path value="Patient.address.line.extension.value[x]" />
1123     <sliceName value="valueString" />
1124     <mustSupport value="true" />
1125 </element>
1126 <element id="Patient.address:Postfach.city">
1127     <path value="Patient.address.city" />
1128     <mustSupport value="true" />
1129 </element>
1130 <element id="Patient.address:Postfach.state">
1131     <path value="Patient.address.state" />
1132     <max value="0" />
1133 </element>
1134 <element id="Patient.address:Postfach.postalCode">
1135     <path value="Patient.address.postalCode" />
1136     <mustSupport value="true" />
1137 </element>
1138 <element id="Patient.address:Postfach.country">
1139     <path value="Patient.address.country" />
1140     <mustSupport value="true" />
1141 </element>
1142 <element id="Patient.address:Postfach.period">
1143     <path value="Patient.address.period" />
1144     <max value="0" />
1145 </element>
1146 <element id="Patient.maritalStatus">
1147     <path value="Patient.maritalStatus" />
1148     <max value="0" />
1149 </element>
1150 <element id="Patient.multipleBirth[x]">
1151     <path value="Patient.multipleBirth[x]" />
1152     <max value="0" />
1153 </element>
1154 <element id="Patient.photo">
1155     <path value="Patient.photo" />
1156     <max value="0" />
1157 </element>
1158 <element id="Patient.contact">
1159     <path value="Patient.contact" />
1160     <max value="0" />
1161 </element>
1162 <element id="Patient.contact.address.country">
1163     <path value="Patient.contact.address.country" />
1164     <short value="Staat" />
1165     <definition value="Staat gemäß dem ValueSet https://fhir.kbv.de/ValueSet/KBV\_VS\_BASE\_GemRS\_Anlage\_8" />
1166     <comment value="Staat gemäß dem ValueSet https://fhir.kbv.de/ValueSet/KBV\_VS\_BASE\_GemRS\_Anlage\_8" />
1167     <binding>
1168         <strength value="extensible" />
1169         <valueSet value="https://fhir.kbv.de/ValueSet/KBV_VS_BASE_GemRS_Anlage_8" />
1170     </binding>
1171 </element>
1172 <element id="Patient.communication">
1173     <path value="Patient.communication" />

```

```

1174     <short value="Bevorzugte Sprache" />
1175     <definition value="Die Sprache, die zur Kommunikation mit dem
Patienten über medizinische Themen verwendet werden kann." />
1176     <mustSupport value="true" />
1177   </element>
1178   <element id="Patient.communication.language">
1179     <path value="Patient.communication.language" />
1180     <mustSupport value="true" />
1181   </element>
1182   <element id="Patient.communication.language.coding">
1183     <path value="Patient.communication.language.coding" />
1184     <min value="1" />
1185     <max value="1" />
1186     <mustSupport value="true" />
1187   </element>
1188   <element id="Patient.communication.language.coding.system">
1189     <path value="Patient.communication.language.coding.system" />
1190     <min value="1" />
1191   </element>
1192   <element id="Patient.communication.language.coding.version">
1193     <path value="Patient.communication.language.coding.version" />
1194     <max value="0" />
1195   </element>
1196   <element id="Patient.communication.language.coding.code">
1197     <path value="Patient.communication.language.coding.code" />
1198     <min value="1" />
1199   </element>
1200   <element id="Patient.communication.language.coding.display">
1201     <path value="Patient.communication.language.coding.display" />
1202     <min value="1" />
1203   </element>
1204   <element id="Patient.communication.language.coding.userSelected">
1205     <path value="Patient.communication.language.coding.userSelected" />
1206     <max value="0" />
1207   </element>
1208   <element id="Patient.communication.language.text">
1209     <path value="Patient.communication.language.text" />
1210     <max value="0" />
1211   </element>
1212   <element id="Patient.communication.preferred">
1213     <path value="Patient.communication.preferred" />
1214     <max value="0" />
1215   </element>
1216   <element id="Patient.generalPractitioner">
1217     <path value="Patient.generalPractitioner" />
1218     <max value="0" />
1219   </element>
1220   <element id="Patient.managingOrganization">
1221     <path value="Patient.managingOrganization" />
1222     <max value="0" />
1223   </element>
1224   <element id="Patient.link">
1225     <path value="Patient.link" />
1226     <max value="0" />
1227   </element>
1228 </differential>
1229 </StructureDefinition>

```

## 71. KBV\_PR\_MIO\_DIGA\_PRACTITIONER

### KBV\_PR\_MIO\_DIGA\_Practitioner

```
1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner" />
3   <version value="1.0.0" />
4   <name value="KBV_PR_MIO_DIGA_Practitioner" />
5   <title value="KBV_PR_MIO_DIGA_Practitioner" />
6   <status value="draft" />
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <description value="Dieses Profil bildet eine behandelnde Person ab." />
9   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM
definitions or is derived from it, subject to a license from Regenstrief
Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM
codes, UCUM definitions also is subject to this license, a copy of which is
available at http://unitsofmeasure.org. The current complete UCUM table,
UCUM Specification are available for download at http://unitsofmeasure.org.
The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief
Institute, Inc. and the Unified Codes for Units of Measures UCUM
Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM
DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS
OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE." />
10   <fhirVersion value="4.0.1" />
11   <kind value="resource" />
12   <abstract value="false" />
13   <type value="Practitioner" />
14   <baseDefinition value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_Base_Practitioner|1.2.1" />
15   <derivation value="constraint" />
16   <differential>
17     <element id="Practitioner">
18       <path value="Practitioner" />
19       <definition value="Dieses Profil bildet eine behandelnde Person
ab." />
20     </element>
21     <element id="Practitioner.meta">
22       <path value="Practitioner.meta" />
23       <min value="1" />
24     </element>
25     <element id="Practitioner.meta.versionId">
26       <path value="Practitioner.meta.versionId" />
27       <min value="1" />
```

```

28 </element>
29 <element id="Practitioner.meta.lastUpdated">
30   <path value="Practitioner.meta.lastUpdated" />
31   <min value="1" />
32 </element>
33 <element id="Practitioner.meta.source">
34   <path value="Practitioner.meta.source" />
35   <max value="0" />
36 </element>
37 <element id="Practitioner.meta.profile">
38   <path value="Practitioner.meta.profile" />
39   <min value="1" />
40   <max value="1" />
41   <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
42 </element>
43 <element id="Practitioner.meta.security">
44   <path value="Practitioner.meta.security" />
45   <max value="0" />
46 </element>
47 <element id="Practitioner.meta.tag">
48   <path value="Practitioner.meta.tag" />
49   <max value="0" />
50 </element>
51 <element id="Practitioner.implicitRules">
52   <path value="Practitioner.implicitRules" />
53   <max value="0" />
54 </element>
55 <element id="Practitioner.language">
56   <path value="Practitioner.language" />
57   <max value="0" />
58 </element>
59 <element id="Practitioner.text">
60   <path value="Practitioner.text" />
61   <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
62 </element>
63 <element id="Practitioner.text.status">
64   <path value="Practitioner.text.status" />
65   <fixedCode value="extensions" />
66 </element>
67 <element id="Practitioner.contained">
68   <path value="Practitioner.contained" />
69   <max value="0" />
70 </element>
71 <element id="Practitioner.extension">
72   <path value="Practitioner.extension" />
73   <licing>
74     <discriminator>
75       <type value="value" />
76       <path value="url" />
77     </discriminator>
78     <rules value="open" />
79   </licing>
80   <min value="0" />
81 </element>
82 <element id="Practitioner.extension:ergaenzende_Angaben">

```

```

83     <path value="Practitioner.extension" />
84     <sliceName value="ergaenzende_Angaben" />
85     <min value="0" />
86     <mustSupport value="true" />
87 </element>
88 <element id="Practitioner.extension:ergaenzende_Angaben.value[x]">
89     <path value="Practitioner.extension.value[x]" />
90     <licing>
91         <discriminator>
92             <type value="type" />
93             <path value="$this" />
94         </discriminator>
95         <rules value="closed" />
96     </licing>
97     <mustSupport value="true" />
98 </element>
99 <element id="Practitioner.extension:ergaenzende_Angaben.value[x]:valueS
100 tring">
101     <path value="Practitioner.extension.value[x]" />
102     <sliceName value="valueString" />
103     <mustSupport value="true" />
104 </element>
105 <element id="Practitioner.identifier">
106     <path value="Practitioner.identifier" />
107     <licing>
108         <discriminator>
109             <type value="value" />
110             <path value="type.coding.code" />
111         </discriminator>
112         <rules value="closed" />
113     </licing>
114     <min value="1" />
115     <mustSupport value="true" />
116 </element>
117 <element id="Practitioner.identifier:ANR">
118     <path value="Practitioner.identifier" />
119     <sliceName value="ANR" />
120     <max value="1" />
121     <mustSupport value="true" />
122 </element>
123 <element id="Practitioner.identifier:EFN">
124     <path value="Practitioner.identifier" />
125     <sliceName value="EFN" />
126     <mustSupport value="true" />
127 </element>
128 <element id="Practitioner.identifier:ZANR">
129     <path value="Practitioner.identifier" />
130     <sliceName value="ZANR" />
131     <max value="1" />
132     <mustSupport value="true" />
133 </element>
134 <element id="Practitioner.identifier:uuid">
135     <path value="Practitioner.identifier" />
136     <sliceName value="uuid" />
137     <min value="1" />
138     <max value="1" />
139     <mustSupport value="true" />
140 </element>
141 <element id="Practitioner.identifier:uuid.type">
    <path value="Practitioner.identifier.type" />

```

```

142     <min value="1" />
143 </element>
144 <element id="Practitioner.identifier:uuid.type.coding">
145   <path value="Practitioner.identifier.type.coding" />
146   <min value="1" />
147   <max value="1" />
148 </element>
149 <element id="Practitioner.identifier:uuid.type.coding.system">
150   <path value="Practitioner.identifier.type.coding.system" />
151   <min value="1" />
152   <fixedUri value="http://terminology.hl7.org/CodeSystem/v2-0203" />
153 </element>
154 <element id="Practitioner.identifier:uuid.type.coding.version">
155   <path value="Practitioner.identifier.type.coding.version" />
156   <min value="1" />
157   <fixedString value="2.9" />
158 </element>
159 <element id="Practitioner.identifier:uuid.type.coding.code">
160   <path value="Practitioner.identifier.type.coding.code" />
161   <min value="1" />
162   <fixedCode value="RI" />
163 </element>
164 <element id="Practitioner.identifier:uuid.type.coding.display">
165   <path value="Practitioner.identifier.type.coding.display" />
166   <min value="1" />
167   <fixedString value="Resource identifier" />
168 </element>
169 <element id="Practitioner.identifier:uuid.type.coding.userSelected">
170   <path value="Practitioner.identifier.type.coding.userSelected" />
171   <max value="0" />
172 </element>
173 <element id="Practitioner.identifier:uuid.type.text">
174   <path value="Practitioner.identifier.type.text" />
175   <max value="0" />
176 </element>
177 <element id="Practitioner.identifier:uuid.system">
178   <path value="Practitioner.identifier.system" />
179   <min value="1" />
180   <fixedUri value="urn:iETF:rFC:3986" />
181   <mustSupport value="true" />
182 </element>
183 <element id="Practitioner.identifier:uuid.value">
184   <path value="Practitioner.identifier.value" />
185   <min value="1" />
186   <mustSupport value="true" />
187 </element>
188 <element id="Practitioner.identifier:uuid.period">
189   <path value="Practitioner.identifier.period" />
190   <max value="0" />
191 </element>
192 <element id="Practitioner.identifier:uuid.assigner">
193   <path value="Practitioner.identifier.assigner" />
194   <max value="0" />
195 </element>
196 <element id="Practitioner.active">
197   <path value="Practitioner.active" />
198   <max value="0" />
199 </element>
200 <element id="Practitioner.name">
201   <path value="Practitioner.name" />

```

```

202     < slicing >
203         < discriminator >
204             < type value="value" />
205             < path value="use" />
206         < / discriminator >
207         < rules value="closed" />
208     < / slicing >
209     < mustSupport value="true" />
210 < / element >
211 < element id="Practitioner.name:name">
212     < path value="Practitioner.name" />
213     < sliceName value="name" />
214     < mustSupport value="true" />
215 < / element >
216 < element id="Practitioner.name:name.family">
217     < path value="Practitioner.name.family" />
218     < mustSupport value="true" />
219 < / element >
220 < element id="Practitioner.name:name.family.extension">
221     < path value="Practitioner.name.family.extension" />
222     < slicing >
223         < discriminator >
224             < type value="value" />
225             < path value="url" />
226         < / discriminator >
227         < rules value="open" />
228     < / slicing >
229     < min value="0" />
230 < / element >
231 < element id="Practitioner.name:name.family.extension:namenszusatz">
232     < path value="Practitioner.name.family.extension" />
233     < sliceName value="namenszusatz" />
234     < min value="0" />
235     < mustSupport value="true" />
236 < / element >
237 < element id="Practitioner.name:name.family.extension:namenszusatz.value
238 [x]">
239     < path value="Practitioner.name.family.extension.value[x]" />
240     < slicing >
241         < discriminator >
242             < type value="type" />
243             < path value="$this" />
244         < / discriminator >
245         < rules value="closed" />
246     < / slicing >
247     < mustSupport value="true" />
248 < / element >
249 < element id="Practitioner.name:name.family.extension:namenszusatz.value
250 [x]:valueString">
251     < path value="Practitioner.name.family.extension.value[x]" />
252     < sliceName value="valueString" />
253     < mustSupport value="true" />
254 < / element >
255 < element id="Practitioner.name:name.family.extension:nachname">
256     < path value="Practitioner.name.family.extension" />
257     < sliceName value="nachname" />
258     < min value="0" />
259     < mustSupport value="true" />
260 < / element >
261 < element id="Practitioner.name:name.family.extension:nachname.value[x]">

```

```

260     <path value="Practitioner.name.family.extension.value[x]" />
261     <licing>
262       <discriminator>
263         <type value="type" />
264         <path value="$this" />
265       </discriminator>
266       <rules value="closed" />
267     </licing>
268     <mustSupport value="true" />
269   </element>
270   <element id="Practitioner.name:name.family.extension:nachname.value[x]:
valueString">
271     <path value="Practitioner.name.family.extension.value[x]" />
272     <sliceName value="valueString" />
273     <mustSupport value="true" />
274   </element>
275   <element id="Practitioner.name:name.family.extension:vorsatzwort">
276     <path value="Practitioner.name.family.extension" />
277     <sliceName value="vorsatzwort" />
278     <min value="0" />
279     <mustSupport value="true" />
280   </element>
281   <element id="Practitioner.name:name.family.extension:vorsatzwort.value[
x]">
282     <path value="Practitioner.name.family.extension.value[x]" />
283     <licing>
284       <discriminator>
285         <type value="type" />
286         <path value="$this" />
287       </discriminator>
288       <rules value="closed" />
289     </licing>
290     <mustSupport value="true" />
291   </element>
292   <element id="Practitioner.name:name.family.extension:vorsatzwort.value[
x]:valueString">
293     <path value="Practitioner.name.family.extension.value[x]" />
294     <sliceName value="valueString" />
295     <mustSupport value="true" />
296   </element>
297   <element id="Practitioner.name:name.given">
298     <path value="Practitioner.name.given" />
299     <min value="1" />
300     <mustSupport value="true" />
301   </element>
302   <element id="Practitioner.name:name.prefix">
303     <path value="Practitioner.name.prefix" />
304     <max value="1" />
305     <mustSupport value="true" />
306   </element>
307   <element id="Practitioner.name:name.prefix.extension">
308     <path value="Practitioner.name.prefix.extension" />
309     <licing>
310       <discriminator>
311         <type value="value" />
312         <path value="url" />
313       </discriminator>
314       <rules value="open" />
315     </licing>
316     <min value="1" />

```



```

317 </element>
318 <element id="Practitioner.name.name.prefix.extension.prefix-qualifier">
319   <path value="Practitioner.name.prefix.extension" />
320   <sliceName value="prefix-qualifier" />
321   <min value="1" />
322   <mustSupport value="true" />
323 </element>
324 <element id="Practitioner.name.name.prefix.extension.prefix-
qualifier.value[x]">
325   <path value="Practitioner.name.prefix.extension.value[x]" />
326   <slicing>
327     <discriminator>
328       <type value="type" />
329       <path value="$this" />
330     </discriminator>
331     <rules value="closed" />
332   </slicing>
333   <mustSupport value="true" />
334 </element>
335 <element id="Practitioner.name.name.prefix.extension.prefix-
qualifier.value[x]:valueCode">
336   <path value="Practitioner.name.prefix.extension.value[x]" />
337   <sliceName value="valueCode" />
338   <mustSupport value="true" />
339 </element>
340 <element id="Practitioner.name.name.suffix">
341   <path value="Practitioner.name.suffix" />
342   <max value="0" />
343 </element>
344 <element id="Practitioner.name.name.period">
345   <path value="Practitioner.name.period" />
346   <max value="0" />
347 </element>
348 <element id="Practitioner.name.geburtsname">
349   <path value="Practitioner.name" />
350   <sliceName value="geburtsname" />
351   <mustSupport value="true" />
352 </element>
353 <element id="Practitioner.name.geburtsname.family">
354   <path value="Practitioner.name.family" />
355   <mustSupport value="true" />
356 </element>
357 <element id="Practitioner.name.geburtsname.family.extension">
358   <path value="Practitioner.name.family.extension" />
359   <slicing>
360     <discriminator>
361       <type value="value" />
362       <path value="url" />
363     </discriminator>
364     <rules value="open" />
365   </slicing>
366   <min value="0" />
367 </element>
368 <element id="Practitioner.name.geburtsname.family.extension:namenszusatz">
369   <path value="Practitioner.name.family.extension" />
370   <sliceName value="namenszusatz" />
371   <min value="0" />
372   <mustSupport value="true" />
373 </element>

```

```

374     <element id="Practitioner.name:geburtsname.family.extension:namenszusatz.value[x]">
375       <path value="Practitioner.name.family.extension.value[x]" />
376       <slicing>
377         <discriminator>
378           <type value="type" />
379           <path value="$this" />
380         </discriminator>
381         <rules value="closed" />
382       </slicing>
383       <mustSupport value="true" />
384     </element>
385     <element id="Practitioner.name:geburtsname.family.extension:namenszusatz.value[x]:valueString">
386       <path value="Practitioner.name.family.extension.valueString" />
387       <sliceName value="valueString" />
388       <min value="1" />
389       <mustSupport value="true" />
390     </element>
391     <element id="Practitioner.name:geburtsname.family.extension:nachname">
392       <path value="Practitioner.name.family.extension" />
393       <sliceName value="nachname" />
394       <min value="0" />
395       <mustSupport value="true" />
396     </element>
397     <element id="Practitioner.name:geburtsname.family.extension:nachname.value[x]">
398       <path value="Practitioner.name.family.extension.value[x]" />
399       <slicing>
400         <discriminator>
401           <type value="type" />
402           <path value="$this" />
403         </discriminator>
404         <rules value="closed" />
405       </slicing>
406       <mustSupport value="true" />
407     </element>
408     <element id="Practitioner.name:geburtsname.family.extension:nachname.value[x]:valueString">
409       <path value="Practitioner.name.family.extension.valueString" />
410       <sliceName value="valueString" />
411       <min value="1" />
412       <mustSupport value="true" />
413     </element>
414     <element id="Practitioner.name:geburtsname.family.extension:vorsatzwort">
415       <path value="Practitioner.name.family.extension" />
416       <sliceName value="vorsatzwort" />
417       <min value="0" />
418       <mustSupport value="true" />
419     </element>
420     <element id="Practitioner.name:geburtsname.family.extension:vorsatzwort.value[x]">
421       <path value="Practitioner.name.family.extension.value[x]" />
422       <slicing>
423         <discriminator>
424           <type value="type" />
425           <path value="$this" />
426         </discriminator>
427         <rules value="closed" />

```

```

428     </slicing>
429     <mustSupport value="true" />
430 </element>
431 <element id="Practitioner.name.geburtsname.family.extension.vorsatzwort
432 .value[x]:valueString">
433     <path value="Practitioner.name.family.extension.valueString" />
434     <sliceName value="valueString" />
435     <min value="1" />
436     <mustSupport value="true" />
437 </element>
438 <element id="Practitioner.name.geburtsname.suffix">
439     <path value="Practitioner.name.suffix" />
440     <max value="0" />
441 </element>
442 <element id="Practitioner.name.geburtsname.period">
443     <path value="Practitioner.name.period" />
444     <max value="0" />
445 </element>
446 <element id="Practitioner.telecom">
447     <path value="Practitioner.telecom" />
448     <mustSupport value="true" />
449 </element>
450 <element id="Practitioner.telecom.system">
451     <path value="Practitioner.telecom.system" />
452     <mustSupport value="true" />
453 </element>
454 <element id="Practitioner.telecom.system.extension">
455     <path value="Practitioner.telecom.system.extension" />
456     <slicing>
457         <discriminator>
458             <type value="value" />
459             <path value="url" />
460         </discriminator>
461         <rules value="open" />
462     </slicing>
463     <min value="1" />
464 </element>
465 <element id="Practitioner.telecom.system.extension:anzeigennameCode">
466     <path value="Practitioner.telecom.system.extension" />
467     <sliceName value="anzeigennameCode" />
468     <min value="1" />
469     <max value="1" />
470     <type>
471         <code value="Extension" />
472         <profile value="https://fhir.kbv.de/StructureDefinition/
473 KBV_EX_Base_Terminology_German" />
474     </type>
475     <mustSupport value="true" />
476 </element>
477 <element id="Practitioner.telecom.system.extension:anzeigennameCode.exte
478 nsion">
479     <path value="Practitioner.telecom.system.extension.extension" />
480     <slicing>
481         <discriminator>
482             <type value="value" />
483             <path value="url" />
484         </discriminator>
485         <rules value="open" />
486     </slicing>
487     <min value="1" />

```

```

485     </element>
486     <element id="Practitioner.telecom.system.extension:anzeigennameCode.extension:content">
487         <path value="Practitioner.telecom.system.extension.extension" />
488         <sliceName value="content" />
489         <min value="1" />
490     </element>
491     <element id="Practitioner.telecom.system.extension:anzeigennameCode.extension:content.value[x]">
492         <path value="Practitioner.telecom.system.extension.extension.value[x]" />
493         < slicing>
494             < discriminator>
495                 < type value="type" />
496                 < path value="$this" />
497             </ discriminator>
498             < rules value="closed" />
499         </ slicing>
500         < mustSupport value="true" />
501     </ element>
502     < element id="Practitioner.telecom.system.extension:anzeigennameCode.extension:content.value[x]:valueString">
503         < path value="Practitioner.telecom.system.extension.extension.value[x]" />
504         < sliceName value="valueString" />
505         < mustSupport value="true" />
506     </ element>
507     < element id="Practitioner.telecom.value">
508         < path value="Practitioner.telecom.value" />
509         < mustSupport value="true" />
510     </ element>
511     < element id="Practitioner.telecom.use">
512         < path value="Practitioner.telecom.use" />
513         < max value="0" />
514     </ element>
515     < element id="Practitioner.telecom.rank">
516         < path value="Practitioner.telecom.rank" />
517         < max value="0" />
518     </ element>
519     < element id="Practitioner.telecom.period">
520         < path value="Practitioner.telecom.period" />
521         < max value="0" />
522     </ element>
523     < element id="Practitioner.address">
524         < path value="Practitioner.address" />
525         < slicing>
526             < discriminator>
527                 < type value="value" />
528                 < path value="type" />
529             </ discriminator>
530             < rules value="closed" />
531         </ slicing>
532         < max value="2" />
533         < mustSupport value="true" />
534     </ element>
535     < element id="Practitioner.address:Strassenanschrift">
536         < path value="Practitioner.address" />
537         < sliceName value="Strassenanschrift" />
538         < mustSupport value="true" />
539     </ element>

```

```

540 <element id="Practitioner.address:Strassenanschrift.extension">
541   <path value="Practitioner.address.extension" />
542   <slicing>
543     <discriminator>
544       <type value="value" />
545       <path value="url" />
546     </discriminator>
547     <rules value="open" />
548   </slicing>
549   <min value="0" />
550 </element>
551 <element id="Practitioner.address:Strassenanschrift.extension:Stadtteil
">
552   <path value="Practitioner.address.extension" />
553   <sliceName value="Stadtteil" />
554   <min value="0" />
555   <mustSupport value="true" />
556 </element>
557 <element id="Practitioner.address:Strassenanschrift.extension:Stadtteil
.value[x]">
558   <path value="Practitioner.address.extension.value[x]" />
559   <slicing>
560     <discriminator>
561       <type value="type" />
562       <path value="$this" />
563     </discriminator>
564     <rules value="closed" />
565   </slicing>
566   <mustSupport value="true" />
567 </element>
568 <element id="Practitioner.address:Strassenanschrift.extension:Stadtteil
.value[x]:valueString">
569   <path value="Practitioner.address.extension.value[x]" />
570   <sliceName value="valueString" />
571   <min value="1" />
572   <mustSupport value="true" />
573 </element>
574 <element id="Practitioner.address:Strassenanschrift.line">
575   <path value="Practitioner.address.line" />
576   <mustSupport value="true" />
577 </element>
578 <element id="Practitioner.address:Strassenanschrift.line.extension">
579   <path value="Practitioner.address.line.extension" />
580   <slicing>
581     <discriminator>
582       <type value="value" />
583       <path value="url" />
584     </discriminator>
585     <rules value="open" />
586   </slicing>
587   <min value="0" />
588 </element>
589 <element id="Practitioner.address:Strassenanschrift.line.extension:Stra
sse">
590   <path value="Practitioner.address.line.extension" />
591   <sliceName value="Strasse" />
592   <min value="0" />
593   <mustSupport value="true" />
594 </element>

```

```

595     <element id="Practitioner.address:Strassenanschrift.line.extension:Strasse.value[x]">
596       <path value="Practitioner.address.line.extension.value[x]" />
597       <slicing>
598         <discriminator>
599           <type value="type" />
600           <path value="$this" />
601         </discriminator>
602         <rules value="closed" />
603       </slicing>
604       <mustSupport value="true" />
605     </element>
606     <element id="Practitioner.address:Strassenanschrift.line.extension:Strasse.value[x]:valueString">
607       <path value="Practitioner.address.line.extension.value[x]" />
608       <sliceName value="valueString" />
609       <min value="1" />
610       <mustSupport value="true" />
611     </element>
612     <element id="Practitioner.address:Strassenanschrift.line.extension:Hausnummer">
613       <path value="Practitioner.address.line.extension" />
614       <sliceName value="Hausnummer" />
615       <min value="0" />
616       <mustSupport value="true" />
617     </element>
618     <element id="Practitioner.address:Strassenanschrift.line.extension:Hausnummer.value[x]">
619       <path value="Practitioner.address.line.extension.value[x]" />
620       <slicing>
621         <discriminator>
622           <type value="type" />
623           <path value="$this" />
624         </discriminator>
625         <rules value="closed" />
626       </slicing>
627       <mustSupport value="true" />
628     </element>
629     <element id="Practitioner.address:Strassenanschrift.line.extension:Hausnummer.value[x]:valueString">
630       <path value="Practitioner.address.line.extension.value[x]" />
631       <sliceName value="valueString" />
632       <min value="1" />
633       <mustSupport value="true" />
634     </element>
635     <element id="Practitioner.address:Strassenanschrift.line.extension:Adresszusatz">
636       <path value="Practitioner.address.line.extension" />
637       <sliceName value="Adresszusatz" />
638       <min value="0" />
639       <mustSupport value="true" />
640     </element>
641     <element id="Practitioner.address:Strassenanschrift.line.extension:Adresszusatz.value[x]">
642       <path value="Practitioner.address.line.extension.value[x]" />
643       <slicing>
644         <discriminator>
645           <type value="type" />
646           <path value="$this" />
647         </discriminator>

```

```

648     <rules value="closed" />
649   </slicing>
650   <mustSupport value="true" />
651 </element>
652 <element id="Practitioner.address:Strassenanschrift.line.extension:Adre
sszusatz.value[x]:valueString">
653   <path value="Practitioner.address.line.extension.value[x]" />
654   <sliceName value="valueString" />
655   <min value="1" />
656   <mustSupport value="true" />
657 </element>
658 <element id="Practitioner.address:Strassenanschrift.city">
659   <path value="Practitioner.address.city" />
660   <mustSupport value="true" />
661 </element>
662 <element id="Practitioner.address:Strassenanschrift.state">
663   <path value="Practitioner.address.state" />
664   <max value="0" />
665 </element>
666 <element id="Practitioner.address:Strassenanschrift.postalCode">
667   <path value="Practitioner.address.postalCode" />
668   <mustSupport value="true" />
669 </element>
670 <element id="Practitioner.address:Strassenanschrift.country">
671   <path value="Practitioner.address.country" />
672   <mustSupport value="true" />
673 </element>
674 <element id="Practitioner.address:Strassenanschrift.period">
675   <path value="Practitioner.address.period" />
676   <max value="0" />
677 </element>
678 <element id="Practitioner.address:Postfach">
679   <path value="Practitioner.address" />
680   <sliceName value="Postfach" />
681   <mustSupport value="true" />
682 </element>
683 <element id="Practitioner.address:Postfach.extension">
684   <path value="Practitioner.address.extension" />
685   <slicing>
686     <discriminator>
687       <type value="value" />
688       <path value="url" />
689     </discriminator>
690     <rules value="open" />
691   </slicing>
692   <min value="0" />
693 </element>
694 <element id="Practitioner.address:Postfach.extension:Stadtteil">
695   <path value="Practitioner.address.extension" />
696   <sliceName value="Stadtteil" />
697   <min value="0" />
698   <mustSupport value="true" />
699 </element>
700 <element id="Practitioner.address:Postfach.extension:Stadtteil.value[x]
">
701   <path value="Practitioner.address.extension.value[x]" />
702   <slicing>
703     <discriminator>
704       <type value="type" />
705       <path value="$this" />

```

```

706     </discriminator>
707     <rules value="closed" />
708 </slicing>
709     <mustSupport value="true" />
710 </element>
711 <element id="Practitioner.address.Postfach.extension.Stadtteil.value[x]
:valueString">
712     <path value="Practitioner.address.extension.value[x]" />
713     <sliceName value="valueString" />
714     <mustSupport value="true" />
715 </element>
716 <element id="Practitioner.address.Postfach.line">
717     <path value="Practitioner.address.line" />
718     <max value="1" />
719     <mustSupport value="true" />
720 </element>
721 <element id="Practitioner.address.Postfach.line.extension">
722     <path value="Practitioner.address.line.extension" />
723     <slicing>
724         <discriminator>
725             <type value="value" />
726             <path value="url" />
727         </discriminator>
728         <rules value="open" />
729     </slicing>
730     <min value="1" />
731 </element>
732 <element id="Practitioner.address.Postfach.line.extension.Postfach">
733     <path value="Practitioner.address.line.extension" />
734     <sliceName value="Postfach" />
735     <min value="1" />
736     <mustSupport value="true" />
737 </element>
738 <element id="Practitioner.address.Postfach.line.extension.Postfach.valu
e[x]">
739     <path value="Practitioner.address.line.extension.value[x]" />
740     <slicing>
741         <discriminator>
742             <type value="type" />
743             <path value="$this" />
744         </discriminator>
745         <rules value="closed" />
746     </slicing>
747     <mustSupport value="true" />
748 </element>
749 <element id="Practitioner.address.Postfach.line.extension.Postfach.valu
e[x]:valueString">
750     <path value="Practitioner.address.line.extension.value[x]" />
751     <sliceName value="valueString" />
752     <min value="1" />
753     <mustSupport value="true" />
754 </element>
755 <element id="Practitioner.address.Postfach.city">
756     <path value="Practitioner.address.city" />
757     <mustSupport value="true" />
758 </element>
759 <element id="Practitioner.address.Postfach.state">
760     <path value="Practitioner.address.state" />
761     <max value="0" />
762 </element>

```



```

763 <element id="Practitioner.address:Postfach.postalCode">
764   <path value="Practitioner.address.postalCode" />
765   <mustSupport value="true" />
766 </element>
767 <element id="Practitioner.address:Postfach.country">
768   <path value="Practitioner.address.country" />
769   <mustSupport value="true" />
770 </element>
771 <element id="Practitioner.address:Postfach.period">
772   <path value="Practitioner.address.period" />
773   <max value="0" />
774 </element>
775 <element id="Practitioner.gender">
776   <path value="Practitioner.gender" />
777   <mustSupport value="true" />
778 </element>
779 <element id="Practitioner.gender.extension">
780   <path value="Practitioner.gender.extension" />
781   <licing>
782     <discriminator>
783       <type value="value" />
784       <path value="url" />
785     </discriminator>
786     <rules value="open" />
787   </licing>
788   <min value="0" />
789 </element>
790 <element id="Practitioner.gender.extension:other-amtlich">
791   <path value="Practitioner.gender.extension" />
792   <sliceName value="other-amtlich" />
793   <min value="0" />
794   <mustSupport value="true" />
795 </element>
796 <element id="Practitioner.birthDate">
797   <path value="Practitioner.birthDate" />
798   <mustSupport value="true" />
799 </element>
800 <element id="Practitioner.photo">
801   <path value="Practitioner.photo" />
802   <max value="0" />
803 </element>
804 <element id="Practitioner.qualification">
805   <path value="Practitioner.qualification" />
806   <max value="1" />
807   <mustSupport value="true" />
808 </element>
809 <element id="Practitioner.qualification.identifier">
810   <path value="Practitioner.qualification.identifier" />
811   <max value="0" />
812 </element>
813 <element id="Practitioner.qualification.code">
814   <path value="Practitioner.qualification.code" />
815   <mustSupport value="true" />
816 </element>
817 <element id="Practitioner.qualification.code.coding">
818   <path value="Practitioner.qualification.code.coding" />
819   <min value="1" />
820   <mustSupport value="true" />
821 </element>
822 <element id="Practitioner.qualification.code.coding.system">

```

```

823     <path value="Practitioner.qualification.code.coding.system" />
824     <min value="1" />
825 </element>
826 <element id="Practitioner.qualification.code.coding.version">
827     <path value="Practitioner.qualification.code.coding.version" />
828     <min value="1" />
829 </element>
830 <element id="Practitioner.qualification.code.coding.code">
831     <path value="Practitioner.qualification.code.coding.code" />
832     <min value="1" />
833 </element>
834 <element id="Practitioner.qualification.code.coding.display">
835     <path value="Practitioner.qualification.code.coding.display" />
836     <min value="1" />
837 </element>
838 <element id="Practitioner.qualification.code.coding.display.extension">
839     <path value="Practitioner.qualification.code.coding.display.extension
" />
840     <slicing>
841         <discriminator>
842             <type value="value" />
843             <path value="url" />
844         </discriminator>
845         <rules value="open" />
846     </slicing>
847     <min value="0" />
848 </element>
849 <element id="Practitioner.qualification.code.coding.display.extension:a
nzeigennameQualifikation">
850     <path value="Practitioner.qualification.code.coding.display.extension
" />
851     <sliceName value="anzeigennameQualifikation" />
852     <min value="0" />
853     <max value="1" />
854     <mustSupport value="true" />
855 </element>
856 <element id="Practitioner.qualification.code.coding.display.extension:a
nzeigennameQualifikation.extension">
857     <path value="Practitioner.qualification.code.coding.display.extension
.extension" />
858     <slicing>
859         <discriminator>
860             <type value="value" />
861             <path value="url" />
862         </discriminator>
863         <rules value="open" />
864     </slicing>
865     <min value="1" />
866 </element>
867 <element id="Practitioner.qualification.code.coding.display.extension:a
nzeigennameQualifikation.extension:content">
868     <path value="Practitioner.qualification.code.coding.display.extension
.extension" />
869     <sliceName value="content" />
870     <min value="1" />
871 </element>
872 <element id="Practitioner.qualification.code.coding.display.extension:a
nzeigennameQualifikation.extension:content.value[x]">
873     <path value="Practitioner.qualification.code.coding.display.extension
.extension.value[x]" />

```

```

874     < slicing >
875         < discriminator >
876             < type value="type" />
877             < path value="$this" />
878         < / discriminator >
879         < rules value="closed" />
880     < / slicing >
881     < mustSupport value="true" />
882 < / element >
883     < element id="Practitioner.qualification.code.coding.display.extension:a
nzeigennameQualifikation.extension:content.value[x]:valueString">
884         < path value="Practitioner.qualification.code.coding.display.extension
.extension.value[x]" />
885         < sliceName value="valueString" />
886         < mustSupport value="true" />
887     < / element >
888     < element id="Practitioner.qualification.code.coding.userSelected">
889         < path value="Practitioner.qualification.code.coding.userSelected" />
890         < max value="0" />
891     < / element >
892     < element id="Practitioner.qualification.code.text">
893         < path value="Practitioner.qualification.code.text" />
894         < max value="0" />
895     < / element >
896     < element id="Practitioner.qualification.period">
897         < path value="Practitioner.qualification.period" />
898         < max value="0" />
899     < / element >
900     < element id="Practitioner.qualification.issuer">
901         < path value="Practitioner.qualification.issuer" />
902         < max value="0" />
903     < / element >
904     < element id="Practitioner.communication">
905         < path value="Practitioner.communication" />
906         < max value="0" />
907     < / element >
908 < / differential >
909 < / StructureDefinition >

```

## 72. KBV\_PR\_MIO\_DIGA\_PRACTITIONERROLE

### KBV\_PR\_MIO\_DIGA\_PractitionerRole

```

1 < StructureDefinition xmlns="http://hl7.org/fhir">
2   < url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole" />
3   < version value="1.0.0" />
4   < name value="KBV_PR_MIO_DIGA_PractitionerRole" />
5   < title value="KBV_PR_MIO_DIGA_PractitionerRole" />
6   < status value="draft" />
7   < publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   < description value="Dieses Profil bildet eine behandelnde Person/
Einrichtung ab." />
9   < copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED

```

CT®, was originally created by The College of American Pathologists. SNOMED and SNOMED CT are registered trademarks of SNOMED International. Implementers of these artefacts must have the appropriate SNOMED CT Affiliate license. This material contains content from Loinc <http://loinc.org>. Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and the Logical Observation Identifiers Names and Codes Loinc Committee and is available at no cost under the license at <http://loinc.org/license>. Loinc® is a registered United States trademark of Regenstrief Institute, Inc. This product includes all or a portion of the UCUM table, UCUM codes, and UCUM definitions or is derived from it, subject to a license from Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM codes, UCUM definitions also is subject to this license, a copy of which is available at <http://unitsofmeasure.org>. The current complete UCUM table, UCUM Specification are available for download at <http://unitsofmeasure.org>. The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures UCUM Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED "AS IS." ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE." />

```

10     <fhirVersion value="4.0.1" />
11     <kind value="resource" />
12     <abstract value="false" />
13     <type value="PractitionerRole" />
14     <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
PractitionerRole" />
15     <derivation value="constraint" />
16     <differential>
17         <element id="PractitionerRole">
18             <path value="PractitionerRole" />
19             <definition value="Dieses Profil bildet eine behandelnde Person/
Einrichtung ab." />
20         </element>
21         <element id="PractitionerRole.meta">
22             <path value="PractitionerRole.meta" />
23             <min value="1" />
24         </element>
25         <element id="PractitionerRole.meta.versionId">
26             <path value="PractitionerRole.meta.versionId" />
27             <min value="1" />
28         </element>
29         <element id="PractitionerRole.meta.lastUpdated">
30             <path value="PractitionerRole.meta.lastUpdated" />
31             <min value="1" />
32         </element>
33         <element id="PractitionerRole.meta.source">
34             <path value="PractitionerRole.meta.source" />
35             <max value="0" />
36         </element>
37         <element id="PractitionerRole.meta.profile">
38             <path value="PractitionerRole.meta.profile" />
39             <min value="1" />
40             <max value="1" />
41             <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole|1.0.0" />
42         </element>
43         <element id="PractitionerRole.meta.security">
44             <path value="PractitionerRole.meta.security" />
45             <max value="0" />

```

```

46 </element>
47 <element id="PractitionerRole.meta.tag">
48   <path value="PractitionerRole.meta.tag" />
49   <max value="0" />
50 </element>
51 <element id="PractitionerRole.implicitRules">
52   <path value="PractitionerRole.implicitRules" />
53   <max value="0" />
54 </element>
55 <element id="PractitionerRole.language">
56   <path value="PractitionerRole.language" />
57   <max value="0" />
58 </element>
59 <element id="PractitionerRole.text">
60   <path value="PractitionerRole.text" />
61   <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
62 </element>
63 <element id="PractitionerRole.text.status">
64   <path value="PractitionerRole.text.status" />
65   <fixedCode value="extensions" />
66 </element>
67 <element id="PractitionerRole.contained">
68   <path value="PractitionerRole.contained" />
69   <max value="0" />
70 </element>
71 <element id="PractitionerRole.identifizier">
72   <path value="PractitionerRole.identifizier" />
73   <min value="1" />
74   <max value="1" />
75   <mustSupport value="true" />
76 </element>
77 <element id="PractitionerRole.identifizier.use">
78   <path value="PractitionerRole.identifizier.use" />
79   <max value="0" />
80 </element>
81 <element id="PractitionerRole.identifizier.type">
82   <path value="PractitionerRole.identifizier.type" />
83   <min value="1" />
84   <patternCodeableConcept>
85     <coding>
86       <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
87       <version value="2.9" />
88       <code value="RI" />
89       <display value="Resource identifizier" />
90     </coding>
91   </patternCodeableConcept>
92 </element>
93 <element id="PractitionerRole.identifizier.type.coding">
94   <path value="PractitionerRole.identifizier.type.coding" />
95   <min value="1" />
96   <max value="1" />
97 </element>
98 <element id="PractitionerRole.identifizier.type.coding.system">
99   <path value="PractitionerRole.identifizier.type.coding.system" />
100   <min value="1" />
101 </element>

```

```

102 <element id="PractitionerRole.identifier.type.coding.version">
103   <path value="PractitionerRole.identifier.type.coding.version" />
104   <min value="1" />
105 </element>
106 <element id="PractitionerRole.identifier.type.coding.code">
107   <path value="PractitionerRole.identifier.type.coding.code" />
108   <min value="1" />
109 </element>
110 <element id="PractitionerRole.identifier.type.coding.display">
111   <path value="PractitionerRole.identifier.type.coding.display" />
112   <min value="1" />
113 </element>
114 <element id="PractitionerRole.identifier.type.coding.userSelected">
115   <path value="PractitionerRole.identifier.type.coding.userSelected" />
116   <max value="0" />
117 </element>
118 <element id="PractitionerRole.identifier.type.text">
119   <path value="PractitionerRole.identifier.type.text" />
120   <max value="0" />
121 </element>
122 <element id="PractitionerRole.identifier.system">
123   <path value="PractitionerRole.identifier.system" />
124   <min value="1" />
125   <fixedUri value="urn:iETF:rFC:3986" />
126   <mustSupport value="true" />
127 </element>
128 <element id="PractitionerRole.identifier.value">
129   <path value="PractitionerRole.identifier.value" />
130   <min value="1" />
131   <mustSupport value="true" />
132 </element>
133 <element id="PractitionerRole.identifier.period">
134   <path value="PractitionerRole.identifier.period" />
135   <max value="0" />
136 </element>
137 <element id="PractitionerRole.identifier.assigner">
138   <path value="PractitionerRole.identifier.assigner" />
139   <max value="0" />
140 </element>
141 <element id="PractitionerRole.active">
142   <path value="PractitionerRole.active" />
143   <max value="0" />
144 </element>
145 <element id="PractitionerRole.period">
146   <path value="PractitionerRole.period" />
147   <max value="0" />
148 </element>
149 <element id="PractitionerRole.practitioner">
150   <path value="PractitionerRole.practitioner" />
151   <min value="1" />
152   <type>
153     <code value="Reference" />
154     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
155   </type>
156   <mustSupport value="true" />
157 </element>
158 <element id="PractitionerRole.practitioner.reference">
159   <path value="PractitionerRole.practitioner.reference" />
160   <min value="1" />

```

```

161     <mustSupport value="true" />
162 </element>
163 <element id="PractitionerRole.practitioner.type">
164     <path value="PractitionerRole.practitioner.type" />
165     <max value="0" />
166 </element>
167 <element id="PractitionerRole.practitioner.identifier">
168     <path value="PractitionerRole.practitioner.identifier" />
169     <max value="0" />
170 </element>
171 <element id="PractitionerRole.practitioner.display">
172     <path value="PractitionerRole.practitioner.display" />
173     <max value="0" />
174 </element>
175 <element id="PractitionerRole.organization">
176     <path value="PractitionerRole.organization" />
177     <min value="1" />
178     <type>
179         <code value="Reference" />
180         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Organization|1.0.0" />
181     </type>
182     <mustSupport value="true" />
183 </element>
184 <element id="PractitionerRole.organization.reference">
185     <path value="PractitionerRole.organization.reference" />
186     <min value="1" />
187     <mustSupport value="true" />
188 </element>
189 <element id="PractitionerRole.organization.type">
190     <path value="PractitionerRole.organization.type" />
191     <max value="0" />
192 </element>
193 <element id="PractitionerRole.organization.identifier">
194     <path value="PractitionerRole.organization.identifier" />
195     <max value="0" />
196 </element>
197 <element id="PractitionerRole.organization.display">
198     <path value="PractitionerRole.organization.display" />
199     <max value="0" />
200 </element>
201 <element id="PractitionerRole.code">
202     <path value="PractitionerRole.code" />
203     <max value="0" />
204 </element>
205 <element id="PractitionerRole.specialty">
206     <path value="PractitionerRole.specialty" />
207     <max value="0" />
208 </element>
209 <element id="PractitionerRole.location">
210     <path value="PractitionerRole.location" />
211     <max value="0" />
212 </element>
213 <element id="PractitionerRole.healthcareService">
214     <path value="PractitionerRole.healthcareService" />
215     <max value="0" />
216 </element>
217 <element id="PractitionerRole.telecom">
218     <path value="PractitionerRole.telecom" />
219     <max value="0" />

```

```

220     </element>
221     <element id="PractitionerRole.availableTime">
222       <path value="PractitionerRole.availableTime" />
223       <max value="0" />
224     </element>
225     <element id="PractitionerRole.notAvailable">
226       <path value="PractitionerRole.notAvailable" />
227       <max value="0" />
228     </element>
229     <element id="PractitionerRole.availabilityExceptions">
230       <path value="PractitionerRole.availabilityExceptions" />
231       <max value="0" />
232     </element>
233     <element id="PractitionerRole.endpoint">
234       <path value="PractitionerRole.endpoint" />
235       <max value="0" />
236     </element>
237   </differential>
238 </StructureDefinition>

```

### 73. KBV\_PR\_MIO\_DIGA\_PROCEDURE\_ACTIVITY\_FREE

#### KBV\_PR\_MIO\_DIGA\_Procedure\_Activity\_Free

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Procedure_Activity_Free" />
3   <version value="1.0.0" />
4   <name value="KBV_PR_MIO_DIGA_Procedure_Activity_Free" />
5   <title value="KBV_PR_MIO_DIGA_Procedure_Activity_Free" />
6   <status value="draft" />
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <description value="Dieses Profil bildet eine Aktivität ab." />
9   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM
definitions or is derived from it, subject to a license from Regenstrief
Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM
codes, UCUM definitions also is subject to this license, a copy of which is
available at http://unitsofmeasure.org. The current complete UCUM table,
UCUM Specification are available for download at http://unitsofmeasure.org.
The UCUM table and UCUM codes are copyright © 1995-2009, Regenstrief
Institute, Inc. and the Unified Codes for Units of Measures UCUM
Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM
DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS
OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE

```



IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE." />

```
10 <fhirVersion value="4.0.1" />
11 <kind value="resource" />
12 <abstract value="false" />
13 <type value="Procedure" />
14 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Procedure" />
15 <derivation value="constraint" />
16 <differential>
17 <element id="Procedure">
18 <path value="Procedure" />
19 <definition value="Dieses Profil bildet eine Aktivität ab." />
20 </element>
21 <element id="Procedure.meta">
22 <path value="Procedure.meta" />
23 <min value="1" />
24 </element>
25 <element id="Procedure.meta.versionId">
26 <path value="Procedure.meta.versionId" />
27 <min value="1" />
28 </element>
29 <element id="Procedure.meta.lastUpdated">
30 <path value="Procedure.meta.lastUpdated" />
31 <min value="1" />
32 </element>
33 <element id="Procedure.meta.source">
34 <path value="Procedure.meta.source" />
35 <max value="0" />
36 </element>
37 <element id="Procedure.meta.profile">
38 <path value="Procedure.meta.profile" />
39 <min value="1" />
40 <max value="1" />
41 <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Procedure_Activity_Free|1.0.0" />
42 </element>
43 <element id="Procedure.meta.security">
44 <path value="Procedure.meta.security" />
45 <max value="0" />
46 </element>
47 <element id="Procedure.meta.tag">
48 <path value="Procedure.meta.tag" />
49 <max value="0" />
50 </element>
51 <element id="Procedure.implicitRules">
52 <path value="Procedure.implicitRules" />
53 <max value="0" />
54 </element>
55 <element id="Procedure.language">
56 <path value="Procedure.language" />
57 <max value="0" />
58 </element>
59 <element id="Procedure.text">
60 <path value="Procedure.text" />
61 <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
```

```

62 </element>
63 <element id="Procedure.text.status">
64   <path value="Procedure.text.status" />
65   <fixedCode value="extensions" />
66 </element>
67 <element id="Procedure.contained">
68   <path value="Procedure.contained" />
69   <max value="0" />
70 </element>
71 <element id="Procedure.identifier">
72   <path value="Procedure.identifier" />
73   <min value="1" />
74   <max value="1" />
75   <mustSupport value="true" />
76 </element>
77 <element id="Procedure.identifier.use">
78   <path value="Procedure.identifier.use" />
79   <max value="0" />
80 </element>
81 <element id="Procedure.identifier.type">
82   <path value="Procedure.identifier.type" />
83   <min value="1" />
84   <patternCodeableConcept>
85     <coding>
86       <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
87       <version value="2.9" />
88       <code value="RI" />
89       <display value="Resource identifier" />
90     </coding>
91   </patternCodeableConcept>
92 </element>
93 <element id="Procedure.identifier.type.coding">
94   <path value="Procedure.identifier.type.coding" />
95   <min value="1" />
96   <max value="1" />
97 </element>
98 <element id="Procedure.identifier.type.coding.system">
99   <path value="Procedure.identifier.type.coding.system" />
100  <min value="1" />
101 </element>
102 <element id="Procedure.identifier.type.coding.version">
103   <path value="Procedure.identifier.type.coding.version" />
104   <min value="1" />
105 </element>
106 <element id="Procedure.identifier.type.coding.code">
107   <path value="Procedure.identifier.type.coding.code" />
108   <min value="1" />
109 </element>
110 <element id="Procedure.identifier.type.coding.display">
111   <path value="Procedure.identifier.type.coding.display" />
112   <min value="1" />
113 </element>
114 <element id="Procedure.identifier.type.coding.userSelected">
115   <path value="Procedure.identifier.type.coding.userSelected" />
116   <max value="0" />
117 </element>
118 <element id="Procedure.identifier.type.text">
119   <path value="Procedure.identifier.type.text" />
120   <max value="0" />
121 </element>

```

```

122 <element id="Procedure.identifier.system">
123   <path value="Procedure.identifier.system" />
124   <min value="1" />
125   <fixedUri value="urn:ietf:rfc:3986" />
126   <mustSupport value="true" />
127 </element>
128 <element id="Procedure.identifier.value">
129   <path value="Procedure.identifier.value" />
130   <min value="1" />
131   <mustSupport value="true" />
132 </element>
133 <element id="Procedure.identifier.period">
134   <path value="Procedure.identifier.period" />
135   <max value="0" />
136 </element>
137 <element id="Procedure.identifier.assigner">
138   <path value="Procedure.identifier.assigner" />
139   <max value="0" />
140 </element>
141 <element id="Procedure.instantiatesCanonical">
142   <path value="Procedure.instantiatesCanonical" />
143   <max value="0" />
144 </element>
145 <element id="Procedure.instantiatesUri">
146   <path value="Procedure.instantiatesUri" />
147   <max value="0" />
148 </element>
149 <element id="Procedure.basedOn">
150   <path value="Procedure.basedOn" />
151   <max value="0" />
152 </element>
153 <element id="Procedure.partOf">
154   <path value="Procedure.partOf" />
155   <max value="0" />
156 </element>
157 <element id="Procedure.status">
158   <path value="Procedure.status" />
159   <patternCode value="completed" />
160 </element>
161 <element id="Procedure.statusReason">
162   <path value="Procedure.statusReason" />
163   <max value="0" />
164 </element>
165 <element id="Procedure.category">
166   <path value="Procedure.category" />
167   <mustSupport value="true" />
168   <binding>
169     <strength value="required" />
170     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_DIGA_Activity_Type|1.0.0" />
171   </binding>
172 </element>
173 <element id="Procedure.category.coding">
174   <path value="Procedure.category.coding" />
175   <min value="1" />
176   <max value="1" />
177   <mustSupport value="true" />
178 </element>
179 <element id="Procedure.category.coding.system">
180   <path value="Procedure.category.coding.system" />

```

```

181     <min value="1" />
182 </element>
183 <element id="Procedure.category.coding.code">
184   <path value="Procedure.category.coding.code" />
185   <min value="1" />
186 </element>
187 <element id="Procedure.category.coding.display">
188   <path value="Procedure.category.coding.display" />
189   <min value="1" />
190 </element>
191 <element id="Procedure.category.coding.userSelected">
192   <path value="Procedure.category.coding.userSelected" />
193   <max value="0" />
194 </element>
195 <element id="Procedure.category.text">
196   <path value="Procedure.category.text" />
197   <max value="0" />
198 </element>
199 <element id="Procedure.code">
200   <path value="Procedure.code" />
201   <min value="1" />
202   <mustSupport value="true" />
203 </element>
204 <element id="Procedure.code.coding">
205   <path value="Procedure.code.coding" />
206   <mustSupport value="true" />
207 </element>
208 <element id="Procedure.code.coding.system">
209   <path value="Procedure.code.coding.system" />
210   <min value="1" />
211 </element>
212 <element id="Procedure.code.coding.version">
213   <path value="Procedure.code.coding.version" />
214   <min value="1" />
215 </element>
216 <element id="Procedure.code.coding.code">
217   <path value="Procedure.code.coding.code" />
218   <min value="1" />
219 </element>
220 <element id="Procedure.code.coding.display">
221   <path value="Procedure.code.coding.display" />
222   <min value="1" />
223 </element>
224 <element id="Procedure.code.coding.userSelected">
225   <path value="Procedure.code.coding.userSelected" />
226   <max value="0" />
227 </element>
228 <element id="Procedure.code.text">
229   <path value="Procedure.code.text" />
230   <mustSupport value="true" />
231 </element>
232 <element id="Procedure.subject">
233   <path value="Procedure.subject" />
234   <type>
235     <code value="Reference" />
236     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
237   </type>
238   <mustSupport value="true" />
239 </element>

```

```

240 <element id="Procedure.subject.reference">
241   <path value="Procedure.subject.reference" />
242   <min value="1" />
243   <mustSupport value="true" />
244 </element>
245 <element id="Procedure.subject.type">
246   <path value="Procedure.subject.type" />
247   <max value="0" />
248 </element>
249 <element id="Procedure.subject.identifrier">
250   <path value="Procedure.subject.identifrier" />
251   <max value="0" />
252 </element>
253 <element id="Procedure.subject.display">
254   <path value="Procedure.subject.display" />
255   <max value="0" />
256 </element>
257 <element id="Procedure.encounter">
258   <path value="Procedure.encounter" />
259   <max value="0" />
260 </element>
261 <element id="Procedure.performed[x]">
262   <path value="Procedure.performed[x]" />
263   <slicing>
264     <discriminator>
265       <type value="type" />
266       <path value="$this" />
267     </discriminator>
268     <rules value="closed" />
269   </slicing>
270   <min value="1" />
271   <type>
272     <code value="dateTime" />
273   </type>
274   <type>
275     <code value="Period" />
276   </type>
277   <mustSupport value="true" />
278 </element>
279 <element id="Procedure.performed[x]:performedDateTime">
280   <path value="Procedure.performed[x]" />
281   <sliceName value="performedDateTime" />
282   <type>
283     <code value="dateTime" />
284   </type>
285   <mustSupport value="true" />
286 </element>
287 <element id="Procedure.performed[x]:performedPeriod">
288   <path value="Procedure.performed[x]" />
289   <sliceName value="performedPeriod" />
290   <type>
291     <code value="Period" />
292   </type>
293   <mustSupport value="true" />
294 </element>
295 <element id="Procedure.performed[x]:performedPeriod.start">
296   <path value="Procedure.performed[x].start" />
297   <mustSupport value="true" />
298 </element>
299 <element id="Procedure.performed[x]:performedPeriod.end">

```

```

300     <path value="Procedure.performed[x].end" />
301     <mustSupport value="true" />
302 </element>
303 <element id="Procedure.recorder">
304     <path value="Procedure.recorder" />
305     <type>
306         <code value="Reference" />
307         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
308         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
309         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_RelatedPerson|1.0.0" />
310         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole|1.0.0" />
311     </type>
312     <mustSupport value="true" />
313 </element>
314 <element id="Procedure.recorder.reference">
315     <path value="Procedure.recorder.reference" />
316     <min value="1" />
317     <mustSupport value="true" />
318 </element>
319 <element id="Procedure.recorder.type">
320     <path value="Procedure.recorder.type" />
321     <max value="0" />
322 </element>
323 <element id="Procedure.recorder.identifier">
324     <path value="Procedure.recorder.identifier" />
325     <max value="0" />
326 </element>
327 <element id="Procedure.recorder.display">
328     <path value="Procedure.recorder.display" />
329     <max value="0" />
330 </element>
331 <element id="Procedure.asserter">
332     <path value="Procedure.asserter" />
333     <max value="0" />
334 </element>
335 <element id="Procedure.performer">
336     <path value="Procedure.performer" />
337     <max value="0" />
338 </element>
339 <element id="Procedure.location">
340     <path value="Procedure.location" />
341     <max value="0" />
342 </element>
343 <element id="Procedure.reasonCode">
344     <path value="Procedure.reasonCode" />
345     <max value="0" />
346 </element>
347 <element id="Procedure.reasonReference">
348     <path value="Procedure.reasonReference" />
349     <max value="0" />
350 </element>
351 <element id="Procedure.bodySite">
352     <path value="Procedure.bodySite" />
353     <max value="0" />
354 </element>
355 <element id="Procedure.outcome">

```

```

356     <path value="Procedure.outcome" />
357     <max value="0" />
358 </element>
359 <element id="Procedure.report">
360     <path value="Procedure.report" />
361     <max value="0" />
362 </element>
363 <element id="Procedure.complication">
364     <path value="Procedure.complication" />
365     <max value="0" />
366 </element>
367 <element id="Procedure.complicationDetail">
368     <path value="Procedure.complicationDetail" />
369     <max value="0" />
370 </element>
371 <element id="Procedure.followUp">
372     <path value="Procedure.followUp" />
373     <max value="0" />
374 </element>
375 <element id="Procedure.note">
376     <path value="Procedure.note" />
377     <max value="1" />
378     <mustSupport value="true" />
379 </element>
380 <element id="Procedure.note.author[x]">
381     <path value="Procedure.note.author[x]" />
382     <max value="0" />
383 </element>
384 <element id="Procedure.note.time">
385     <path value="Procedure.note.time" />
386     <max value="0" />
387 </element>
388 <element id="Procedure.note.text">
389     <path value="Procedure.note.text" />
390     <mustSupport value="true" />
391 </element>
392 <element id="Procedure.focalDevice">
393     <path value="Procedure.focalDevice" />
394     <max value="0" />
395 </element>
396 <element id="Procedure.usedReference">
397     <path value="Procedure.usedReference" />
398     <max value="0" />
399 </element>
400 <element id="Procedure.usedCode">
401     <path value="Procedure.usedCode" />
402     <max value="0" />
403 </element>
404 </differential>
405 </StructureDefinition>

```

#### 74. KBV\_PR\_MIO\_DIGA\_PROVENANCE

KBV_PR_MIO_DIGA_Provenance	
1	<StructureDefinition xmlns="http://hl7.org/fhir">

```

2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Provenance" />
3   <version value="1.0.0" />
4   <name value="KBV_PR_MIO_DIGA_Provenance" />
5   <title value="KBV_PR_MIO_DIGA_Provenance" />
6   <status value="draft" />
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <description value="Dieses Profil bildet die Herkunftsdaten ab." />
9   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM
definitions or is derived from it, subject to a license from Regenstrief
Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM
codes, UCUM definitions also is subject to this license, a copy of which is
available at http://unitsofmeasure.org. The current complete UCUM table,
UCUM Specification are available for download at http://unitsofmeasure.org.
The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief
Institute, Inc. and the Unified Codes for Units of Measures UCUM
Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM
DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS
OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE." />
10  <fhirVersion value="4.0.1" />
11  <kind value="resource" />
12  <abstract value="false" />
13  <type value="Provenance" />
14  <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Provenance" />
15  <derivation value="constraint" />
16  <differential>
17    <element id="Provenance">
18      <path value="Provenance" />
19      <definition value="Dieses Profil bildet die Herkunftsdaten ab." />
20    </element>
21    <element id="Provenance.meta">
22      <path value="Provenance.meta" />
23      <min value="1" />
24    </element>
25    <element id="Provenance.meta.versionId">
26      <path value="Provenance.meta.versionId" />
27      <min value="1" />
28    </element>
29    <element id="Provenance.meta.lastUpdated">
30      <path value="Provenance.meta.lastUpdated" />
31      <min value="1" />
32    </element>
33    <element id="Provenance.meta.source">
34      <path value="Provenance.meta.source" />
35      <max value="0" />

```



```

36 </element>
37 <element id="Provenance.meta.profile">
38   <path value="Provenance.meta.profile" />
39   <min value="1" />
40   <max value="1" />
41   <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Provenance|1.0.0" />
42 </element>
43 <element id="Provenance.meta.security">
44   <path value="Provenance.meta.security" />
45   <max value="0" />
46 </element>
47 <element id="Provenance.meta.tag">
48   <path value="Provenance.meta.tag" />
49   <max value="0" />
50 </element>
51 <element id="Provenance.implicitRules">
52   <path value="Provenance.implicitRules" />
53   <max value="0" />
54 </element>
55 <element id="Provenance.language">
56   <path value="Provenance.language" />
57   <max value="0" />
58 </element>
59 <element id="Provenance.text">
60   <path value="Provenance.text" />
61   <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
62 </element>
63 <element id="Provenance.text.status">
64   <path value="Provenance.text.status" />
65   <fixedCode value="extensions" />
66 </element>
67 <element id="Provenance.contained">
68   <path value="Provenance.contained" />
69   <max value="0" />
70 </element>
71 <element id="Provenance.target">
72   <path value="Provenance.target" />
73   <type>
74     <code value="Reference" />
75     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_AllergyIntolerance_Free|1.0.0" />
76     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Appointment_Free|1.0.0" />
77     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_CarePlan_Free|1.0.0" />
78     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Condition_Problem_Free|1.0.0" />
79     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_DeviceDefinition_DIGA|1.0.0" />
80     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_DeviceDefinition_Free|1.0.0" />
81     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Device_DIGA|1.0.0" />
82     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Device_Free|1.0.0" />

```

```

83     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Encounter_Past_Appointment|1.0.0" />
84     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Goal_Free|1.0.0" />
85     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_MedicationAdministration_Medication_Intake_Free|1.0.0" />
86     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Medication_Free|1.0.0" />
87     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_MedicationStatement_Medication_Request_Free|1.0.0" />
88     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Assessment_Scale|1.0.0" />
89     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Assessment_Score_Free|1.0.0" />
90     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Blood_Pressure|1.0.0" />
91     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Body_Height|1.0.0" />
92     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Body_Temperature|1.0.0" />
93     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Body_Weight|1.0.0" />
94     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Diary_Entry|1.0.0" />
95     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Environmental_Factor_Free|1.0.0" />
96     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Functional_Assessment_Free|1.0.0" />
97     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Glucose_Concentration|1.0.0" />
98     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Head_Circumference|1.0.0" />
99     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Heart_Rate|1.0.0" />
100    <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Life_Style_Factor_Free|1.0.0" />
101    <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Nutrition_Intake_Food_Composition_Types|
1.0.0" />
102    <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Nutrition_Intake|1.0.0" />
103    <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Peripheral_Oxygen_Saturation|1.0.0" />
104    <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Respiratory_Rate|1.0.0" />
105    <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Observation_Free|1.0.0" />
106    <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Organization_Manufacturer|1.0.0" />
107    <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Organization|1.0.0" />
108    <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
109    <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole|1.0.0" />
110    <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
111    <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Procedure_Activity_Free|1.0.0" />

```

```

112     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Questionnaire_Free|1.0.0" />
113     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_QuestionnaireResponse_Free|1.0.0" />
114     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_RelatedPerson|1.0.0" />
115     </type>
116     <mustSupport value="true" />
117 </element>
118 <element id="Provenance.target.reference">
119     <path value="Provenance.target.reference" />
120     <min value="1" />
121     <mustSupport value="true" />
122 </element>
123 <element id="Provenance.target.type">
124     <path value="Provenance.target.type" />
125     <max value="0" />
126 </element>
127 <element id="Provenance.target.identifier">
128     <path value="Provenance.target.identifier" />
129     <max value="0" />
130 </element>
131 <element id="Provenance.target.display">
132     <path value="Provenance.target.display" />
133     <max value="0" />
134 </element>
135 <element id="Provenance.occurred[x]">
136     <path value="Provenance.occurred[x]" />
137     <max value="0" />
138 </element>
139 <element id="Provenance.recorded">
140     <path value="Provenance.recorded" />
141     <mustSupport value="true" />
142 </element>
143 <element id="Provenance.policy">
144     <path value="Provenance.policy" />
145     <max value="0" />
146 </element>
147 <element id="Provenance.location">
148     <path value="Provenance.location" />
149     <max value="0" />
150 </element>
151 <element id="Provenance.reason">
152     <path value="Provenance.reason" />
153     <max value="0" />
154 </element>
155 <element id="Provenance.activity">
156     <path value="Provenance.activity" />
157     <min value="1" />
158     <mustSupport value="true" />
159 </element>
160 <element id="Provenance.activity.coding">
161     <path value="Provenance.activity.coding" />
162     <min value="1" />
163     <max value="1" />
164     <mustSupport value="true" />
165 </element>
166 <element id="Provenance.activity.coding.system">
167     <path value="Provenance.activity.coding.system" />
168     <min value="1" />

```

```

169 </element>
170 <element id="Provenance.activity.coding.version">
171   <path value="Provenance.activity.coding.version" />
172   <min value="1" />
173 </element>
174 <element id="Provenance.activity.coding.code">
175   <path value="Provenance.activity.coding.code" />
176   <min value="1" />
177 </element>
178 <element id="Provenance.activity.coding.display">
179   <path value="Provenance.activity.coding.display" />
180   <min value="1" />
181 </element>
182 <element id="Provenance.activity.coding.userSelected">
183   <path value="Provenance.activity.coding.userSelected" />
184   <max value="0" />
185 </element>
186 <element id="Provenance.activity.text">
187   <path value="Provenance.activity.text" />
188   <max value="0" />
189 </element>
190 <element id="Provenance.agent">
191   <path value="Provenance.agent" />
192   <mustSupport value="true" />
193 </element>
194 <element id="Provenance.agent.type">
195   <path value="Provenance.agent.type" />
196   <mustSupport value="true" />
197 </element>
198 <element id="Provenance.agent.role">
199   <path value="Provenance.agent.role" />
200   <min value="1" />
201   <max value="1" />
202   <mustSupport value="true" />
203   <binding>
204     <strength value="required" />
205     <valueSet value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_DIGA_Source_Of_Information|1.0.0" />
206   </binding>
207 </element>
208 <element id="Provenance.agent.role.coding">
209   <path value="Provenance.agent.role.coding" />
210   <min value="1" />
211   <max value="1" />
212   <mustSupport value="true" />
213 </element>
214 <element id="Provenance.agent.role.coding.system">
215   <path value="Provenance.agent.role.coding.system" />
216   <min value="1" />
217 </element>
218 <element id="Provenance.agent.role.coding.version">
219   <path value="Provenance.agent.role.coding.version" />
220   <min value="1" />
221 </element>
222 <element id="Provenance.agent.role.coding.code">
223   <path value="Provenance.agent.role.coding.code" />
224   <min value="1" />
225 </element>
226 <element id="Provenance.agent.role.coding.display">
227   <path value="Provenance.agent.role.coding.display" />

```

```

228     <min value="1" />
229 </element>
230 <element id="Provenance.agent.role.coding.userSelected">
231   <path value="Provenance.agent.role.coding.userSelected" />
232   <max value="0" />
233 </element>
234 <element id="Provenance.agent.role.text">
235   <path value="Provenance.agent.role.text" />
236   <max value="0" />
237 </element>
238 <element id="Provenance.agent.who">
239   <path value="Provenance.agent.who" />
240   <type>
241     <code value="Reference" />
242     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
243     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Organization|1.0.0" />
244     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_RelatedPerson|1.0.0" />
245     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole|1.0.0" />
246     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
247     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Device_Free|1.0.0" />
248     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Device_DIGA|1.0.0" />
249   </type>
250   <mustSupport value="true" />
251 </element>
252 <element id="Provenance.agent.who.reference">
253   <path value="Provenance.agent.who.reference" />
254   <min value="1" />
255   <mustSupport value="true" />
256 </element>
257 <element id="Provenance.agent.who.type">
258   <path value="Provenance.agent.who.type" />
259   <max value="0" />
260 </element>
261 <element id="Provenance.agent.who.identifier">
262   <path value="Provenance.agent.who.identifier" />
263   <max value="0" />
264 </element>
265 <element id="Provenance.agent.who.display">
266   <path value="Provenance.agent.who.display" />
267   <max value="0" />
268 </element>
269 <element id="Provenance.agent.onBehalfOf">
270   <path value="Provenance.agent.onBehalfOf" />
271   <type>
272     <code value="Reference" />
273     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
274   </type>
275   <mustSupport value="true" />
276 </element>
277 <element id="Provenance.agent.onBehalfOf.reference">
278   <path value="Provenance.agent.onBehalfOf.reference" />
279   <min value="1" />

```

```

280     <mustSupport value="true" />
281 </element>
282 <element id="Provenance.agent.onBehalfOf.type">
283   <path value="Provenance.agent.onBehalfOf.type" />
284   <max value="0" />
285 </element>
286 <element id="Provenance.agent.onBehalfOf.identifrier">
287   <path value="Provenance.agent.onBehalfOf.identifrier" />
288   <max value="0" />
289 </element>
290 <element id="Provenance.agent.onBehalfOf.display">
291   <path value="Provenance.agent.onBehalfOf.display" />
292   <max value="0" />
293 </element>
294 <element id="Provenance.entity">
295   <path value="Provenance.entity" />
296   <max value="0" />
297 </element>
298 <element id="Provenance.signature">
299   <path value="Provenance.signature" />
300   <max value="0" />
301 </element>
302 </differential>
303 </StructureDefinition>

```

## 75. KBV\_PR\_MIO\_DIGA\_QUESTIONNAIRE\_FREE

### KBV\_PR\_MIO\_DIGA\_Questionnaire\_Free

```

1 <StructureDefinition xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Questionnaire_Free" />
3   <version value="1.0.0" />
4   <name value="KBV_PR_MIO_DIGA_Questionnaire_Free" />
5   <title value="KBV_PR_MIO_DIGA_Questionnaire_Free" />
6   <status value="draft" />
7   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8   <description value="Dieses Profil bildet einen Fragebogen ab." />
9   <copyright value="Im folgenden Profil können Codes aus den Codesystemen

```

Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which is used by permission of SNOMED International. All rights reserved. SNOMED CT®, was originally created by The College of American Pathologists. SNOMED and SNOMED CT are registered trademarks of SNOMED International. Implementers of these artefacts must have the appropriate SNOMED CT Affiliate license. This material contains content from Loinc <http://loinc.org>. Loinc is copyright © 1995-2020, Regenstrief Institute, Inc. and the Logical Observation Identifiers Names and Codes Loinc Committee and is available at no cost under the license at <http://loinc.org/license>. Loinc® is a registered United States trademark of Regenstrief Institute, Inc. This product includes all or a portion of the UCUM table, UCUM codes, and UCUM definitions or is derived from it, subject to a license from Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM codes, UCUM definitions also is subject to this license, a copy of which is available at <http://unitsofmeasure.org>. The current complete UCUM table, UCUM Specification are available for download at <http://unitsofmeasure.org>. The UCUM table and UCUM codes are copyright © 1995-2009, Regenstrief

Institute, Inc. and the Unified Codes for Units of Measures UCUM Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED "AS IS." ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE." />

```
10 <fhirVersion value="4.0.1" />
11 <kind value="resource" />
12 <abstract value="false" />
13 <type value="Questionnaire" />
14 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
Questionnaire" />
15 <derivation value="constraint" />
16 <differential>
17 <element id="Questionnaire">
18 <path value="Questionnaire" />
19 <definition value="Dieses Profil bildet einen Fragebogen ab." />
20 <constraint>
21 <key value="ques-1" />
22 <severity value="error" />
23 <human value="Either Title or code need to be present" />
24 <expression value="Questionnaire.title.exists() xor
Questionnaire.code.exists()" />
25 <source value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Questionnaire_Free" />
26 </constraint>
27 </element>
28 <element id="Questionnaire.meta">
29 <path value="Questionnaire.meta" />
30 <min value="1" />
31 </element>
32 <element id="Questionnaire.meta.versionId">
33 <path value="Questionnaire.meta.versionId" />
34 <min value="1" />
35 </element>
36 <element id="Questionnaire.meta.lastUpdated">
37 <path value="Questionnaire.meta.lastUpdated" />
38 <min value="1" />
39 </element>
40 <element id="Questionnaire.meta.source">
41 <path value="Questionnaire.meta.source" />
42 <max value="0" />
43 </element>
44 <element id="Questionnaire.meta.profile">
45 <path value="Questionnaire.meta.profile" />
46 <min value="1" />
47 <max value="1" />
48 <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Questionnaire_Free|1.0.0" />
49 </element>
50 <element id="Questionnaire.meta.security">
51 <path value="Questionnaire.meta.security" />
52 <max value="0" />
53 </element>
54 <element id="Questionnaire.meta.tag">
55 <path value="Questionnaire.meta.tag" />
56 <max value="0" />
57 </element>
58 <element id="Questionnaire.implicitRules">
59 <path value="Questionnaire.implicitRules" />
```

```

60     <max value="0" />
61 </element>
62 <element id="Questionnaire.language">
63     <path value="Questionnaire.language" />
64     <min value="1" />
65     <mustSupport value="true" />
66 </element>
67 <element id="Questionnaire.text">
68     <path value="Questionnaire.text" />
69     <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
70 </element>
71 <element id="Questionnaire.text.status">
72     <path value="Questionnaire.text.status" />
73     <fixedCode value="extensions" />
74 </element>
75 <element id="Questionnaire.contained">
76     <path value="Questionnaire.contained" />
77     <max value="0" />
78 </element>
79 <element id="Questionnaire.url">
80     <path value="Questionnaire.url" />
81     <min value="0" />
82     <max value="1" />
83     <mustSupport value="true" />
84 </element>
85 <element id="Questionnaire.identifrier">
86     <path value="Questionnaire.identifrier" />
87     <min value="1" />
88     <max value="1" />
89     <mustSupport value="true" />
90 </element>
91 <element id="Questionnaire.identifrier.use">
92     <path value="Questionnaire.identifrier.use" />
93     <max value="0" />
94 </element>
95 <element id="Questionnaire.identifrier.type">
96     <path value="Questionnaire.identifrier.type" />
97     <min value="1" />
98     <patternCodeableConcept>
99         <coding>
100             <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
101             <version value="2.9" />
102             <code value="RI" />
103             <display value="Resource identifrier" />
104         </coding>
105     </patternCodeableConcept>
106 </element>
107 <element id="Questionnaire.identifrier.type.coding">
108     <path value="Questionnaire.identifrier.type.coding" />
109     <min value="1" />
110     <max value="1" />
111 </element>
112 <element id="Questionnaire.identifrier.type.coding.system">
113     <path value="Questionnaire.identifrier.type.coding.system" />
114     <min value="1" />
115 </element>

```



```

116 <element id="Questionnaire.identifier.type.coding.version">
117   <path value="Questionnaire.identifier.type.coding.version" />
118   <min value="1" />
119 </element>
120 <element id="Questionnaire.identifier.type.coding.code">
121   <path value="Questionnaire.identifier.type.coding.code" />
122   <min value="1" />
123 </element>
124 <element id="Questionnaire.identifier.type.coding.display">
125   <path value="Questionnaire.identifier.type.coding.display" />
126   <min value="1" />
127 </element>
128 <element id="Questionnaire.identifier.type.coding.userSelected">
129   <path value="Questionnaire.identifier.type.coding.userSelected" />
130   <max value="0" />
131 </element>
132 <element id="Questionnaire.identifier.type.text">
133   <path value="Questionnaire.identifier.type.text" />
134   <max value="0" />
135 </element>
136 <element id="Questionnaire.identifier.system">
137   <path value="Questionnaire.identifier.system" />
138   <min value="1" />
139   <fixedUri value="urn:iETF:rFC:3986" />
140   <mustSupport value="true" />
141 </element>
142 <element id="Questionnaire.identifier.value">
143   <path value="Questionnaire.identifier.value" />
144   <min value="1" />
145   <mustSupport value="true" />
146 </element>
147 <element id="Questionnaire.identifier.period">
148   <path value="Questionnaire.identifier.period" />
149   <max value="0" />
150 </element>
151 <element id="Questionnaire.identifier.assigner">
152   <path value="Questionnaire.identifier.assigner" />
153   <max value="0" />
154 </element>
155 <element id="Questionnaire.title">
156   <path value="Questionnaire.title" />
157   <mustSupport value="true" />
158 </element>
159 <element id="Questionnaire.derivedFrom">
160   <path value="Questionnaire.derivedFrom" />
161 </element>
162 <element id="Questionnaire.status">
163   <path value="Questionnaire.status" />
164   <patternCode value="active" />
165 </element>
166 <element id="Questionnaire.subjectType">
167   <path value="Questionnaire.subjectType" />
168 </element>
169 <element id="Questionnaire.date">
170   <path value="Questionnaire.date" />
171   <min value="1" />
172   <mustSupport value="true" />
173 </element>
174 <element id="Questionnaire.code">
175   <path value="Questionnaire.code" />

```

```

176     <mustSupport value="true" />
177 </element>
178 <element id="Questionnaire.code.system">
179     <path value="Questionnaire.code.system" />
180     <min value="1" />
181 </element>
182 <element id="Questionnaire.code.version">
183     <path value="Questionnaire.code.version" />
184     <min value="1" />
185 </element>
186 <element id="Questionnaire.code.code">
187     <path value="Questionnaire.code.code" />
188     <min value="1" />
189 </element>
190 <element id="Questionnaire.code.display">
191     <path value="Questionnaire.code.display" />
192     <min value="1" />
193 </element>
194 <element id="Questionnaire.code.userSelected">
195     <path value="Questionnaire.code.userSelected" />
196     <max value="0" />
197 </element>
198 <element id="Questionnaire.item">
199     <path value="Questionnaire.item" />
200     <mustSupport value="true" />
201 </element>
202 <element id="Questionnaire.item.linkId">
203     <path value="Questionnaire.item.linkId" />
204     <mustSupport value="true" />
205 </element>
206 <element id="Questionnaire.item.code">
207     <path value="Questionnaire.item.code" />
208     <mustSupport value="true" />
209 </element>
210 <element id="Questionnaire.item.code.system">
211     <path value="Questionnaire.item.code.system" />
212     <min value="1" />
213 </element>
214 <element id="Questionnaire.item.code.version">
215     <path value="Questionnaire.item.code.version" />
216     <min value="1" />
217 </element>
218 <element id="Questionnaire.item.code.code">
219     <path value="Questionnaire.item.code.code" />
220     <min value="1" />
221 </element>
222 <element id="Questionnaire.item.code.display">
223     <path value="Questionnaire.item.code.display" />
224     <min value="1" />
225 </element>
226 <element id="Questionnaire.item.code.userSelected">
227     <path value="Questionnaire.item.code.userSelected" />
228     <max value="0" />
229 </element>
230 <element id="Questionnaire.item.prefix">
231     <path value="Questionnaire.item.prefix" />
232     <max value="0" />
233 </element>
234 <element id="Questionnaire.item.text">
235     <path value="Questionnaire.item.text" />

```

```

236     <mustSupport value="true" />
237 </element>
238 <element id="Questionnaire.item.type">
239   <path value="Questionnaire.item.type" />
240   <mustSupport value="true" />
241 </element>
242 <element id="Questionnaire.item.type.extension">
243   <path value="Questionnaire.item.type.extension" />
244   <slicing>
245     <discriminator>
246       <type value="value" />
247       <path value="url" />
248     </discriminator>
249     <rules value="open" />
250   </slicing>
251   <min value="1" />
252 </element>
253 <element id="Questionnaire.item.type.extension:anzeigenameType">
254   <path value="Questionnaire.item.type.extension" />
255   <sliceName value="anzeigenameType" />
256   <min value="1" />
257   <max value="1" />
258   <type>
259     <code value="Extension" />
260     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
261   </type>
262   <mustSupport value="true" />
263 </element>
264 <element id="Questionnaire.item.type.extension:anzeigenameType.extensio
n">
265   <path value="Questionnaire.item.type.extension.extension" />
266   <slicing>
267     <discriminator>
268       <type value="value" />
269       <path value="url" />
270     </discriminator>
271     <rules value="open" />
272   </slicing>
273   <min value="1" />
274 </element>
275 <element id="Questionnaire.item.type.extension:anzeigenameType.extensio
n:content">
276   <path value="Questionnaire.item.type.extension.extension" />
277   <sliceName value="content" />
278   <min value="1" />
279 </element>
280 <element id="Questionnaire.item.type.extension:anzeigenameType.extensio
n:content.value[x]">
281   <path value="Questionnaire.item.type.extension.extension.value[x]" />
282   <slicing>
283     <discriminator>
284       <type value="type" />
285       <path value="$this" />
286     </discriminator>
287     <rules value="closed" />
288   </slicing>
289   <mustSupport value="true" />
290 </element>

```

```

291     <element id="Questionnaire.item.type.extension:anzeigenametype.extension:content.value[x]:valueString">
292       <path value="Questionnaire.item.type.extension.extension.valueString"
/>
293       <sliceName value="valueString" />
294       <definition value="In diesem Attribut sollen die entsprechende
deutsche Bezeichnung des Loinc oder Snomed-Codes aus der Conceptmap
eingetragen werden, also in diesem Fall den Displaynamen des Targetsystems
aus https://fhir.kbv.de/ConceptMap/
KBV_CM_MIO_DIGA_Questionnaire_Item_Type_German|1.0.0" />
295       <min value="1" />
296       <mustSupport value="true" />
297     </element>
298   </differential>
299 </StructureDefinition>

```

## 76. KBV\_PR\_MIO\_DIGA\_QUESTIONNAIRERESPONSE\_FREE

### KBV\_PR\_MIO\_DIGA\_QuestionnaireResponse\_Free

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2  <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_QuestionnaireResponse_Free" />
3  <version value="1.0.0" />
4  <name value="KBV_PR_MIO_DIGA_QuestionnaireResponse_Free" />
5  <title value="KBV_PR_MIO_DIGA_QuestionnaireResponse_Free" />
6  <status value="draft" />
7  <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8  <description value="Dieses Profil bildet einen ausgefüllten Fragebogen
ab." />
9  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM
definitions or is derived from it, subject to a license from Regenstrief
Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM
codes, UCUM definitions also is subject to this license, a copy of which is
available at http://unitsofmeasure.org. The current complete UCUM table,
UCUM Specification are available for download at http://unitsofmeasure.org.
The UCUM table and UCUM codes are copyright © 1995-2009, Regenstrief
Institute, Inc. and the Unified Codes for Units of Measures UCUM
Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM
DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS
OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE." />
10 <fhirVersion value="4.0.1" />
11 <kind value="resource" />

```

```

12 <abstract value="false" />
13 <type value="QuestionnaireResponse" />
14 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
QuestionnaireResponse" />
15 <derivation value="constraint" />
16 <differential>
17 <element id="QuestionnaireResponse">
18 <path value="QuestionnaireResponse" />
19 <definition value="Dieses Profil bildet einen ausgefüllten Fragebogen
ab." />
20 </element>
21 <element id="QuestionnaireResponse.meta">
22 <path value="QuestionnaireResponse.meta" />
23 <min value="1" />
24 </element>
25 <element id="QuestionnaireResponse.meta.versionId">
26 <path value="QuestionnaireResponse.meta.versionId" />
27 <min value="1" />
28 </element>
29 <element id="QuestionnaireResponse.meta.lastUpdated">
30 <path value="QuestionnaireResponse.meta.lastUpdated" />
31 <min value="1" />
32 </element>
33 <element id="QuestionnaireResponse.meta.source">
34 <path value="QuestionnaireResponse.meta.source" />
35 <max value="0" />
36 </element>
37 <element id="QuestionnaireResponse.meta.profile">
38 <path value="QuestionnaireResponse.meta.profile" />
39 <min value="1" />
40 <max value="1" />
41 <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_QuestionnaireResponse_Free|1.0.0" />
42 </element>
43 <element id="QuestionnaireResponse.meta.security">
44 <path value="QuestionnaireResponse.meta.security" />
45 <max value="0" />
46 </element>
47 <element id="QuestionnaireResponse.meta.tag">
48 <path value="QuestionnaireResponse.meta.tag" />
49 <max value="0" />
50 </element>
51 <element id="QuestionnaireResponse.implicitRules">
52 <path value="QuestionnaireResponse.implicitRules" />
53 <max value="0" />
54 </element>
55 <element id="QuestionnaireResponse.language">
56 <path value="QuestionnaireResponse.language" />
57 <max value="0" />
58 </element>
59 <element id="QuestionnaireResponse.text">
60 <path value="QuestionnaireResponse.text" />
61 <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
62 </element>
63 <element id="QuestionnaireResponse.text.status">
64 <path value="QuestionnaireResponse.text.status" />

```

```

65     <fixedCode value="extensions" />
66 </element>
67 <element id="QuestionnaireResponse.contained">
68     <path value="QuestionnaireResponse.contained" />
69     <max value="0" />
70 </element>
71 <element id="QuestionnaireResponse.identifier">
72     <path value="QuestionnaireResponse.identifier" />
73     <min value="1" />
74     <max value="1" />
75     <mustSupport value="true" />
76 </element>
77 <element id="QuestionnaireResponse.identifier.use">
78     <path value="QuestionnaireResponse.identifier.use" />
79     <max value="0" />
80 </element>
81 <element id="QuestionnaireResponse.identifier.type">
82     <path value="QuestionnaireResponse.identifier.type" />
83     <min value="1" />
84     <patternCodeableConcept>
85         <coding>
86             <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
87             <version value="2.9" />
88             <code value="RI" />
89             <display value="Resource identifier" />
90         </coding>
91     </patternCodeableConcept>
92 </element>
93 <element id="QuestionnaireResponse.identifier.type.coding">
94     <path value="QuestionnaireResponse.identifier.type.coding" />
95     <min value="1" />
96     <max value="1" />
97 </element>
98 <element id="QuestionnaireResponse.identifier.type.coding.system">
99     <path value="QuestionnaireResponse.identifier.type.coding.system" />
100    <min value="1" />
101 </element>
102 <element id="QuestionnaireResponse.identifier.type.coding.version">
103     <path value="QuestionnaireResponse.identifier.type.coding.version" />
104     <min value="1" />
105 </element>
106 <element id="QuestionnaireResponse.identifier.type.coding.code">
107     <path value="QuestionnaireResponse.identifier.type.coding.code" />
108     <min value="1" />
109 </element>
110 <element id="QuestionnaireResponse.identifier.type.coding.display">
111     <path value="QuestionnaireResponse.identifier.type.coding.display" />
112     <min value="1" />
113 </element>
114 <element id="QuestionnaireResponse.identifier.type.coding.userSelected">
115     <path value="QuestionnaireResponse.identifier.type.coding.userSelected" />
116     <max value="0" />
117 </element>
118 <element id="QuestionnaireResponse.identifier.type.text">
119     <path value="QuestionnaireResponse.identifier.type.text" />
120     <max value="0" />
121 </element>
122 <element id="QuestionnaireResponse.identifier.system">
123     <path value="QuestionnaireResponse.identifier.system" />

```

```

124     <min value="1" />
125     <fixedUri value="urn:ietf:rhc:3986" />
126     <mustSupport value="true" />
127 </element>
128 <element id="QuestionnaireResponse.identifier.value">
129     <path value="QuestionnaireResponse.identifier.value" />
130     <min value="1" />
131     <mustSupport value="true" />
132 </element>
133 <element id="QuestionnaireResponse.identifier.period">
134     <path value="QuestionnaireResponse.identifier.period" />
135     <max value="0" />
136 </element>
137 <element id="QuestionnaireResponse.identifier.assigner">
138     <path value="QuestionnaireResponse.identifier.assigner" />
139     <max value="0" />
140 </element>
141 <element id="QuestionnaireResponse.basedOn">
142     <path value="QuestionnaireResponse.basedOn" />
143     <max value="0" />
144 </element>
145 <element id="QuestionnaireResponse.partOf">
146     <path value="QuestionnaireResponse.partOf" />
147     <max value="0" />
148 </element>
149 <element id="QuestionnaireResponse.questionnaire">
150     <path value="QuestionnaireResponse.questionnaire" />
151     <min value="1" />
152     <type>
153         <code value="canonical" />
154         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Questionnaire_Free|1.0.0" />
155     </type>
156     <mustSupport value="true" />
157 </element>
158 <element id="QuestionnaireResponse.status">
159     <path value="QuestionnaireResponse.status" />
160     <patternCode value="completed" />
161 </element>
162 <element id="QuestionnaireResponse.subject">
163     <path value="QuestionnaireResponse.subject" />
164     <min value="1" />
165     <type>
166         <code value="Reference" />
167         <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
168     </type>
169     <mustSupport value="true" />
170 </element>
171 <element id="QuestionnaireResponse.subject.reference">
172     <path value="QuestionnaireResponse.subject.reference" />
173     <min value="1" />
174     <mustSupport value="true" />
175 </element>
176 <element id="QuestionnaireResponse.subject.type">
177     <path value="QuestionnaireResponse.subject.type" />
178     <max value="0" />
179 </element>
180 <element id="QuestionnaireResponse.subject.identifier">
181     <path value="QuestionnaireResponse.subject.identifier" />

```

```

182     <max value="0" />
183 </element>
184 <element id="QuestionnaireResponse.subject.display">
185   <path value="QuestionnaireResponse.subject.display" />
186   <max value="0" />
187 </element>
188 <element id="QuestionnaireResponse.encounter">
189   <path value="QuestionnaireResponse.encounter" />
190   <max value="0" />
191 </element>
192 <element id="QuestionnaireResponse.authored">
193   <path value="QuestionnaireResponse.authored" />
194   <mustSupport value="true" />
195 </element>
196 <element id="QuestionnaireResponse.author">
197   <path value="QuestionnaireResponse.author" />
198   <type>
199     <code value="Reference" />
200     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
201     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
202     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_RelatedPerson|1.0.0" />
203     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole|1.0.0" />
204   </type>
205   <mustSupport value="true" />
206 </element>
207 <element id="QuestionnaireResponse.author.reference">
208   <path value="QuestionnaireResponse.author.reference" />
209   <min value="1" />
210   <mustSupport value="true" />
211 </element>
212 <element id="QuestionnaireResponse.author.type">
213   <path value="QuestionnaireResponse.author.type" />
214   <max value="0" />
215 </element>
216 <element id="QuestionnaireResponse.author.identifier">
217   <path value="QuestionnaireResponse.author.identifier" />
218   <max value="0" />
219 </element>
220 <element id="QuestionnaireResponse.author.display">
221   <path value="QuestionnaireResponse.author.display" />
222   <max value="0" />
223 </element>
224 <element id="QuestionnaireResponse.source">
225   <path value="QuestionnaireResponse.source" />
226   <type>
227     <code value="Reference" />
228     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
229     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Practitioner|1.0.0" />
230     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_RelatedPerson|1.0.0" />
231     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_PractitionerRole|1.0.0" />
232   </type>
233   <mustSupport value="true" />

```



```

234 </element>
235 <element id="QuestionnaireResponse.source.reference">
236   <path value="QuestionnaireResponse.source.reference" />
237   <min value="1" />
238   <mustSupport value="true" />
239 </element>
240 <element id="QuestionnaireResponse.source.type">
241   <path value="QuestionnaireResponse.source.type" />
242   <max value="0" />
243 </element>
244 <element id="QuestionnaireResponse.source.identifier">
245   <path value="QuestionnaireResponse.source.identifier" />
246   <max value="0" />
247 </element>
248 <element id="QuestionnaireResponse.source.display">
249   <path value="QuestionnaireResponse.source.display" />
250   <max value="0" />
251 </element>
252 <element id="QuestionnaireResponse.item">
253   <path value="QuestionnaireResponse.item" />
254   <mustSupport value="true" />
255 </element>
256 <element id="QuestionnaireResponse.item.linkId">
257   <path value="QuestionnaireResponse.item.linkId" />
258   <mustSupport value="true" />
259 </element>
260 <element id="QuestionnaireResponse.item.definition">
261   <path value="QuestionnaireResponse.item.definition" />
262   <max value="0" />
263 </element>
264 <element id="QuestionnaireResponse.item.text">
265   <path value="QuestionnaireResponse.item.text" />
266   <mustSupport value="true" />
267 </element>
268 <element id="QuestionnaireResponse.item.answer">
269   <path value="QuestionnaireResponse.item.answer" />
270   <mustSupport value="true" />
271 </element>
272 <element id="QuestionnaireResponse.item.answer.value[x]">
273   <path value="QuestionnaireResponse.item.answer.value[x]" />
274   <slicing>
275     <discriminator>
276       <type value="type" />
277       <path value="$this" />
278     </discriminator>
279     <rules value="closed" />
280   </slicing>
281   <min value="1" />
282   <type>
283     <code value="boolean" />
284   </type>
285   <type>
286     <code value="time" />
287   </type>
288   <type>
289     <code value="string" />
290   </type>
291   <type>
292     <code value="Coding" />
293   </type>

```

```

294     <type>
295       <code value="Quantity" />
296     </type>
297     <type>
298       <code value="decimal" />
299     </type>
300     <type>
301       <code value="dateTime" />
302     </type>
303     <type>
304       <code value="integer" />
305     </type>
306   </element>
307   <element id="QuestionnaireResponse.item.answer.value[x]:valueInteger">
308     <path value="QuestionnaireResponse.item.answer.value[x]" />
309     <sliceName value="valueInteger" />
310     <type>
311       <code value="integer" />
312     </type>
313     <mustSupport value="true" />
314   </element>
315   <element id="QuestionnaireResponse.item.answer.value[x]:valueCoding">
316     <path value="QuestionnaireResponse.item.answer.value[x]" />
317     <sliceName value="valueCoding" />
318     <type>
319       <code value="Coding" />
320     </type>
321     <mustSupport value="true" />
322   </element>
323   <element id="QuestionnaireResponse.item.answer.value[x]:valueCoding.system">
324     <path value="QuestionnaireResponse.item.answer.value[x].system" />
325     <min value="1" />
326   </element>
327   <element id="QuestionnaireResponse.item.answer.value[x]:valueCoding.version">
328     <path value="QuestionnaireResponse.item.answer.value[x].version" />
329     <min value="1" />
330   </element>
331   <element id="QuestionnaireResponse.item.answer.value[x]:valueCoding.code">
332     <path value="QuestionnaireResponse.item.answer.value[x].code" />
333     <min value="1" />
334   </element>
335   <element id="QuestionnaireResponse.item.answer.value[x]:valueCoding.display">
336     <path value="QuestionnaireResponse.item.answer.value[x].display" />
337     <min value="1" />
338   </element>
339   <element id="QuestionnaireResponse.item.answer.value[x]:valueCoding.userSelected">
340     <path value="QuestionnaireResponse.item.answer.value[x].userSelected"
/>
341     <max value="0" />
342   </element>
343   <element id="QuestionnaireResponse.item.answer.value[x]:valueDateTime">
344     <path value="QuestionnaireResponse.item.answer.value[x]" />
345     <sliceName value="valueDateTime" />
346     <type>
347       <code value="dateTime" />

```

```

348     </type>
349     <mustSupport value="true" />
350 </element>
351 <element id="QuestionnaireResponse.item.answer.value[x]:valueDecimal">
352   <path value="QuestionnaireResponse.item.answer.value[x]" />
353   <sliceName value="valueDecimal" />
354   <type>
355     <code value="decimal" />
356   </type>
357   <mustSupport value="true" />
358 </element>
359 <element id="QuestionnaireResponse.item.answer.value[x]:valueString">
360   <path value="QuestionnaireResponse.item.answer.value[x]" />
361   <sliceName value="valueString" />
362   <type>
363     <code value="string" />
364   </type>
365   <mustSupport value="true" />
366 </element>
367 <element id="QuestionnaireResponse.item.answer.value[x]:valueTime">
368   <path value="QuestionnaireResponse.item.answer.value[x]" />
369   <sliceName value="valueTime" />
370   <type>
371     <code value="time" />
372   </type>
373   <mustSupport value="true" />
374 </element>
375 <element id="QuestionnaireResponse.item.answer.value[x]:valueBoolean">
376   <path value="QuestionnaireResponse.item.answer.value[x]" />
377   <sliceName value="valueBoolean" />
378   <type>
379     <code value="boolean" />
380   </type>
381   <mustSupport value="true" />
382 </element>
383 <element id="QuestionnaireResponse.item.answer.value[x]:valueQuantity">
384   <path value="QuestionnaireResponse.item.answer.value[x]" />
385   <sliceName value="valueQuantity" />
386   <type>
387     <code value="Quantity" />
388   </type>
389   <mustSupport value="true" />
390 </element>
391 <element id="QuestionnaireResponse.item.answer.value[x]:valueQuantity.v
392   <path value="QuestionnaireResponse.item.answer.value[x].value" />
393   <min value="1" />
394 </element>
395 <element id="QuestionnaireResponse.item.answer.value[x]:valueQuantity.u
396   <path value="QuestionnaireResponse.item.answer.value[x].unit" />
397   <min value="1" />
398 </element>
399 <element id="QuestionnaireResponse.item.answer.value[x]:valueQuantity.s
400   <path value="QuestionnaireResponse.item.answer.value[x].system" />
401   <min value="1" />
402 </element>
403 <element id="QuestionnaireResponse.item.answer.value[x]:valueQuantity.c
404   <path value="QuestionnaireResponse.item.answer.value[x].code" />
405   <min value="1" />
406 </element>

```

```

404     <path value="QuestionnaireResponse.item.answer.value[x].code" />
405     <min value="1" />
406   </element>
407   <element id="QuestionnaireResponse.item.answer.item">
408     <path value="QuestionnaireResponse.item.answer.item" />
409     <mustSupport value="true" />
410   </element>
411   <element id="QuestionnaireResponse.item.item">
412     <path value="QuestionnaireResponse.item.item" />
413     <mustSupport value="true" />
414   </element>
415 </differential>
416 </StructureDefinition>

```

## 77. KBV\_PR\_MIO\_DIGA\_RELATEDPERSON

### KBV\_PR\_MIO\_DIGA\_RelatedPerson

```

1  <StructureDefinition xmlns="http://hl7.org/fhir">
2    <url value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_RelatedPerson" />
3    <version value="1.0.0" />
4    <name value="KBV_PR_MIO_DIGA_RelatedPerson" />
5    <title value="KBV_PR_MIO_DIGA_RelatedPerson" />
6    <status value="draft" />
7    <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
8    <description value="Dieses Profil bildet eine Kontaktperson ab." />
9    <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® SNOMED CT® which
is used by permission of SNOMED International. All rights reserved. SNOMED
CT®, was originally created by The College of American Pathologists. SNOMED
and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from Loinc http://
loinc.org. Loinc is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes Loinc Committee and is
available at no cost under the license at http://loinc.org/license. Loinc®
is a registered United States trademark of Regenstrief Institute, Inc. This
product includes all or a portion of the UCUM table, UCUM codes, and UCUM
definitions or is derived from it, subject to a license from Regenstrief
Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM
codes, UCUM definitions also is subject to this license, a copy of which is
available at http://unitsofmeasure.org. The current complete UCUM table,
UCUM Specification are available for download at http://unitsofmeasure.org.
The UCUM table and UCUM codes are copyright © 1995-2009, Regenstrief
Institute, Inc. and the Unified Codes for Units of Measures UCUM
Organization. All rights reserved. THE UCUM TABLE IN ALL FORMATS, UCUM
DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS IS.&quot; ANY EXPRESS
OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE." />
10   <fhirVersion value="4.0.1" />
11   <mapping>
12     <identity value="rim" />
13     <uri value="http://hl7.org/v3" />
14     <name value="RIM Mapping" />

```

```

15 </mapping>
16 <mapping>
17   <identity value="w5" />
18   <uri value="http://hl7.org/fhir/fivews" />
19   <name value="FiveWs Pattern Mapping" />
20 </mapping>
21 <mapping>
22   <identity value="v2" />
23   <uri value="http://hl7.org/v2" />
24   <name value="HL7 v2 Mapping" />
25 </mapping>
26 <kind value="resource" />
27 <abstract value="false" />
28 <type value="RelatedPerson" />
29 <baseDefinition value="http://hl7.org/fhir/StructureDefinition/
30 RelatedPerson" />
31 <derivation value="constraint" />
32 <differential>
33   <element id="RelatedPerson">
34     <path value="RelatedPerson" />
35     <definition value="Dieses Profil bildet eine Kontaktperson ab." />
36   </element>
37   <element id="RelatedPerson.meta">
38     <path value="RelatedPerson.meta" />
39     <min value="1" />
40   </element>
41   <element id="RelatedPerson.meta.versionId">
42     <path value="RelatedPerson.meta.versionId" />
43     <min value="1" />
44   </element>
45   <element id="RelatedPerson.meta.lastUpdated">
46     <path value="RelatedPerson.meta.lastUpdated" />
47     <min value="1" />
48   </element>
49   <element id="RelatedPerson.meta.source">
50     <path value="RelatedPerson.meta.source" />
51     <max value="0" />
52   </element>
53   <element id="RelatedPerson.meta.profile">
54     <path value="RelatedPerson.meta.profile" />
55     <min value="1" />
56     <max value="1" />
57     <patternCanonical value="https://fhir.kbv.de/StructureDefinition/
58 KBV_PR_MIO_DIGA_RelatedPerson|1.0.0" />
59   </element>
60   <element id="RelatedPerson.meta.security">
61     <path value="RelatedPerson.meta.security" />
62     <max value="0" />
63   </element>
64   <element id="RelatedPerson.meta.tag">
65     <path value="RelatedPerson.meta.tag" />
66     <max value="0" />
67   </element>
68   <element id="RelatedPerson.implicitRules">
69     <path value="RelatedPerson.implicitRules" />
70     <max value="0" />
71   </element>
72   <element id="RelatedPerson.language">
73     <path value="RelatedPerson.language" />
74     <max value="0" />

```

```

73     </element>
74     <element id="RelatedPerson.text">
75         <path value="RelatedPerson.text" />
76         <definition value="In diesem Element können die, in der Instanz,
enthaltenen Informationen in einer menschenlesbaren Form zusammengefasst
werden. Dabei ist zu beachten, dass keine Informationen aufgenommen werden
dürfen, die nicht in strukturierter Form an anderer Stelle in der Instanz
enthalten sind." />
77     </element>
78     <element id="RelatedPerson.text.status">
79         <path value="RelatedPerson.text.status" />
80         <fixedCode value="extensions" />
81     </element>
82     <element id="RelatedPerson.contained">
83         <path value="RelatedPerson.contained" />
84         <max value="0" />
85     </element>
86     <element id="RelatedPerson.identifier">
87         <path value="RelatedPerson.identifier" />
88         <min value="1" />
89         <max value="1" />
90         <mustSupport value="true" />
91     </element>
92     <element id="RelatedPerson.identifier.use">
93         <path value="RelatedPerson.identifier.use" />
94         <max value="0" />
95     </element>
96     <element id="RelatedPerson.identifier.type">
97         <path value="RelatedPerson.identifier.type" />
98         <min value="1" />
99         <patternCodeableConcept>
100             <coding>
101                 <system value="http://terminology.hl7.org/CodeSystem/v2-0203" />
102                 <version value="2.9" />
103                 <code value="RI" />
104                 <display value="Resource identifier" />
105             </coding>
106         </patternCodeableConcept>
107     </element>
108     <element id="RelatedPerson.identifier.type.coding">
109         <path value="RelatedPerson.identifier.type.coding" />
110         <min value="1" />
111         <max value="1" />
112     </element>
113     <element id="RelatedPerson.identifier.type.coding.system">
114         <path value="RelatedPerson.identifier.type.coding.system" />
115         <min value="1" />
116     </element>
117     <element id="RelatedPerson.identifier.type.coding.version">
118         <path value="RelatedPerson.identifier.type.coding.version" />
119         <min value="1" />
120     </element>
121     <element id="RelatedPerson.identifier.type.coding.code">
122         <path value="RelatedPerson.identifier.type.coding.code" />
123         <min value="1" />
124     </element>
125     <element id="RelatedPerson.identifier.type.coding.display">
126         <path value="RelatedPerson.identifier.type.coding.display" />
127         <min value="1" />
128     </element>

```

```

129 <element id="RelatedPerson.identifier.type.coding.userSelected">
130   <path value="RelatedPerson.identifier.type.coding.userSelected" />
131   <max value="0" />
132 </element>
133 <element id="RelatedPerson.identifier.type.text">
134   <path value="RelatedPerson.identifier.type.text" />
135   <max value="0" />
136 </element>
137 <element id="RelatedPerson.identifier.system">
138   <path value="RelatedPerson.identifier.system" />
139   <min value="1" />
140   <fixedUri value="urn:ietf:rhc:3986" />
141   <mustSupport value="true" />
142 </element>
143 <element id="RelatedPerson.identifier.value">
144   <path value="RelatedPerson.identifier.value" />
145   <min value="1" />
146   <mustSupport value="true" />
147 </element>
148 <element id="RelatedPerson.identifier.period">
149   <path value="RelatedPerson.identifier.period" />
150   <max value="0" />
151 </element>
152 <element id="RelatedPerson.identifier.assigner">
153   <path value="RelatedPerson.identifier.assigner" />
154   <max value="0" />
155 </element>
156 <element id="RelatedPerson.active">
157   <path value="RelatedPerson.active" />
158   <max value="0" />
159 </element>
160 <element id="RelatedPerson.patient">
161   <path value="RelatedPerson.patient" />
162   <type>
163     <code value="Reference" />
164     <targetProfile value="https://fhir.kbv.de/StructureDefinition/
KBV_PR_MIO_DIGA_Patient|1.0.0" />
165   </type>
166   <mustSupport value="true" />
167 </element>
168 <element id="RelatedPerson.patient.reference">
169   <path value="RelatedPerson.patient.reference" />
170   <min value="1" />
171   <mustSupport value="true" />
172 </element>
173 <element id="RelatedPerson.patient.type">
174   <path value="RelatedPerson.patient.type" />
175   <max value="0" />
176 </element>
177 <element id="RelatedPerson.patient.identifier">
178   <path value="RelatedPerson.patient.identifier" />
179   <max value="0" />
180 </element>
181 <element id="RelatedPerson.patient.display">
182   <path value="RelatedPerson.patient.display" />
183   <max value="0" />
184 </element>
185 <element id="RelatedPerson.relationship">
186   <path value="RelatedPerson.relationship" />
187   <max value="1" />

```

```

188     <mustSupport value="true" />
189 </element>
190 <element id="RelatedPerson.relationship.coding">
191     <path value="RelatedPerson.relationship.coding" />
192     <mustSupport value="true" />
193 </element>
194 <element id="RelatedPerson.relationship.coding.system">
195     <path value="RelatedPerson.relationship.coding.system" />
196     <min value="1" />
197 </element>
198 <element id="RelatedPerson.relationship.coding.version">
199     <path value="RelatedPerson.relationship.coding.version" />
200     <min value="1" />
201 </element>
202 <element id="RelatedPerson.relationship.coding.code">
203     <path value="RelatedPerson.relationship.coding.code" />
204     <min value="1" />
205 </element>
206 <element id="RelatedPerson.relationship.coding.display">
207     <path value="RelatedPerson.relationship.coding.display" />
208     <min value="1" />
209 </element>
210 <element id="RelatedPerson.relationship.coding.userSelected">
211     <path value="RelatedPerson.relationship.coding.userSelected" />
212     <max value="0" />
213 </element>
214 <element id="RelatedPerson.relationship.text">
215     <path value="RelatedPerson.relationship.text" />
216     <mustSupport value="true" />
217 </element>
218 <element id="RelatedPerson.name">
219     <path value="RelatedPerson.name" />
220     <max value="1" />
221     <type>
222         <code value="HumanName" />
223         <profile value="http://fhir.de/StructureDefinition/humanname-de-
basis|0.9.3" />
224     </type>
225     <mustSupport value="true" />
226 </element>
227 <element id="RelatedPerson.name.use">
228     <path value="RelatedPerson.name.use" />
229     <max value="0" />
230 </element>
231 <element id="RelatedPerson.name.family">
232     <path value="RelatedPerson.name.family" />
233     <min value="1" />
234     <mustSupport value="true" />
235 </element>
236 <element id="RelatedPerson.name.family.extension">
237     <path value="RelatedPerson.name.family.extension" />
238     <slicing>
239         <discriminator>
240             <type value="value" />
241             <path value="url" />
242         </discriminator>
243         <rules value="open" />
244     </slicing>
245     <min value="1" />
246 </element>

```



```

247 <element id="RelatedPerson.name.family.extension:namenszusatz">
248   <path value="RelatedPerson.name.family.extension" />
249   <sliceName value="namenszusatz" />
250   <min value="0" />
251   <mustSupport value="true" />
252 </element>
253 <element id="RelatedPerson.name.family.extension:namenszusatz.value[x]">
254   <path value="RelatedPerson.name.family.extension.value[x]" />
255   <slicing>
256     <discriminator>
257       <type value="type" />
258       <path value="$this" />
259     </discriminator>
260     <rules value="closed" />
261   </slicing>
262   <min value="1" />
263   <mustSupport value="true" />
264 </element>
265 <element id="RelatedPerson.name.family.extension:namenszusatz.value[x]:
valueString">
266   <path value="RelatedPerson.name.family.extension.valueString" />
267   <sliceName value="valueString" />
268   <min value="1" />
269   <mustSupport value="true" />
270 </element>
271 <element id="RelatedPerson.name.family.extension:nachname">
272   <path value="RelatedPerson.name.family.extension" />
273   <sliceName value="nachname" />
274   <min value="1" />
275   <mustSupport value="true" />
276 </element>
277 <element id="RelatedPerson.name.family.extension:nachname.value[x]">
278   <path value="RelatedPerson.name.family.extension.value[x]" />
279   <slicing>
280     <discriminator>
281       <type value="type" />
282       <path value="$this" />
283     </discriminator>
284     <rules value="open" />
285   </slicing>
286   <mustSupport value="true" />
287 </element>
288 <element id="RelatedPerson.name.family.extension:nachname.value[x]:valu
eString">
289   <path value="RelatedPerson.name.family.extension.valueString" />
290   <sliceName value="valueString" />
291   <min value="1" />
292   <mustSupport value="true" />
293 </element>
294 <element id="RelatedPerson.name.family.extension:vorsatzwort">
295   <path value="RelatedPerson.name.family.extension" />
296   <sliceName value="vorsatzwort" />
297   <mustSupport value="true" />
298 </element>
299 <element id="RelatedPerson.name.family.extension:vorsatzwort.value[x]">
300   <path value="RelatedPerson.name.family.extension.value[x]" />
301   <slicing>
302     <discriminator>
303       <type value="type" />
304       <path value="$this" />

```

```

305     </discriminator>
306     <rules value="closed" />
307 </slicing>
308     <mustSupport value="true" />
309 </element>
310 <element id="RelatedPerson.name.family.extension:vorsatzwort.value[x]:v
valueString">
311     <path value="RelatedPerson.name.family.extension.valueString" />
312     <sliceName value="valueString" />
313     <min value="1" />
314     <mustSupport value="true" />
315 </element>
316 <element id="RelatedPerson.name.given">
317     <path value="RelatedPerson.name.given" />
318     <min value="1" />
319     <max value="1" />
320     <mustSupport value="true" />
321 </element>
322 <element id="RelatedPerson.name.prefix">
323     <path value="RelatedPerson.name.prefix" />
324     <mustSupport value="true" />
325 </element>
326 <element id="RelatedPerson.name:name.prefix.extension:prefix-
qualifier">
327     <path value="RelatedPerson.name.prefix.extension" />
328     <sliceName value="prefix-qualifier" />
329     <min value="1" />
330     <mustSupport value="true" />
331 </element>
332 <element id="RelatedPerson.name:name.prefix.extension:prefix-
qualifier.value[x]:valueCode">
333     <path value="RelatedPerson.name.prefix.extension.value[x]" />
334     <sliceName value="valueCode" />
335     <min value="1" />
336     <mustSupport value="true" />
337 </element>
338 <element id="RelatedPerson.name.suffix">
339     <path value="RelatedPerson.name.suffix" />
340     <max value="0" />
341 </element>
342 <element id="RelatedPerson.name.period">
343     <path value="RelatedPerson.name.period" />
344     <max value="0" />
345 </element>
346 <element id="RelatedPerson.telecom">
347     <path value="RelatedPerson.telecom" />
348     <mustSupport value="true" />
349 </element>
350 <element id="RelatedPerson.telecom.system">
351     <path value="RelatedPerson.telecom.system" />
352     <min value="1" />
353     <mustSupport value="true" />
354 </element>
355 <element id="RelatedPerson.telecom.system.extension">
356     <path value="RelatedPerson.telecom.system.extension" />
357     <slicing>
358         <discriminator>
359             <type value="value" />
360             <path value="url" />
361         </discriminator>

```

```

362     <rules value="open" />
363   </slicing>
364   <min value="1" />
365 </element>
366 <element id="RelatedPerson.telecom.system.extension:anzeigennameSystem">
367   <path value="RelatedPerson.telecom.system.extension" />
368   <sliceName value="anzeigennameSystem" />
369   <min value="1" />
370   <max value="1" />
371   <type>
372     <code value="Extension" />
373     <profile value="https://fhir.kbv.de/StructureDefinition/
KBV_EX_Base_Terminology_German" />
374   </type>
375   <mustSupport value="true" />
376 </element>
377 <element id="RelatedPerson.telecom.system.extension:anzeigennameSystem.e
xtension">
378   <path value="RelatedPerson.telecom.system.extension.extension" />
379   <slicing>
380     <discriminator>
381       <type value="value" />
382       <path value="url" />
383     </discriminator>
384     <rules value="open" />
385   </slicing>
386   <min value="1" />
387 </element>
388 <element id="RelatedPerson.telecom.system.extension:anzeigennameSystem.e
xtension:content">
389   <path value="RelatedPerson.telecom.system.extension.extension" />
390   <sliceName value="content" />
391   <min value="1" />
392 </element>
393 <element id="RelatedPerson.telecom.system.extension:anzeigennameSystem.e
xtension:content.value[x]">
394   <path value="RelatedPerson.telecom.system.extension.extension.value[x
]" />
395   <slicing>
396     <discriminator>
397       <type value="type" />
398       <path value="$this" />
399     </discriminator>
400     <rules value="closed" />
401   </slicing>
402   <mustSupport value="true" />
403 </element>
404 <element id="RelatedPerson.telecom.system.extension:anzeigennameSystem.e
xtension:content.value[x]:valueString">
405   <path value="RelatedPerson.telecom.system.extension.extension.value[x
]" />
406   <sliceName value="valueString" />
407   <mustSupport value="true" />
408 </element>
409 <element id="RelatedPerson.telecom.value">
410   <path value="RelatedPerson.telecom.value" />
411   <min value="1" />
412   <mustSupport value="true" />
413 </element>
414 <element id="RelatedPerson.telecom.use">

```

```

415     <path value="RelatedPerson.telecom.use" />
416     <max value="0" />
417 </element>
418 <element id="RelatedPerson.telecom.rank">
419     <path value="RelatedPerson.telecom.rank" />
420     <max value="0" />
421 </element>
422 <element id="RelatedPerson.telecom.period">
423     <path value="RelatedPerson.telecom.period" />
424     <max value="0" />
425 </element>
426 <element id="RelatedPerson.gender">
427     <path value="RelatedPerson.gender" />
428     <max value="0" />
429 </element>
430 <element id="RelatedPerson.birthDate">
431     <path value="RelatedPerson.birthDate" />
432     <max value="0" />
433 </element>
434 <element id="RelatedPerson.address">
435     <path value="RelatedPerson.address" />
436     <slicing>
437         <discriminator>
438             <type value="value" />
439             <path value="type" />
440         </discriminator>
441         <rules value="closed" />
442     </slicing>
443     <mustSupport value="true" />
444 </element>
445 <element id="RelatedPerson.address:Postfach">
446     <path value="RelatedPerson.address" />
447     <sliceName value="Postfach" />
448     <max value="1" />
449     <type>
450         <code value="Address" />
451         <profile value="http://fhir.de/StructureDefinition/address-de-
basis|0.9.2" />
452     </type>
453     <mustSupport value="true" />
454 </element>
455 <element id="RelatedPerson.address:Postfach.extension">
456     <path value="RelatedPerson.address.extension" />
457     <slicing>
458         <discriminator>
459             <type value="value" />
460             <path value="url" />
461         </discriminator>
462         <rules value="open" />
463     </slicing>
464     <min value="0" />
465 </element>
466 <element id="RelatedPerson.address:Postfach.extension:Stadtteil">
467     <path value="RelatedPerson.address.extension" />
468     <sliceName value="Stadtteil" />
469     <min value="0" />
470     <mustSupport value="true" />
471 </element>
472 <element id="RelatedPerson.address:Postfach.extension:Stadtteil.value[x
]"/>

```

```

473     <path value="RelatedPerson.address.extension.value[x]" />
474     <licing>
475       <discriminator>
476         <type value="type" />
477         <path value="$this" />
478       </discriminator>
479       <rules value="open" />
480     </licing>
481     <mustSupport value="true" />
482   </element>
483   <element id="RelatedPerson.address:Postfach.extension:Stadtteil.value[x
]:valueString">
484     <path value="RelatedPerson.address.extension.value[x]" />
485     <sliceName value="valueString" />
486     <mustSupport value="true" />
487   </element>
488   <element id="RelatedPerson.address:Postfach.use">
489     <path value="RelatedPerson.address.use" />
490     <max value="0" />
491   </element>
492   <element id="RelatedPerson.address:Postfach.type">
493     <path value="RelatedPerson.address.type" />
494     <min value="1" />
495     <patternCode value="postal" />
496   </element>
497   <element id="RelatedPerson.address:Postfach.line">
498     <path value="RelatedPerson.address.line" />
499     <max value="2" />
500     <mustSupport value="true" />
501   </element>
502   <element id="RelatedPerson.address:Postfach.line.extension">
503     <path value="RelatedPerson.address.line.extension" />
504     <licing>
505       <discriminator>
506         <type value="value" />
507         <path value="url" />
508       </discriminator>
509       <rules value="open" />
510     </licing>
511     <min value="1" />
512   </element>
513   <element id="RelatedPerson.address:Postfach.line.extension:Strasse">
514     <path value="RelatedPerson.address.line.extension" />
515     <sliceName value="Strasse" />
516     <min value="0" />
517     <max value="0" />
518   </element>
519   <element id="RelatedPerson.address:Postfach.line.extension:Hausnummer">
520     <path value="RelatedPerson.address.line.extension" />
521     <sliceName value="Hausnummer" />
522     <min value="0" />
523     <max value="0" />
524   </element>
525   <element id="RelatedPerson.address:Postfach.line.extension:Adresszusatz
">
526     <path value="RelatedPerson.address.line.extension" />
527     <sliceName value="Adresszusatz" />
528     <min value="0" />
529     <max value="0" />
530   </element>

```

```

531 <element id="RelatedPerson.address:Postfach.line.extension:Postfach">
532   <path value="RelatedPerson.address.line.extension" />
533   <sliceName value="Postfach" />
534   <min value="1" />
535   <mustSupport value="true" />
536 </element>
537 <element id="RelatedPerson.address:Postfach.line.extension:Postfach.value[x]">
538   <path value="RelatedPerson.address.line.extension.value[x]" />
539   <licing>
540     <discriminator>
541       <type value="type" />
542       <path value="$this" />
543     </discriminator>
544     <rules value="closed" />
545   </licing>
546   <mustSupport value="true" />
547 </element>
548 <element id="RelatedPerson.address:Postfach.line.extension:Postfach.value[x]:valueString">
549   <path value="RelatedPerson.address.line.extension.value[x]" />
550   <sliceName value="valueString" />
551   <mustSupport value="true" />
552 </element>
553 <element id="RelatedPerson.address:Postfach.city">
554   <path value="RelatedPerson.address.city" />
555   <mustSupport value="true" />
556 </element>
557 <element id="RelatedPerson.address:Postfach.state">
558   <path value="RelatedPerson.address.state" />
559   <max value="0" />
560 </element>
561 <element id="RelatedPerson.address:Postfach.postalCode">
562   <path value="RelatedPerson.address.postalCode" />
563   <mustSupport value="true" />
564 </element>
565 <element id="RelatedPerson.address:Postfach.country">
566   <path value="RelatedPerson.address.country" />
567   <mustSupport value="true" />
568 </element>
569 <element id="RelatedPerson.address:Postfach.period">
570   <path value="RelatedPerson.address.period" />
571   <max value="0" />
572 </element>
573 <element id="RelatedPerson.address:Strassenanschrift">
574   <path value="RelatedPerson.address" />
575   <sliceName value="Strassenanschrift" />
576   <max value="1" />
577   <type>
578     <code value="Address" />
579     <profile value="http://fhir.de/StructureDefinition/address-de-
basis|0.9.2" />
580   </type>
581   <mustSupport value="true" />
582 </element>
583 <element id="RelatedPerson.address:Strassenanschrift.extension">
584   <path value="RelatedPerson.address.extension" />
585   <licing>
586     <discriminator>
587       <type value="value" />

```

```

588         <path value="url" />
589     </discriminator>
590     <rules value="open" />
591 </slicing>
592 </element>
593 <element id="RelatedPerson.address:Strassenanschrift.extension:Stadtteil">
594     <path value="RelatedPerson.address.extension" />
595     <sliceName value="Stadtteil" />
596     <mustSupport value="true" />
597 </element>
598 <element id="RelatedPerson.address:Strassenanschrift.extension:Stadtteil.value[x]">
599     <path value="RelatedPerson.address.extension.value[x]" />
600     <slicing>
601         <discriminator>
602             <type value="type" />
603             <path value="$this" />
604         </discriminator>
605         <rules value="closed" />
606     </slicing>
607     <mustSupport value="true" />
608 </element>
609 <element id="RelatedPerson.address:Strassenanschrift.extension:Stadtteil.value[x]:valueString">
610     <path value="RelatedPerson.address.extension.value[x]" />
611     <sliceName value="valueString" />
612     <mustSupport value="true" />
613 </element>
614 <element id="RelatedPerson.address:Strassenanschrift.use">
615     <path value="RelatedPerson.address.use" />
616     <max value="0" />
617 </element>
618 <element id="RelatedPerson.address:Strassenanschrift.type">
619     <path value="RelatedPerson.address.type" />
620     <min value="1" />
621     <patternCode value="both" />
622 </element>
623 <element id="RelatedPerson.address:Strassenanschrift.line">
624     <path value="RelatedPerson.address.line" />
625     <max value="2" />
626     <mustSupport value="true" />
627 </element>
628 <element id="RelatedPerson.address:Strassenanschrift.line.extension">
629     <path value="RelatedPerson.address.line.extension" />
630     <slicing>
631         <discriminator>
632             <type value="value" />
633             <path value="url" />
634         </discriminator>
635         <rules value="open" />
636     </slicing>
637 </element>
638 <element id="RelatedPerson.address:Strassenanschrift.line.extension:Strasse">
639     <path value="RelatedPerson.address.line.extension" />
640     <sliceName value="Strasse" />
641     <max value="1" />
642     <mustSupport value="true" />
643 </element>

```

```

644     <element id="RelatedPerson.address:Strassenanschrift.line.extension:Str
asse.value[x]">
645       <path value="RelatedPerson.address.line.extension.value[x]" />
646       <slicing>
647         <discriminator>
648           <type value="type" />
649           <path value="$this" />
650         </discriminator>
651         <rules value="closed" />
652       </slicing>
653       <mustSupport value="true" />
654     </element>
655     <element id="RelatedPerson.address:Strassenanschrift.line.extension:Str
asse.value[x]:valueString">
656       <path value="RelatedPerson.address.line.extension.value[x]" />
657       <sliceName value="valueString" />
658       <min value="1" />
659       <mustSupport value="true" />
660     </element>
661     <element id="RelatedPerson.address:Strassenanschrift.line.extension:Hau
snummer">
662       <path value="RelatedPerson.address.line.extension" />
663       <sliceName value="Hausnummer" />
664       <max value="1" />
665       <mustSupport value="true" />
666     </element>
667     <element id="RelatedPerson.address:Strassenanschrift.line.extension:Hau
snummer.value[x]">
668       <path value="RelatedPerson.address.line.extension.value[x]" />
669       <slicing>
670         <discriminator>
671           <type value="type" />
672           <path value="$this" />
673         </discriminator>
674         <rules value="closed" />
675       </slicing>
676       <mustSupport value="true" />
677     </element>
678     <element id="RelatedPerson.address:Strassenanschrift.line.extension:Hau
snummer.value[x]:valueString">
679       <path value="RelatedPerson.address.line.extension.value[x]" />
680       <sliceName value="valueString" />
681       <min value="1" />
682       <mustSupport value="true" />
683     </element>
684     <element id="RelatedPerson.address:Strassenanschrift.line.extension:Adr
esszusatz">
685       <path value="RelatedPerson.address.line.extension" />
686       <sliceName value="Adresszusatz" />
687       <min value="0" />
688       <mustSupport value="true" />
689     </element>
690     <element id="RelatedPerson.address:Strassenanschrift.line.extension:Adr
esszusatz.value[x]">
691       <path value="RelatedPerson.address.line.extension.value[x]" />
692       <slicing>
693         <discriminator>
694           <type value="type" />
695           <path value="$this" />
696         </discriminator>

```



```

697     <rules value="open" />
698   </slicing>
699   <mustSupport value="true" />
700 </element>
701   <element id="RelatedPerson.address:Strassenanschrift.line.extension:Adr
esszusatz.value[x]:valueString">
702     <path value="RelatedPerson.address.line.extension.value[x]" />
703     <sliceName value="valueString" />
704     <min value="1" />
705     <mustSupport value="true" />
706   </element>
707   <element id="RelatedPerson.address:Strassenanschrift.line.extension:Pos
tfach">
708     <path value="RelatedPerson.address.line.extension" />
709     <sliceName value="Postfach" />
710     <min value="0" />
711     <max value="0" />
712   </element>
713   <element id="RelatedPerson.address:Strassenanschrift.city">
714     <path value="RelatedPerson.address.city" />
715     <min value="1" />
716     <mustSupport value="true" />
717   </element>
718   <element id="RelatedPerson.address:Strassenanschrift.state">
719     <path value="RelatedPerson.address.state" />
720     <max value="0" />
721   </element>
722   <element id="RelatedPerson.address:Strassenanschrift.postalCode">
723     <path value="RelatedPerson.address.postalCode" />
724     <min value="1" />
725     <mustSupport value="true" />
726   </element>
727   <element id="RelatedPerson.address:Strassenanschrift.country">
728     <path value="RelatedPerson.address.country" />
729     <mustSupport value="true" />
730   </element>
731   <element id="RelatedPerson.address:Strassenanschrift.period">
732     <path value="RelatedPerson.address.period" />
733     <max value="0" />
734   </element>
735   <element id="RelatedPerson.photo">
736     <path value="RelatedPerson.photo" />
737     <max value="0" />
738   </element>
739   <element id="RelatedPerson.period">
740     <path value="RelatedPerson.period" />
741     <max value="0" />
742   </element>
743   <element id="RelatedPerson.communication">
744     <path value="RelatedPerson.communication" />
745     <max value="0" />
746   </element>
747 </differential>
748 </StructureDefinition>

```

## 78. KBV\_VS\_MIO\_DIGA\_ACTIVITY\_TYPE

KBV_VS_MIO_DIGA_Activity_Type	
1	<ValueSet xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/ValueSet/KBV_VS_MIO_DIGA_Activity_Type" /
3	>
4	<version value="1.0.0" />
5	<name value="KBV_VS_MIO_DIGA_Activity_Type" />
6	<title value="KBV_VS_MIO_DIGA_Activity_Type" />
7	<status value="draft" />
8	<experimental value="false" />
9	<publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
10	<contact>
11	<telecom>
12	<system value="url" />
13	<value value="https://mio.kbv.de" />
14	</telecom>
15	</contact>
16	<description value="KBV_VS_MIO_DIGA_Activity_Type" />
17	<immutable value="false" />
18	<copyright value="Im folgenden Profil können Codes aus den Codesystemen
19	Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
20	unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
21	which is used by permission of SNOMED International. All rights reserved.
22	SNOMED CT®, was originally created by The College of American Pathologists.
23	SNOMED and SNOMED CT are registered trademarks of SNOMED International.
24	Implementers of these artefacts must have the appropriate SNOMED CT
25	Affiliate license. This material contains content from LOINC ( <a href="http://loinc.org">http://</a>
26	loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
27	the Logical Observation Identifiers Names and Codes (LOINC) Committee and
28	is available at no cost under the license at <a href="http://loinc.org/license">http://loinc.org/license</a> .
29	LOINC® is a registered United States trademark of Regenstrief Institute,
30	Inc. This product includes all or a portion of the UCUM table, UCUM codes,
31	and UCUM definitions or is derived from it, subject to a license from
32	Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
33	table, UCUM codes, UCUM definitions also is subject to this license, a copy
34	of which is available at <a href="http://unitsofmeasure.org">?http://unitsofmeasure.org</a> . The current complete
35	UCUM table, UCUM Specification are available for download at <a href="http://unitsofmeasure.org">http://</a>
36	unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
37	1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
38	Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
39	FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
40	IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
41	NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
42	PARTICULAR PURPOSE." />
43	<compose>
44	<include>
45	<system value="http://hl7.org/fhir/sid/icf-nl" />
46	<concept>
47	<code value="d4" />
48	<display value="Mobilität" />
49	</concept>
50	<concept>
51	<code value="d410-429" />
52	<display value="Die Körperposition ändern und aufrecht erhalten" />
53	</concept>
54	</include>
55	</compose>

```

30     <code value="d430-d449" />
31     <display value="Gegenstände tragen, bewegen und handhaben" />
32 </concept>
33 <concept>
34     <code value="d450-d469" />
35     <display value="Gehen und sich fortbewegen" />
36 </concept>
37 <concept>
38     <code value="d470-d489" />
39     <display value="Sich mit Transportmitteln fortbewegen" />
40 </concept>
41 <concept>
42     <code value="d5" />
43     <display value="Selbstversorgung" />
44 </concept>
45 <concept>
46     <code value="d510" />
47     <display value="Sich waschen" />
48 </concept>
49 <concept>
50     <code value="d520" />
51     <display value="Seine Körperteile pflegen" />
52 </concept>
53 <concept>
54     <code value="d530" />
55     <display value="Die Toilette benutzen" />
56 </concept>
57 <concept>
58     <code value="d540" />
59     <display value="Sich kleiden" />
60 </concept>
61 <concept>
62     <code value="d550" />
63     <display value="Essen" />
64 </concept>
65 <concept>
66     <code value="d560" />
67     <display value="Trinken" />
68 </concept>
69 <concept>
70     <code value="d570" />
71     <display value="Auf seine Gesundheit achten" />
72 </concept>
73 <concept>
74     <code value="d6" />
75     <display value="Häusliches Leben" />
76 </concept>
77 <concept>
78     <code value="d610-d629" />
79     <display value="Beschaffung von Lebensnotwendigkeiten" />
80 </concept>
81 <concept>
82     <code value="d630-d649" />
83     <display value="Haushaltsaufgaben" />
84 </concept>
85 <concept>
86     <code value="d650-d669" />
87     <display value="Haushaltsgegenstände pflegen und anderen helfen" />
88 </concept>
89 <concept>

```

```

90     <code value="d7" />
91     <display value="Interpersonelle Interaktionen und Beziehungen" />
92 </concept>
93 <concept>
94     <code value="d710-d729" />
95     <display value="Allgemeine interpersonelle Interaktionen" />
96 </concept>
97 <concept>
98     <code value="d730-d779" />
99     <display value="Besondere interpersonelle Beziehungen" />
100 </concept>
101 <concept>
102     <code value="d8" />
103     <display value="Bedeutende Lebensbereiche" />
104 </concept>
105 <concept>
106     <code value="d810-d839" />
107     <display value="Erziehung/Bildung" />
108 </concept>
109 <concept>
110     <code value="d840-d859" />
111     <display value="Arbeit und Beschäftigung" />
112 </concept>
113 <concept>
114     <code value="d860-d879" />
115     <display value="Wirtschaftliches Leben" />
116 </concept>
117 <concept>
118     <code value="d9" />
119     <display value="Gemeinschafts-, soziales und staatsbürgerliches
120 Leben" />
121 </concept>
122 <concept>
123     <code value="d910" />
124     <display value="Gemeinschaftsleben" />
125 </concept>
126 <concept>
127     <code value="d920" />
128     <display value="Erholung und Freizeit" />
129 </concept>
130 <concept>
131     <code value="d930" />
132     <display value="Religion und Spiritualität" />
133 </concept>
134 <concept>
135     <code value="d940" />
136     <display value="Menschenrechte" />
137 </concept>
138 <concept>
139     <code value="d950" />
140     <display value="Politisches Leben und Staatsbürgerschaft" />
141 </concept>
142 </include>
143 </compose>
</ValueSet>

```

## 79. KBV\_VS\_MIO\_DIGA\_CONDITION\_SEVERITY

### KBV\_VS\_MIO\_DIGA\_Condition\_Severity

```
1 <ValueSet xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_DIGA_Condition_Severity" />
3   <version value="1.0.0" />
4   <name value="KBV_VS_MIO_DIGA_Condition_Severity" />
5   <title value="Schweregrad" />
6   <status value="draft" />
7   <experimental value="false" />
8   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9   <contact>
10    <telecom>
11      <system value="url" />
12      <value value="https://mio.kbv.de" />
13    </telecom>
14  </contact>
15  <description value="Schweregrad" />
16  <immutable value="false" />
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at ?http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
18  <compose>
19    <include>
20      <system value="http://snomed.info/sct" />
21      <version value="http://snomed.info/sct/900000000000207008/version/
20220131" />
22      <concept>
23        <code value="255604002" />
24        <display value="Mild" />
25      </concept>
26      <concept>
27        <code value="6736007" />
28        <display value="Moderate" />
```

```

29     </concept>
30     <concept>
31         <code value="24484000" />
32         <display value="Severe" />
33     </concept>
34 </include>
35 </compose>
36 </ValueSet>

```

## 80. KBV\_VS\_MIO\_DIGA\_DOSAGE\_POINT\_OF\_TIME

### KBV\_VS\_MIO\_DIGA\_Dosage\_Point\_Of\_Time

```

1 <ValueSet xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_DIGA_Dosage_Point_Of_Time" />
3   <version value="1.0.0" />
4   <name value="KBV_VS_MIO_DIGA_Dosage_Point_Of_Time" />
5   <title value="Dosierung mittels 4-teiligem Schema" />
6   <status value="draft" />
7   <experimental value="false" />
8   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9   <contact>
10     <telecom>
11       <system value="url" />
12       <value value="https://mio.kbv.de" />
13     </telecom>
14   </contact>
15   <description value="Dosierung mittels 4-teiligem Schema" />
16   <immutable value="false" />
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at ?http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995-2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
18   <compose>
19   <include>

```

```

20     <system value="http://snomed.info/sct" />
21     <version value="http://snomed.info/sct/900000000000207008/version/
22     20210131" />
23     <concept>
24         <code value="2546009" />
25         <display value="Night time (qualifier value)" />
26     </concept>
27     <concept>
28         <code value="3157002" />
29         <display value="Evening (qualifier value)" />
30     </concept>
31     <concept>
32         <code value="71997007" />
33         <display value="Noon (qualifier value)" />
34     </concept>
35     <concept>
36         <code value="73775008" />
37         <display value="Morning (qualifier value)" />
38     </concept>
39 </include>
40 </compose>
</ValueSet>

```

## 81. KBV\_VS\_MIO\_DIGA\_ENVIRONMENTAL\_FACTORS

### KBV\_VS\_MIO\_DIGA\_Environmental\_Factors

```

1 <ValueSet xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ValueSet/
3   KBV_VS_MIO_DIGA_Environmental_Factors" />
4   <version value="1.0.0" />
5   <name value="KBV_VS_MIO_DIGA_Environmental_Factors" />
6   <title value="KBV_VS_MIO_DIGA_Environmental_Factors" />
7   <status value="draft" />
8   <experimental value="false" />
9   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
10  <contact>
11    <telecom>
12      <system value="url" />
13      <value value="https://mio.kbv.de" />
14    </telecom>
15  </contact>
16  <description value="KBV_VS_MIO_DIGA_Environmental_Factors" />
17  <immutable value="false" />
  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
  Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
  unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
  which is used by permission of SNOMED International. All rights reserved.
  SNOMED CT®, was originally created by The College of American Pathologists.
  SNOMED and SNOMED CT are registered trademarks of SNOMED International.
  Implementers of these artefacts must have the appropriate SNOMED CT
  Affiliate license. This material contains content from LOINC (http://
  loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
  the Logical Observation Identifiers Names and Codes (LOINC) Committee and
  is available at no cost under the license at http://loinc.org/license.
  LOINC® is a registered United States trademark of Regenstrief Institute,
  Inc. This product includes all or a portion of the UCUM table, UCUM codes,

```

and UCUM definitions or is derived from it, subject to a license from Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM codes, UCUM definitions also is subject to this license, a copy of which is available at <http://unitsofmeasure.org>. The current complete UCUM table, UCUM Specification are available for download at <http://unitsofmeasure.org>. The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED "AS IS." ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE." />

```
18 <compose>
19   <include>
20     <system value="http://hl7.org/fhir/sid/icf-nl" />
21     <concept>
22       <code value="e1" />
23       <display value="Produkte und Technologien" />
24     </concept>
25     <concept>
26       <code value="e2" />
27       <display value="Natürliche und vom Menschen veränderte Umwelt" />
28     </concept>
29     <concept>
30       <code value="e210" />
31       <display value="Physikalische Geographie" />
32     </concept>
33     <concept>
34       <code value="e215" />
35       <display value="Bevölkerung" />
36     </concept>
37     <concept>
38       <code value="e220" />
39       <display value="Flora und Fauna" />
40     </concept>
41     <concept>
42       <code value="e225" />
43       <display value="Klima" />
44     </concept>
45     <concept>
46       <code value="e230" />
47       <display value="Natürliche Ereignisse" />
48     </concept>
49     <concept>
50       <code value="e235" />
51       <display value="Vom Menschen verursachte Ereignisse" />
52     </concept>
53     <concept>
54       <code value="e240" />
55       <display value="Licht" />
56     </concept>
57     <concept>
58       <code value="e245" />
59       <display value="Zeitbezogene Veränderungen" />
60     </concept>
61     <concept>
62       <code value="e250" />
63       <display value="Laute und Geräusche" />
64     </concept>
65     <concept>
```



```

66     <code value="e255" />
67     <display value="Schwingung" />
68 </concept>
69 <concept>
70     <code value="e260" />
71     <display value="Luftqualität" />
72 </concept>
73 <concept>
74     <code value="e3" />
75     <display value="Unterstützung und Beziehungen" />
76 </concept>
77 <concept>
78     <code value="e4" />
79     <display value="Einstellungen" />
80 </concept>
81 <concept>
82     <code value="e5" />
83     <display value="Dienste, Systeme und Handlungsgrundsätze" />
84 </concept>
85 </include>
86 </compose>
87 </ValueSet>

```

## 82. KBV\_VS\_MIO\_DIGA\_FUNCTIONAL\_ASSESSMENTTYPE

### KBV\_VS\_MIO\_DIGA\_Functional\_AssessmentType

```

1 <ValueSet xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_DIGA_Functional_Assessment_Type" />
3   <version value="1.0.0" />
4   <name value="KBV_VS_MIO_DIGA_Functional_AssessmentType" />
5   <title value="KBV_VS_MIO_DIGA_Functional_Assessment_Type" />
6   <status value="draft" />
7   <experimental value="false" />
8   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9   <contact>
10     <telecom>
11       <system value="url" />
12       <value value="https://mio.kbv.de" />
13     </telecom>
14   </contact>
15   <description value="KBV_VS_MIO_DIGA_Functional_Assessment_Type" />
16   <immutable value="false" />
17   <copyright value="Im folgenden Profil können Codes aus den Codesystemen

```

Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®) which is used by permission of SNOMED International. All rights reserved. SNOMED CT®, was originally created by The College of American Pathologists. SNOMED and SNOMED CT are registered trademarks of SNOMED International. Implementers of these artefacts must have the appropriate SNOMED CT Affiliate license. This material contains content from LOINC (<http://loinc.org>). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and the Logical Observation Identifiers Names and Codes (LOINC) Committee and is available at no cost under the license at <http://loinc.org/license>. LOINC® is a registered United States trademark of Regenstrief Institute, Inc. This product includes all or a portion of the UCUM table, UCUM codes,

and UCUM definitions or is derived from it, subject to a license from Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM codes, UCUM definitions also is subject to this license, a copy of which is available at <http://unitsofmeasure.org>. The current complete UCUM table, UCUM Specification are available for download at <http://unitsofmeasure.org>. The UCUM table and UCUM codes are copyright © 1995-2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED "AS IS." ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE." />

```
18 <compose>
19 <include>
20 <system value="http://hl7.org/fhir/sid/icf-nl" />
21 <concept>
22 <code value="b1" />
23 <display value="Mentale Funktionen" />
24 </concept>
25 <concept>
26 <code value="b140-b189" />
27 <display value="Spezifische mentale Funktionen" />
28 </concept>
29 <concept>
30 <code value="b110-b139" />
31 <display value="Globale mentale Funktionen" />
32 </concept>
33 <concept>
34 <code value="b2" />
35 <display value="Sinnesfunktionen und Schmerz" />
36 </concept>
37 <concept>
38 <code value="b210-b229" />
39 <display value="Seh- und verwandte Funktionen" />
40 </concept>
41 <concept>
42 <code value="b230-b249" />
43 <display value="Hör- und Vestibularfunktionen" />
44 </concept>
45 <concept>
46 <code value="b250-b279" />
47 <display value="Weitere Sinnesfunktionen" />
48 </concept>
49 <concept>
50 <code value="b280-b289" />
51 <display value="Schmerz" />
52 </concept>
53 <concept>
54 <code value="b3" />
55 <display value="Stimm- und Sprechfunktionen" />
56 </concept>
57 <concept>
58 <code value="b4" />
59 <display value="Funktionen des kardiovaskulären, hämatologischen,
60 Immun- und Atmungssystems" />
61 </concept>
62 <concept>
63 <code value="b410-b429" />
64 <display value="Funktionen des kardiovaskulären Systems" />
65 </concept>
```

```

65     <concept>
66         <code value="b430-b439" />
67         <display value="Funktionen des hämatologischen und des
Immunsystems" />
68     </concept>
69     <concept>
70         <code value="b450-b469" />
71         <display value="Weitere Funktionen und Empfindungen, die das
kardiovaskuläre und Atmungssystem betreffen" />
72     </concept>
73     <concept>
74         <code value="b5" />
75         <display value="Funktionen des Verdauungs-, des Stoffwechsel- und
des endokrinen Systems" />
76     </concept>
77     <concept>
78         <code value="b510-b539" />
79         <display value="Funktionen im Zusammenhang mit dem
Verdauungssystem" />
80     </concept>
81     <concept>
82         <code value="b540-b559" />
83         <display value="Funktionen im Zusammenhang mit dem Stoffwechsel-
und dem endokrinen System" />
84     </concept>
85     <concept>
86         <code value="b6" />
87         <display value="Funktionen des Urogenital- und reproduktiven
Systems" />
88     </concept>
89     <concept>
90         <code value="b640-b679" />
91         <display value="Genital- und reproduktive Funktionen" />
92     </concept>
93     <concept>
94         <code value="b7" />
95         <display value="Neuromuskuloskeletale und bewegungsbezogene
Funktionen" />
96     </concept>
97     <concept>
98         <code value="b710-b729" />
99         <display value="Funktionen der Gelenke und Knochen" />
100    </concept>
101    <concept>
102        <code value="b730-b749" />
103        <display value="Funktionen der Muskeln" />
104    </concept>
105    <concept>
106        <code value="b750" />
107        <display value="Funktionen der motorischen Reflexe" />
108    </concept>
109    <concept>
110        <code value="b8" />
111        <display value="Funktionen der Haut und der Hautanhangsgebilde" />
112    </concept>
113    <concept>
114        <code value="b810-b849" />
115        <display value="Funktionen der Haut" />
116    </concept>
117    </concept>

```

```

118     <code value="b850-b869" />
119     <display value="Funktionen des Haars und der Nägel" />
120 </concept>
121 <concept>
122     <code value="d410-d429" />
123     <display value="Die Körperposition ändern und aufrecht erhalten" />
124 </concept>
125 <concept>
126     <code value="d430-d449" />
127     <display value="Gegenstände tragen, bewegen und handhaben" />
128 </concept>
129 <concept>
130     <code value="d5" />
131     <display value="Selbstversorgung" />
132 </concept>
133 <concept>
134     <code value="d510" />
135     <display value="Sich waschen" />
136 </concept>
137 <concept>
138     <code value="d520" />
139     <display value="Seine Körperteile pflegen" />
140 </concept>
141 <concept>
142     <code value="d530" />
143     <display value="Die Toilette benutzen" />
144 </concept>
145 <concept>
146     <code value="d540" />
147     <display value="Sich kleiden" />
148 </concept>
149 <concept>
150     <code value="d550" />
151     <display value="Essen" />
152 </concept>
153 <concept>
154     <code value="d560" />
155     <display value="Trinken" />
156 </concept>
157 </include>
158 </compose>
159 </ValueSet>

```

### 83. KBV\_VS\_MIO\_DIGA\_LIFESTYLE\_FACTORS

#### KBV\_VS\_MIO\_DIGA\_Lifestyle\_Factors

```

1 <ValueSet xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_DIGA_Lifestyle_Factors" />
3   <version value="1.0.0" />
4   <name value="KBV_VS_MIO_DIGA_Lifestyle_Factors" />
5   <title value="KBV_VS_MIO_DIGA_Lifestyle_Factors" />
6   <status value="draft" />
7   <experimental value="false" />
8   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9   <contact>

```

```

10     <telecom>
11         <system value="url" />
12         <value value="https://mio.kbv.de" />
13     </telecom>
14 </contact>
15 <description value="KBV_VS_MIO_DIGA_Lifestyle_Factors" />
16 <immutable value="false" />
17 <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at ?http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995-2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
18 <compose>
19     <include>
20         <system value="http://hl7.org/fhir/sid/icf-nl" />
21         <concept>
22             <code value="d5" />
23             <display value="Selbstversorgung" />
24         </concept>
25         <concept>
26             <code value="d540" />
27             <display value="Sich kleiden" />
28         </concept>
29         <concept>
30             <code value="d550" />
31             <display value="Essen" />
32         </concept>
33         <concept>
34             <code value="d560" />
35             <display value="Trinken" />
36         </concept>
37         <concept>
38             <code value="d570" />
39             <display value="Auf seine Gesundheit achten" />
40         </concept>
41         <concept>
42             <code value="d6" />
43             <display value="Häusliches Leben" />
44         </concept>
45     </concept>

```

```

46     <code value="d6200" />
47     <display value="Einkaufen" />
48 </concept>
49 <concept>
50     <code value="d630-d649" />
51     <display value="Haushaltsaufgaben" />
52 </concept>
53 <concept>
54     <code value="d650-d669" />
55     <display value="Haushaltsgegenstände pflegen und anderen helfen" />
56 </concept>
57 <concept>
58     <code value="d7" />
59     <display value="Interpersonelle Interaktionen und Beziehungen" />
60 </concept>
61 <concept>
62     <code value="d710-d729" />
63     <display value="Allgemeine interpersonelle Interaktionen" />
64 </concept>
65 <concept>
66     <code value="d730-d779" />
67     <display value="Besondere interpersonelle Beziehungen" />
68 </concept>
69 <concept>
70     <code value="d8" />
71     <display value="Bedeutende Lebensbereiche" />
72 </concept>
73 <concept>
74     <code value="d810-d839" />
75     <display value="Erziehung/Bildung" />
76 </concept>
77 <concept>
78     <code value="d840-d859" />
79     <display value="Arbeit und Beschäftigung" />
80 </concept>
81 <concept>
82     <code value="d860-d879" />
83     <display value="Wirtschaftliches Leben" />
84 </concept>
85 <concept>
86     <code value="d9" />
87     <display value="Gemeinschafts-, soziales und staatsbürgerliches
Leben" />
88 </concept>
89 <concept>
90     <code value="d910" />
91     <display value="Gemeinschaftsleben" />
92 </concept>
93 <concept>
94     <code value="d9102" />
95     <display value="Feierlichkeiten" />
96 </concept>
97 <concept>
98     <code value="d920" />
99     <display value="Erholung und Freizeit" />
100 </concept>
101 <concept>
102     <code value="d930" />
103     <display value="Religion und Spiritualität" />
104 </concept>

```

```

105     </include>
106   </compose>
107 </ValueSet>

```

#### 84. KBV\_VS\_MIO\_DIGA\_OBSERVATION\_INTERPRETATION

##### KBV\_VS\_MIO\_DIGA\_Observation\_Interpretation

```

1  <ValueSet xmlns="http://hl7.org/fhir">
2  <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_DIGA_Observation_Interpretation" />
3  <version value="1.0.0" />
4  <name value="KBV_VS_MIO_DIGA_Observation_Interpretation" />
5  <title value="KBV_VS_MIO_DIGA_Observation_Interpretation" />
6  <status value="draft" />
7  <experimental value="false" />
8  <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9  <contact>
10   <telecom>
11     <system value="url" />
12     <value value="https://mio.kbv.de" />
13   </telecom>
14 </contact>
15 <description value="KBV_VS_MIO_DIGA_Observation_Interpretation" />
16 <immutable value="false" />
17 <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at ?http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995-2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
18 <compose>
19   <include>
20     <system value="http://terminology.hl7.org/CodeSystem/v3-
ObservationInterpretation" />
21     <version value="2018-08-12" />
22     <concept>
23       <code value="_GeneticObservationInterpretation" />

```

```

24     <display value="GeneticObservationInterpretation" />
25 </concept>
26 <concept>
27     <code value="CAR" />
28     <display value="Carrier" />
29 </concept>
30 <concept>
31     <code value="_ObservationInterpretationChange" />
32     <display value="ObservationInterpretationChange" />
33 </concept>
34 <concept>
35     <code value="B" />
36     <display value="Better" />
37 </concept>
38 <concept>
39     <code value="D" />
40     <display value="Significant change down" />
41 </concept>
42 <concept>
43     <code value="U" />
44     <display value="Significant change up" />
45 </concept>
46 <concept>
47     <code value="W" />
48     <display value="Worse" />
49 </concept>
50 <concept>
51     <code value="_ObservationInterpretationExceptions" />
52     <display value="ObservationInterpretationExceptions" />
53 </concept>
54 <concept>
55     <code value="&lt;" />
56     <display value="Off scale low" />
57 </concept>
58 <concept>
59     <code value="&gt;" />
60     <display value="Off scale high" />
61 </concept>
62 <concept>
63     <code value="IE" />
64     <display value="Insufficient evidence" />
65 </concept>
66 <concept>
67     <code value="_ObservationInterpretationNormality" />
68     <display value="ObservationInterpretationNormality" />
69 </concept>
70 <concept>
71     <code value="A" />
72     <display value="Abnormal" />
73 </concept>
74 <concept>
75     <code value="AA" />
76     <display value="Critical abnormal" />
77 </concept>
78 <concept>
79     <code value="HH" />
80     <display value="Critical high" />
81 </concept>
82 <concept>
83     <code value="LL" />

```



```

84     <display value="Critical low" />
85 </concept>
86 <concept>
87     <code value="H" />
88     <display value="High" />
89 </concept>
90 <concept>
91     <code value="HU" />
92     <display value="Significantly high" />
93 </concept>
94 <concept>
95     <code value="L" />
96     <display value="Low" />
97 </concept>
98 <concept>
99     <code value="LU" />
100     <display value="Significantly low" />
101 </concept>
102 <concept>
103     <code value="N" />
104     <display value="Normal" />
105 </concept>
106 <concept>
107     <code value="EX" />
108     <display value="outside threshold" />
109 </concept>
110 <concept>
111     <code value="HX" />
112     <display value="above high threshold" />
113 </concept>
114 <concept>
115     <code value="LX" />
116     <display value="below low threshold" />
117 </concept>
118 <concept>
119     <code value="ObservationInterpretationDetection" />
120     <display value="ObservationInterpretationDetection" />
121 </concept>
122 <concept>
123     <code value="IND" />
124     <display value="Indeterminate" />
125 </concept>
126 <concept>
127     <code value="E" />
128     <display value="Equivocal" />
129 </concept>
130 <concept>
131     <code value="NEG" />
132     <display value="Negative" />
133 </concept>
134 <concept>
135     <code value="ND" />
136     <display value="Not detected" />
137 </concept>
138 <concept>
139     <code value="POS" />
140     <display value="Positive" />
141 </concept>
142 <concept>
143     <code value="DET" />

```

```

144     <display value="Detected" />
145 </concept>
146 <concept>
147     <code value="ObservationInterpretationExpectation" />
148     <display value="ObservationInterpretationExpectation" />
149 </concept>
150 <concept>
151     <code value="EXP" />
152     <display value="Expected" />
153 </concept>
154 <concept>
155     <code value="UNE" />
156     <display value="Unexpected" />
157 </concept>
158 <concept>
159     <code value="ReactivityObservationInterpretation" />
160     <display value="ReactivityObservationInterpretation" />
161 </concept>
162 <concept>
163     <code value="NR" />
164     <display value="Non-reactive" />
165 </concept>
166 <concept>
167     <code value="RR" />
168     <display value="Reactive" />
169 </concept>
170 <concept>
171     <code value="WR" />
172     <display value="Weakly reactive" />
173 </concept>
174 </include>
175 </compose>
176 </ValueSet>

```

## 85. KBV\_VS\_MIO\_DIGA\_PROBLEM\_TYPE

### KBV\_VS\_MIO\_DIGA\_Problem\_Type

```

1 <ValueSet xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ValueSet/KBV_VS_MIO_DIGA_Problem_Type" />
3   <version value="1.0.0" />
4   <name value="KBV_VS_MIO_DIGA_Problem_Type" />
5   <title value="Problemtyp" />
6   <status value="draft" />
7   <experimental value="false" />
8   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9   <contact>
10    <telecom>
11      <system value="url" />
12      <value value="https://mio.kbv.de" />
13    </telecom>
14  </contact>
15  <description value="Problemtyp" />
16  <immutable value="false" />
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
  Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
  unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)

```

which is used by permission of SNOMED International. All rights reserved. SNOMED CT®, was originally created by The College of American Pathologists. SNOMED and SNOMED CT are registered trademarks of SNOMED International. Implementers of these artefacts must have the appropriate SNOMED CT Affiliate license. This material contains content from LOINC (<http://loinc.org>). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and the Logical Observation Identifiers Names and Codes (LOINC) Committee and is available at no cost under the license at <http://loinc.org/license>. LOINC® is a registered United States trademark of Regenstrief Institute, Inc. This product includes all or a portion of the UCUM table, UCUM codes, and UCUM definitions or is derived from it, subject to a license from Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM table, UCUM codes, UCUM definitions also is subject to this license, a copy of which is available at <http://unitsofmeasure.org>. The current complete UCUM table, UCUM Specification are available for download at <http://unitsofmeasure.org>. The UCUM table and UCUM codes are copyright © 1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED "AS IS." ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE." />

```

18     <compose>
19       <include>
20         <system value="http://snomed.info/sct" />
21         <version value="http://snomed.info/sct/900000000000207008/version/
22 20220131" />
23         <concept>
24           <code value="282291009" />
25           <display value="Diagnosis interpretation (observable entity)" />
26         </concept>
27         <concept>
28           <code value="404684003" />
29           <display value="Clinical finding (finding)" />
30         </concept>
31         <concept>
32           <code value="409586006" />
33           <display value="Complaint (finding)" />
34         </concept>
35         <concept>
36           <code value="55607006" />
37           <display value="Problem (finding)" />
38         </concept>
39       </include>
40     </compose>
</ValueSet>

```

## 86. KBV\_VS\_MIO\_DIGA\_QUESTIONNAIRE\_ITEM\_TYPE

KBV_VS_MIO_DIGA_Questionnaire_Item_Type	
1	<ValueSet xmlns="http://hl7.org/fhir">
2	<url value="https://fhir.kbv.de/ValueSet/
3	KBV_VS_MIO_DIGA_Questionnaire_Item_Type" />
4	<version value="1.0.0" />
5	<name value="KBV_VS_MIO_DIGA_Questionnaire_Item_Type" />
	<title value="KBV_VS_MIO_DIGA_Questionnaire_Item_Type" />

```

6 <status value="draft" />
7 <experimental value="false" />
8 <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9 <contact>
10 <telecom>
11 <system value="url" />
12 <value value="https://mio.kbv.de" />
13 </telecom>
14 </contact>
15 <description value="KBV_VS_MIO_DIGA_Questionnaire_Item_Type" />
16 <immutable value="false" />
17 <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at ?http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995-2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
18 <compose>
19 <include>
20 <system value="http://hl7.org/fhir/item-type" />
21 <version value="4.0.1" />
22 <concept>
23 <code value="group" />
24 <display value="Group" />
25 </concept>
26 <concept>
27 <code value="display" />
28 <display value="Display" />
29 </concept>
30 <concept>
31 <code value="question" />
32 <display value="Question" />
33 </concept>
34 <concept>
35 <code value="boolean" />
36 <display value="Boolean" />
37 </concept>
38 <concept>
39 <code value="decimal" />
40 <display value="Decimal" />
41 </concept>

```

```

42     <concept>
43       <code value="integer" />
44       <display value="Integer" />
45     </concept>
46     <concept>
47       <code value="date" />
48       <display value="Date" />
49     </concept>
50     <concept>
51       <code value="dateTime" />
52       <display value="Date Time" />
53     </concept>
54     <concept>
55       <code value="time" />
56       <display value="Time" />
57     </concept>
58     <concept>
59       <code value="string" />
60       <display value="String" />
61     </concept>
62     <concept>
63       <code value="text" />
64       <display value="Text" />
65     </concept>
66     <concept>
67       <code value="url" />
68       <display value="Url" />
69     </concept>
70     <concept>
71       <code value="choice" />
72       <display value="Choice" />
73     </concept>
74     <concept>
75       <code value="open-choice" />
76       <display value="Open Choice" />
77     </concept>
78     <concept>
79       <code value="quantity" />
80       <display value="Quantity" />
81     </concept>
82   </include>
83 </compose>
84 </ValueSet>

```

## 87. KBV\_VS\_MIO\_DIGA\_SCALE\_METHOD

### KBV\_VS\_MIO\_DIGA\_Scale\_Method

```

1 <ValueSet xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ValueSet/KBV_VS_MIO_DIGA_Scale_Method" />
3   <version value="1.0.0" />
4   <name value="KBV_VS_MIO_DIGA_Scale_Method" />
5   <title value="KBV_VS_MIO_DIGA_Scale_Method" />
6   <status value="draft" />
7   <experimental value="false" />
8   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9   <contact>

```

```

10     <telecom>
11         <system value="url" />
12         <value value="https://mio.kbv.de" />
13     </telecom>
14 </contact>
15 <description value="KBV_VS_MIO_DIGA_Scale_Method" />
16 <immutable value="false" />
17 <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995-2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at ?http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995-2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
18 <compose>
19     <include>
20         <system value="http://snomed.info/sct" />
21         <version value="http://snomed.info/sct/900000000000207008/version/
22220131" />
22         <concept>
23             <code value="1172399009" />
24             <display value="Numeric rating scale score (observable entity)" />
25         </concept>
26         <concept>
27             <code value="446661009" />
28             <display value="Visual analog scale score (observable entity)" />
29         </concept>
30         <concept>
31             <code value="716575007" />
32             <display value="Verbal Rating Scale score (observable entity)" />
33         </concept>
34     </include>
35 </compose>
36 </ValueSet>

```

## 88. KBV\_VS\_MIO\_DIGA\_SOURCE\_OF\_INFORMATION

### KBV\_VS\_MIO\_DIGA\_Source\_Of\_Information

```
1 <ValueSet xmlns="http://hl7.org/fhir">
2   <url value="https://fhir.kbv.de/ValueSet/
KBV_VS_MIO_DIGA_Source_Of_Information" />
3   <version value="1.0.0" />
4   <name value="KBV_VS_MIO_DIGA_Source_Of_Information" />
5   <title value="Quelle der Information" />
6   <status value="draft" />
7   <experimental value="false" />
8   <publisher value="Kassenärztliche Bundesvereinigung (KBV)" />
9   <contact>
10    <telecom>
11      <system value="url" />
12      <value value="https://mio.kbv.de" />
13    </telecom>
14  </contact>
15  <description value="Quelle der Information" />
16  <immutable value="false" />
17  <copyright value="Im folgenden Profil können Codes aus den Codesystemen
Snomed, Loinc oder Ucum enthalten sein, die dem folgenden Urheberrecht
unterliegen: This material includes SNOMED Clinical Terms® (SNOMED CT®)
which is used by permission of SNOMED International. All rights reserved.
SNOMED CT®, was originally created by The College of American Pathologists.
SNOMED and SNOMED CT are registered trademarks of SNOMED International.
Implementers of these artefacts must have the appropriate SNOMED CT
Affiliate license. This material contains content from LOINC (http://
loinc.org). LOINC is copyright © 1995–2020, Regenstrief Institute, Inc. and
the Logical Observation Identifiers Names and Codes (LOINC) Committee and
is available at no cost under the license at http://loinc.org/license.
LOINC® is a registered United States trademark of Regenstrief Institute,
Inc. This product includes all or a portion of the UCUM table, UCUM codes,
and UCUM definitions or is derived from it, subject to a license from
Regenstrief Institute, Inc. and The UCUM Organization. Your use of the UCUM
table, UCUM codes, UCUM definitions also is subject to this license, a copy
of which is available at ?http://unitsofmeasure.org. The current complete
UCUM table, UCUM Specification are available for download at http://
unitsofmeasure.org. The UCUM table and UCUM codes are copyright ©
1995–2009, Regenstrief Institute, Inc. and the Unified Codes for Units of
Measures (UCUM) Organization. All rights reserved. THE UCUM TABLE (IN ALL
FORMATS), UCUM DEFINITIONS, AND SPECIFICATION ARE PROVIDED &quot;AS
IS.&quot; ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE." />
18  <compose>
19    <include>
20      <system value="http://snomed.info/sct" />
21      <version value="http://snomed.info/sct/900000000000207008/version/
20220131" />
22      <concept>
23        <code value="261665006" />
24        <display value="Unknown (qualifier value)" />
25      </concept>
26      <concept>
27        <code value="394863008" />
28        <display value="Non-family member (person)" />
```

```
29     </concept>
30     <concept>
31       <code value="125677006" />
32       <display value="Relative (person)" />
33     </concept>
34     <concept>
35       <code value="158965000" />
36       <display value="Medical practitioner (occupation)" />
37     </concept>
38     <concept>
39       <code value="116154003" />
40       <display value="Patient (person)" />
41     </concept>
42     <concept>
43       <code value="49062001" />
44       <display value="Device (physical object)" />
45     </concept>
46   </include>
47 </compose>
48 </ValueSet>
```

## ARTIKEL 3 - FESTLEGUNGEN ZUR SIGNATUR

Eine Signatur ist für dieses MIO nicht vorgesehen.

## ARTIKEL 4 - INKRAFTTRETEN, GELTUNG UND AUSSERKRAFTTRETEN

Diese Festlegung tritt am Tag nach ihrer Veröffentlichung in Kraft. Sie gilt ab dem 01.01.2023.